



BLESSEY

Marine Services, Inc.

P.O. Box 23734 • Harahan, Louisiana 70103 Phone: (504) 734-1156 Fax: (504) 734-1195

BARGE VAPOR TIGHTNESS LETTER

NOTE: Test results are valid for (1) one year from date of test.
NOTE: This test was performed with a certified and calibrated gauge by the testing facility.
NOTE: The vapor stack flame screen was verified to be clean and defect free.

- Test date: 12-07-2022
 - Barge owner: Blessey Marine
 - Barge name / Official Number: Web 132
 - Maximum load rate (BPH): 3500 (BPH)
- Pressure cargo tanks and vapor system to (28) twenty-eight inches of water using a Manometer to record the time and pressure. Close all air valves and allow the vessel to remain pressured for (30) thirty minutes. Use soap to test and inspect for leaks. After (30) thirty minutes, record pressure and times.

- Test cargo tanks & Vapor System to 28" inches of water.
- Start Time: 14:00 Beginning Pressure: 28"
- End Time: 14:30 Ending Pressure: 27.9"

✓ This vessel has been tested in accordance with Section 40 CFR 61.304(f) and has been found to be vapor tight.

Company of Tester:	Location:
<u>K SOLV Maritime</u>	<u>Channelview TX</u>
Name of Tester (print):	Signature of Tester:
<u>Rodolfo Gutierrez</u>	<u>Rodolfo Gutierrez</u>
Name of Witness (print):	Signature of Witness:
<u>Margarito Arenas</u>	<u>Margarito Arenas</u>
Affiliation / Company of Witness (print):	
<u>SUPERVISOR / K SOLV</u>	

