



BARGE "WEB 125"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8
2 CENTER	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/8	- 01-1/8
3 CENTER	00-3/8	- 00-3/8	00-3/4	- 00-3/4	01-1/8	- 01-1/8	01-1/2	- 01-1/2	02-0/8	- 02-0/8	02-3/8	- 02-3/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-1/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 161'-06"

December 15, 2009

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 125"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-00 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	0	0	139,161	0	130,145	0	121,129	0	112,113	0	102,453	0	92,077	0	81,698		
1/4	1/4	1/4	1/4	1/4	138,973	1/4	129,957	1/4	120,941	1/4	111,925	1/4	102,236	1/4	91,861	1/4	81,481		
1/2	1/2	1/2	1/2	1/2	138,785	1/2	129,770	1/2	120,754	1/2	111,738	1/2	102,020	1/2	91,645	1/2	81,265		
3/4	3/4	3/4	3/4	3/4	138,598	3/4	129,582	3/4	120,566	3/4	111,550	3/4	101,804	3/4	91,429	3/4	81,049		
1	1	1	1	1	138,410	1	129,394	1	120,378	1	111,362	1	101,588	1	91,212	1	80,833		
1/4	1/4	1/4	1/4	1/4	138,222	1/4	129,206	1/4	120,190	1/4	111,174	1/4	101,372	1/4	90,996	1/4	80,616		
1/2	1/2	1/2	1/2	1/2	138,034	1/2	129,018	1/2	120,002	1/2	110,986	1/2	101,155	1/2	90,780	1/2	80,400		
3/4	3/4	3/4	3/4	3/4	137,846	3/4	128,830	3/4	119,814	3/4	110,798	3/4	100,939	3/4	90,564	3/4	80,184		
2	2	2	2	2	137,658	2	128,643	2	119,627	2	110,611	2	100,723	2	90,347	2	79,968		
1/4	1/4	1/4	1/4	1/4	137,471	1/4	128,455	1/4	119,439	1/4	110,423	1/4	100,507	1/4	90,131	1/4	79,751		
1/2	1/2	1/2	1/2	1/2	137,283	1/2	128,267	1/2	119,251	1/2	110,236	1/2	100,291	1/2	89,915	1/2	79,535		
3/4	3/4	3/4	3/4	3/4	137,095	3/4	128,079	3/4	119,063	3/4	110,048	3/4	100,075	3/4	89,699	3/4	79,319		
3	3	3	3	3	136,907	3	127,891	3	118,875	3	109,861	3	99,859	3	89,482	3	79,103		
1/4	1/4	1/4	1/4	1/4	136,719	1/4	127,703	1/4	118,687	1/4	109,674	1/4	99,643	1/4	89,266	1/4	78,886		
1/2	1/2	1/2	1/2	1/2	136,531	1/2	127,516	1/2	118,500	1/2	109,486	1/2	99,427	1/2	89,050	1/2	78,670		
3/4	3/4	3/4	3/4	3/4	144,464	3/4	136,344	3/4	127,328	3/4	118,312	3/4	109,299	3/4	98,211	3/4	88,834	3/4	78,454
4	4	4	4	4	144,446	4	136,156	4	127,140	4	118,124	4	109,112	4	98,995	4	88,617	4	78,238
1/4	1/4	1/4	1/4	1/4	144,428	1/4	135,968	1/4	126,952	1/4	117,936	1/4	108,925	1/4	98,779	1/4	88,401	1/4	78,021
1/2	1/2	1/2	1/2	1/2	144,356	1/2	135,780	1/2	126,764	1/2	117,748	1/2	108,737	1/2	98,563	1/2	88,185	1/2	77,805
3/4	3/4	3/4	3/4	3/4	144,284	3/4	135,592	3/4	126,576	3/4	117,560	3/4	108,550	3/4	98,347	3/4	87,969	3/4	77,589
5	5	5	5	5	144,211	5	135,404	5	126,389	5	117,373	5	108,363	5	98,131	5	87,752	5	77,373
1/4	1/4	1/4	1/4	1/4	144,139	1/4	135,217	1/4	126,201	1/4	117,185	1/4	108,175	1/4	97,914	1/4	87,536	1/4	77,157
1/2	1/2	1/2	1/2	1/2	143,995	1/2	135,029	1/2	126,013	1/2	116,997	1/2	107,988	1/2	97,698	1/2	87,320	1/2	76,940
3/4	3/4	3/4	3/4	3/4	143,850	3/4	134,841	3/4	125,825	3/4	116,809	3/4	107,801	3/4	97,482	3/4	87,104	3/4	76,724
6	6	6	6	6	143,706	6	134,653	6	125,637	6	116,621	6	107,614	6	97,266	6	86,887	6	76,508
1/4	1/4	1/4	1/4	1/4	143,561	1/4	134,465	1/4	125,449	1/4	116,433	1/4	107,426	1/4	97,050	1/4	86,671	1/4	76,292
1/2	1/2	1/2	1/2	1/2	143,353	1/2	134,277	1/2	125,262	1/2	116,246	1/2	107,210	1/2	96,834	1/2	86,455	1/2	76,075
3/4	3/4	3/4	3/4	3/4	143,145	3/4	134,090	3/4	125,074	3/4	116,058	3/4	106,994	3/4	96,618	3/4	86,239	3/4	75,859
7	7	7	7	7	142,938	7	133,902	7	124,886	7	115,870	7	106,778	7	96,402	7	86,022	7	75,643
1/4	1/4	1/4	1/4	1/4	142,730	1/4	133,714	1/4	124,698	1/4	115,682	1/4	106,561	1/4	96,186	1/4	85,806	1/4	75,427
1/2	1/2	1/2	1/2	1/2	142,542	1/2	133,526	1/2	124,510	1/2	115,494	1/2	106,345	1/2	95,970	1/2	85,590	1/2	75,210
3/4	3/4	3/4	3/4	3/4	142,354	3/4	133,338	3/4	124,322	3/4	115,306	3/4	106,129	3/4	95,753	3/4	85,374	3/4	74,994
8	8	8	8	8	142,166	8	133,151	8	124,135	8	115,119	8	105,913	8	95,537	8	85,158	8	74,778
1/4	1/4	1/4	1/4	1/4	141,979	1/4	132,963	1/4	123,947	1/4	114,931	1/4	105,696	1/4	95,321	1/4	84,941	1/4	74,562
1/2	1/2	1/2	1/2	1/2	141,791	1/2	132,775	1/2	123,759	1/2	114,743	1/2	105,480	1/2	95,105	1/2	84,725	1/2	74,345
3/4	3/4	3/4	3/4	3/4	141,603	3/4	132,587	3/4	123,571	3/4	114,555	3/4	105,264	3/4	94,888	3/4	84,509	3/4	74,129
9	9	9	9	9	141,415	9	132,399	9	123,383	9	114,367	9	105,048	9	94,672	9	84,293	9	73,913
1/4	1/4	1/4	1/4	1/4	141,227	1/4	132,211	1/4	123,195	1/4	114,179	1/4	104,831	1/4	94,456	1/4	84,076	1/4	73,697
1/2	1/2	1/2	1/2	1/2	141,039	1/2	132,024	1/2	123,008	1/2	113,992	1/2	104,616	1/2	94,240	1/2	83,860	1/2	73,481
3/4	3/4	3/4	3/4	3/4	140,852	3/4	131,836	3/4	122,820	3/4	113,804	3/4	104,399	3/4	94,023	3/4	83,644	3/4	73,264
10	10	10	10	10	140,664	10	131,648	10	122,632	10	113,616	10	104,183	10	93,807	10	83,428	10	73,048
1/4	1/4	1/4	1/4	1/4	140,476	1/4	131,460	1/4	122,444	1/4	113,428	1/4	103,966	1/4	93,591	1/4	83,211	1/4	72,832
1/2	1/2	1/2	1/2	1/2	140,288	1/2	131,272	1/2	122,256	1/2	113,240	1/2	103,750	1/2	93,375	1/2	82,995	1/2	72,616
3/4	3/4	3/4	3/4	3/4	140,100	3/4	131,084	3/4	122,068	3/4	113,052	3/4	103,534	3/4	93,158	3/4	82,779	3/4	72,400
11	11	11	11	11	139,912	11	130,897	11	121,881	11	112,865	11	103,318	11	92,942	11	82,563	11	72,184
1/4	1/4	1/4	1/4	1/4	139,725	1/4	130,709	1/4	121,693	1/4	112,677	1/4	103,101	1/4	92,726	1/4	82,346	1/4	71,968
1/2	1/2	1/2	1/2	1/2	139,537	1/2	130,521	1/2	121,505	1/2	112,489	1/2	102,885	1/2	92,510	1/2	82,130	1/2	71,753
3/4	3/4	3/4	3/4	3/4	139,349	3/4	130,333	3/4	121,317	3/4	112,301	3/4	102,669	3/4	92,294	3/4	81,914	3/4	71,537

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 26'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 125"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-00 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	71,321	0	60,952	0	50,577	0	40,202	0	29,827	0	19,541	0	9,317	0	73	0		0	
1/4	71,105	1/4	60,736	1/4	50,361	1/4	39,986	1/4	29,611	1/4	19,332	1/4	9,100	1/4	37	1/4		1/4	
1/2	70,889	1/2	60,519	1/2	50,145	1/2	39,770	1/2	29,395	1/2	19,123	1/2	8,883	1/2		1/2		1/2	
3/4	70,673	3/4	60,303	3/4	49,928	3/4	39,553	3/4	29,179	3/4	18,913	3/4	8,666	3/4		3/4		3/4	
1	70,457	1	60,087	1	49,712	1	39,337	1	28,962	1	18,704	1	8,450	1		1		1	
1/4	70,241	1/4	59,871	1/4	49,496	1/4	39,121	1/4	28,746	1/4	18,495	1/4	8,233	1/4		1/4		1/4	
1/2	70,025	1/2	59,655	1/2	49,280	1/2	38,905	1/2	28,530	1/2	18,285	1/2	8,016	1/2		1/2		1/2	
3/4	69,809	3/4	59,439	3/4	49,064	3/4	38,689	3/4	28,314	3/4	18,076	3/4	7,799	3/4		3/4		3/4	
2	69,593	2	59,223	2	48,848	2	38,473	2	28,098	2	17,867	2	7,583	2		2		2	
1/4	69,377	1/4	59,006	1/4	48,632	1/4	38,257	1/4	27,882	1/4	17,657	1/4	7,366	1/4		1/4		1/4	
1/2	69,161	1/2	58,790	1/2	48,415	1/2	38,040	1/2	27,665	1/2	17,448	1/2	7,149	1/2		1/2		1/2	
3/4	68,945	3/4	58,574	3/4	48,199	3/4	37,824	3/4	27,448	3/4	17,239	3/4	6,932	3/4		3/4		3/4	
3	68,729	3	58,358	3	47,983	3	37,608	3	27,232	3	17,029	3	6,715	3		3		3	
1/4	68,513	1/4	58,142	1/4	47,767	1/4	37,392	1/4	27,015	1/4	16,820	1/4	6,499	1/4		1/4		1/4	
1/2	68,297	1/2	57,926	1/2	47,551	1/2	37,176	1/2	26,798	1/2	16,611	1/2	6,282	1/2		1/2		1/2	
3/4	68,081	3/4	57,710	3/4	47,335	3/4	36,960	3/4	26,582	3/4	16,401	3/4	6,065	3/4		3/4		3/4	
4	67,865	4	57,493	4	47,119	4	36,744	4	26,365	4	16,192	4	5,848	4		4		4	
1/4	67,650	1/4	57,277	1/4	46,902	1/4	36,527	1/4	26,149	1/4	15,983	1/4	5,632	1/4		1/4		1/4	
1/2	67,434	1/2	57,061	1/2	46,686	1/2	36,311	1/2	25,932	1/2	15,773	1/2	5,415	1/2		1/2		1/2	
3/4	67,218	3/4	56,845	3/4	46,470	3/4	36,095	3/4	25,716	3/4	15,564	3/4	5,198	3/4		3/4		3/4	
5	67,002	5	56,629	5	46,254	5	35,879	5	25,499	5	15,354	5	4,982	5		5		5	
1/4	66,786	1/4	56,413	1/4	46,038	1/4	35,663	1/4	25,282	1/4	15,145	1/4	4,765	1/4		1/4		1/4	
1/2	66,570	1/2	56,197	1/2	45,822	1/2	35,447	1/2	25,065	1/2	14,934	1/2	4,549	1/2		1/2		1/2	
3/4	66,354	3/4	55,980	3/4	45,606	3/4	35,231	3/4	24,849	3/4	14,724	3/4	4,333	3/4		3/4		3/4	
6	66,138	6	55,764	6	45,389	6	35,014	6	24,632	6	14,513	6	4,117	6		6		6	
1/4	65,922	1/4	55,548	1/4	45,173	1/4	34,798	1/4	24,416	1/4	14,303	1/4	3,901	1/4		1/4		1/4	
1/2	65,706	1/2	55,332	1/2	44,957	1/2	34,582	1/2	24,199	1/2	14,086	1/2	3,686	1/2		1/2		1/2	
3/4	65,490	3/4	55,116	3/4	44,741	3/4	34,366	3/4	23,983	3/4	13,869	3/4	3,470	3/4		3/4		3/4	
7	65,274	7	54,900	7	44,525	7	34,150	7	23,766	7	13,653	7	3,255	7		7		7	
1/4	65,058	1/4	54,684	1/4	44,309	1/4	33,934	1/4	23,550	1/4	13,436	1/4	3,040	1/4		1/4		1/4	
1/2	64,842	1/2	54,467	1/2	44,093	1/2	33,718	1/2	23,333	1/2	13,219	1/2	2,826	1/2		1/2		1/2	
3/4	64,626	3/4	54,251	3/4	43,876	3/4	33,501	3/4	23,117	3/4	13,002	3/4	2,612	3/4		3/4		3/4	
8	64,410	8	54,035	8	43,660	8	33,285	8	22,900	8	12,786	8	2,398	8		8		8	
1/4	64,194	1/4	53,819	1/4	43,444	1/4	33,069	1/4	22,684	1/4	12,569	1/4	2,184	1/4		1/4		1/4	
1/2	63,978	1/2	53,603	1/2	43,228	1/2	32,853	1/2	22,474	1/2	12,352	1/2	1,972	1/2		1/2		1/2	
3/4	63,762	3/4	53,387	3/4	43,012	3/4	32,637	3/4	22,264	3/4	12,135	3/4	1,760	3/4		3/4		3/4	
9	63,546	9	53,171	9	42,796	9	32,421	9	22,054	9	11,918	9	1,548	9		9		9	
1/4	63,329	1/4	52,954	1/4	42,579	1/4	32,205	1/4	21,844	1/4	11,702	1/4	1,337	1/4		1/4		1/4	
1/2	63,113	1/2	52,738	1/2	42,363	1/2	31,988	1/2	21,634	1/2	11,485	1/2	1,156	1/2		1/2		1/2	
3/4	62,897	3/4	52,522	3/4	42,147	3/4	31,772	3/4	21,425	3/4	11,268	3/4	976	3/4		3/4		3/4	
10	62,681	10	52,306	10	41,931	10	31,556	10	21,216	10	11,051	10	796	10		10		10	
1/4	62,465	1/4	52,090	1/4	41,715	1/4	31,340	1/4	21,006	1/4	10,834	1/4	615	1/4		1/4		1/4	
1/2	62,249	1/2	51,874	1/2	41,499	1/2	31,124	1/2	20,797	1/2	10,618	1/2	507	1/2		1/2		1/2	
3/4	62,032	3/4	51,658	3/4	41,283	3/4	30,908	3/4	20,588	3/4	10,401	3/4	399	3/4		3/4		3/4	
11	61,816	11	51,441	11	41,066	11	30,692	11	20,378	11	10,184	11	290	11		11		11	
1/4	61,600	1/4	51,225	1/4	40,850	1/4	30,475	1/4	20,169	1/4	9,967	1/4	182	1/4		1/4		1/4	
1/2	61,384	1/2	51,009	1/2	40,634	1/2	30,259	1/2	19,960	1/2	9,750	1/2	146	1/2		1/2		1/2	
3/4	61,168	3/4	50,793	3/4	40,418	3/4	30,043	3/4	19,751	3/4	9,534	3/4	110	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/15/2009 CL - SW
CALCULATED: 12/15/2009 CL
PRINTED: 12/15/2009 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2009

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 125"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-00"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	160,982	0	149,357	0	137,732	0	126,107	0	114,483	0	102,858	0	91,233
1/4		1/4		1/4		1/4	160,740	1/4	149,116	1/4	137,490	1/4	125,865	1/4	114,240	1/4	102,615	1/4	90,991
1/2		1/2		1/2		1/2	160,498	1/2	148,873	1/2	137,248	1/2	125,623	1/2	113,998	1/2	102,373	1/2	90,748
3/4		3/4		3/4		3/4	160,256	3/4	148,631	3/4	137,006	3/4	125,381	3/4	113,756	3/4	102,131	3/4	90,506
1		1		1		1	160,013	1	148,388	1	136,764	1	125,139	1	113,514	1	101,889	1	90,264
1/4		1/4		1/4		1/4	159,771	1/4	148,146	1/4	136,521	1/4	124,896	1/4	113,272	1/4	101,647	1/4	90,022
1/2		1/2		1/2		1/2	159,529	1/2	147,904	1/2	136,279	1/2	124,654	1/2	113,029	1/2	101,404	1/2	89,780
3/4		3/4		3/4		3/4	159,287	3/4	147,662	3/4	136,037	3/4	124,412	3/4	112,787	3/4	101,162	3/4	89,537
2		2		2		2	159,045	2	147,420	2	135,795	2	124,170	2	112,545	2	100,920	2	89,295
1/4		1/4		1/4		1/4	158,802	1/4	147,178	1/4	135,553	1/4	123,928	1/4	112,303	1/4	100,678	1/4	89,053
1/2		1/2		1/2		1/2	158,560	1/2	146,936	1/2	135,310	1/2	123,686	1/2	112,061	1/2	100,436	1/2	88,811
3/4		3/4		3/4		3/4	158,318	3/4	146,693	3/4	135,068	3/4	123,443	3/4	111,818	3/4	100,194	3/4	88,569
3		3		3		3	158,076	3	146,451	3	134,826	3	123,201	3	111,576	3	99,951	3	88,326
1/4		1/4		1/4		1/4	157,834	1/4	146,209	1/4	134,584	1/4	122,959	1/4	111,334	1/4	99,709	1/4	88,084
1/2		1/2		1/2		1/2	167,763	1/2	145,967	1/2	134,342	1/2	122,717	1/2	111,092	1/2	99,467	1/2	87,842
3/4		3/4		3/4		3/4	167,743	3/4	145,949	3/4	134,324	3/4	122,699	3/4	111,074	3/4	99,449	3/4	87,824
4		4		4		4	167,723	4	145,929	4	133,887	4	122,232	4	110,608	4	98,993	4	87,358
1/4		1/4		1/4		1/4	167,642	1/4	145,848	1/4	133,806	1/4	121,990	1/4	110,365	1/4	98,740	1/4	87,116
1/2		1/2		1/2		1/2	167,561	1/2	145,767	1/2	133,725	1/2	121,748	1/2	110,123	1/2	98,498	1/2	86,873
3/4		3/4		3/4		3/4	167,481	3/4	145,686	3/4	133,644	3/4	121,506	3/4	109,881	3/4	98,256	3/4	86,631
5		5		5		5	167,400	5	145,605	5	132,889	5	121,264	5	109,639	5	98,014	5	86,389
1/4		1/4		1/4		1/4	167,239	1/4	145,444	1/4	132,646	1/4	121,022	1/4	109,397	1/4	97,772	1/4	86,147
1/2		1/2		1/2		1/2	167,077	1/2	145,283	1/2	132,404	1/2	120,779	1/2	109,154	1/2	97,530	1/2	85,905
3/4		3/4		3/4		3/4	166,916	3/4	145,122	3/4	132,162	3/4	120,537	3/4	108,912	3/4	97,287	3/4	85,662
6		6		6		6	166,754	6	144,961	6	131,920	6	120,295	6	108,670	6	97,045	6	85,420
1/4		1/4		1/4		1/4	166,522	1/4	144,800	1/4	131,678	1/4	120,053	1/4	108,428	1/4	96,803	1/4	85,178
1/2		1/2		1/2		1/2	166,290	1/2	144,639	1/2	131,436	1/2	119,811	1/2	108,186	1/2	96,561	1/2	84,936
3/4		3/4		3/4		3/4	166,058	3/4	144,478	3/4	131,194	3/4	119,568	3/4	107,944	3/4	96,319	3/4	84,694
7		7		7		7	165,826	7	144,317	7	130,951	7	119,326	7	107,701	7	96,076	7	84,452
1/4		1/4		1/4		1/4	165,584	1/4	144,156	1/4	130,709	1/4	119,084	1/4	107,459	1/4	95,834	1/4	84,209
1/2		1/2		1/2		1/2	165,341	1/2	143,995	1/2	130,467	1/2	118,842	1/2	107,217	1/2	95,592	1/2	83,967
3/4		3/4		3/4		3/4	165,099	3/4	143,834	3/4	130,225	3/4	118,600	3/4	106,975	3/4	95,350	3/4	83,725
8		8		8		8	164,857	8	143,673	8	129,982	8	118,357	8	106,733	8	95,108	8	83,483
1/4		1/4		1/4		1/4	164,615	1/4	143,512	1/4	129,740	1/4	118,115	1/4	106,490	1/4	94,865	1/4	83,241
1/2		1/2		1/2		1/2	164,373	1/2	143,351	1/2	129,498	1/2	117,873	1/2	106,248	1/2	94,623	1/2	82,998
3/4		3/4		3/4		3/4	164,130	3/4	143,190	3/4	129,256	3/4	117,631	3/4	106,006	3/4	94,381	3/4	82,756
9		9		9		9	163,888	9	143,029	9	129,014	9	117,389	9	105,764	9	94,139	9	82,514
1/4		1/4		1/4		1/4	163,646	1/4	142,868	1/4	128,771	1/4	117,147	1/4	105,522	1/4	93,897	1/4	82,272
1/2		1/2		1/2		1/2	163,404	1/2	142,707	1/2	128,529	1/2	116,904	1/2	105,279	1/2	93,655	1/2	82,030
3/4		3/4		3/4		3/4	163,162	3/4	142,546	3/4	128,287	3/4	116,662	3/4	105,037	3/4	93,412	3/4	81,787
10		10		10		10	162,920	10	142,385	10	128,045	10	116,420	10	104,795	10	93,170	10	81,545
1/4		1/4		1/4		1/4	162,677	1/4	142,224	1/4	127,803	1/4	116,178	1/4	104,553	1/4	92,928	1/4	81,303
1/2		1/2		1/2		1/2	162,435	1/2	142,063	1/2	127,561	1/2	115,936	1/2	104,311	1/2	92,686	1/2	81,061
3/4		3/4		3/4		3/4	162,193	3/4	141,902	3/4	127,318	3/4	115,693	3/4	104,069	3/4	92,444	3/4	80,819
11		11		11		11	161,951	11	141,741	11	127,076	11	115,451	11	103,826	11	92,201	11	80,577
1/4		1/4		1/4		1/4	161,709	1/4	141,580	1/4	126,834	1/4	115,209	1/4	103,584	1/4	91,959	1/4	80,334
1/2		1/2		1/2		1/2	161,466	1/2	141,419	1/2	126,592	1/2	114,967	1/2	103,342	1/2	91,717	1/2	80,092
3/4		3/4		3/4		3/4	161,224	3/4	141,258	3/4	126,350	3/4	114,725	3/4	103,100	3/4	91,475	3/4	79,850

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 32'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmac.org.net>



BARGE "WEB 125"

2 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-00"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	79,608	0	67,983	0	56,358	0	44,733	0	33,108	0	21,605	0	10,163	0	37	0		0	
1/4	79,366	1/4	67,741	1/4	56,116	1/4	44,491	1/4	32,866	1/4	21,370	1/4	9,921	1/4		1/4		1/4	
1/2	79,123	1/2	67,499	1/2	55,874	1/2	44,249	1/2	32,624	1/2	21,136	1/2	9,679	1/2		1/2		1/2	
3/4	78,881	3/4	67,256	3/4	55,631	3/4	44,007	3/4	32,382	3/4	20,901	3/4	9,436	3/4		3/4		3/4	
1	78,639	1	67,014	1	55,389	1	43,764	1	32,140	1	20,667	1	9,194	1		1		1	
1/4	78,397	1/4	66,772	1/4	55,147	1/4	43,522	1/4	31,897	1/4	20,432	1/4	8,952	1/4		1/4		1/4	
1/2	78,155	1/2	66,530	1/2	54,905	1/2	43,280	1/2	31,655	1/2	20,198	1/2	8,710	1/2		1/2		1/2	
3/4	77,913	3/4	66,288	3/4	54,663	3/4	43,038	3/4	31,413	3/4	19,963	3/4	8,468	3/4		3/4		3/4	
2	77,670	2	66,045	2	54,421	2	42,796	2	31,171	2	19,729	2	8,226	2		2		2	
1/4	77,428	1/4	65,803	1/4	54,178	1/4	42,553	1/4	30,929	1/4	19,494	1/4	7,983	1/4		1/4		1/4	
1/2	77,186	1/2	65,561	1/2	53,936	1/2	42,311	1/2	30,686	1/2	19,260	1/2	7,741	1/2		1/2		1/2	
3/4	76,944	3/4	65,319	3/4	53,694	3/4	42,069	3/4	30,444	3/4	19,025	3/4	7,499	3/4		3/4		3/4	
3	76,702	3	65,077	3	53,452	3	41,827	3	30,202	3	18,791	3	7,257	3		3		3	
1/4	76,459	1/4	64,835	1/4	53,210	1/4	41,585	1/4	29,960	1/4	18,556	1/4	7,015	1/4		1/4		1/4	
1/2	76,217	1/2	64,592	1/2	52,967	1/2	41,343	1/2	29,718	1/2	18,322	1/2	6,772	1/2		1/2		1/2	
3/4	75,975	3/4	64,350	3/4	52,725	3/4	41,100	3/4	29,476	3/4	18,087	3/4	6,530	3/4		3/4		3/4	
4	75,733	4	64,108	4	52,483	4	40,858	4	29,233	4	17,853	4	6,288	4		4		4	
1/4	75,491	1/4	63,866	1/4	52,241	1/4	40,616	1/4	28,991	1/4	17,618	1/4	6,046	1/4		1/4		1/4	
1/2	75,248	1/2	63,624	1/2	51,999	1/2	40,374	1/2	28,749	1/2	17,384	1/2	5,804	1/2		1/2		1/2	
3/4	75,006	3/4	63,381	3/4	51,757	3/4	40,132	3/4	28,507	3/4	17,149	3/4	5,562	3/4		3/4		3/4	
5	74,764	5	63,139	5	51,514	5	39,889	5	28,265	5	16,915	5	5,320	5		5		5	
1/4	74,522	1/4	62,897	1/4	51,272	1/4	39,647	1/4	28,022	1/4	16,680	1/4	5,079	1/4		1/4		1/4	
1/2	74,280	1/2	62,655	1/2	51,030	1/2	39,405	1/2	27,780	1/2	16,445	1/2	4,838	1/2		1/2		1/2	
3/4	74,038	3/4	62,413	3/4	50,788	3/4	39,163	3/4	27,538	3/4	16,210	3/4	4,596	3/4		3/4		3/4	
6	73,795	6	62,170	6	50,546	6	38,921	6	27,296	6	15,975	6	4,355	6		6		6	
1/4	73,553	1/4	61,928	1/4	50,303	1/4	38,679	1/4	27,054	1/4	15,733	1/4	4,114	1/4		1/4		1/4	
1/2	73,311	1/2	61,686	1/2	50,061	1/2	38,436	1/2	26,811	1/2	15,491	1/2	3,874	1/2		1/2		1/2	
3/4	73,069	3/4	61,444	3/4	49,819	3/4	38,194	3/4	26,569	3/4	15,249	3/4	3,633	3/4		3/4		3/4	
7	72,827	7	61,202	7	49,577	7	37,952	7	26,327	7	15,007	7	3,393	7		7		7	
1/4	72,584	1/4	60,960	1/4	49,335	1/4	37,710	1/4	26,085	1/4	14,765	1/4	3,154	1/4		1/4		1/4	
1/2	72,342	1/2	60,717	1/2	49,092	1/2	37,468	1/2	25,843	1/2	14,522	1/2	2,914	1/2		1/2		1/2	
3/4	72,100	3/4	60,475	3/4	48,850	3/4	37,226	3/4	25,601	3/4	14,280	3/4	2,675	3/4		3/4		3/4	
8	71,858	8	60,233	8	48,608	8	36,983	8	25,368	8	14,038	8	2,436	8		8		8	
1/4	71,616	1/4	59,991	1/4	48,366	1/4	36,741	1/4	25,123	1/4	13,796	1/4	2,199	1/4		1/4		1/4	
1/2	71,374	1/2	59,749	1/2	48,124	1/2	36,499	1/2	24,889	1/2	13,554	1/2	1,962	1/2		1/2		1/2	
3/4	71,131	3/4	59,506	3/4	47,882	3/4	36,257	3/4	24,654	3/4	13,311	3/4	1,726	3/4		3/4		3/4	
9	70,889	9	59,264	9	47,639	9	36,014	9	24,419	9	13,069	9	1,489	9		9		9	
1/4	70,647	1/4	59,022	1/4	47,397	1/4	35,772	1/4	24,184	1/4	12,827	1/4	1,287	1/4		1/4		1/4	
1/2	70,405	1/2	58,780	1/2	47,155	1/2	35,530	1/2	23,950	1/2	12,585	1/2	1,086	1/2		1/2		1/2	
3/4	70,163	3/4	58,538	3/4	46,913	3/4	35,288	3/4	23,715	3/4	12,343	3/4	884	3/4		3/4		3/4	
10	69,920	10	58,296	10	46,671	10	35,046	10	23,481	10	12,100	10	683	10		10		10	
1/4	69,678	1/4	58,053	1/4	46,428	1/4	34,804	1/4	23,246	1/4	11,858	1/4	562	1/4		1/4		1/4	
1/2	69,436	1/2	57,811	1/2	46,186	1/2	34,561	1/2	23,012	1/2	11,616	1/2	441	1/2		1/2		1/2	
3/4	69,194	3/4	57,569	3/4	45,944	3/4	34,319	3/4	22,777	3/4	11,374	3/4	320	3/4		3/4		3/4	
11	68,952	11	57,327	11	45,702	11	34,077	11	22,543	11	11,132	11	199	11		11		11	
1/4	68,709	1/4	57,085	1/4	45,460	1/4	33,835	1/4	22,308	1/4	10,890	1/4	158	1/4		1/4		1/4	
1/2	68,467	1/2	56,842	1/2	45,218	1/2	33,593	1/2	22,074	1/2	10,647	1/2	118	1/2		1/2		1/2	
3/4	68,225	3/4	56,600	3/4	44,975	3/4	33,350	3/4	21,839	3/4	10,405	3/4	78	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/15/2009 CL - SW
CALCULATED: 12/15/2009 CL
PRINTED: 12/15/2009 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2009

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 125"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-01"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	143,540	0	133,255	0	122,970	0	112,685	0	102,400	0	92,115	0	81,830
1/4		1/4		1/4		1/4	143,325	1/4	133,040	1/4	122,756	1/4	112,471	1/4	102,186	1/4	91,901	1/4	81,616
1/2		1/2		1/2		1/2	143,111	1/2	132,826	1/2	122,541	1/2	112,256	1/2	101,971	1/2	91,687	1/2	81,402
3/4		3/4		3/4		3/4	142,897	3/4	132,612	3/4	122,327	3/4	112,042	3/4	101,757	3/4	91,472	3/4	81,187
1		1		1		1	142,683	1	132,398	1	122,113	1	111,828	1	101,543	1	91,258	1	80,973
1 1/4		1 1/4		1 1/4		1 1/4	142,468	1 1/4	132,183	1 1/4	121,898	1 1/4	111,614	1 1/4	101,329	1 1/4	91,044	1 1/4	80,759
1 1/2		1 1/2		1 1/2		1 1/2	142,254	1 1/2	131,969	1 1/2	121,684	1 1/2	111,399	1 1/2	101,114	1 1/2	90,829	1 1/2	80,545
3/4		3/4		3/4		3/4	142,040	3/4	131,755	3/4	121,470	3/4	111,185	3/4	100,900	3/4	90,615	3/4	80,330
2		2		2		2	141,825	2	131,541	2	121,256	2	110,971	2	100,686	2	90,401	2	80,116
2 1/4		2 1/4		2 1/4		2 1/4	141,611	2 1/4	131,326	2 1/4	121,041	2 1/4	110,756	2 1/4	100,472	2 1/4	90,187	2 1/4	79,902
2 1/2		2 1/2		2 1/2		2 1/2	141,397	2 1/2	131,112	2 1/2	120,827	2 1/2	110,542	2 1/2	100,257	2 1/2	89,972	2 1/2	79,687
3/4		3/4		3/4		3/4	141,183	3/4	130,898	3/4	120,613	3/4	110,328	3/4	100,043	3/4	89,758	3/4	79,473
3		3		3		3	140,968	3	130,683	3	120,399	3	110,114	3	99,829	3	89,544	3	79,259
3 1/4		3 1/4		3 1/4		3 1/4	140,754	3 1/4	130,469	3 1/4	120,184	3 1/4	109,899	3 1/4	99,614	3 1/4	89,330	3 1/4	79,045
3 1/2		3 1/2		3 1/2		3 1/2	140,540	3 1/2	130,255	3 1/2	119,970	3 1/2	109,685	3 1/2	99,400	3 1/2	89,115	3 1/2	78,830
3/4		3/4		3/4		3/4	140,326	3/4	130,041	3/4	119,756	3/4	109,471	3/4	99,186	3/4	88,901	3/4	78,616
4		4		4		4	140,111	4	129,826	4	119,541	4	109,257	4	98,972	4	88,687	4	78,402
4 1/4		4 1/4		4 1/4		4 1/4	139,897	4 1/4	129,612	4 1/4	119,327	4 1/4	109,042	4 1/4	98,757	4 1/4	88,472	4 1/4	78,188
4 1/2		4 1/2		4 1/2		4 1/2	148,682	4 1/2	139,683	4 1/2	119,113	4 1/2	108,828	4 1/2	98,543	4 1/2	88,258	4 1/2	77,973
3/4		3/4		3/4		3/4	148,664	3/4	139,668	3/4	119,184	3/4	108,899	3/4	98,614	3/4	88,329	3/4	77,959
5		5		5		5	148,646	5	139,254	5	128,969	5	118,684	5	108,400	5	98,115	5	87,830
5 1/4		5 1/4		5 1/4		5 1/4	148,675	5 1/4	139,040	5 1/4	128,755	5 1/4	118,470	5 1/4	108,185	5 1/4	97,900	5 1/4	87,615
5 1/2		5 1/2		5 1/2		5 1/2	148,503	5 1/2	138,826	5 1/2	128,541	5 1/2	118,256	5 1/2	107,971	5 1/2	97,686	5 1/2	87,401
3/4		3/4		3/4		3/4	148,432	3/4	138,611	3/4	128,327	3/4	118,042	3/4	107,757	3/4	97,472	3/4	87,187
6		6		6		6	148,361	6	138,397	6	128,112	6	117,827	6	107,542	6	97,258	6	86,973
6 1/4		6 1/4		6 1/4		6 1/4	148,218	6 1/4	138,183	6 1/4	127,998	6 1/4	117,613	6 1/4	107,328	6 1/4	97,043	6 1/4	86,759
6 1/2		6 1/2		6 1/2		6 1/2	148,075	6 1/2	137,969	6 1/2	127,684	6 1/2	117,399	6 1/2	107,114	6 1/2	96,829	6 1/2	86,545
3/4		3/4		3/4		3/4	147,932	3/4	137,754	3/4	127,469	3/4	117,185	3/4	106,900	3/4	96,615	3/4	86,330
7		7		7		7	147,789	7	137,540	7	127,255	7	116,970	7	106,685	7	96,400	7	86,116
7 1/4		7 1/4		7 1/4		7 1/4	147,584	7 1/4	137,326	7 1/4	127,041	7 1/4	116,756	7 1/4	106,471	7 1/4	96,186	7 1/4	85,901
7 1/2		7 1/2		7 1/2		7 1/2	147,379	7 1/2	137,112	7 1/2	126,827	7 1/2	116,542	7 1/2	106,257	7 1/2	95,972	7 1/2	85,687
3/4		3/4		3/4		3/4	147,173	3/4	136,897	3/4	126,612	3/4	116,327	3/4	106,043	3/4	95,758	3/4	85,473
8		8		8		8	146,968	8	136,683	8	126,398	8	116,113	8	105,828	8	95,543	8	85,258
8 1/4		8 1/4		8 1/4		8 1/4	146,754	8 1/4	136,469	8 1/4	126,184	8 1/4	115,899	8 1/4	105,614	8 1/4	95,329	8 1/4	85,044
8 1/2		8 1/2		8 1/2		8 1/2	146,539	8 1/2	136,254	8 1/2	125,970	8 1/2	115,685	8 1/2	105,400	8 1/2	95,115	8 1/2	84,830
3/4		3/4		3/4		3/4	146,325	3/4	136,040	3/4	125,755	3/4	115,470	3/4	105,185	3/4	94,901	3/4	84,616
9		9		9		9	146,111	9	135,826	9	125,541	9	115,256	9	104,971	9	94,686	9	84,401
9 1/4		9 1/4		9 1/4		9 1/4	145,997	9 1/4	135,612	9 1/4	125,327	9 1/4	115,042	9 1/4	104,757	9 1/4	94,472	9 1/4	84,187
9 1/2		9 1/2		9 1/2		9 1/2	145,682	9 1/2	135,397	9 1/2	125,112	9 1/2	114,828	9 1/2	104,543	9 1/2	94,258	9 1/2	83,973
3/4		3/4		3/4		3/4	145,468	3/4	135,183	3/4	124,898	3/4	114,613	3/4	104,328	3/4	94,043	3/4	83,759
10		10		10		10	145,254	10	134,969	10	124,684	10	114,399	10	104,114	10	93,829	10	83,544
10 1/4		10 1/4		10 1/4		10 1/4	145,039	10 1/4	134,755	10 1/4	124,470	10 1/4	114,185	10 1/4	103,900	10 1/4	93,615	10 1/4	83,330
10 1/2		10 1/2		10 1/2		10 1/2	144,825	10 1/2	134,540	10 1/2	124,255	10 1/2	113,970	10 1/2	103,686	10 1/2	93,401	10 1/2	83,116
3/4		3/4		3/4		3/4	144,611	3/4	134,326	3/4	124,041	3/4	113,756	3/4	103,471	3/4	93,186	3/4	82,902
11		11		11		11	144,397	11	134,112	11	123,827	11	113,542	11	103,257	11	92,972	11	82,687
11 1/4		11 1/4		11 1/4		11 1/4	144,182	11 1/4	133,898	11 1/4	123,613	11 1/4	113,328	11 1/4	103,043	11 1/4	92,758	11 1/4	82,473
11 1/2		11 1/2		11 1/2		11 1/2	143,968	11 1/2	133,683	11 1/2	123,398	11 1/2	113,113	11 1/2	102,829	11 1/2	92,544	11 1/2	82,259
3/4		3/4		3/4		3/4	143,754	3/4	133,469	3/4	123,184	3/4	112,899	3/4	102,614	3/4	92,329	3/4	82,044

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 31'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 125"

3 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-01"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	71,545	0	61,260	0	50,975	0	40,691	0	30,406	0	20,127	0	9,853	0	180	0		0	
1/4	71,331	1/4	61,046	1/4	50,761	1/4	40,476	1/4	30,191	1/4	19,914	1/4	9,639	1/4	144	1/4		1/4	
1/2	71,117	1/2	60,832	1/2	50,547	1/2	40,262	1/2	29,977	1/2	19,700	1/2	9,424	1/2	109	1/2		1/2	
3/4	70,902	3/4	60,618	3/4	50,333	3/4	40,048	3/4	29,763	3/4	19,486	3/4	9,210	3/4	73	3/4		3/4	
1	70,688	1	60,403	1	50,118	1	39,833	1	29,549	1	19,272	1	8,996	1	37	1		1	
1 1/4	70,474	1 1/4	60,189	1 1/4	49,904	1 1/4	39,619	1 1/4	29,334	1 1/4	19,058	1 1/4	8,782	1 1/4		1 1/4		1 1/4	
1 1/2	70,260	1 1/2	59,975	1 1/2	49,690	1 1/2	39,405	1 1/2	29,120	1 1/2	18,845	1 1/2	8,567	1 1/2		1 1/2		1 1/2	
1 3/4	70,045	1 3/4	59,760	1 3/4	49,476	1 3/4	39,191	1 3/4	28,906	1 3/4	18,631	1 3/4	8,353	1 3/4		1 3/4		1 3/4	
2	69,831	2	59,546	2	49,261	2	38,976	2	28,691	2	18,417	2	8,139	2		2		2	
2 1/4	69,617	2 1/4	59,332	2 1/4	49,047	2 1/4	38,762	2 1/4	28,477	2 1/4	18,203	2 1/4	7,925	2 1/4		2 1/4		2 1/4	
2 1/2	69,403	2 1/2	59,118	2 1/2	48,833	2 1/2	38,548	2 1/2	28,263	2 1/2	17,989	2 1/2	7,710	2 1/2		2 1/2		2 1/2	
2 3/4	69,188	2 3/4	58,903	2 3/4	48,618	2 3/4	38,334	2 3/4	28,049	2 3/4	17,776	2 3/4	7,496	2 3/4		2 3/4		2 3/4	
3	68,974	3	58,689	3	48,404	3	38,119	3	27,834	3	17,562	3	7,282	3		3		3	
3 1/4	68,760	3 1/4	58,475	3 1/4	48,190	3 1/4	37,905	3 1/4	27,620	3 1/4	17,348	3 1/4	7,067	3 1/4		3 1/4		3 1/4	
3 1/2	68,545	3 1/2	58,261	3 1/2	47,976	3 1/2	37,691	3 1/2	27,406	3 1/2	17,134	3 1/2	6,853	3 1/2		3 1/2		3 1/2	
3 3/4	68,331	3 3/4	58,046	3 3/4	47,761	3 3/4	37,477	3 3/4	27,192	3 3/4	16,920	3 3/4	6,639	3 3/4		3 3/4		3 3/4	
4	68,117	4	57,832	4	47,547	4	37,262	4	26,977	4	16,706	4	6,425	4		4		4	
4 1/4	67,903	4 1/4	57,618	4 1/4	47,333	4 1/4	37,048	4 1/4	26,763	4 1/4	16,493	4 1/4	6,210	4 1/4		4 1/4		4 1/4	
4 1/2	67,688	4 1/2	57,404	4 1/2	47,119	4 1/2	36,834	4 1/2	26,549	4 1/2	16,279	4 1/2	5,996	4 1/2		4 1/2		4 1/2	
4 3/4	67,474	4 3/4	57,189	4 3/4	46,904	4 3/4	36,619	4 3/4	26,335	4 3/4	16,065	4 3/4	5,782	4 3/4		4 3/4		4 3/4	
5	67,260	5	56,975	5	46,690	5	36,405	5	26,120	5	15,851	5	5,568	5		5		5	
5 1/4	67,046	5 1/4	56,761	5 1/4	46,476	5 1/4	36,191	5 1/4	25,906	5 1/4	15,637	5 1/4	5,354	5 1/4		5 1/4		5 1/4	
5 1/2	66,831	5 1/2	56,546	5 1/2	46,262	5 1/2	35,977	5 1/2	25,692	5 1/2	15,423	5 1/2	5,140	5 1/2		5 1/2		5 1/2	
5 3/4	66,617	5 3/4	56,332	5 3/4	46,047	5 3/4	35,762	5 3/4	25,477	5 3/4	15,209	5 3/4	4,926	5 3/4		5 3/4		5 3/4	
6	66,403	6	56,118	6	45,833	6	35,548	6	25,263	6	14,996	6	4,712	6		6		6	
6 1/4	66,189	6 1/4	55,904	6 1/4	45,619	6 1/4	35,334	6 1/4	25,049	6 1/4	14,781	6 1/4	4,498	6 1/4		6 1/4		6 1/4	
6 1/2	66,974	6 1/2	55,689	6 1/2	45,404	6 1/2	35,120	6 1/2	24,835	6 1/2	14,567	6 1/2	4,284	6 1/2		6 1/2		6 1/2	
6 3/4	65,760	6 3/4	55,475	6 3/4	45,190	6 3/4	34,905	6 3/4	24,620	6 3/4	14,353	6 3/4	4,071	6 3/4		6 3/4		6 3/4	
7	65,546	7	55,261	7	44,976	7	34,691	7	24,406	7	14,138	7	3,857	7		7		7	
7 1/4	65,331	7 1/4	55,047	7 1/4	44,762	7 1/4	34,477	7 1/4	24,192	7 1/4	13,924	7 1/4	3,644	7 1/4		7 1/4		7 1/4	
7 1/2	65,117	7 1/2	54,832	7 1/2	44,547	7 1/2	34,262	7 1/2	23,978	7 1/2	13,710	7 1/2	3,432	7 1/2		7 1/2		7 1/2	
7 3/4	64,903	7 3/4	54,618	7 3/4	44,333	7 3/4	34,048	7 3/4	23,763	7 3/4	13,496	7 3/4	3,219	7 3/4		7 3/4		7 3/4	
8	64,689	8	54,404	8	44,119	8	33,834	8	23,549	8	13,281	8	3,006	8		8		8	
8 1/4	64,474	8 1/4	54,189	8 1/4	43,905	8 1/4	33,620	8 1/4	23,335	8 1/4	13,067	8 1/4	2,794	8 1/4		8 1/4		8 1/4	
8 1/2	64,260	8 1/2	53,975	8 1/2	43,690	8 1/2	33,405	8 1/2	23,121	8 1/2	12,853	8 1/2	2,583	8 1/2		8 1/2		8 1/2	
8 3/4	64,046	8 3/4	53,761	8 3/4	43,476	8 3/4	33,191	8 3/4	22,907	8 3/4	12,638	8 3/4	2,371	8 3/4		8 3/4		8 3/4	
9	63,832	9	53,547	9	43,262	9	32,977	9	22,693	9	12,424	9	2,160	9		9		9	
9 1/4	63,617	9 1/4	53,332	9 1/4	43,047	9 1/4	32,763	9 1/4	22,479	9 1/4	12,210	9 1/4	1,950	9 1/4		9 1/4		9 1/4	
9 1/2	63,403	9 1/2	53,118	9 1/2	42,833	9 1/2	32,548	9 1/2	22,266	9 1/2	11,996	9 1/2	1,741	9 1/2		9 1/2		9 1/2	
9 3/4	63,188	9 3/4	52,904	9 3/4	42,619	9 3/4	32,334	9 3/4	22,052	9 3/4	11,781	9 3/4	1,531	9 3/4		9 3/4		9 3/4	
10	62,974	10	52,690	10	42,405	10	32,120	10	21,838	10	11,567	10	1,321	10		10		10	
10 1/4	62,760	10 1/4	52,475	10 1/4	42,190	10 1/4	31,906	10 1/4	21,624	10 1/4	11,353	10 1/4	1,143	10 1/4		10 1/4		10 1/4	
10 1/2	62,546	10 1/2	52,261	10 1/2	41,976	10 1/2	31,691	10 1/2	21,410	10 1/2	11,139	10 1/2	965	10 1/2		10 1/2		10 1/2	
10 3/4	62,332	10 3/4	52,047	10 3/4	41,762	10 3/4	31,477	10 3/4	21,197	10 3/4	10,924	10 3/4	787	10 3/4		10 3/4		10 3/4	
11	62,117	11	51,833	11	41,548	11	31,263	11	20,983	11	10,710	11	609	11		11		11	
11 1/4	61,903	11 1/4	51,618	11 1/4	41,333	11 1/4	31,048	11 1/4	20,769	11 1/4	10,496	11 1/4	502	11 1/4		11 1/4		11 1/4	
11 1/2	61,689	11 1/2	51,404	11 1/2	41,119	11 1/2	30,834	11 1/2	20,555	11 1/2	10,282	11 1/2	394	11 1/2		11 1/2		11 1/2	
11 3/4	61,475	11 3/4	51,190	11 3/4	40,905	11 3/4	30,620	11 3/4	20,341	11 3/4	10,067	11 3/4	287	11 3/4		11 3/4		11 3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/15/2009 CL - SW
CALCULATED: 12/15/2009 CL
PRINTED: 12/15/2009 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2009

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 125"

SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	185	0	371	0	556	0	741	0	927	0	1,112	0		0		0	
1/4	4	1/4	189	1/4	375	1/4	560	1/4	745	1/4	931	1/4		1/4		1/4		1/4	
1/2	8	1/2	193	1/2	378	1/2	564	1/2	749	1/2	934	1/2		1/2		1/2		1/2	
3/4	12	3/4	197	3/4	382	3/4	568	3/4	753	3/4	938	3/4		3/4		3/4		3/4	
1	15	1	201	1	386	1	572	1	757	1	942	1		1		1		1	
1/4	19	1/4	205	1/4	390	1/4	575	1/4	761	1/4	946	1/4		1/4		1/4		1/4	
1/2	23	1/2	209	1/2	394	1/2	579	1/2	765	1/2	950	1/2		1/2		1/2		1/2	
3/4	27	3/4	212	3/4	398	3/4	583	3/4	768	3/4	954	3/4		3/4		3/4		3/4	
2	31	2	216	2	402	2	587	2	772	2	958	2		2		2		2	
1/4	35	1/4	220	1/4	406	1/4	591	1/4	776	1/4	961	1/4		1/4		1/4		1/4	
1/2	39	1/2	224	1/2	409	1/2	595	1/2	780	1/2	965	1/2		1/2		1/2		1/2	
3/4	43	3/4	228	3/4	413	3/4	599	3/4	784	3/4	969	3/4		3/4		3/4		3/4	
3	46	3	232	3	417	3	602	3	788	3	973	3		3		3		3	
1/4	50	1/4	236	1/4	421	1/4	606	1/4	792	1/4	977	1/4		1/4		1/4		1/4	
1/2	54	1/2	240	1/2	425	1/2	610	1/2	795	1/2	981	1/2		1/2		1/2		1/2	
3/4	58	3/4	243	3/4	429	3/4	614	3/4	799	3/4	985	3/4		3/4		3/4		3/4	
4	62	4	247	4	433	4	618	4	803	4	988	4		4		4		4	
1/4	66	1/4	251	1/4	436	1/4	622	1/4	807	1/4	992	1/4		1/4		1/4		1/4	
1/2	70	1/2	255	1/2	440	1/2	626	1/2	811	1/2	996	1/2		1/2		1/2		1/2	
3/4	74	3/4	259	3/4	444	3/4	629	3/4	815	3/4	1,000	3/4		3/4		3/4		3/4	
5	77	5	263	5	448	5	633	5	819	5	1,004	5		5		5		5	
1/4	81	1/4	267	1/4	452	1/4	637	1/4	822	1/4	1,008	1/4		1/4		1/4		1/4	
1/2	85	1/2	270	1/2	456	1/2	641	1/2	826	1/2	1,012	1/2		1/2		1/2		1/2	
3/4	89	3/4	274	3/4	460	3/4	645	3/4	830	3/4	1,015	3/4		3/4		3/4		3/4	
6	93	6	278	6	463	6	649	6	834	6	1,019	6		6		6		6	
1/4	97	1/4	282	1/4	467	1/4	653	1/4	838	1/4	1,023	1/4		1/4		1/4		1/4	
1/2	101	1/2	286	1/2	471	1/2	656	1/2	842	1/2	1,027	1/2		1/2		1/2		1/2	
3/4	104	3/4	290	3/4	475	3/4	660	3/4	846	3/4	1,031	3/4		3/4		3/4		3/4	
7	108	7	294	7	479	7	664	7	849	7	1,035	7		7		7		7	
1/4	112	1/4	297	1/4	483	1/4	668	1/4	853	1/4	1,039	1/4		1/4		1/4		1/4	
1/2	116	1/2	301	1/2	487	1/2	672	1/2	857	1/2	1,042	1/2		1/2		1/2		1/2	
3/4	120	3/4	305	3/4	490	3/4	676	3/4	861	3/4	1,046	3/4		3/4		3/4		3/4	
8	124	8	309	8	494	8	680	8	865	8	1,050	8		8		8		8	
1/4	128	1/4	313	1/4	498	1/4	683	1/4	869	1/4	1,054	1/4		1/4		1/4		1/4	
1/2	131	1/2	317	1/2	502	1/2	687	1/2	873	1/2	1,058	1/2		1/2		1/2		1/2	
3/4	135	3/4	321	3/4	506	3/4	691	3/4	876	3/4	1,062	3/4		3/4		3/4		3/4	
9	139	9	324	9	510	9	695	9	880	9	1,066	9		9		9		9	
1/4	143	1/4	328	1/4	514	1/4	699	1/4	884	1/4	1,069	1/4		1/4		1/4		1/4	
1/2	147	1/2	332	1/2	517	1/2	703	1/2	888	1/2	1,073	1/2		1/2		1/2		1/2	
3/4	151	3/4	336	3/4	521	3/4	707	3/4	892	3/4	1,077	3/4		3/4		3/4		3/4	
10	155	10	340	10	525	10	710	10	896	10	1,081	10		10		10		10	
1/4	158	1/4	344	1/4	529	1/4	714	1/4	900	1/4	1,085	1/4		1/4		1/4		1/4	
1/2	162	1/2	348	1/2	533	1/2	718	1/2	903	1/2	1,089	1/2		1/2		1/2		1/2	
3/4	166	3/4	351	3/4	537	3/4	722	3/4	907	3/4	1,093	3/4		3/4		3/4		3/4	
11	170	11	355	11	541	11	726	11	911	11	1,097	11		11		11		11	
1/4	174	1/4	359	1/4	544	1/4	730	1/4	915	1/4	1,100	1/4		1/4		1/4		1/4	
1/2	178	1/2	363	1/2	548	1/2	734	1/2	919	1/2	1,104	1/2		1/2		1/2		1/2	
3/4	182	3/4	367	3/4	552	3/4	737	3/4	923	3/4	1,108	3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK

STRAPPED: 06/24/2014 SW
CALCULATED: 06/25/2014 CL
PRINTED: 06/25/2014 CL

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>