



BARGE "WEB 129"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8
2 CENTER	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4	- 00-7/8	00-7/8
3 CENTER	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-3/8	- 00-3/8	00-1/2	- 00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/4"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED INNAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 161'-06"

April 12, 2011

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 129"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-11 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	37	0	9,093	0	19,316	0	29,587	0	39,954	0	50,320	0	60,687	0	71,048	0	81,416	0	91,787
1/4	73	1/4	9,309	1/4	19,525	1/4	29,803	1/4	40,170	1/4	50,536	1/4	60,903	1/4	71,263	1/4	81,632	1/4	92,003
1/2	109	1/2	9,526	1/2	19,735	1/2	30,019	1/2	40,386	1/2	50,752	1/2	61,119	1/2	71,479	1/2	81,848	1/2	92,219
3/4	146	3/4	9,743	3/4	19,944	3/4	30,235	3/4	40,602	3/4	50,968	3/4	61,335	3/4	71,695	3/4	82,064	3/4	92,435
1	182	1	9,959	1	20,153	1	30,451	1	40,818	1	51,184	1	61,551	1	71,911	1	82,280	1	92,651
1/4	290	1/4	10,176	1/4	20,362	1/4	30,667	1/4	41,033	1/4	51,400	1/4	61,767	1/4	72,126	1/4	82,496	1/4	92,868
1/2	398	1/2	10,392	1/2	20,571	1/2	30,883	1/2	41,249	1/2	51,616	1/2	61,983	1/2	72,342	1/2	82,712	1/2	93,084
3/4	507	3/4	10,609	3/4	20,780	3/4	31,099	3/4	41,465	3/4	51,832	3/4	62,199	3/4	72,558	3/4	82,928	3/4	93,300
2	615	2	10,826	2	20,990	2	31,315	2	41,681	2	52,048	2	62,415	2	72,774	2	83,144	2	93,516
1/4	795	1/4	11,042	1/4	21,199	1/4	31,531	1/4	41,897	1/4	52,264	1/4	62,631	1/4	72,990	1/4	83,361	1/4	93,732
1/2	975	1/2	11,259	1/2	21,408	1/2	31,747	1/2	42,113	1/2	52,480	1/2	62,847	1/2	73,206	1/2	83,577	1/2	93,948
3/4	1,155	3/4	11,476	3/4	21,617	3/4	31,963	3/4	42,329	3/4	52,696	3/4	63,063	3/4	73,421	3/4	83,793	3/4	94,164
3	1,335	3	11,692	3	21,826	3	32,179	3	42,545	3	52,912	3	63,278	3	73,637	3	84,009	3	94,380
1/4	1,547	1/4	11,909	1/4	22,036	1/4	32,395	1/4	42,761	1/4	53,128	1/4	63,494	1/4	73,853	1/4	84,225	1/4	94,596
1/2	1,759	1/2	12,125	1/2	22,246	1/2	32,611	1/2	42,977	1/2	53,344	1/2	63,710	1/2	74,070	1/2	84,441	1/2	94,812
3/4	1,971	3/4	12,342	3/4	22,456	3/4	32,827	3/4	43,193	3/4	53,560	3/4	63,926	3/4	74,286	3/4	84,657	3/4	95,028
4	2,182	4	12,559	4	22,666	4	33,043	4	43,409	4	53,776	4	64,142	4	74,502	4	84,873	4	95,244
1/4	2,396	1/4	12,775	1/4	22,882	1/4	33,259	1/4	43,625	1/4	53,992	1/4	64,358	1/4	74,718	1/4	85,089	1/4	95,460
1/2	2,610	1/2	12,992	1/2	23,098	1/2	33,475	1/2	43,841	1/2	54,208	1/2	64,574	1/2	74,934	1/2	85,305	1/2	95,676
3/4	2,824	3/4	13,208	3/4	23,315	3/4	33,690	3/4	44,057	3/4	54,424	3/4	64,790	3/4	75,150	3/4	85,521	3/4	95,893
5	3,038	5	13,425	5	23,531	5	33,906	5	44,273	5	54,640	5	65,006	5	75,366	5	85,737	5	96,109
1/4	3,253	1/4	13,642	1/4	23,747	1/4	34,122	1/4	44,489	1/4	54,856	1/4	65,222	1/4	75,582	1/4	85,953	1/4	96,324
1/2	3,468	1/2	13,858	1/2	23,963	1/2	34,338	1/2	44,705	1/2	55,072	1/2	65,437	1/2	75,798	1/2	86,169	1/2	96,540
3/4	3,683	3/4	14,075	3/4	24,180	3/4	34,554	3/4	44,921	3/4	55,288	3/4	65,653	3/4	76,014	3/4	86,385	3/4	96,756
6	3,898	6	14,292	6	24,396	6	34,770	6	45,137	6	55,504	6	65,869	6	76,230	6	86,602	6	96,972
1/4	4,114	1/4	14,502	1/4	24,612	1/4	34,986	1/4	45,353	1/4	55,719	1/4	66,085	1/4	76,446	1/4	86,818	1/4	97,188
1/2	4,330	1/2	14,712	1/2	24,829	1/2	35,202	1/2	45,569	1/2	55,935	1/2	66,301	1/2	76,662	1/2	87,034	1/2	97,404
3/4	4,546	3/4	14,922	3/4	25,045	3/4	35,418	3/4	45,785	3/4	56,151	3/4	66,516	3/4	76,878	3/4	87,250	3/4	97,620
7	4,761	7	15,132	7	25,262	7	35,634	7	46,001	7	56,367	7	66,732	7	77,095	7	87,466	7	97,836
1/4	4,978	1/4	15,342	1/4	25,478	1/4	35,850	1/4	46,217	1/4	56,583	1/4	66,948	1/4	77,311	1/4	87,682	1/4	98,052
1/2	5,194	1/2	15,551	1/2	25,695	1/2	36,066	1/2	46,433	1/2	56,799	1/2	67,164	1/2	77,527	1/2	87,898	1/2	98,268
3/4	5,411	3/4	15,761	3/4	25,911	3/4	36,282	3/4	46,649	3/4	57,015	3/4	67,379	3/4	77,743	3/4	88,114	3/4	98,483
8	5,627	8	15,970	8	26,128	8	36,498	8	46,865	8	57,231	8	67,595	8	77,959	8	88,330	8	98,699
1/4	5,844	1/4	16,179	1/4	26,344	1/4	36,714	1/4	47,081	1/4	57,447	1/4	67,811	1/4	78,175	1/4	88,546	1/4	98,915
1/2	6,060	1/2	16,388	1/2	26,561	1/2	36,930	1/2	47,297	1/2	57,663	1/2	68,027	1/2	78,391	1/2	88,762	1/2	99,131
3/4	6,277	3/4	16,597	3/4	26,777	3/4	37,146	3/4	47,513	3/4	57,879	3/4	68,242	3/4	78,607	3/4	88,978	3/4	99,347
9	6,493	9	16,807	9	26,993	9	37,362	9	47,729	9	58,095	9	68,458	9	78,823	9	89,194	9	99,563
1/4	6,710	1/4	17,016	1/4	27,210	1/4	37,578	1/4	47,945	1/4	58,311	1/4	68,674	1/4	79,039	1/4	89,410	1/4	99,779
1/2	6,927	1/2	17,225	1/2	27,426	1/2	37,794	1/2	48,161	1/2	58,527	1/2	68,890	1/2	79,255	1/2	89,627	1/2	99,995
3/4	7,143	3/4	17,434	3/4	27,643	3/4	38,010	3/4	48,376	3/4	58,743	3/4	69,106	3/4	79,471	3/4	89,843	3/4	100,211
10	7,360	10	17,643	10	27,859	10	38,226	10	48,592	10	58,959	10	69,321	10	79,687	10	90,059	10	100,426
1/4	7,576	1/4	17,852	1/4	28,075	1/4	38,442	1/4	48,808	1/4	59,175	1/4	69,537	1/4	79,903	1/4	90,275	1/4	100,642
1/2	7,793	1/2	18,061	1/2	28,291	1/2	38,658	1/2	49,024	1/2	59,391	1/2	69,753	1/2	80,119	1/2	90,491	1/2	100,858
3/4	8,010	3/4	18,271	3/4	28,507	3/4	38,874	3/4	49,240	3/4	59,607	3/4	69,969	3/4	80,336	3/4	90,707	3/4	101,074
11	8,226	11	18,480	11	28,723	11	39,090	11	49,456	11	59,823	11	70,184	11	80,552	11	90,923	11	101,290
1/4	8,443	1/4	18,689	1/4	28,939	1/4	39,306	1/4	49,672	1/4	60,039	1/4	70,400	1/4	80,768	1/4	91,139	1/4	101,506
1/2	8,660	1/2	18,898	1/2	29,155	1/2	39,522	1/2	49,888	1/2	60,255	1/2	70,616	1/2	80,984	1/2	91,355	1/2	101,722
3/4	8,876	3/4	19,107	3/4	29,371	3/4	39,738	3/4	50,104	3/4	60,471	3/4	70,832	3/4	81,200	3/4	91,571	3/4	101,938

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.

GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 25'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 129"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-11 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	102,154	0	111,836	0	120,844	0	129,853	0	138,862	0		0		0		0		0	
1/4	102,370	1/4	112,023	1/4	121,032	1/4	130,041	1/4	139,049	1/4		1/4		1/4		1/4		1/4	
1/2	102,586	1/2	112,211	1/2	121,220	1/2	130,228	1/2	139,237	1/2		1/2		1/2		1/2		1/2	
3/4	102,803	3/4	112,399	3/4	121,407	3/4	130,416	3/4	139,425	3/4		3/4		3/4		3/4		3/4	
1	103,019	1	112,586	1	121,595	1	130,604	1	139,612	1		1		1		1		1	
1/4	103,235	1/4	112,774	1/4	121,783	1/4	130,791	1/4	139,800	1/4		1/4		1/4		1/4		1/4	
1/2	103,451	1/2	112,962	1/2	121,970	1/2	130,979	1/2	139,988	1/2		1/2		1/2		1/2		1/2	
3/4	103,667	3/4	113,149	3/4	122,158	3/4	131,167	3/4	140,175	3/4		3/4		3/4		3/4		3/4	
2	103,883	2	113,337	2	122,346	2	131,354	2	140,363	2		2		2		2		2	
1/4	104,099	1/4	113,525	1/4	122,533	1/4	131,542	1/4	140,551	1/4		1/4		1/4		1/4		1/4	
1/2	104,315	1/2	113,712	1/2	122,721	1/2	131,730	1/2	140,738	1/2		1/2		1/2		1/2		1/2	
3/4	104,531	3/4	113,900	3/4	122,909	3/4	131,917	3/4	140,926	3/4		3/4		3/4		3/4		3/4	
3	104,747	3	114,088	3	123,096	3	132,105	3	141,114	3		3		3		3		3	
1/4	104,963	1/4	114,275	1/4	123,284	1/4	132,293	1/4	141,302	1/4		1/4		1/4		1/4		1/4	
1/2	105,179	1/2	114,463	1/2	123,472	1/2	132,480	1/2	141,489	1/2		1/2		1/2		1/2		1/2	
3/4	105,395	3/4	114,651	3/4	123,659	3/4	132,668	3/4	141,677	3/4		3/4		3/4		3/4		3/4	
4	105,611	4	114,838	4	123,847	4	132,856	4	141,865	4		4		4		4		4	
1/4	105,828	1/4	115,026	1/4	124,035	1/4	133,044	1/4	142,052	1/4		1/4		1/4		1/4		1/4	
1/2	106,044	1/2	115,214	1/2	124,222	1/2	133,231	1/2	142,240	1/2		1/2		1/2		1/2		1/2	
3/4	106,260	3/4	115,401	3/4	124,410	3/4	133,419	3/4	142,428	3/4		3/4		3/4		3/4		3/4	
5	106,476	5	115,589	5	124,598	5	133,607	5	142,615	5		5		5		5		5	
1/4	106,692	1/4	115,777	1/4	124,786	1/4	133,794	1/4	142,823	1/4		1/4		1/4		1/4		1/4	
1/2	106,908	1/2	115,965	1/2	124,973	1/2	133,982	1/2	143,030	1/2		1/2		1/2		1/2		1/2	
3/4	107,124	3/4	116,152	3/4	125,161	3/4	134,170	3/4	143,238	3/4		3/4		3/4		3/4		3/4	
6	107,340	6	116,340	6	125,349	6	134,357	6	143,446	6		6		6		6		6	
1/4	107,527	1/4	116,528	1/4	125,536	1/4	134,545	1/4	143,590	1/4		1/4		1/4		1/4		1/4	
1/2	107,714	1/2	116,715	1/2	125,724	1/2	134,733	1/2	143,734	1/2		1/2		1/2		1/2		1/2	
3/4	107,901	3/4	116,903	3/4	125,912	3/4	134,920	3/4	143,879	3/4		3/4		3/4		3/4		3/4	
7	108,089	7	117,091	7	126,099	7	135,108	7	144,023	7		7		7		7		7	
1/4	108,276	1/4	117,278	1/4	126,287	1/4	135,296	1/4	144,096	1/4		1/4		1/4		1/4		1/4	
1/2	108,463	1/2	117,466	1/2	126,475	1/2	135,483	1/2	144,168	1/2		1/2		1/2		1/2		1/2	
3/4	108,650	3/4	117,654	3/4	126,662	3/4	135,671	3/4	144,240	3/4		3/4		3/4		3/4		3/4	
8	108,837	8	117,841	8	126,850	8	135,859	8	144,312	8		8		8		8		8	
1/4	109,024	1/4	118,029	1/4	127,038	1/4	136,046	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	109,211	1/2	118,217	1/2	127,225	1/2	136,234	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	109,398	3/4	118,404	3/4	127,413	3/4	136,422	3/4		3/4		3/4		3/4		3/4		3/4	
9	109,586	9	118,592	9	127,601	9	136,609	9		9		9		9		9		9	
1/4	109,773	1/4	118,780	1/4	127,788	1/4	136,797	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	109,960	1/2	118,967	1/2	127,976	1/2	136,985	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	110,147	3/4	119,155	3/4	128,164	3/4	137,173	3/4		3/4		3/4		3/4		3/4		3/4	
10	110,334	10	119,343	10	128,351	10	137,360	10		10		10		10		10		10	
1/4	110,522	1/4	119,530	1/4	128,539	1/4	137,548	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	110,709	1/2	119,718	1/2	128,727	1/2	137,736	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	110,897	3/4	119,906	3/4	128,915	3/4	137,923	3/4		3/4		3/4		3/4		3/4		3/4	
11	111,085	11	120,094	11	129,102	11	138,111	11		11		11		11		11		11	
1/4	111,272	1/4	120,281	1/4	129,290	1/4	138,299	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	111,460	1/2	120,469	1/2	129,478	1/2	138,486	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	111,648	3/4	120,657	3/4	129,665	3/4	138,674	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/12/2011 CL - SW
CALCULATED: 04/12/2011 CL
PRINTED: 04/12/2011 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 04/2011

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 129"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-11 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	37	0	10,151	0	21,580	0	33,070	0	44,682	0	56,293	0	67,905	0	79,516	0	91,128	0	102,739
1/4	78	1/4	10,393	1/4	21,814	1/4	33,312	1/4	44,924	1/4	56,535	1/4	68,147	1/4	79,758	1/4	91,370	1/4	102,981
1/2	118	1/2	10,635	1/2	22,048	1/2	33,554	1/2	45,165	1/2	56,777	1/2	68,389	1/2	80,000	1/2	91,612	1/2	103,223
3/4	158	3/4	10,877	3/4	22,283	3/4	33,796	3/4	45,407	3/4	57,019	3/4	68,630	3/4	80,242	3/4	91,853	3/4	103,465
1	198	1	11,119	1	22,517	1	34,038	1	45,649	1	57,261	1	68,872	1	80,484	1	92,095	1	103,707
1/4	319	1/4	11,361	1/4	22,751	1/4	34,280	1/4	45,891	1/4	57,503	1/4	69,114	1/4	80,726	1/4	92,337	1/4	103,949
1/2	440	1/2	11,603	1/2	22,985	1/2	34,522	1/2	46,133	1/2	57,745	1/2	69,356	1/2	80,968	1/2	92,579	1/2	104,191
3/4	561	3/4	11,845	3/4	23,220	3/4	34,763	3/4	46,375	3/4	57,987	3/4	69,598	3/4	81,210	3/4	92,821	3/4	104,433
2	682	2	12,087	2	23,454	2	35,005	2	46,617	2	58,228	2	69,840	2	81,451	2	93,063	2	104,675
1/4	883	1/4	12,328	1/4	23,688	1/4	35,247	1/4	46,859	1/4	58,470	1/4	70,082	1/4	81,693	1/4	93,305	1/4	104,916
1/2	1,085	1/2	12,570	1/2	23,922	1/2	35,489	1/2	47,101	1/2	58,712	1/2	70,324	1/2	81,935	1/2	93,547	1/2	105,158
3/4	1,286	3/4	12,812	3/4	24,156	3/4	35,731	3/4	47,343	3/4	58,954	3/4	70,566	3/4	82,177	3/4	93,789	3/4	105,400
3	1,487	3	13,054	3	24,391	3	35,973	3	47,585	3	59,196	3	70,808	3	82,419	3	94,031	3	105,642
1/4	1,724	1/4	13,296	1/4	24,625	1/4	36,215	1/4	47,826	1/4	59,438	1/4	71,050	1/4	82,661	1/4	94,273	1/4	105,884
1/2	1,960	1/2	13,538	1/2	24,860	1/2	36,457	1/2	48,068	1/2	59,680	1/2	71,291	1/2	82,903	1/2	94,514	1/2	106,126
3/4	2,197	3/4	13,780	3/4	25,095	3/4	36,699	3/4	48,310	3/4	59,922	3/4	71,533	3/4	83,145	3/4	94,756	3/4	106,368
4	2,433	4	14,022	4	25,329	4	36,941	4	48,552	4	60,164	4	71,775	4	83,387	4	94,998	4	106,610
1/4	2,672	1/4	14,264	1/4	25,571	1/4	37,183	1/4	48,794	1/4	60,406	1/4	72,017	1/4	83,629	1/4	95,240	1/4	106,852
1/2	2,911	1/2	14,506	1/2	25,813	1/2	37,424	1/2	49,036	1/2	60,648	1/2	72,259	1/2	83,871	1/2	95,482	1/2	107,094
3/4	3,150	3/4	14,748	3/4	26,055	3/4	37,666	3/4	49,278	3/4	60,889	3/4	72,501	3/4	84,112	3/4	95,724	3/4	107,336
5	3,389	5	14,989	5	26,297	5	37,908	5	49,520	5	61,131	5	72,743	5	84,354	5	95,966	5	107,577
1/4	3,629	1/4	15,231	1/4	26,539	1/4	38,150	1/4	49,762	1/4	61,373	1/4	72,985	1/4	84,596	1/4	96,208	1/4	107,819
1/2	3,869	1/2	15,473	1/2	26,781	1/2	38,392	1/2	50,004	1/2	61,615	1/2	73,227	1/2	84,838	1/2	96,450	1/2	108,061
3/4	4,110	3/4	15,715	3/4	27,022	3/4	38,634	3/4	50,246	3/4	61,857	3/4	73,469	3/4	85,080	3/4	96,692	3/4	108,303
6	4,350	6	15,957	6	27,264	6	38,876	6	50,487	6	62,099	6	73,710	6	85,322	6	96,934	6	108,545
1/4	4,591	1/4	16,192	1/4	27,506	1/4	39,118	1/4	50,729	1/4	62,341	1/4	73,952	1/4	85,564	1/4	97,175	1/4	108,787
1/2	4,832	1/2	16,426	1/2	27,748	1/2	39,360	1/2	50,971	1/2	62,583	1/2	74,194	1/2	85,806	1/2	97,417	1/2	109,029
3/4	5,073	3/4	16,661	3/4	27,990	3/4	39,602	3/4	51,213	3/4	62,825	3/4	74,436	3/4	86,048	3/4	97,659	3/4	109,271
7	5,314	7	16,896	7	28,232	7	39,844	7	51,455	7	63,067	7	74,678	7	86,290	7	97,901	7	109,513
1/4	5,556	1/4	17,130	1/4	28,474	1/4	40,085	1/4	51,697	1/4	63,308	1/4	74,920	1/4	86,532	1/4	98,143	1/4	109,755
1/2	5,798	1/2	17,364	1/2	28,716	1/2	40,327	1/2	51,939	1/2	63,550	1/2	75,162	1/2	86,773	1/2	98,385	1/2	109,996
3/4	6,039	3/4	17,598	3/4	28,958	3/4	40,569	3/4	52,181	3/4	63,792	3/4	75,404	3/4	87,015	3/4	98,627	3/4	110,238
8	6,281	8	17,832	8	29,200	8	40,811	8	52,423	8	64,034	8	75,646	8	87,257	8	98,869	8	110,480
1/4	6,523	1/4	18,067	1/4	29,442	1/4	41,053	1/4	52,665	1/4	64,276	1/4	75,888	1/4	87,499	1/4	99,111	1/4	110,722
1/2	6,765	1/2	18,301	1/2	29,683	1/2	41,295	1/2	52,906	1/2	64,518	1/2	76,130	1/2	87,741	1/2	99,353	1/2	110,964
3/4	7,007	3/4	18,535	3/4	29,925	3/4	41,537	3/4	53,148	3/4	64,760	3/4	76,371	3/4	87,983	3/4	99,594	3/4	111,206
9	7,248	9	18,769	9	30,167	9	41,779	9	53,390	9	65,002	9	76,613	9	88,225	9	99,836	9	111,448
1/4	7,490	1/4	19,004	1/4	30,409	1/4	42,021	1/4	53,632	1/4	65,244	1/4	76,855	1/4	88,467	1/4	100,078	1/4	111,690
1/2	7,732	1/2	19,238	1/2	30,651	1/2	42,263	1/2	53,874	1/2	65,486	1/2	77,097	1/2	88,709	1/2	100,320	1/2	111,932
3/4	7,974	3/4	19,472	3/4	30,893	3/4	42,505	3/4	54,116	3/4	65,728	3/4	77,339	3/4	88,951	3/4	100,562	3/4	112,174
10	8,216	10	19,706	10	31,135	10	42,746	10	54,358	10	65,969	10	77,581	10	89,193	10	100,804	10	112,416
1/4	8,458	1/4	19,940	1/4	31,377	1/4	42,988	1/4	54,600	1/4	66,211	1/4	77,823	1/4	89,434	1/4	101,046	1/4	112,657
1/2	8,700	1/2	20,175	1/2	31,619	1/2	43,230	1/2	54,842	1/2	66,453	1/2	78,065	1/2	89,676	1/2	101,288	1/2	112,899
3/4	8,942	3/4	20,409	3/4	31,861	3/4	43,472	3/4	55,084	3/4	66,695	3/4	78,307	3/4	89,918	3/4	101,530	3/4	113,141
11	9,184	11	20,643	11	32,103	11	43,714	11	55,326	11	66,937	11	78,549	11	90,160	11	101,772	11	113,383
1/4	9,426	1/4	20,877	1/4	32,344	1/4	43,956	1/4	55,567	1/4	67,179	1/4	78,791	1/4	90,402	1/4	102,014	1/4	113,625
1/2	9,667	1/2	21,112	1/2	32,586	1/2	44,198	1/2	55,809	1/2	67,421	1/2	79,032	1/2	90,644	1/2	102,255	1/2	113,867
3/4	9,909	3/4	21,346	3/4	32,828	3/4	44,440	3/4	56,051	3/4	67,663	3/4	79,274	3/4	90,886	3/4	102,497	3/4	114,109

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.

GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 32'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 129"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-11 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	114,351	0	125,962	0	137,574	0	149,185	0	160,797	0		0		0		0		0	
1/4	114,593	1/4	126,204	1/4	137,816	1/4	149,427	1/4	161,039	1/4		1/4		1/4		1/4		1/4	
1/2	114,835	1/2	126,446	1/2	138,058	1/2	149,669	1/2	161,281	1/2		1/2		1/2		1/2		1/2	
3/4	115,077	3/4	126,688	3/4	138,300	3/4	149,911	3/4	161,523	3/4		3/4		3/4		3/4		3/4	
1	115,318	1	126,930	1	138,541	1	150,153	1	161,765	1		1		1		1		1	
1/4	115,560	1/4	127,172	1/4	138,783	1/4	150,395	1/4	162,006	1/4		1/4		1/4		1/4		1/4	
1/2	115,802	1/2	127,414	1/2	139,025	1/2	150,637	1/2	162,248	1/2		1/2		1/2		1/2		1/2	
3/4	116,044	3/4	127,656	3/4	139,267	3/4	150,879	3/4	162,490	3/4		3/4		3/4		3/4		3/4	
2	116,286	2	127,898	2	139,509	2	151,121	2	162,732	2		2		2		2		2	
1/4	116,528	1/4	128,139	1/4	139,751	1/4	151,363	1/4	162,974	1/4		1/4		1/4		1/4		1/4	
1/2	116,770	1/2	128,381	1/2	139,993	1/2	151,604	1/2	163,216	1/2		1/2		1/2		1/2		1/2	
3/4	117,012	3/4	128,623	3/4	140,235	3/4	151,846	3/4	163,458	3/4		3/4		3/4		3/4		3/4	
3	117,254	3	128,865	3	140,477	3	152,088	3	163,700	3		3		3		3		3	
1/4	117,496	1/4	129,107	1/4	140,719	1/4	152,330	1/4	163,942	1/4		1/4		1/4		1/4		1/4	
1/2	117,737	1/2	129,349	1/2	140,961	1/2	152,572	1/2	164,184	1/2		1/2		1/2		1/2		1/2	
3/4	117,979	3/4	129,591	3/4	141,202	3/4	152,814	3/4	164,425	3/4		3/4		3/4		3/4		3/4	
4	118,221	4	129,833	4	141,444	4	153,056	4	164,667	4		4		4		4		4	
1/4	118,463	1/4	130,075	1/4	141,686	1/4	153,298	1/4	164,909	1/4		1/4		1/4		1/4		1/4	
1/2	118,705	1/2	130,317	1/2	141,928	1/2	153,540	1/2	165,151	1/2		1/2		1/2		1/2		1/2	
3/4	118,947	3/4	130,559	3/4	142,170	3/4	153,782	3/4	165,393	3/4		3/4		3/4		3/4		3/4	
5	119,189	5	130,800	5	142,412	5	154,023	5	165,635	5		5		5		5		5	
1/4	119,431	1/4	131,042	1/4	142,654	1/4	154,265	1/4	165,867	1/4		1/4		1/4		1/4		1/4	
1/2	119,673	1/2	131,284	1/2	142,896	1/2	154,507	1/2	166,099	1/2		1/2		1/2		1/2		1/2	
3/4	119,915	3/4	131,526	3/4	143,138	3/4	154,749	3/4	166,330	3/4		3/4		3/4		3/4		3/4	
6	120,157	6	131,768	6	143,380	6	154,991	6	166,562	6		6		6		6		6	
1/4	120,398	1/4	132,010	1/4	143,622	1/4	155,233	1/4	166,724	1/4		1/4		1/4		1/4		1/4	
1/2	120,640	1/2	132,252	1/2	143,863	1/2	155,475	1/2	166,885	1/2		1/2		1/2		1/2		1/2	
3/4	120,882	3/4	132,494	3/4	144,105	3/4	155,717	3/4	167,046	3/4		3/4		3/4		3/4		3/4	
7	121,124	7	132,736	7	144,347	7	155,959	7	167,207	7		7		7		7		7	
1/4	121,366	1/4	132,978	1/4	144,589	1/4	156,201	1/4	167,288	1/4		1/4		1/4		1/4		1/4	
1/2	121,608	1/2	133,220	1/2	144,831	1/2	156,443	1/2	167,369	1/2		1/2		1/2		1/2		1/2	
3/4	121,850	3/4	133,461	3/4	145,073	3/4	156,684	3/4	167,449	3/4		3/4		3/4		3/4		3/4	
8	122,092	8	133,703	8	145,315	8	156,926	8	167,530	8		8		8		8		8	
1/4	122,334	1/4	133,945	1/4	145,557	1/4	157,168	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	122,576	1/2	134,187	1/2	145,799	1/2	157,410	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	122,818	3/4	134,429	3/4	146,041	3/4	157,652	3/4		3/4		3/4		3/4		3/4		3/4	
9	123,059	9	134,671	9	146,282	9	157,894	9		9		9		9		9		9	
1/4	123,301	1/4	134,913	1/4	146,524	1/4	158,136	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	123,543	1/2	135,155	1/2	146,766	1/2	158,378	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	123,785	3/4	135,397	3/4	147,008	3/4	158,620	3/4		3/4		3/4		3/4		3/4		3/4	
10	124,027	10	135,639	10	147,250	10	158,862	10		10		10		10		10		10	
1/4	124,269	1/4	135,880	1/4	147,492	1/4	159,104	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	124,511	1/2	136,122	1/2	147,734	1/2	159,345	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	124,753	3/4	136,364	3/4	147,976	3/4	159,587	3/4		3/4		3/4		3/4		3/4		3/4	
11	124,995	11	136,606	11	148,218	11	159,829	11		11		11		11		11		11	
1/4	125,237	1/4	136,848	1/4	148,460	1/4	160,071	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	125,479	1/2	137,090	1/2	148,702	1/2	160,313	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	125,720	3/4	137,332	3/4	148,943	3/4	160,555	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/12/2011 CL - SW
CALCULATED: 04/12/2011 CL
PRINTED: 04/12/2011 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 04/2011

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 129"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-11 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	37	0	9,015	0	19,314	0	29,612	0	39,919	0	50,226	0	60,533	0	70,840	0	81,147	0	91,453
1/4	73	1/4	9,230	1/4	19,528	1/4	29,827	1/4	40,134	1/4	50,440	1/4	60,747	1/4	71,054	1/4	81,361	1/4	91,668
1/2	109	1/2	9,445	1/2	19,742	1/2	30,041	1/2	40,348	1/2	50,655	1/2	60,962	1/2	71,269	1/2	81,576	1/2	91,883
3/4	145	3/4	9,659	3/4	19,956	3/4	30,256	3/4	40,563	3/4	50,870	3/4	61,177	3/4	71,484	3/4	81,791	3/4	92,098
1	181	1	9,874	1	20,171	1	30,471	1	40,778	1	51,085	1	61,392	1	71,698	1	82,005	1	92,312
1/4	288	1/4	10,089	1/4	20,385	1/4	30,685	1/4	40,992	1/4	51,299	1/4	61,606	1/4	71,913	1/4	82,220	1/4	92,527
1/2	395	1/2	10,304	1/2	20,599	1/2	30,900	1/2	41,207	1/2	51,514	1/2	61,821	1/2	72,128	1/2	82,435	1/2	92,742
3/4	503	3/4	10,518	3/4	20,813	3/4	31,115	3/4	41,422	3/4	51,729	3/4	62,036	3/4	72,343	3/4	82,650	3/4	92,957
2	610	2	10,733	2	21,028	2	31,330	2	41,637	2	51,944	2	62,250	2	72,557	2	82,864	2	93,171
1/4	789	1/4	10,948	1/4	21,242	1/4	31,544	1/4	41,851	1/4	52,158	1/4	62,465	1/4	72,772	1/4	83,079	1/4	93,386
1/2	967	1/2	11,162	1/2	21,456	1/2	31,759	1/2	42,066	1/2	52,373	1/2	62,680	1/2	72,987	1/2	83,294	1/2	93,601
3/4	1,146	3/4	11,377	3/4	21,670	3/4	31,974	3/4	42,281	3/4	52,588	3/4	62,895	3/4	73,202	3/4	83,509	3/4	93,815
3	1,324	3	11,592	3	21,885	3	32,189	3	42,496	3	52,802	3	63,109	3	73,416	3	83,723	3	94,030
1/4	1,534	1/4	11,807	1/4	22,099	1/4	32,403	1/4	42,710	1/4	53,017	1/4	63,324	1/4	73,631	1/4	83,938	1/4	94,245
1/2	1,744	1/2	12,021	1/2	22,313	1/2	32,618	1/2	42,925	1/2	53,232	1/2	63,539	1/2	73,846	1/2	84,153	1/2	94,460
3/4	1,954	3/4	12,236	3/4	22,528	3/4	32,833	3/4	43,140	3/4	53,447	3/4	63,754	3/4	74,060	3/4	84,367	3/4	94,674
4	2,164	4	12,451	4	22,742	4	33,047	4	43,354	4	53,661	4	63,968	4	74,275	4	84,582	4	94,889
1/4	2,376	1/4	12,666	1/4	22,956	1/4	33,262	1/4	43,569	1/4	53,876	1/4	64,183	1/4	74,490	1/4	84,797	1/4	95,104
1/2	2,588	1/2	12,880	1/2	23,171	1/2	33,477	1/2	43,784	1/2	54,091	1/2	64,398	1/2	74,705	1/2	85,012	1/2	95,319
3/4	2,800	3/4	13,095	3/4	23,385	3/4	33,692	3/4	43,999	3/4	54,306	3/4	64,612	3/4	74,919	3/4	85,226	3/4	95,533
5	3,012	5	13,310	5	23,599	5	33,906	5	44,213	5	54,520	5	64,827	5	75,134	5	85,441	5	95,748
1/4	3,226	1/4	13,524	1/4	23,814	1/4	34,121	1/4	44,428	1/4	54,735	1/4	65,042	1/4	75,349	1/4	85,656	1/4	95,963
1/2	3,439	1/2	13,739	1/2	24,029	1/2	34,336	1/2	44,643	1/2	54,950	1/2	65,257	1/2	75,564	1/2	85,871	1/2	96,177
3/4	3,652	3/4	13,954	3/4	24,244	3/4	34,551	3/4	44,858	3/4	55,164	3/4	65,471	3/4	75,778	3/4	86,085	3/4	96,392
6	3,866	6	14,169	6	24,458	6	34,765	6	45,072	6	55,379	6	65,686	6	75,993	6	86,300	6	96,607
1/4	4,080	1/4	14,383	1/4	24,673	1/4	34,980	1/4	45,287	1/4	55,594	1/4	65,901	1/4	76,208	1/4	86,515	1/4	96,822
1/2	4,294	1/2	14,598	1/2	24,888	1/2	35,195	1/2	45,502	1/2	55,809	1/2	66,116	1/2	76,422	1/2	86,729	1/2	97,036
3/4	4,508	3/4	14,813	3/4	25,103	3/4	35,409	3/4	45,716	3/4	56,023	3/4	66,330	3/4	76,637	3/4	86,944	3/4	97,251
7	4,722	7	15,028	7	25,317	7	35,624	7	45,931	7	56,238	7	66,545	7	76,852	7	87,159	7	97,466
1/4	4,936	1/4	15,242	1/4	25,532	1/4	35,839	1/4	46,146	1/4	56,453	1/4	66,760	1/4	77,067	1/4	87,374	1/4	97,681
1/2	5,151	1/2	15,456	1/2	25,747	1/2	36,054	1/2	46,361	1/2	56,668	1/2	66,974	1/2	77,281	1/2	87,588	1/2	97,895
3/4	5,365	3/4	15,671	3/4	25,961	3/4	36,268	3/4	46,575	3/4	56,882	3/4	67,189	3/4	77,496	3/4	87,803	3/4	98,110
8	5,580	8	15,885	8	26,176	8	36,483	8	46,790	8	57,097	8	67,404	8	77,711	8	88,018	8	98,325
1/4	5,794	1/4	16,099	1/4	26,391	1/4	36,698	1/4	47,005	1/4	57,312	1/4	67,619	1/4	77,926	1/4	88,233	1/4	98,539
1/2	6,009	1/2	16,314	1/2	26,606	1/2	36,913	1/2	47,220	1/2	57,526	1/2	67,833	1/2	78,140	1/2	88,447	1/2	98,754
3/4	6,224	3/4	16,528	3/4	26,820	3/4	37,127	3/4	47,434	3/4	57,741	3/4	68,048	3/4	78,355	3/4	88,662	3/4	98,969
9	6,438	9	16,742	9	27,035	9	37,342	9	47,649	9	57,956	9	68,263	9	78,570	9	88,877	9	99,184
1/4	6,653	1/4	16,957	1/4	27,250	1/4	37,557	1/4	47,864	1/4	58,171	1/4	68,478	1/4	78,785	1/4	89,091	1/4	99,398
1/2	6,868	1/2	17,171	1/2	27,465	1/2	37,771	1/2	48,078	1/2	58,385	1/2	68,692	1/2	78,999	1/2	89,306	1/2	99,613
3/4	7,083	3/4	17,385	3/4	27,679	3/4	37,986	3/4	48,293	3/4	58,600	3/4	68,907	3/4	79,214	3/4	89,521	3/4	99,828
10	7,297	10	17,599	10	27,894	10	38,201	10	48,508	10	58,815	10	69,122	10	79,429	10	89,736	10	100,043
1/4	7,512	1/4	17,814	1/4	28,109	1/4	38,416	1/4	48,723	1/4	59,030	1/4	69,336	1/4	79,643	1/4	89,950	1/4	100,257
1/2	7,727	1/2	18,028	1/2	28,323	1/2	38,630	1/2	48,937	1/2	59,244	1/2	69,551	1/2	79,858	1/2	90,165	1/2	100,472
3/4	7,942	3/4	18,242	3/4	28,538	3/4	38,845	3/4	49,152	3/4	59,459	3/4	69,766	3/4	80,073	3/4	90,380	3/4	100,687
11	8,156	11	18,456	11	28,753	11	39,060	11	49,367	11	59,674	11	69,981	11	80,288	11	90,595	11	100,901
1/4	8,371	1/4	18,671	1/4	28,968	1/4	39,275	1/4	49,582	1/4	59,888	1/4	70,195	1/4	80,502	1/4	90,809	1/4	101,116
1/2	8,586	1/2	18,885	1/2	29,182	1/2	39,489	1/2	49,796	1/2	60,103	1/2	70,410	1/2	80,717	1/2	91,024	1/2	101,331
3/4	8,800	3/4	19,099	3/4	29,397	3/4	39,704	3/4	50,011	3/4	60,318	3/4	70,625	3/4	80,932	3/4	91,239	3/4	101,546

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.

GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 25'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 129"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 16'-11 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	101,760	0	112,067	0	122,374	0	132,681	0	142,988	0		0		0		0		0	
1/4	101,975	1/4	112,282	1/4	122,589	1/4	132,896	1/4	143,203	1/4		1/4		1/4		1/4		1/4	
1/2	102,190	1/2	112,497	1/2	122,804	1/2	133,111	1/2	143,418	1/2		1/2		1/2		1/2		1/2	
3/4	102,405	3/4	112,711	3/4	123,018	3/4	133,325	3/4	143,632	3/4		3/4		3/4		3/4		3/4	
1	102,619	1	112,926	1	123,233	1	133,540	1	143,847	1		1		1		1		1	
1/4	102,834	1/4	113,141	1/4	123,448	1/4	133,755	1/4	144,062	1/4		1/4		1/4		1/4		1/4	
1/2	103,049	1/2	113,356	1/2	123,663	1/2	133,970	1/2	144,276	1/2		1/2		1/2		1/2		1/2	
3/4	103,263	3/4	113,570	3/4	123,877	3/4	134,184	3/4	144,491	3/4		3/4		3/4		3/4		3/4	
2	103,478	2	113,785	2	124,092	2	134,399	2	144,706	2		2		2		2		2	
1/4	103,693	1/4	114,000	1/4	124,307	1/4	134,614	1/4	144,921	1/4		1/4		1/4		1/4		1/4	
1/2	103,908	1/2	114,215	1/2	124,522	1/2	134,828	1/2	145,135	1/2		1/2		1/2		1/2		1/2	
3/4	104,122	3/4	114,429	3/4	124,736	3/4	135,043	3/4	145,350	3/4		3/4		3/4		3/4		3/4	
3	104,337	3	114,644	3	124,951	3	135,258	3	145,565	3		3		3		3		3	
1/4	104,552	1/4	114,859	1/4	125,166	1/4	135,473	1/4	145,780	1/4		1/4		1/4		1/4		1/4	
1/2	104,767	1/2	115,074	1/2	125,380	1/2	135,687	1/2	145,994	1/2		1/2		1/2		1/2		1/2	
3/4	104,981	3/4	115,288	3/4	125,595	3/4	135,902	3/4	146,209	3/4		3/4		3/4		3/4		3/4	
4	105,196	4	115,503	4	125,810	4	136,117	4	146,424	4		4		4		4		4	
1/4	105,411	1/4	115,718	1/4	126,025	1/4	136,332	1/4	146,638	1/4		1/4		1/4		1/4		1/4	
1/2	105,625	1/2	115,932	1/2	126,239	1/2	136,546	1/2	146,853	1/2		1/2		1/2		1/2		1/2	
3/4	105,840	3/4	116,147	3/4	126,454	3/4	136,761	3/4	147,068	3/4		3/4		3/4		3/4		3/4	
5	106,055	5	116,362	5	126,669	5	136,976	5	147,283	5		5		5		5		5	
1/4	106,270	1/4	116,577	1/4	126,884	1/4	137,190	1/4	147,488	1/4		1/4		1/4		1/4		1/4	
1/2	106,484	1/2	116,791	1/2	127,098	1/2	137,405	1/2	147,694	1/2		1/2		1/2		1/2		1/2	
3/4	106,699	3/4	117,006	3/4	127,313	3/4	137,620	3/4	147,900	3/4		3/4		3/4		3/4		3/4	
6	106,914	6	117,221	6	127,528	6	137,835	6	148,106	6		6		6		6		6	
1/4	107,129	1/4	117,436	1/4	127,742	1/4	138,049	1/4	148,249	1/4		1/4		1/4		1/4		1/4	
1/2	107,343	1/2	117,650	1/2	127,957	1/2	138,264	1/2	148,392	1/2		1/2		1/2		1/2		1/2	
3/4	107,558	3/4	117,865	3/4	128,172	3/4	138,479	3/4	148,535	3/4		3/4		3/4		3/4		3/4	
7	107,773	7	118,080	7	128,387	7	138,694	7	148,678	7		7		7		7		7	
1/4	107,987	1/4	118,294	1/4	128,601	1/4	138,908	1/4	148,750	1/4		1/4		1/4		1/4		1/4	
1/2	108,202	1/2	118,509	1/2	128,816	1/2	139,123	1/2	148,822	1/2		1/2		1/2		1/2		1/2	
3/4	108,417	3/4	118,724	3/4	129,031	3/4	139,338	3/4	148,893	3/4		3/4		3/4		3/4		3/4	
8	108,632	8	118,939	8	129,246	8	139,552	8	148,965	8		8		8		8		8	
1/4	108,846	1/4	119,153	1/4	129,460	1/4	139,767	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	109,061	1/2	119,368	1/2	129,675	1/2	139,982	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	109,276	3/4	119,583	3/4	129,890	3/4	140,197	3/4		3/4		3/4		3/4		3/4		3/4	
9	109,491	9	119,798	9	130,104	9	140,411	9		9		9		9		9		9	
1/4	109,705	1/4	120,012	1/4	130,319	1/4	140,626	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	109,920	1/2	120,227	1/2	130,534	1/2	140,841	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	110,135	3/4	120,442	3/4	130,749	3/4	141,056	3/4		3/4		3/4		3/4		3/4		3/4	
10	110,349	10	120,656	10	130,963	10	141,270	10		10		10		10		10		10	
1/4	110,564	1/4	120,871	1/4	131,178	1/4	141,485	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	110,779	1/2	121,086	1/2	131,393	1/2	141,700	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	110,994	3/4	121,301	3/4	131,608	3/4	141,914	3/4		3/4		3/4		3/4		3/4		3/4	
11	111,208	11	121,515	11	131,822	11	142,129	11		11		11		11		11		11	
1/4	111,423	1/4	121,730	1/4	132,037	1/4	142,344	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	111,638	1/2	121,945	1/2	132,252	1/2	142,559	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	111,853	3/4	122,160	3/4	132,466	3/4	142,773	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 04/12/2011 CL - SW
CALCULATED: 04/12/2011 CL
PRINTED: 04/12/2011 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 04/2011

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 129"

SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	183	0	365	0	549	0	732	0	915	0		0		0		0	
1/4	4	1/4	186	1/4	369	1/4	552	1/4	736	1/4	919	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	8	1/2	190	1/2	373	1/2	556	1/2	740	1/2	922	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	11	3/4	194	3/4	376	3/4	560	3/4	744	3/4	926	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	15	1	198	1	380	1	564	1	747	1	930	1	1	1	1	1	1	1	1
1/4	19	1/4	202	1/4	384	1/4	568	1/4	751	1/4	934	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	23	1/2	206	1/2	388	1/2	572	1/2	755	1/2	938	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	26	3/4	209	3/4	392	3/4	575	3/4	759	3/4	942	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	30	2	213	2	396	2	579	2	762	2	945	2	2	2	2	2	2	2	2
1/4	34	1/4	217	1/4	399	1/4	583	1/4	766	1/4	949	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	38	1/2	221	1/2	403	1/2	587	1/2	770	1/2	953	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	41	3/4	225	3/4	407	3/4	591	3/4	774	3/4	957	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	45	3	229	3	411	3	595	3	778	3	961	3	3	3	3	3	3	3	3
1/4	49	1/4	232	1/4	415	1/4	598	1/4	781	1/4	965	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	53	1/2	236	1/2	418	1/2	602	1/2	785	1/2	968	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	57	3/4	240	3/4	422	3/4	606	3/4	789	3/4	972	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	60	4	244	4	426	4	610	4	793	4	976	4	4	4	4	4	4	4	4
1/4	64	1/4	248	1/4	430	1/4	614	1/4	796	1/4	980	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	68	1/2	251	1/2	434	1/2	618	1/2	800	1/2	984	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	72	3/4	255	3/4	438	3/4	621	3/4	804	3/4	988	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	75	5	259	5	441	5	625	5	808	5	991	5	5	5	5	5	5	5	5
1/4	79	1/4	263	1/4	445	1/4	629	1/4	811	1/4	995	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	83	1/2	267	1/2	449	1/2	633	1/2	815	1/2	999	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	87	3/4	271	3/4	453	3/4	637	3/4	819	3/4	1,003	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	91	6	274	6	457	6	641	6	823	6	1,007	6	6	6	6	6	6	6	6
1/4	94	1/4	278	1/4	461	1/4	644	1/4	827	1/4	1,010	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	98	1/2	282	1/2	464	1/2	648	1/2	831	1/2	1,014	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	102	3/4	286	3/4	468	3/4	652	3/4	834	3/4	1,018	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	106	7	290	7	472	7	656	7	838	7	1,022	7	7	7	7	7	7	7	7
1/4	110	1/4	294	1/4	476	1/4	660	1/4	842	1/4	1,026	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	114	1/2	297	1/2	480	1/2	664	1/2	846	1/2	1,029	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	117	3/4	301	3/4	484	3/4	667	3/4	850	3/4	1,033	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	121	8	305	8	487	8	671	8	854	8	1,037	8	8	8	8	8	8	8	8
1/4	125	1/4	309	1/4	491	1/4	675	1/4	857	1/4	1,041	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	129	1/2	313	1/2	495	1/2	679	1/2	861	1/2	1,044	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	133	3/4	316	3/4	499	3/4	683	3/4	865	3/4	1,048	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	137	9	320	9	503	9	686	9	869	9	1,052	9	9	9	9	9	9	9	9
1/4	140	1/4	324	1/4	507	1/4	690	1/4	873	1/4	1,056	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	144	1/2	328	1/2	510	1/2	694	1/2	876	1/2	1,059	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	148	3/4	331	3/4	514	3/4	698	3/4	880	3/4	1,063	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	152	10	335	10	518	10	702	10	884	10	1,067	10	10	10	10	10	10	10	10
1/4	156	1/4	339	1/4	522	1/4	706	1/4	888	1/4	1,071	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	160	1/2	343	1/2	526	1/2	709	1/2	892	1/2	1,074	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	163	3/4	346	3/4	530	3/4	713	3/4	896	3/4	1,078	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	167	11	350	11	533	11	717	11	899	11	1,082	11	11	11	11	11	11	11	11
1/4	171	1/4	354	1/4	537	1/4	721	1/4	903	1/4	1,086	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	175	1/2	358	1/2	541	1/2	725	1/2	907	1/2	1,090	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	179	3/4	361	3/4	545	3/4	729	3/4	911	3/4	1,093	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" DIAMETER STANDPIPE

STRAPPED: 04/12/2011 CL - SW

CALCULATED: 04/12/2011 CL

PRINTED: 04/12/2011 CL

CANCELS AND SUPERCEDES

ALL PRIOR TO 04/2011

PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>