



BARGE "WEB 134"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
2 CENTER	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4	- 00-7/8	00-7/8
3 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-7/8	- 00-7/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/4"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED INNAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 158'-03"

June 26, 2012

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 134"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-02 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	37	0	9,094	0	19,318	0	29,590	0	39,958	0	50,326	0	60,693	0	71,055	0	81,425	0	91,797
1/4	73	1/4	9,310	1/4	19,528	1/4	29,806	1/4	40,174	1/4	50,542	1/4	60,909	1/4	71,271	1/4	81,641	1/4	92,013
1/2	109	1/2	9,527	1/2	19,737	1/2	30,022	1/2	40,390	1/2	50,758	1/2	61,125	1/2	71,487	1/2	81,857	1/2	92,229
3/4	146	3/4	9,744	3/4	19,946	3/4	30,238	3/4	40,606	3/4	50,974	3/4	61,341	3/4	71,702	3/4	82,073	3/4	92,445
1	182	1	9,960	1	20,155	1	30,454	1	40,822	1	51,190	1	61,557	1	71,918	1	82,289	1	92,661
1/4	290	1/4	10,177	1/4	20,364	1/4	30,670	1/4	41,038	1/4	51,406	1/4	61,773	1/4	72,134	1/4	82,505	1/4	92,877
1/2	398	1/2	10,394	1/2	20,573	1/2	30,886	1/2	41,254	1/2	51,622	1/2	61,989	1/2	72,350	1/2	82,721	1/2	93,094
3/4	507	3/4	10,610	3/4	20,783	3/4	31,102	3/4	41,470	3/4	51,838	3/4	62,205	3/4	72,566	3/4	82,937	3/4	93,310
2	615	2	10,827	2	20,992	2	31,318	2	41,686	2	52,054	2	62,421	2	72,781	2	83,153	2	93,526
1/4	795	1/4	11,043	1/4	21,201	1/4	31,534	1/4	41,902	1/4	52,270	1/4	62,637	1/4	72,997	1/4	83,369	1/4	93,742
1/2	975	1/2	11,260	1/2	21,410	1/2	31,750	1/2	42,118	1/2	52,486	1/2	62,853	1/2	73,213	1/2	83,585	1/2	93,958
3/4	1,155	3/4	11,477	3/4	21,619	3/4	31,966	3/4	42,334	3/4	52,702	3/4	63,069	3/4	73,429	3/4	83,802	3/4	94,174
3	1,336	3	11,693	3	21,828	3	32,182	3	42,550	3	52,918	3	63,285	3	73,645	3	84,018	3	94,390
1/4	1,547	1/4	11,910	1/4	22,038	1/4	32,398	1/4	42,766	1/4	53,134	1/4	63,501	1/4	73,861	1/4	84,234	1/4	94,606
1/2	1,759	1/2	12,127	1/2	22,248	1/2	32,614	1/2	42,982	1/2	53,350	1/2	63,717	1/2	74,077	1/2	84,450	1/2	94,822
3/4	1,971	3/4	12,343	3/4	22,458	3/4	32,830	3/4	43,198	3/4	53,565	3/4	63,933	3/4	74,294	3/4	84,666	3/4	95,038
4	2,183	4	12,560	4	22,668	4	33,046	4	43,414	4	53,781	4	64,149	4	74,510	4	84,882	4	95,254
1/4	2,396	1/4	12,777	1/4	22,884	1/4	33,262	1/4	43,630	1/4	53,997	1/4	64,365	1/4	74,726	1/4	85,098	1/4	95,471
1/2	2,610	1/2	12,993	1/2	23,101	1/2	33,478	1/2	43,846	1/2	54,213	1/2	64,581	1/2	74,942	1/2	85,314	1/2	95,687
3/4	2,824	3/4	13,210	3/4	23,317	3/4	33,694	3/4	44,062	3/4	54,429	3/4	64,797	3/4	75,158	3/4	85,530	3/4	95,903
5	3,038	5	13,427	5	23,533	5	33,910	5	44,278	5	54,645	5	65,013	5	75,374	5	85,746	5	96,119
1/4	3,253	1/4	13,643	1/4	23,750	1/4	34,126	1/4	44,494	1/4	54,861	1/4	65,229	1/4	75,590	1/4	85,963	1/4	96,335
1/2	3,468	1/2	13,860	1/2	23,966	1/2	34,342	1/2	44,710	1/2	55,077	1/2	65,444	1/2	75,806	1/2	86,179	1/2	96,551
3/4	3,683	3/4	14,076	3/4	24,182	3/4	34,558	3/4	44,926	3/4	55,293	3/4	65,660	3/4	76,022	3/4	86,395	3/4	96,767
6	3,898	6	14,293	6	24,398	6	34,774	6	45,142	6	55,509	6	65,876	6	76,238	6	86,611	6	96,983
1/4	4,114	1/4	14,503	1/4	24,615	1/4	34,990	1/4	45,358	1/4	55,725	1/4	66,092	1/4	76,454	1/4	86,827	1/4	97,198
1/2	4,330	1/2	14,714	1/2	24,831	1/2	35,206	1/2	45,574	1/2	55,941	1/2	66,308	1/2	76,671	1/2	87,043	1/2	97,414
3/4	4,546	3/4	14,924	3/4	25,048	3/4	35,422	3/4	45,790	3/4	56,157	3/4	66,523	3/4	76,887	3/4	87,259	3/4	97,630
7	4,762	7	15,134	7	25,264	7	35,638	7	46,006	7	56,373	7	66,739	7	77,103	7	87,475	7	97,846
1/4	4,978	1/4	15,343	1/4	25,481	1/4	35,854	1/4	46,222	1/4	56,589	1/4	66,955	1/4	77,319	1/4	87,691	1/4	98,062
1/2	5,195	1/2	15,553	1/2	25,697	1/2	36,070	1/2	46,438	1/2	56,805	1/2	67,171	1/2	77,535	1/2	87,907	1/2	98,278
3/4	5,411	3/4	15,762	3/4	25,914	3/4	36,286	3/4	46,654	3/4	57,021	3/4	67,387	3/4	77,751	3/4	88,123	3/4	98,494
8	5,628	8	15,972	8	26,130	8	36,502	8	46,870	8	57,237	8	67,602	8	77,967	8	88,340	8	98,710
1/4	5,844	1/4	16,181	1/4	26,347	1/4	36,718	1/4	47,086	1/4	57,453	1/4	67,818	1/4	78,183	1/4	88,556	1/4	98,926
1/2	6,061	1/2	16,390	1/2	26,563	1/2	36,934	1/2	47,302	1/2	57,669	1/2	68,034	1/2	78,399	1/2	88,772	1/2	99,142
3/4	6,277	3/4	16,599	3/4	26,780	3/4	37,150	3/4	47,518	3/4	57,885	3/4	68,250	3/4	78,615	3/4	88,988	3/4	99,358
9	6,494	9	16,808	9	26,996	9	37,366	9	47,734	9	58,101	9	68,466	9	78,831	9	89,204	9	99,574
1/4	6,711	1/4	17,017	1/4	27,213	1/4	37,582	1/4	47,950	1/4	58,317	1/4	68,681	1/4	79,048	1/4	89,420	1/4	99,789
1/2	6,927	1/2	17,227	1/2	27,429	1/2	37,798	1/2	48,166	1/2	58,533	1/2	68,897	1/2	79,264	1/2	89,636	1/2	100,005
3/4	7,144	3/4	17,436	3/4	27,646	3/4	38,014	3/4	48,382	3/4	58,749	3/4	69,113	3/4	79,480	3/4	89,852	3/4	100,221
10	7,361	10	17,645	10	27,862	10	38,230	10	48,598	10	58,965	10	69,329	10	79,696	10	90,068	10	100,437
1/4	7,577	1/4	17,854	1/4	28,078	1/4	38,446	1/4	48,814	1/4	59,181	1/4	69,545	1/4	79,912	1/4	90,284	1/4	100,653
1/2	7,794	1/2	18,063	1/2	28,294	1/2	38,662	1/2	49,030	1/2	59,397	1/2	69,760	1/2	80,128	1/2	90,500	1/2	100,869
3/4	8,011	3/4	18,273	3/4	28,510	3/4	38,878	3/4	49,246	3/4	59,613	3/4	69,976	3/4	80,344	3/4	90,717	3/4	101,085
11	8,227	11	18,482	11	28,726	11	39,094	11	49,462	11	59,829	11	70,192	11	80,560	11	90,933	11	101,301
1/4	8,444	1/4	18,691	1/4	28,942	1/4	39,310	1/4	49,678	1/4	60,045	1/4	70,408	1/4	80,776	1/4	91,149	1/4	101,517
1/2	8,660	1/2	18,900	1/2	29,158	1/2	39,526	1/2	49,894	1/2	60,261	1/2	70,624	1/2	80,992	1/2	91,365	1/2	101,733
3/4	8,877	3/4	19,109	3/4	29,374	3/4	39,742	3/4	50,110	3/4	60,477	3/4	70,839	3/4	81,208	3/4	91,581	3/4	101,949

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.

GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 25'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 134"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-02 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	102,166	0	111,847	0	120,857	0	129,867	0	138,876	0		0		0		0		0	
1/4	102,381	1/4	112,035	1/4	121,045	1/4	130,054	1/4	139,064	1/4		1/4		1/4		1/4		1/4	
1/2	102,597	1/2	112,223	1/2	121,233	1/2	130,242	1/2	139,252	1/2		1/2		1/2		1/2		1/2	
3/4	102,814	3/4	112,411	3/4	121,420	3/4	130,430	3/4	139,440	3/4		3/4		3/4		3/4		3/4	
1	103,030	1	112,598	1	121,608	1	130,618	1	139,627	1		1		1		1		1	
1/4	103,246	1/4	112,786	1/4	121,796	1/4	130,805	1/4	139,815	1/4		1/4		1/4		1/4		1/4	
1/2	103,462	1/2	112,974	1/2	121,983	1/2	130,993	1/2	140,003	1/2		1/2		1/2		1/2		1/2	
3/4	103,678	3/4	113,161	3/4	122,171	3/4	131,181	3/4	140,190	3/4		3/4		3/4		3/4		3/4	
2	103,894	2	113,349	2	122,359	2	131,368	2	140,378	2		2		2		2		2	
1/4	104,110	1/4	113,537	1/4	122,546	1/4	131,556	1/4	140,566	1/4		1/4		1/4		1/4		1/4	
1/2	104,326	1/2	113,724	1/2	122,734	1/2	131,744	1/2	140,753	1/2		1/2		1/2		1/2		1/2	
3/4	104,542	3/4	113,912	3/4	122,922	3/4	131,931	3/4	140,941	3/4		3/4		3/4		3/4		3/4	
3	104,758	3	114,100	3	123,110	3	132,119	3	141,129	3		3		3		3		3	
1/4	104,974	1/4	114,288	1/4	123,297	1/4	132,307	1/4	141,317	1/4		1/4		1/4		1/4		1/4	
1/2	105,191	1/2	114,475	1/2	123,485	1/2	132,495	1/2	141,504	1/2		1/2		1/2		1/2		1/2	
3/4	105,407	3/4	114,663	3/4	123,673	3/4	132,682	3/4	141,692	3/4		3/4		3/4		3/4		3/4	
4	105,623	4	114,851	4	123,860	4	132,870	4	141,880	4		4		4		4		4	
1/4	105,839	1/4	115,038	1/4	124,048	1/4	133,058	1/4	142,067	1/4		1/4		1/4		1/4		1/4	
1/2	106,055	1/2	115,226	1/2	124,236	1/2	133,245	1/2	142,255	1/2		1/2		1/2		1/2		1/2	
3/4	106,271	3/4	115,414	3/4	124,423	3/4	133,433	3/4	142,443	3/4		3/4		3/4		3/4		3/4	
5	106,487	5	115,601	5	124,611	5	133,621	5	142,630	5		5		5		5		5	
1/4	106,703	1/4	115,789	1/4	124,799	1/4	133,808	1/4	142,838	1/4		1/4		1/4		1/4		1/4	
1/2	106,919	1/2	115,977	1/2	124,987	1/2	133,996	1/2	143,046	1/2		1/2		1/2		1/2		1/2	
3/4	107,135	3/4	116,165	3/4	125,174	3/4	134,184	3/4	143,253	3/4		3/4		3/4		3/4		3/4	
6	107,351	6	116,352	6	125,362	6	134,372	6	143,461	6		6		6		6		6	
1/4	107,539	1/4	116,540	1/4	125,550	1/4	134,559	1/4	143,605	1/4		1/4		1/4		1/4		1/4	
1/2	107,726	1/2	116,728	1/2	125,737	1/2	134,747	1/2	143,750	1/2		1/2		1/2		1/2		1/2	
3/4	107,913	3/4	116,915	3/4	125,925	3/4	134,935	3/4	143,894	3/4		3/4		3/4		3/4		3/4	
7	108,100	7	117,103	7	126,113	7	135,122	7	144,039	7		7		7		7		7	
1/4	108,287	1/4	117,291	1/4	126,300	1/4	135,310	1/4	144,111	1/4		1/4		1/4		1/4		1/4	
1/2	108,474	1/2	117,478	1/2	126,488	1/2	135,498	1/2	144,183	1/2		1/2		1/2		1/2		1/2	
3/4	108,661	3/4	117,666	3/4	126,676	3/4	135,686	3/4	144,255	3/4		3/4		3/4		3/4		3/4	
8	108,849	8	117,854	8	126,864	8	135,873	8	144,327	8		8		8		8		8	
1/4	109,036	1/4	118,042	1/4	127,051	1/4	136,061	1/4	144,346	1/4		1/4		1/4		1/4		1/4	
1/2	109,223	1/2	118,229	1/2	127,239	1/2	136,249	1/2	144,364	1/2		1/2		1/2		1/2		1/2	
3/4	109,410	3/4	118,417	3/4	127,427	3/4	136,436	3/4		3/4		3/4		3/4		3/4		3/4	
9	109,597	9	118,605	9	127,614	9	136,624	9		9		9		9		9		9	
1/4	109,784	1/4	118,792	1/4	127,802	1/4	136,812	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	109,972	1/2	118,980	1/2	127,990	1/2	136,999	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	110,159	3/4	119,168	3/4	128,177	3/4	137,187	3/4		3/4		3/4		3/4		3/4		3/4	
10	110,346	10	119,355	10	128,365	10	137,375	10		10		10		10		10		10	
1/4	110,534	1/4	119,543	1/4	128,553	1/4	137,563	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	110,721	1/2	119,731	1/2	128,741	1/2	137,750	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	110,909	3/4	119,919	3/4	128,928	3/4	137,938	3/4		3/4		3/4		3/4		3/4		3/4	
11	111,097	11	120,106	11	129,116	11	138,126	11		11		11		11		11		11	
1/4	111,284	1/4	120,294	1/4	129,304	1/4	138,313	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	111,472	1/2	120,482	1/2	129,491	1/2	138,501	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	111,660	3/4	120,669	3/4	129,679	3/4	138,689	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/26/2012 CL - SW
CALCULATED: 06/26/2012 CL
PRINTED: 06/26/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "WEB 134"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-03"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	37	0	10,134	0	21,543	0	33,013	0	44,605	0	56,196	0	67,788	0	79,380	0	90,971	0	102,563
1/4	77	1/4	10,375	1/4	21,777	1/4	33,255	1/4	44,846	1/4	56,438	1/4	68,030	1/4	79,621	1/4	91,213	1/4	102,804
1/2	118	1/2	10,617	1/2	22,011	1/2	33,496	1/2	45,088	1/2	56,679	1/2	68,271	1/2	79,863	1/2	91,454	1/2	103,046
3/4	158	3/4	10,858	3/4	22,244	3/4	33,738	3/4	45,329	3/4	56,921	3/4	68,512	3/4	80,104	3/4	91,696	3/4	103,287
1	198	1	11,100	1	22,478	1	33,979	1	45,571	1	57,162	1	68,754	1	80,346	1	91,937	1	103,529
1/4	319	1/4	11,341	1/4	22,712	1/4	34,221	1/4	45,812	1/4	57,404	1/4	68,995	1/4	80,587	1/4	92,179	1/4	103,770
1/2	440	1/2	11,583	1/2	22,946	1/2	34,462	1/2	46,054	1/2	57,645	1/2	69,237	1/2	80,829	1/2	92,420	1/2	104,012
3/4	560	3/4	11,824	3/4	23,180	3/4	34,704	3/4	46,295	3/4	57,887	3/4	69,478	3/4	81,070	3/4	92,662	3/4	104,253
2	681	2	12,066	2	23,413	2	34,945	2	46,537	2	58,128	2	69,720	2	81,312	2	92,903	2	104,495
1/4	882	1/4	12,307	1/4	23,647	1/4	35,187	1/4	46,778	1/4	58,370	1/4	69,961	1/4	81,553	1/4	93,145	1/4	104,736
1/2	1,083	1/2	12,549	1/2	23,881	1/2	35,428	1/2	47,020	1/2	58,611	1/2	70,203	1/2	81,795	1/2	93,386	1/2	104,978
3/4	1,284	3/4	12,790	3/4	24,115	3/4	35,670	3/4	47,261	3/4	58,853	3/4	70,444	3/4	82,036	3/4	93,628	3/4	105,219
3	1,484	3	13,032	3	24,349	3	35,911	3	47,503	3	59,094	3	70,686	3	82,277	3	93,869	3	105,461
1/4	1,721	1/4	13,273	1/4	24,583	1/4	36,153	1/4	47,744	1/4	59,336	1/4	70,927	1/4	82,519	1/4	94,111	1/4	105,702
1/2	1,957	1/2	13,515	1/2	24,817	1/2	36,394	1/2	47,986	1/2	59,577	1/2	71,169	1/2	82,760	1/2	94,352	1/2	105,944
3/4	2,193	3/4	13,756	3/4	25,051	3/4	36,636	3/4	48,227	3/4	59,819	3/4	71,410	3/4	83,002	3/4	94,594	3/4	106,185
4	2,429	4	13,998	4	25,286	4	36,877	4	48,469	4	60,060	4	71,652	4	83,243	4	94,835	4	106,427
1/4	2,667	1/4	14,239	1/4	25,527	1/4	37,119	1/4	48,710	1/4	60,302	1/4	71,893	1/4	83,485	1/4	95,077	1/4	106,668
1/2	2,906	1/2	14,481	1/2	25,769	1/2	37,360	1/2	48,952	1/2	60,543	1/2	72,135	1/2	83,726	1/2	95,318	1/2	106,910
3/4	3,144	3/4	14,722	3/4	26,010	3/4	37,602	3/4	49,193	3/4	60,785	3/4	72,376	3/4	83,968	3/4	95,559	3/4	107,151
5	3,383	5	14,964	5	26,252	5	37,843	5	49,435	5	61,026	5	72,618	5	84,209	5	95,801	5	107,393
1/4	3,623	1/4	15,205	1/4	26,493	1/4	38,085	1/4	49,676	1/4	61,268	1/4	72,859	1/4	84,451	1/4	96,042	1/4	107,634
1/2	3,863	1/2	15,447	1/2	26,735	1/2	38,326	1/2	49,918	1/2	61,509	1/2	73,101	1/2	84,692	1/2	96,284	1/2	107,876
3/4	4,103	3/4	15,688	3/4	26,976	3/4	38,568	3/4	50,159	3/4	61,751	3/4	73,342	3/4	84,934	3/4	96,525	3/4	108,117
6	4,342	6	15,930	6	27,218	6	38,809	6	50,401	6	61,992	6	73,584	6	85,175	6	96,767	6	108,359
1/4	4,583	1/4	16,164	1/4	27,459	1/4	39,051	1/4	50,642	1/4	62,234	1/4	73,825	1/4	85,417	1/4	97,008	1/4	108,600
1/2	4,824	1/2	16,398	1/2	27,701	1/2	39,292	1/2	50,884	1/2	62,475	1/2	74,067	1/2	85,658	1/2	97,250	1/2	108,841
3/4	5,064	3/4	16,632	3/4	27,942	3/4	39,534	3/4	51,125	3/4	62,717	3/4	74,308	3/4	85,900	3/4	97,491	3/4	109,083
7	5,305	7	16,866	7	28,184	7	39,775	7	51,367	7	62,958	7	74,550	7	86,141	7	97,733	7	109,324
1/4	5,546	1/4	17,100	1/4	28,425	1/4	40,017	1/4	51,608	1/4	63,200	1/4	74,791	1/4	86,383	1/4	97,974	1/4	109,566
1/2	5,788	1/2	17,334	1/2	28,666	1/2	40,258	1/2	51,850	1/2	63,441	1/2	75,033	1/2	86,624	1/2	98,216	1/2	109,807
3/4	6,029	3/4	17,568	3/4	28,908	3/4	40,500	3/4	52,091	3/4	63,683	3/4	75,274	3/4	86,866	3/4	98,457	3/4	110,049
8	6,270	8	17,802	8	29,149	8	40,741	8	52,333	8	63,924	8	75,516	8	87,107	8	98,699	8	110,290
1/4	6,512	1/4	18,036	1/4	29,391	1/4	40,983	1/4	52,574	1/4	64,166	1/4	75,757	1/4	87,349	1/4	98,940	1/4	110,532
1/2	6,753	1/2	18,269	1/2	29,632	1/2	41,224	1/2	52,816	1/2	64,407	1/2	75,999	1/2	87,590	1/2	99,182	1/2	110,773
3/4	6,995	3/4	18,503	3/4	29,874	3/4	41,466	3/4	53,057	3/4	64,649	3/4	76,240	3/4	87,832	3/4	99,423	3/4	111,015
9	7,236	9	18,737	9	30,115	9	41,707	9	53,299	9	64,890	9	76,482	9	88,073	9	99,665	9	111,256
1/4	7,477	1/4	18,971	1/4	30,357	1/4	41,948	1/4	53,540	1/4	65,132	1/4	76,723	1/4	88,315	1/4	99,906	1/4	111,498
1/2	7,719	1/2	19,205	1/2	30,598	1/2	42,190	1/2	53,782	1/2	65,373	1/2	76,965	1/2	88,556	1/2	100,148	1/2	111,739
3/4	7,960	3/4	19,439	3/4	30,840	3/4	42,431	3/4	54,023	3/4	65,615	3/4	77,206	3/4	88,798	3/4	100,389	3/4	111,981
10	8,202	10	19,672	10	31,081	10	42,673	10	54,265	10	65,856	10	77,448	10	89,039	10	100,631	10	112,222
1/4	8,443	1/4	19,906	1/4	31,323	1/4	42,914	1/4	54,506	1/4	66,098	1/4	77,689	1/4	89,281	1/4	100,872	1/4	112,464
1/2	8,685	1/2	20,140	1/2	31,564	1/2	43,156	1/2	54,748	1/2	66,339	1/2	77,931	1/2	89,522	1/2	101,114	1/2	112,705
3/4	8,926	3/4	20,374	3/4	31,806	3/4	43,397	3/4	54,989	3/4	66,581	3/4	78,172	3/4	89,764	3/4	101,355	3/4	112,947
11	9,168	11	20,608	11	32,047	11	43,639	11	55,230	11	66,822	11	78,414	11	90,005	11	101,597	11	113,188
1/4	9,409	1/4	20,841	1/4	32,289	1/4	43,880	1/4	55,472	1/4	67,064	1/4	78,655	1/4	90,247	1/4	101,838	1/4	113,430
1/2	9,651	1/2	21,075	1/2	32,530	1/2	44,122	1/2	55,713	1/2	67,305	1/2	78,897	1/2	90,488	1/2	102,080	1/2	113,671
3/4	9,892	3/4	21,309	3/4	32,772	3/4	44,363	3/4	55,955	3/4	67,547	3/4	79,138	3/4	90,730	3/4	102,321	3/4	113,913

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 32'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 134"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-03"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	114,154	0	125,746	0	137,337	0	148,929	0	160,521	0		0		0		0		0	
1/4	114,396	1/4	125,987	1/4	137,579	1/4	149,170	1/4	160,762	1/4		1/4		1/4		1/4		1/4	
1/2	114,637	1/2	126,229	1/2	137,820	1/2	149,412	1/2	161,004	1/2		1/2		1/2		1/2		1/2	
3/4	114,879	3/4	126,470	3/4	138,062	3/4	149,653	3/4	161,245	3/4		3/4		3/4		3/4		3/4	
1	115,120	1	126,712	1	138,303	1	149,895	1	161,487	1		1		1		1		1	
1/4	115,362	1/4	126,953	1/4	138,545	1/4	150,136	1/4	161,728	1/4		1/4		1/4		1/4		1/4	
1/2	115,603	1/2	127,195	1/2	138,786	1/2	150,378	1/2	161,970	1/2		1/2		1/2		1/2		1/2	
3/4	115,845	3/4	127,436	3/4	139,028	3/4	150,619	3/4	162,211	3/4		3/4		3/4		3/4		3/4	
2	116,086	2	127,678	2	139,269	2	150,861	2	162,452	2		2		2		2		2	
1/4	116,328	1/4	127,919	1/4	139,511	1/4	151,102	1/4	162,694	1/4		1/4		1/4		1/4		1/4	
1/2	116,569	1/2	128,161	1/2	139,752	1/2	151,344	1/2	162,935	1/2		1/2		1/2		1/2		1/2	
3/4	116,811	3/4	128,402	3/4	139,994	3/4	151,585	3/4	163,177	3/4		3/4		3/4		3/4		3/4	
3	117,052	3	128,644	3	140,235	3	151,827	3	163,418	3		3		3		3		3	
1/4	117,294	1/4	128,885	1/4	140,477	1/4	152,068	1/4	163,660	1/4		1/4		1/4		1/4		1/4	
1/2	117,535	1/2	129,127	1/2	140,718	1/2	152,310	1/2	163,901	1/2		1/2		1/2		1/2		1/2	
3/4	117,777	3/4	129,368	3/4	140,960	3/4	152,551	3/4	164,143	3/4		3/4		3/4		3/4		3/4	
4	118,018	4	129,610	4	141,201	4	152,793	4	164,384	4		4		4		4		4	
1/4	118,260	1/4	129,851	1/4	141,443	1/4	153,034	1/4	164,626	1/4		1/4		1/4		1/4		1/4	
1/2	118,501	1/2	130,093	1/2	141,684	1/2	153,276	1/2	164,867	1/2		1/2		1/2		1/2		1/2	
3/4	118,743	3/4	130,334	3/4	141,926	3/4	153,517	3/4	165,109	3/4		3/4		3/4		3/4		3/4	
5	118,984	5	130,576	5	142,167	5	153,759	5	165,350	5		5		5		5		5	
1/4	119,226	1/4	130,817	1/4	142,409	1/4	154,000	1/4	165,592	1/4		1/4		1/4		1/4		1/4	
1/2	119,467	1/2	131,059	1/2	142,650	1/2	154,242	1/2	165,833	1/2		1/2		1/2		1/2		1/2	
3/4	119,709	3/4	131,300	3/4	142,892	3/4	154,483	3/4	166,075	3/4		3/4		3/4		3/4		3/4	
6	119,950	6	131,542	6	143,133	6	154,725	6	166,316	6		6		6		6		6	
1/4	120,192	1/4	131,783	1/4	143,375	1/4	154,966	1/4	166,557	1/4		1/4		1/4		1/4		1/4	
1/2	120,433	1/2	132,025	1/2	143,616	1/2	155,208	1/2	166,798	1/2		1/2		1/2		1/2		1/2	
3/4	120,675	3/4	132,266	3/4	143,858	3/4	155,449	3/4	167,039	3/4		3/4		3/4		3/4		3/4	
7	120,916	7	132,508	7	144,099	7	155,691	7	167,280	7		7		7		7		7	
1/4	121,158	1/4	132,749	1/4	144,341	1/4	155,932	1/4	167,521	1/4		1/4		1/4		1/4		1/4	
1/2	121,399	1/2	132,991	1/2	144,582	1/2	156,174	1/2	167,762	1/2		1/2		1/2		1/2		1/2	
3/4	121,641	3/4	133,232	3/4	144,824	3/4	156,415	3/4	168,003	3/4		3/4		3/4		3/4		3/4	
8	121,882	8	133,474	8	145,065	8	156,657	8	168,244	8		8		8		8		8	
1/4	122,124	1/4	133,715	1/4	145,307	1/4	156,898	1/4	168,485	1/4		1/4		1/4		1/4		1/4	
1/2	122,365	1/2	133,957	1/2	145,548	1/2	157,140	1/2	168,726	1/2		1/2		1/2		1/2		1/2	
3/4	122,606	3/4	134,198	3/4	145,790	3/4	157,381	3/4	168,967	3/4		3/4		3/4		3/4		3/4	
9	122,848	9	134,440	9	146,031	9	157,623	9	169,208	9		9		9		9		9	
1/4	123,089	1/4	134,681	1/4	146,273	1/4	157,864	1/4	169,449	1/4		1/4		1/4		1/4		1/4	
1/2	123,331	1/2	134,923	1/2	146,514	1/2	158,106	1/2	169,690	1/2		1/2		1/2		1/2		1/2	
3/4	123,572	3/4	135,164	3/4	146,756	3/4	158,347	3/4	170,000	3/4		3/4		3/4		3/4		3/4	
10	123,814	10	135,406	10	146,997	10	158,589	10	170,241	10		10		10		10		10	
1/4	124,055	1/4	135,647	1/4	147,239	1/4	158,830	1/4	170,482	1/4		1/4		1/4		1/4		1/4	
1/2	124,297	1/2	135,888	1/2	147,480	1/2	159,072	1/2	170,723	1/2		1/2		1/2		1/2		1/2	
3/4	124,538	3/4	136,130	3/4	147,722	3/4	159,313	3/4	170,964	3/4		3/4		3/4		3/4		3/4	
11	124,780	11	136,371	11	147,963	11	159,555	11	171,205	11		11		11		11		11	
1/4	125,021	1/4	136,613	1/4	148,205	1/4	159,796	1/4	171,446	1/4		1/4		1/4		1/4		1/4	
1/2	125,263	1/2	136,854	1/2	148,446	1/2	160,038	1/2	171,687	1/2		1/2		1/2		1/2		1/2	
3/4	125,504	3/4	137,096	3/4	148,688	3/4	160,279	3/4	171,928	3/4		3/4		3/4		3/4		3/4	

STRAPPED: 06/26/2012 CL - SW
CALCULATED: 06/26/2012 CL
PRINTED: 06/26/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2012

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 134"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-03"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	37	0	8,981	0	19,240	0	29,500	0	39,768	0	50,036	0	60,304	0	70,572	0	80,840	0	91,108
1/4	73	1/4	9,195	1/4	19,454	1/4	29,714	1/4	39,982	1/4	50,250	1/4	60,518	1/4	70,786	1/4	81,054	1/4	91,322
1/2	109	1/2	9,409	1/2	19,667	1/2	29,928	1/2	40,196	1/2	50,464	1/2	60,732	1/2	71,000	1/2	81,268	1/2	91,536
3/4	144	3/4	9,623	3/4	19,881	3/4	30,142	3/4	40,410	3/4	50,678	3/4	60,946	3/4	71,214	3/4	81,481	3/4	91,749
1	180	1	9,837	1	20,094	1	30,356	1	40,624	1	50,891	1	61,159	1	71,427	1	81,695	1	91,963
1/4	287	1/4	10,051	1/4	20,308	1/4	30,569	1/4	40,837	1/4	51,105	1/4	61,373	1/4	71,641	1/4	81,909	1/4	92,177
1/2	394	1/2	10,265	1/2	20,521	1/2	30,783	1/2	41,051	1/2	51,319	1/2	61,587	1/2	71,855	1/2	82,123	1/2	92,391
3/4	501	3/4	10,478	3/4	20,735	3/4	30,997	3/4	41,265	3/4	51,533	3/4	61,801	3/4	72,069	3/4	82,337	3/4	92,605
2	608	2	10,692	2	20,948	2	31,211	2	41,479	2	51,747	2	62,015	2	72,283	2	82,551	2	92,819
1/4	786	1/4	10,906	1/4	21,162	1/4	31,425	1/4	41,693	1/4	51,961	1/4	62,229	1/4	72,497	1/4	82,765	1/4	93,033
1/2	963	1/2	11,120	1/2	21,375	1/2	31,639	1/2	41,907	1/2	52,175	1/2	62,443	1/2	72,711	1/2	82,979	1/2	93,247
3/4	1,141	3/4	11,334	3/4	21,589	3/4	31,853	3/4	42,121	3/4	52,389	3/4	62,657	3/4	72,925	3/4	83,193	3/4	93,461
3	1,319	3	11,548	3	21,802	3	32,067	3	42,335	3	52,603	3	62,871	3	73,139	3	83,407	3	93,675
1/4	1,528	1/4	11,762	1/4	22,015	1/4	32,281	1/4	42,549	1/4	52,817	1/4	63,085	1/4	73,353	1/4	83,621	1/4	93,889
1/2	1,738	1/2	11,976	1/2	22,229	1/2	32,495	1/2	42,763	1/2	53,031	1/2	63,299	1/2	73,567	1/2	83,835	1/2	94,103
3/4	1,947	3/4	12,190	3/4	22,442	3/4	32,709	3/4	42,977	3/4	53,245	3/4	63,513	3/4	73,781	3/4	84,048	3/4	94,316
4	2,156	4	12,404	4	22,656	4	32,923	4	43,191	4	53,458	4	63,726	4	73,994	4	84,262	4	94,530
1/4	2,367	1/4	12,618	1/4	22,869	1/4	33,136	1/4	43,404	1/4	53,672	1/4	63,940	1/4	74,208	1/4	84,476	1/4	94,744
1/2	2,579	1/2	12,832	1/2	23,083	1/2	33,350	1/2	43,618	1/2	53,886	1/2	64,154	1/2	74,422	1/2	84,690	1/2	94,958
3/4	2,790	3/4	13,045	3/4	23,297	3/4	33,564	3/4	43,832	3/4	54,100	3/4	64,368	3/4	74,636	3/4	84,904	3/4	95,172
5	3,001	5	13,259	5	23,510	5	33,778	5	44,046	5	54,314	5	64,582	5	74,850	5	85,118	5	95,386
1/4	3,214	1/4	13,473	1/4	23,724	1/4	33,992	1/4	44,260	1/4	54,528	1/4	64,796	1/4	75,064	1/4	85,332	1/4	95,600
1/2	3,426	1/2	13,687	1/2	23,938	1/2	34,206	1/2	44,474	1/2	54,742	1/2	65,010	1/2	75,278	1/2	85,546	1/2	95,814
3/4	3,638	3/4	13,901	3/4	24,152	3/4	34,420	3/4	44,688	3/4	54,956	3/4	65,224	3/4	75,492	3/4	85,760	3/4	96,028
6	3,851	6	14,115	6	24,366	6	34,634	6	44,902	6	55,170	6	65,438	6	75,706	6	85,974	6	96,242
1/4	4,064	1/4	14,329	1/4	24,580	1/4	34,848	1/4	45,116	1/4	55,384	1/4	65,652	1/4	75,920	1/4	86,188	1/4	96,456
1/2	4,277	1/2	14,543	1/2	24,794	1/2	35,062	1/2	45,330	1/2	55,598	1/2	65,866	1/2	76,134	1/2	86,402	1/2	96,670
3/4	4,491	3/4	14,757	3/4	25,008	3/4	35,276	3/4	45,544	3/4	55,812	3/4	66,080	3/4	76,347	3/4	86,615	3/4	96,883
7	4,704	7	14,971	7	25,222	7	35,490	7	45,758	7	56,025	7	66,293	7	76,561	7	86,829	7	97,097
1/4	4,917	1/4	15,184	1/4	25,435	1/4	35,703	1/4	45,971	1/4	56,239	1/4	66,507	1/4	76,775	1/4	87,043	1/4	97,311
1/2	5,131	1/2	15,398	1/2	25,649	1/2	35,917	1/2	46,185	1/2	56,453	1/2	66,721	1/2	76,989	1/2	87,257	1/2	97,525
3/4	5,345	3/4	15,612	3/4	25,863	3/4	36,131	3/4	46,399	3/4	56,667	3/4	66,935	3/4	77,203	3/4	87,471	3/4	97,739
8	5,559	8	15,825	8	26,077	8	36,345	8	46,613	8	56,881	8	67,149	8	77,417	8	87,685	8	97,953
1/4	5,772	1/4	16,039	1/4	26,291	1/4	36,559	1/4	46,827	1/4	57,095	1/4	67,363	1/4	77,631	1/4	87,899	1/4	98,167
1/2	5,986	1/2	16,252	1/2	26,505	1/2	36,773	1/2	47,041	1/2	57,309	1/2	67,577	1/2	77,845	1/2	88,113	1/2	98,381
3/4	6,200	3/4	16,466	3/4	26,719	3/4	36,987	3/4	47,255	3/4	57,523	3/4	67,791	3/4	78,059	3/4	88,327	3/4	98,595
9	6,414	9	16,679	9	26,933	9	37,201	9	47,469	9	57,737	9	68,005	9	78,273	9	88,541	9	98,809
1/4	6,628	1/4	16,892	1/4	27,147	1/4	37,415	1/4	47,683	1/4	57,951	1/4	68,219	1/4	78,487	1/4	88,755	1/4	99,023
1/2	6,842	1/2	17,106	1/2	27,361	1/2	37,629	1/2	47,897	1/2	58,165	1/2	68,433	1/2	78,701	1/2	88,969	1/2	99,237
3/4	7,056	3/4	17,319	3/4	27,575	3/4	37,843	3/4	48,111	3/4	58,379	3/4	68,647	3/4	78,914	3/4	89,182	3/4	99,450
10	7,270	10	17,533	10	27,789	10	38,057	10	48,325	10	58,592	10	68,860	10	79,128	10	89,396	10	99,664
1/4	7,484	1/4	17,746	1/4	28,002	1/4	38,270	1/4	48,538	1/4	58,806	1/4	69,074	1/4	79,342	1/4	89,610	1/4	99,878
1/2	7,698	1/2	17,960	1/2	28,216	1/2	38,484	1/2	48,752	1/2	59,020	1/2	69,288	1/2	79,556	1/2	89,824	1/2	100,092
3/4	7,912	3/4	18,173	3/4	28,430	3/4	38,698	3/4	48,966	3/4	59,234	3/4	69,502	3/4	79,770	3/4	90,038	3/4	100,306
11	8,125	11	18,387	11	28,644	11	38,912	11	49,180	11	59,448	11	69,716	11	79,984	11	90,252	11	100,520
1/4	8,339	1/4	18,600	1/4	28,858	1/4	39,126	1/4	49,394	1/4	59,662	1/4	69,930	1/4	80,198	1/4	90,466	1/4	100,734
1/2	8,553	1/2	18,814	1/2	29,072	1/2	39,340	1/2	49,608	1/2	59,876	1/2	70,144	1/2	80,412	1/2	90,680	1/2	100,948
3/4	8,767	3/4	19,027	3/4	29,286	3/4	39,554	3/4	49,822	3/4	60,090	3/4	70,358	3/4	80,626	3/4	90,894	3/4	101,162

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.

CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.

GAUGE POINT: (HERMETIC) LOCATED ON CENTERLINE AND 24'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 134"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-03"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	101,376	0	111,644	0	121,912	0	132,180	0	142,448	0		0		0		0		0	
1/4	101,590	1/4	111,858	1/4	122,126	1/4	132,393	1/4	142,661	1/4		1/4		1/4		1/4		1/4	
1/2	101,804	1/2	112,071	1/2	122,339	1/2	132,607	1/2	142,875	1/2		1/2		1/2		1/2		1/2	
3/4	102,017	3/4	112,285	3/4	122,553	3/4	132,821	3/4	143,089	3/4		3/4		3/4		3/4		3/4	
1	102,231	1	112,499	1	122,767	1	133,035	1	143,303	1		1		1		1		1	
1/4	102,445	1/4	112,713	1/4	122,981	1/4	133,249	1/4	143,517	1/4		1/4		1/4		1/4		1/4	
1/2	102,659	1/2	112,927	1/2	123,195	1/2	133,463	1/2	143,731	1/2		1/2		1/2		1/2		1/2	
3/4	102,873	3/4	113,141	3/4	123,409	3/4	133,677	3/4	143,945	3/4		3/4		3/4		3/4		3/4	
2	103,087	2	113,355	2	123,623	2	133,891	2	144,159	2		2		2		2		2	
1/4	103,301	1/4	113,569	1/4	123,837	1/4	134,105	1/4	144,373	1/4		1/4		1/4		1/4		1/4	
1/2	103,515	1/2	113,783	1/2	124,051	1/2	134,319	1/2	144,587	1/2		1/2		1/2		1/2		1/2	
3/4	103,729	3/4	113,997	3/4	124,265	3/4	134,533	3/4	144,801	3/4		3/4		3/4		3/4		3/4	
3	103,943	3	114,211	3	124,479	3	134,747	3	145,015	3		3		3		3		3	
1/4	104,157	1/4	114,425	1/4	124,693	1/4	134,960	1/4	145,228	1/4		1/4		1/4		1/4		1/4	
1/2	104,370	1/2	114,638	1/2	124,906	1/2	135,174	1/2	145,442	1/2		1/2		1/2		1/2		1/2	
3/4	104,584	3/4	114,852	3/4	125,120	3/4	135,388	3/4	145,656	3/4		3/4		3/4		3/4		3/4	
4	104,798	4	115,066	4	125,334	4	135,602	4	145,870	4		4		4		4		4	
1/4	105,012	1/4	115,280	1/4	125,548	1/4	135,816	1/4	146,084	1/4		1/4		1/4		1/4		1/4	
1/2	105,226	1/2	115,494	1/2	125,762	1/2	136,030	1/2	146,298	1/2		1/2		1/2		1/2		1/2	
3/4	105,440	3/4	115,708	3/4	125,976	3/4	136,244	3/4	146,512	3/4		3/4		3/4		3/4		3/4	
5	105,654	5	115,922	5	126,190	5	136,458	5	146,726	5		5		5		5		5	
1/4	105,868	1/4	116,136	1/4	126,404	1/4	136,672	1/4	146,931	1/4		1/4		1/4		1/4		1/4	
1/2	106,082	1/2	116,350	1/2	126,618	1/2	136,886	1/2	147,136	1/2		1/2		1/2		1/2		1/2	
3/4	106,296	3/4	116,564	3/4	126,832	3/4	137,100	3/4	147,341	3/4		3/4		3/4		3/4		3/4	
6	106,510	6	116,778	6	127,046	6	137,314	6	147,546	6		6		6		6		6	
1/4	106,724	1/4	116,992	1/4	127,260	1/4	137,527	1/4	147,689	1/4		1/4		1/4		1/4		1/4	
1/2	106,937	1/2	117,205	1/2	127,473	1/2	137,741	1/2	147,831	1/2		1/2		1/2		1/2		1/2	
3/4	107,151	3/4	117,419	3/4	127,687	3/4	137,955	3/4	147,974	3/4		3/4		3/4		3/4		3/4	
7	107,365	7	117,633	7	127,901	7	138,169	7	148,116	7		7		7		7		7	
1/4	107,579	1/4	117,847	1/4	128,115	1/4	138,383	1/4	148,188	1/4		1/4		1/4		1/4		1/4	
1/2	107,793	1/2	118,061	1/2	128,329	1/2	138,597	1/2	148,259	1/2		1/2		1/2		1/2		1/2	
3/4	108,007	3/4	118,275	3/4	128,543	3/4	138,811	3/4	148,330	3/4		3/4		3/4		3/4		3/4	
8	108,221	8	118,489	8	128,757	8	139,025	8	148,402	8		8		8		8		8	
1/4	108,435	1/4	118,703	1/4	128,971	1/4	139,239	1/4	148,419	1/4		1/4		1/4		1/4		1/4	
1/2	108,649	1/2	118,917	1/2	129,185	1/2	139,453	1/2	148,437	1/2		1/2		1/2		1/2		1/2	
3/4	108,863	3/4	119,131	3/4	129,399	3/4	139,667	3/4		3/4		3/4		3/4		3/4		3/4	
9	109,077	9	119,345	9	129,613	9	139,881	9		9		9		9		9		9	
1/4	109,291	1/4	119,559	1/4	129,826	1/4	140,094	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	109,504	1/2	119,772	1/2	130,040	1/2	140,308	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	109,718	3/4	119,986	3/4	130,254	3/4	140,522	3/4		3/4		3/4		3/4		3/4		3/4	
10	109,932	10	120,200	10	130,468	10	140,736	10		10		10		10		10		10	
1/4	110,146	1/4	120,414	1/4	130,682	1/4	140,950	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	110,360	1/2	120,628	1/2	130,896	1/2	141,164	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	110,574	3/4	120,842	3/4	131,110	3/4	141,378	3/4		3/4		3/4		3/4		3/4		3/4	
11	110,788	11	121,056	11	131,324	11	141,592	11		11		11		11		11		11	
1/4	111,002	1/4	121,270	1/4	131,538	1/4	141,806	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	111,216	1/2	121,484	1/2	131,752	1/2	142,020	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	111,430	3/4	121,698	3/4	131,966	3/4	142,234	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/26/2012 CL - SW
CALCULATED: 06/26/2012 CL
PRINTED: 06/26/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 06/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

