



BARGE "WEB 142"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
2 CENTER	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-1/2	00-1/2	- 00-1/2	00-1/2
3 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/4"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED INNAGE IS 3'-11 3/4'

LENGTH BETWEEN DRAFT MARKS: 162'-09"

December 29, 2014

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 142"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-02 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,433	0	2,678	0	2,895	0	3,112	0	3,329	0		0		0		0		0	
1/4	2,438	1/4	2,682	1/4	2,899	1/4	3,116	1/4	3,333	1/4		1/4		1/4		1/4		1/4	
1/2	2,444	1/2	2,687	1/2	2,904	1/2	3,121	1/2	3,338	1/2		1/2		1/2		1/2		1/2	
3/4	2,449	3/4	2,691	3/4	2,908	3/4	3,125	3/4	3,342	3/4		3/4		3/4		3/4		3/4	
1	2,454	1	2,696	1	2,913	1	3,130	1	3,347	1		1		1		1		1	
1/4	2,459	1/4	2,700	1/4	2,917	1/4	3,134	1/4	3,351	1/4		1/4		1/4		1/4		1/4	
1/2	2,464	1/2	2,705	1/2	2,922	1/2	3,139	1/2	3,356	1/2		1/2		1/2		1/2		1/2	
3/4	2,469	3/4	2,709	3/4	2,926	3/4	3,143	3/4	3,360	3/4		3/4		3/4		3/4		3/4	
2	2,474	2	2,714	2	2,931	2	3,148	2	3,365	2		2		2		2		2	
1/4	2,480	1/4	2,718	1/4	2,935	1/4	3,152	1/4	3,369	1/4		1/4		1/4		1/4		1/4	
1/2	2,485	1/2	2,723	1/2	2,940	1/2	3,157	1/2	3,374	1/2		1/2		1/2		1/2		1/2	
3/4	2,490	3/4	2,728	3/4	2,944	3/4	3,161	3/4	3,378	3/4		3/4		3/4		3/4		3/4	
3	2,495	3	2,732	3	2,949	3	3,166	3	3,383	3		3		3		3		3	
1/4	2,500	1/4	2,737	1/4	2,954	1/4	3,170	1/4	3,387	1/4		1/4		1/4		1/4		1/4	
1/2	2,505	1/2	2,741	1/2	2,958	1/2	3,175	1/2	3,392	1/2		1/2		1/2		1/2		1/2	
3/4	2,510	3/4	2,746	3/4	2,963	3/4	3,179	3/4	3,396	3/4		3/4		3/4		3/4		3/4	
4	2,516	4	2,750	4	2,967	4	3,184	4	3,401	4		4		4		4		4	
1/4	2,521	1/4	2,755	1/4	2,972	1/4	3,189	1/4	3,405	1/4		1/4		1/4		1/4		1/4	
1/2	2,526	1/2	2,759	1/2	2,976	1/2	3,193	1/2	3,410	1/2		1/2		1/2		1/2		1/2	
3/4	2,531	3/4	2,764	3/4	2,981	3/4	3,198	3/4	3,415	3/4		3/4		3/4		3/4		3/4	
5	2,536	5	2,768	5	2,985	5	3,202	5	3,419	5		5		5		5		5	
1/4	2,541	1/4	2,773	1/4	2,990	1/4	3,207	1/4	3,424	1/4		1/4		1/4		1/4		1/4	
1/2	2,546	1/2	2,777	1/2	2,994	1/2	3,211	1/2	3,428	1/2		1/2		1/2		1/2		1/2	
3/4	2,552	3/4	2,782	3/4	2,999	3/4	3,216	3/4	3,433	3/4		3/4		3/4		3/4		3/4	
6	2,557	6	2,786	6	3,003	6	3,220	6	3,437	6		6		6		6		6	
1/4	2,562	1/4	2,791	1/4	3,008	1/4	3,225	1/4	3,440	1/4		1/4		1/4		1/4		1/4	
1/2	2,567	1/2	2,795	1/2	3,012	1/2	3,229	1/2	3,444	1/2		1/2		1/2		1/2		1/2	
3/4	2,572	3/4	2,800	3/4	3,017	3/4	3,234	3/4	3,447	3/4		3/4		3/4		3/4		3/4	
7	2,577	7	2,804	7	3,021	7	3,238	7	3,450	7		7		7		7		7	
1/4	2,582	1/4	2,809	1/4	3,026	1/4	3,243	1/4	3,451	1/4		1/4		1/4		1/4		1/4	
1/2	2,588	1/2	2,813	1/2	3,030	1/2	3,247	1/2	3,451	1/2		1/2		1/2		1/2		1/2	
3/4	2,593	3/4	2,818	3/4	3,035	3/4	3,252	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,598	8	2,822	8	3,039	8	3,256	8		8		8		8		8		8	
1/4	2,603	1/4	2,827	1/4	3,044	1/4	3,261	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,608	1/2	2,831	1/2	3,048	1/2	3,265	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,613	3/4	2,836	3/4	3,053	3/4	3,270	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,618	9	2,841	9	3,057	9	3,274	9		9		9		9		9		9	
1/4	2,624	1/4	2,845	1/4	3,062	1/4	3,279	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,629	1/2	2,850	1/2	3,066	1/2	3,283	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,634	3/4	2,854	3/4	3,071	3/4	3,288	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,639	10	2,859	10	3,076	10	3,292	10		10		10		10		10		10	
1/4	2,644	1/4	2,863	1/4	3,080	1/4	3,297	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,649	1/2	2,868	1/2	3,085	1/2	3,302	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,655	3/4	2,872	3/4	3,089	3/4	3,306	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,660	11	2,877	11	3,094	11	3,311	11		11		11		11		11		11	
1/4	2,664	1/4	2,881	1/4	3,098	1/4	3,315	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,669	1/2	2,886	1/2	3,103	1/2	3,320	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,673	3/4	2,890	3/4	3,107	3/4	3,324	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/29/2014 SW
CALCULATED: 12/31/2014 CL
PRINTED: 01/1/2015 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 142"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-02 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,730	0	3,007	0	3,284	0	3,561	0	3,838	0		0		0		0		0	
1/4	2,735	1/4	3,013	1/4	3,290	1/4	3,567	1/4	3,844	1/4		1/4		1/4		1/4		1/4	
1/2	2,741	1/2	3,018	1/2	3,295	1/2	3,573	1/2	3,850	1/2		1/2		1/2		1/2		1/2	
3/4	2,747	3/4	3,024	3/4	3,301	3/4	3,578	3/4	3,856	3/4		3/4		3/4		3/4		3/4	
1	2,753	1	3,030	1	3,307	1	3,584	1	3,861	1		1		1		1		1	
1/4	2,758	1/4	3,036	1/4	3,313	1/4	3,590	1/4	3,867	1/4		1/4		1/4		1/4		1/4	
1/2	2,764	1/2	3,041	1/2	3,319	1/2	3,596	1/2	3,873	1/2		1/2		1/2		1/2		1/2	
3/4	2,770	3/4	3,047	3/4	3,324	3/4	3,602	3/4	3,879	3/4		3/4		3/4		3/4		3/4	
2	2,776	2	3,053	2	3,330	2	3,607	2	3,884	2		2		2		2		2	
1/4	2,782	1/4	3,059	1/4	3,336	1/4	3,613	1/4	3,890	1/4		1/4		1/4		1/4		1/4	
1/2	2,787	1/2	3,065	1/2	3,342	1/2	3,619	1/2	3,896	1/2		1/2		1/2		1/2		1/2	
3/4	2,793	3/4	3,070	3/4	3,347	3/4	3,625	3/4	3,902	3/4		3/4		3/4		3/4		3/4	
3	2,799	3	3,076	3	3,353	3	3,630	3	3,908	3		3		3		3		3	
1/4	2,805	1/4	3,082	1/4	3,359	1/4	3,636	1/4	3,913	1/4		1/4		1/4		1/4		1/4	
1/2	2,810	1/2	3,088	1/2	3,365	1/2	3,642	1/2	3,919	1/2		1/2		1/2		1/2		1/2	
3/4	2,816	3/4	3,093	3/4	3,371	3/4	3,648	3/4	3,925	3/4		3/4		3/4		3/4		3/4	
4	2,822	4	3,099	4	3,376	4	3,653	4	3,931	4		4		4		4		4	
1/4	2,828	1/4	3,105	1/4	3,382	1/4	3,659	1/4	3,936	1/4		1/4		1/4		1/4		1/4	
1/2	2,834	1/2	3,111	1/2	3,388	1/2	3,665	1/2	3,942	1/2		1/2		1/2		1/2		1/2	
3/4	2,839	3/4	3,116	3/4	3,394	3/4	3,671	3/4	3,948	3/4		3/4		3/4		3/4		3/4	
5	2,845	5	3,122	5	3,399	5	3,677	5	3,954	5		5		5		5		5	
1/4	2,851	1/4	3,128	1/4	3,405	1/4	3,682	1/4	3,960	1/4		1/4		1/4		1/4		1/4	
1/2	2,857	1/2	3,134	1/2	3,411	1/2	3,688	1/2	3,965	1/2		1/2		1/2		1/2		1/2	
3/4	2,862	3/4	3,140	3/4	3,417	3/4	3,694	3/4	3,971	3/4		3/4		3/4		3/4		3/4	
6	2,868	6	3,145	6	3,423	6	3,700	6	3,977	6		6		6		6		6	
1/4	2,874	1/4	3,151	1/4	3,428	1/4	3,705	1/4	3,981	1/4		1/4		1/4		1/4		1/4	
1/2	2,880	1/2	3,157	1/2	3,434	1/2	3,711	1/2	3,986	1/2		1/2		1/2		1/2		1/2	
3/4	2,886	3/4	3,163	3/4	3,440	3/4	3,717	3/4	3,990	3/4		3/4		3/4		3/4		3/4	
7	2,891	7	3,168	7	3,446	7	3,723	7	3,994	7		7		7		7		7	
1/4	2,897	1/4	3,174	1/4	3,451	1/4	3,729	1/4	3,996	1/4		1/4		1/4		1/4		1/4	
1/2	2,903	1/2	3,180	1/2	3,457	1/2	3,734	1/2	3,997	1/2		1/2		1/2		1/2		1/2	
3/4	2,909	3/4	3,186	3/4	3,463	3/4	3,740	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,914	8	3,192	8	3,469	8	3,746	8		8		8		8		8		8	
1/4	2,920	1/4	3,197	1/4	3,474	1/4	3,752	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,926	1/2	3,203	1/2	3,480	1/2	3,757	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,932	3/4	3,209	3/4	3,486	3/4	3,763	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,937	9	3,215	9	3,492	9	3,769	9		9		9		9		9		9	
1/4	2,943	1/4	3,220	1/4	3,498	1/4	3,775	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,949	1/2	3,226	1/2	3,503	1/2	3,781	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,955	3/4	3,232	3/4	3,509	3/4	3,786	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,961	10	3,238	10	3,515	10	3,792	10		10		10		10		10		10	
1/4	2,966	1/4	3,244	1/4	3,521	1/4	3,798	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,972	1/2	3,249	1/2	3,526	1/2	3,804	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,978	3/4	3,255	3/4	3,532	3/4	3,809	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,984	11	3,261	11	3,538	11	3,815	11		11		11		11		11		11	
1/4	2,989	1/4	3,267	1/4	3,544	1/4	3,821	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,995	1/2	3,272	1/2	3,550	1/2	3,827	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,001	3/4	3,278	3/4	3,555	3/4	3,832	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/29/2014 SW
CALCULATED: 12/31/2014 CL
PRINTED: 01/1/2015 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 142"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 17'-02 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,423	0	2,668	0	2,914	0	3,159	0	3,405	0		0		0		0		0	
1/4	2,428	1/4	2,674	1/4	2,919	1/4	3,164	1/4	3,410	1/4		1/4		1/4		1/4		1/4	
1/2	2,433	1/2	2,679	1/2	2,924	1/2	3,170	1/2	3,415	1/2		1/2		1/2		1/2		1/2	
3/4	2,438	3/4	2,684	3/4	2,929	3/4	3,175	3/4	3,420	3/4		3/4		3/4		3/4		3/4	
1	2,443	1	2,689	1	2,934	1	3,180	1	3,425	1		1		1		1		1	
1/4	2,449	1/4	2,694	1/4	2,939	1/4	3,185	1/4	3,430	1/4		1/4		1/4		1/4		1/4	
1/2	2,454	1/2	2,699	1/2	2,945	1/2	3,190	1/2	3,435	1/2		1/2		1/2		1/2		1/2	
3/4	2,459	3/4	2,704	3/4	2,950	3/4	3,195	3/4	3,441	3/4		3/4		3/4		3/4		3/4	
2	2,464	2	2,709	2	2,955	2	3,200	2	3,446	2		2		2		2		2	
1/4	2,469	1/4	2,714	1/4	2,960	1/4	3,205	1/4	3,451	1/4		1/4		1/4		1/4		1/4	
1/2	2,474	1/2	2,720	1/2	2,965	1/2	3,210	1/2	3,456	1/2		1/2		1/2		1/2		1/2	
3/4	2,479	3/4	2,725	3/4	2,970	3/4	3,216	3/4	3,461	3/4		3/4		3/4		3/4		3/4	
3	2,484	3	2,730	3	2,975	3	3,221	3	3,466	3		3		3		3		3	
1/4	2,490	1/4	2,735	1/4	2,980	1/4	3,226	1/4	3,471	1/4		1/4		1/4		1/4		1/4	
1/2	2,495	1/2	2,740	1/2	2,985	1/2	3,231	1/2	3,476	1/2		1/2		1/2		1/2		1/2	
3/4	2,500	3/4	2,745	3/4	2,991	3/4	3,236	3/4	3,481	3/4		3/4		3/4		3/4		3/4	
4	2,505	4	2,750	4	2,996	4	3,241	4	3,487	4		4		4		4		4	
1/4	2,510	1/4	2,755	1/4	3,001	1/4	3,246	1/4	3,492	1/4		1/4		1/4		1/4		1/4	
1/2	2,515	1/2	2,760	1/2	3,006	1/2	3,251	1/2	3,497	1/2		1/2		1/2		1/2		1/2	
3/4	2,520	3/4	2,766	3/4	3,011	3/4	3,256	3/4	3,502	3/4		3/4		3/4		3/4		3/4	
5	2,525	5	2,771	5	3,016	5	3,262	5	3,507	5		5		5		5		5	
1/4	2,530	1/4	2,776	1/4	3,021	1/4	3,267	1/4	3,512	1/4		1/4		1/4		1/4		1/4	
1/2	2,536	1/2	2,781	1/2	3,026	1/2	3,272	1/2	3,517	1/2		1/2		1/2		1/2		1/2	
3/4	2,541	3/4	2,786	3/4	3,031	3/4	3,277	3/4	3,522	3/4		3/4		3/4		3/4		3/4	
6	2,546	6	2,791	6	3,037	6	3,282	6	3,527	6		6		6		6		6	
1/4	2,551	1/4	2,796	1/4	3,042	1/4	3,287	1/4	3,531	1/4		1/4		1/4		1/4		1/4	
1/2	2,556	1/2	2,801	1/2	3,047	1/2	3,292	1/2	3,535	1/2		1/2		1/2		1/2		1/2	
3/4	2,561	3/4	2,807	3/4	3,052	3/4	3,297	3/4	3,539	3/4		3/4		3/4		3/4		3/4	
7	2,566	7	2,812	7	3,057	7	3,302	7	3,543	7		7		7		7		7	
1/4	2,571	1/4	2,817	1/4	3,062	1/4	3,308	1/4	3,544	1/4		1/4		1/4		1/4		1/4	
1/2	2,576	1/2	2,822	1/2	3,067	1/2	3,313	1/2	3,545	1/2		1/2		1/2		1/2		1/2	
3/4	2,582	3/4	2,827	3/4	3,072	3/4	3,318	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,587	8	2,832	8	3,077	8	3,323	8		8		8		8		8		8	
1/4	2,592	1/4	2,837	1/4	3,083	1/4	3,328	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,597	1/2	2,842	1/2	3,088	1/2	3,333	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,602	3/4	2,847	3/4	3,093	3/4	3,338	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,607	9	2,853	9	3,098	9	3,343	9		9		9		9		9		9	
1/4	2,612	1/4	2,858	1/4	3,103	1/4	3,348	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,617	1/2	2,863	1/2	3,108	1/2	3,354	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,622	3/4	2,868	3/4	3,113	3/4	3,359	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,628	10	2,873	10	3,118	10	3,364	10		10		10		10		10		10	
1/4	2,633	1/4	2,878	1/4	3,124	1/4	3,369	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,638	1/2	2,883	1/2	3,129	1/2	3,374	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,643	3/4	2,888	3/4	3,134	3/4	3,379	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,648	11	2,893	11	3,139	11	3,384	11		11		11		11		11		11	
1/4	2,653	1/4	2,899	1/4	3,144	1/4	3,389	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,658	1/2	2,904	1/2	3,149	1/2	3,394	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,663	3/4	2,909	3/4	3,154	3/4	3,400	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 12/29/2014 SW
CALCULATED: 12/31/2014 CL
PRINTED: 01/1/2015 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 01/2015

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 142"

SLOP TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 6' 05"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	191	0	382	0	572	0	763	0	954	0	1,145	0		0		0	
1/4	4	1/4	195	1/4	386	1/4	576	1/4	767	1/4	958	1/4	1,149	1/4	1/4	1/4		1/4	1/4
1/2	8	1/2	199	1/2	390	1/2	580	1/2	771	1/2	962	1/2	1,153	1/2	1/2	1/2		1/2	1/2
3/4	12	3/4	203	3/4	394	3/4	584	3/4	775	3/4	966	3/4	1,157	3/4	3/4	3/4		3/4	3/4
1	16	1	207	1	397	1	588	1	779	1	970	1	1,161	1		1		1	1
1/4	20	1/4	211	1/4	401	1/4	592	1/4	783	1/4	974	1/4	1,165	1/4	1/4	1/4		1/4	1/4
1/2	24	1/2	215	1/2	405	1/2	596	1/2	787	1/2	978	1/2	1,169	1/2	1/2	1/2		1/2	1/2
3/4	28	3/4	219	3/4	409	3/4	600	3/4	791	3/4	982	3/4	1,173	3/4	3/4	3/4		3/4	3/4
2	32	2	223	2	413	2	604	2	795	2	986	2	1,177	2		2		2	2
1/4	36	1/4	227	1/4	417	1/4	608	1/4	799	1/4	990	1/4	1,181	1/4	1/4	1/4		1/4	1/4
1/2	40	1/2	231	1/2	421	1/2	612	1/2	803	1/2	994	1/2	1,184	1/2	1/2	1/2		1/2	1/2
3/4	44	3/4	235	3/4	425	3/4	616	3/4	807	3/4	998	3/4	1,188	3/4	3/4	3/4		3/4	3/4
3	48	3	238	3	429	3	620	3	811	3	1,002	3	1,192	3		3		3	3
1/4	52	1/4	242	1/4	433	1/4	624	1/4	815	1/4	1,006	1/4	1,196	1/4	1/4	1/4		1/4	1/4
1/2	56	1/2	246	1/2	437	1/2	628	1/2	819	1/2	1,010	1/2	1,200	1/2	1/2	1/2		1/2	1/2
3/4	60	3/4	250	3/4	441	3/4	632	3/4	823	3/4	1,014	3/4	1,204	3/4	3/4	3/4		3/4	3/4
4	64	4	254	4	445	4	636	4	827	4	1,018	4	1,208	4		4		4	4
1/4	68	1/4	258	1/4	449	1/4	640	1/4	831	1/4	1,022	1/4	1,212	1/4	1/4	1/4		1/4	1/4
1/2	72	1/2	262	1/2	453	1/2	644	1/2	835	1/2	1,025	1/2	1,215	1/2	1/2	1/2		1/2	1/2
3/4	76	3/4	266	3/4	457	3/4	648	3/4	839	3/4	1,029	3/4	1,220	3/4	3/4	3/4		3/4	3/4
5	79	5	270	5	461	5	652	5	843	5	1,033	5	1,224	5		5		5	5
1/4	83	1/4	274	1/4	465	1/4	656	1/4	847	1/4	1,037	1/4	1,228	1/4	1/4	1/4		1/4	1/4
1/2	87	1/2	278	1/2	469	1/2	660	1/2	851	1/2	1,041	1/2	1,232	1/2	1/2	1/2		1/2	1/2
3/4	91	3/4	282	3/4	473	3/4	664	3/4	855	3/4	1,045	3/4	1,236	3/4	3/4	3/4		3/4	3/4
6	95	6	286	6	477	6	668	6	859	6	1,049	6	1,240	6		6		6	6
1/4	99	1/4	290	1/4	481	1/4	672	1/4	863	1/4	1,053	1/4	1,244	1/4	1/4	1/4		1/4	1/4
1/2	103	1/2	294	1/2	485	1/2	676	1/2	867	1/2	1,057	1/2	1,248	1/2	1/2	1/2		1/2	1/2
3/4	107	3/4	298	3/4	489	3/4	680	3/4	870	3/4	1,061	3/4	1,252	3/4	3/4	3/4		3/4	3/4
7	111	7	302	7	493	7	684	7	874	7	1,065	7	1,256	7		7		7	7
1/4	115	1/4	306	1/4	497	1/4	688	1/4	878	1/4	1,069	1/4	1,260	1/4	1/4	1/4		1/4	1/4
1/2	119	1/2	310	1/2	501	1/2	692	1/2	882	1/2	1,073	1/2	1,264	1/2	1/2	1/2		1/2	1/2
3/4	123	3/4	314	3/4	505	3/4	696	3/4	886	3/4	1,077	3/4	1,268	3/4	3/4	3/4		3/4	3/4
8	127	8	318	8	509	8	700	8	890	8	1,081	8	1,272	8		8		8	8
1/4	131	1/4	322	1/4	513	1/4	704	1/4	894	1/4	1,085	1/4		1/4	1/4	1/4		1/4	1/4
1/2	135	1/2	326	1/2	517	1/2	708	1/2	898	1/2	1,089	1/2		1/2	1/2	1/2		1/2	1/2
3/4	139	3/4	330	3/4	521	3/4	711	3/4	902	3/4	1,093	3/4		3/4	3/4	3/4		3/4	3/4
9	143	9	334	9	525	9	715	9	906	9	1,097	9		9		9		9	9
1/4	147	1/4	338	1/4	529	1/4	719	1/4	910	1/4	1,101	1/4		1/4	1/4	1/4		1/4	1/4
1/2	151	1/2	342	1/2	533	1/2	723	1/2	914	1/2	1,105	1/2		1/2	1/2	1/2		1/2	1/2
3/4	155	3/4	346	3/4	537	3/4	727	3/4	918	3/4	1,109	3/4		3/4	3/4	3/4		3/4	3/4
10	159	10	350	10	541	10	731	10	922	10	1,113	10		10		10		10	10
1/4	163	1/4	354	1/4	545	1/4	735	1/4	926	1/4	1,117	1/4		1/4	1/4	1/4		1/4	1/4
1/2	167	1/2	358	1/2	549	1/2	739	1/2	930	1/2	1,121	1/2		1/2	1/2	1/2		1/2	1/2
3/4	171	3/4	362	3/4	552	3/4	743	3/4	934	3/4	1,125	3/4		3/4	3/4	3/4		3/4	3/4
11	175	11	366	11	556	11	747	11	938	11	1,129	11		11		11		11	11
1/4	179	1/4	370	1/4	560	1/4	751	1/4	942	1/4	1,133	1/4		1/4	1/4	1/4		1/4	1/4
1/2	183	1/2	374	1/2	564	1/2	755	1/2	946	1/2	1,137	1/2		1/2	1/2	1/2		1/2	1/2
3/4	187	3/4	378	3/4	568	3/4	759	3/4	950	3/4	1,141	3/4		3/4	3/4	3/4		3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" STANDPIPE

STRAPPED: 12/29/2014 SW
CALCULATED: 12/31/2014 CL
PRINTED: 01/02/2015 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 142"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 3'-08 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	100	0	250	0	383	0		0		0		0		0		0	
1/4	1	1/4	103	1/4	253	1/4	385	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1	1/2	106	1/2	257	1/2	387	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2	3/4	109	3/4	260	3/4	389	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	3	1	112	1	263	1	391	1	1	1	1	1	1	1	1	1	1	1	1
1/4	4	1/4	115	1/4	266	1/4	393	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	5	1/2	118	1/2	269	1/2	394	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	6	3/4	121	3/4	272	3/4	396	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	7	2	124	2	275	2	398	2	2	2	2	2	2	2	2	2	2	2	2
1/4	9	1/4	127	1/4	278	1/4	400	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	10	1/2	130	1/2	281	1/2	401	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	12	3/4	133	3/4	284	3/4	403	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	14	3	136	3	287	3	404	3	3	3	3	3	3	3	3	3	3	3	3
1/4	15	1/4	139	1/4	290	1/4	405	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	17	1/2	143	1/2	293	1/2	406	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	19	3/4	146	3/4	296	3/4	408	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	21	4	149	4	299	4	409	4	4	4	4	4	4	4	4	4	4	4	4
1/4	23	1/4	152	1/4	302	1/4	410	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	25	1/2	155	1/2	305	1/2	410	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	27	3/4	158	3/4	308	3/4	411	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	29	5	161	5	311	5	412	5	5	5	5	5	5	5	5	5	5	5	5
1/4	31	1/4	164	1/4	314	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	33	1/2	168	1/2	317	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	35	3/4	171	3/4	320	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	37	6	174	6	323	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	40	1/4	177	1/4	325	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	42	1/2	180	1/2	328	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	44	3/4	183	3/4	331	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	47	7	187	7	334	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	49	1/4	190	1/4	337	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	52	1/2	193	1/2	339	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	54	3/4	196	3/4	342	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	57	8	199	8	345	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	59	1/4	203	1/4	347	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	62	1/2	206	1/2	350	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	64	3/4	209	3/4	352	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	67	9	212	9	355	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	70	1/4	215	1/4	357	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	72	1/2	219	1/2	360	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	75	3/4	222	3/4	362	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	78	10	225	10	365	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	80	1/4	228	1/4	367	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	83	1/2	231	1/2	369	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	86	3/4	234	3/4	372	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	89	11	238	11	374	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	92	1/4	241	1/4	376	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	95	1/2	244	1/2	379	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	97	3/4	247	3/4	381	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" DIAMETER STANDPIPE

STRAPPED: 12/29/2014 SW
CALCULATED: 12/31/2014 CL
PRINTED: 01/02/2014 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092

Pearland, Texas 77588
<http://www.pmacorp.net>