



# BARGE WEB 180 HULL #108 INNAGE TRIM CORRECTIONS

Down by	1 ft		2 ft		3 ft		4 ft		5 ft		6 ft	
	BOW	STERN	BOW	STERN	BOW	STERN	BOW	STERN	BOW	STERN	BOW	STERN
1 PORT	-00 -2/8	00 -2/8	-00 -4/8	00 -4/8	-00 -6/8	00 -6/8	-01 -1/8	01 -1/8	-01 -3/8	01 -3/8	-01 -5/8	01 -5/8
1 STAR	-00 -2/8	00 -2/8	-00 -4/8	00 -4/8	-00 -6/8	00 -6/8	-01 -1/8	01 -1/8	-01 -3/8	01 -3/8	-01 -5/8	01 -5/8
2 PORT	00 -2/8	-00 -2/8	00 -5/8	-00 -5/8	00 -7/8	-00 -7/8	01 -1/8	-01 -1/8	01 -4/8	-01 -4/8	01 -6/8	-01 -6/8
2 STAR	00 -2/8	-00 -2/8	00 -5/8	-00 -5/8	00 -7/8	-00 -7/8	01 -1/8	-01 -1/8	01 -4/8	-01 -4/8	01 -6/8	-01 -6/8

COMPARTMENT 1 PORT  
 EXAMPLE FOR USE OF TRIM CORRECTION:  
 LENGTH BETWEEN DRAFT MARKS = 186.5'  
 FWD DRAFT = 3'-0"  
 AFT DRAFT = 6'-0"  
 DIFFERENCE = 3'-0" (DOWN BY STERN)  
 TRIM CORRECTION FOR TRIM OF 3'-0" DOWN BY STERN IS \_\_\_\_\_  
 TO THE OBSERVED INNAGE GAUGE OF 04'-00-0/0" ADD OR SUBTRACT THE TRIM  
 CORRECTION FROM THE TABLE TO THE OBSERVED GAUGE  
 THE TRIM CORRECTED GAUGE IS \_\_\_\_\_

FT INCHES  
 00 -6/8  
 FT INCHES  
 4 00 -6/8

STRAPPED BY: LFI/BC ON: 12/14/07  
 COMPUTED BY: JF ON: 12/26/07

*D. Andrew*

SAYBOLT LP,  
 Calibration Dept.  
 1026 W. Elizabeth Ave.  
 Linden, NJ 07036

# BARGE WEB - 180 HULL #801

**1 PORT**  
 INNAGE TABLE  
 GALLONS  
 MANUAL GAUGING

## MANUAL GAUGE HEIGHT 9'-7 5/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.
0	373	0	12,411	0	24,472	0	36,812	0	49,153	0	61,494	0	73,837	0	85,955
1/4	557	1/4	12,667	1/4	24,729	1/4	37,069	1/4	49,410	1/4	61,751	1/4	74,094	1/4	86,120
1/2	742	1/2	12,923	1/2	24,986	1/2	37,327	1/2	49,667	1/2	62,008	1/2	74,351	1/2	86,285
3/4	926	3/4	13,179	3/4	25,243	3/4	37,584	3/4	49,924	3/4	62,265	3/4	74,609	3/4	86,449
1	1,111	1	13,435	1	25,500	1	37,841	1	50,182	1	62,522	1	74,866	1	86,614
1/4	1,364	1/4	13,693	1/4	25,757	1/4	38,098	1/4	50,439	1/4	62,779	1/4	75,123		
1/2	1,617	1/2	13,951	1/2	26,014	1/2	38,355	1/2	50,696	1/2	63,037	1/2	75,380		
3/4	1,870	3/4	14,208	3/4	26,271	3/4	38,612	3/4	50,953	3/4	63,294	3/4	75,637		
2	2,124	2	14,428	2	26,528	2	38,869	2	51,210	2	63,551	2	75,895		
1/4	2,381	1/4	14,677	1/4	26,785	1/4	39,126	1/4	51,467	1/4	63,808	1/4	76,152		
1/2	2,637	1/2	14,925	1/2	27,043	1/2	39,383	1/2	51,724	1/2	64,065	1/2	76,409		
3/4	2,894	3/4	15,173	3/4	27,300	3/4	39,640	3/4	51,981	3/4	64,322	3/4	76,666		
1	3,151	3	15,422	3	27,557	3	39,898	3	52,238	3	64,579	3	76,923		
1/4	3,409	1/4	15,670	1/4	27,814	1/4	40,155	1/4	52,495	1/4	64,836	1/4	77,180		
1/2	3,666	1/2	15,918	1/2	28,071	1/2	40,412	1/2	52,753	1/2	65,093	1/2	77,438		
3/4	3,923	3/4	16,167	3/4	28,328	3/4	40,669	3/4	53,010	3/4	65,350	3/4	77,695		
4	4,180	4	16,415	4	28,585	4	40,926	4	53,267	4	65,608	4	77,952		
1/4	4,437	1/4	16,664	1/4	28,842	1/4	41,183	1/4	53,524	1/4	65,865	1/4	78,209		
1/2	4,695	1/2	16,912	1/2	29,099	1/2	41,440	1/2	53,781	1/2	66,122	1/2	78,466		
3/4	4,952	3/4	17,160	3/4	29,356	3/4	41,697	3/4	54,038	3/4	66,379	3/4	78,723		
5	5,209	5	17,409	5	29,614	5	41,954	5	54,295	5	66,636	5	78,981		
1/4	5,466	1/4	17,657	1/4	29,871	1/4	42,211	1/4	54,552	1/4	66,893	1/4	79,238		
1/2	5,723	1/2	17,905	1/2	30,128	1/2	42,468	1/2	54,809	1/2	67,151	1/2	79,495		
3/4	5,981	3/4	18,153	3/4	30,385	3/4	42,726	3/4	55,066	3/4	67,408	3/4	79,752		
6	6,238	6	18,402	6	30,642	6	42,983	6	55,324	6	67,665	6	80,009		
1/4	6,495	1/4	18,650	1/4	30,899	1/4	43,240	1/4	55,581	1/4	67,922	1/4	80,267		
1/2	6,752	1/2	18,898	1/2	31,156	1/2	43,497	1/2	55,838	1/2	68,180	1/2	80,524		
3/4	7,010	3/4	19,146	3/4	31,413	3/4	43,754	3/4	56,095	3/4	68,437	3/4	80,781		
7	7,267	7	19,394	7	31,670	7	44,011	7	56,352	7	68,694	7	81,038		
1/4	7,524	1/4	19,643	1/4	31,927	1/4	44,268	1/4	56,609	1/4	68,951	1/4	81,295		
1/2	7,781	1/2	19,891	1/2	32,185	1/2	44,525	1/2	56,866	1/2	69,208	1/2	81,552		
3/4	8,038	3/4	20,139	3/4	32,442	3/4	44,782	3/4	57,123	3/4	69,465	3/4	81,810		
8	8,296	8	20,387	8	32,699	8	45,040	8	57,380	8	69,723	8	82,067		
1/4	8,553	1/4	20,637	1/4	32,956	1/4	45,297	1/4	57,637	1/4	69,980	1/4	82,324		
1/2	8,810	1/2	20,887	1/2	33,213	1/2	45,554	1/2	57,895	1/2	70,237	1/2	82,581		
3/4	9,067	3/4	21,137	3/4	33,470	3/4	45,811	3/4	58,152	3/4	70,494	3/4	82,838		
9	9,324	9	21,386	9	33,727	9	46,068	9	58,409	9	70,751	9	83,095		
1/4	9,582	1/4	21,643	1/4	33,984	1/4	46,325	1/4	58,666	1/4	71,008	1/4	83,353		
1/2	9,839	1/2	21,901	1/2	34,241	1/2	46,582	1/2	58,923	1/2	71,265	1/2	83,610		
3/4	10,096	3/4	22,158	3/4	34,498	3/4	46,839	3/4	59,180	3/4	71,523	3/4	83,867		
10	10,353	10	22,415	10	34,756	10	47,096	10	59,437	10	71,780	10	84,124		
1/4	10,611	1/4	22,672	1/4	35,013	1/4	47,353	1/4	59,694	1/4	72,037	1/4	84,374		
1/2	10,868	1/2	22,929	1/2	35,270	1/2	47,611	1/2	59,951	1/2	72,294	1/2	84,625		
3/4	11,125	3/4	23,186	3/4	35,527	3/4	47,868	3/4	60,208	3/4	72,551	3/4	84,875		
11	11,382	11	23,443	11	35,784	11	48,125	11	60,466	11	72,809	11	85,125		
1/4	11,640	1/4	23,700	1/4	36,041	1/4	48,382	1/4	60,723	1/4	73,066	1/4	85,333		
1/2	11,897	1/2	23,957	1/2	36,298	1/2	48,639	1/2	60,980	1/2	73,323	1/2	85,540		
3/4	12,154	3/4	24,214	3/4	36,555	3/4	48,896	3/4	61,237	3/4	73,580	3/4	85,748		

GAUGE LOCATED 41'-9" FORWARD OF AFT BULKHEAD AND 9'-3" OFF CENTERLINE.

COMPUTED IN ACCORDANCE WITH API CHAPTER 2.7

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 12/07.

CHART IS CERTIFIED FOR THIS TANK ONLY.  
 COMPUTED BY: JF 12/26/07  
 STRAPPED BY: BC-LF 12/14/07  
 SAYBOLT LP

*J. Enghava*

SAYBOLT LP.  
 Calibration Dept.  
 1028 W. Elizabeth Ave.  
 Linden, NJ 07036

# BARGE WEB - 180 HULL #801

## 2 PORT INNAUGE TABLE GALLONS MANUAL GAUGING

### MANUAL GAUGE HEIGHT 9'-7 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.
0	372	0	12,395	0	24,688	0	37,019	0	49,349	0	61,679	0	74,009	0	86,115
1/4	567	1/4	12,651	1/4	24,945	1/4	37,275	1/4	49,606	1/4	61,936	1/4	74,266	1/4	86,280
1/2	741	1/2	12,808	1/2	25,202	1/2	37,532	1/2	49,863	1/2	62,193	1/2	74,523	1/2	86,444
3/4	825	3/4	13,165	3/4	25,459	3/4	37,789	3/4	50,119	3/4	62,450	3/4	74,780	3/4	86,609
1	1,109	1	13,421	1	25,716	1	38,046	1	50,376	1	62,707	1	75,037	1	86,773
1/4	1,362	1/4	13,677	1/4	25,973	1/4	38,303	1/4	50,633	1/4	62,963	1/4	75,294	1/4	86,944
1/2	1,615	1/2	13,833	1/2	26,230	1/2	38,560	1/2	50,890	1/2	63,220	1/2	75,551	1/2	87,115
3/4	1,868	3/4	14,189	3/4	26,487	3/4	38,817	3/4	51,147	3/4	63,477	3/4	75,807	3/4	87,286
2	2,121	2	14,445	2	26,744	2	39,074	2	51,404	2	63,734	2	76,064	2	87,457
1/4	2,377	1/4	14,700	1/4	27,000	1/4	39,331	1/4	51,661	1/4	63,991	1/4	76,321	1/4	87,628
1/2	2,634	1/2	14,956	1/2	27,257	1/2	39,587	1/2	51,918	1/2	64,248	1/2	76,578	1/2	87,799
3/4	2,891	3/4	15,212	3/4	27,514	3/4	39,844	3/4	52,175	3/4	64,505	3/4	76,835	3/4	87,970
3	3,147	3	15,467	3	27,771	3	40,101	3	52,431	3	64,762	3	77,092	3	88,141
1/4	3,404	1/4	15,723	1/4	28,028	1/4	40,358	1/4	52,688	1/4	65,019	1/4	77,349	1/4	88,312
1/2	3,661	1/2	15,979	1/2	28,285	1/2	40,615	1/2	52,945	1/2	65,275	1/2	77,605	1/2	88,483
3/4	3,918	3/4	16,235	3/4	28,542	3/4	40,872	3/4	53,202	3/4	65,532	3/4	77,862	3/4	88,654
4	4,175	4	16,490	4	28,798	4	41,129	4	53,459	4	65,789	4	78,119	4	88,825
1/4	4,432	1/4	16,746	1/4	29,055	1/4	41,386	1/4	53,716	1/4	66,046	1/4	78,376	1/4	88,996
1/2	4,688	1/2	17,002	1/2	29,312	1/2	41,642	1/2	53,973	1/2	66,303	1/2	78,633	1/2	89,167
3/4	4,945	3/4	17,257	3/4	29,569	3/4	41,899	3/4	54,230	3/4	66,560	3/4	78,890	3/4	89,338
5	5,202	5	17,513	5	29,826	5	42,156	5	54,486	5	66,817	5	79,147	5	89,509
1/4	5,459	1/4	17,769	1/4	30,083	1/4	42,413	1/4	54,743	1/4	67,074	1/4	79,404	1/4	89,680
1/2	5,716	1/2	18,025	1/2	30,340	1/2	42,670	1/2	55,000	1/2	67,330	1/2	79,661	1/2	89,841
3/4	5,973	3/4	18,280	3/4	30,597	3/4	42,927	3/4	55,257	3/4	67,587	3/4	79,918	3/4	90,002
6	6,230	6	18,536	6	30,853	6	43,184	6	55,514	6	67,844	6	80,174	6	90,163
1/4	6,486	1/4	18,792	1/4	31,110	1/4	43,441	1/4	55,771	1/4	68,101	1/4	80,431	1/4	90,324
1/2	6,743	1/2	19,048	1/2	31,367	1/2	43,697	1/2	56,028	1/2	68,358	1/2	80,688	1/2	90,485
3/4	7,000	3/4	19,303	3/4	31,624	3/4	43,954	3/4	56,285	3/4	68,615	3/4	80,945	3/4	90,646
7	7,257	7	19,559	7	31,881	7	44,211	7	56,541	7	68,872	7	81,202	7	90,807
1/4	7,514	1/4	19,815	1/4	32,138	1/4	44,468	1/4	56,798	1/4	69,129	1/4	81,459	1/4	90,968
1/2	7,771	1/2	20,070	1/2	32,395	1/2	44,725	1/2	57,055	1/2	69,385	1/2	81,716	1/2	91,129
3/4	8,028	3/4	20,326	3/4	32,652	3/4	44,982	3/4	57,312	3/4	69,642	3/4	81,973	3/4	91,290
8	8,284	8	20,582	8	32,909	8	45,239	8	57,569	8	69,899	8	82,229	8	91,451
1/4	8,541	1/4	20,838	1/4	33,165	1/4	45,496	1/4	57,826	1/4	70,156	1/4	82,486	1/4	91,612
1/2	8,798	1/2	21,094	1/2	33,422	1/2	45,753	1/2	58,083	1/2	70,413	1/2	82,743	1/2	91,773
3/4	9,055	3/4	21,350	3/4	33,679	3/4	46,009	3/4	58,340	3/4	70,670	3/4	83,000	3/4	91,934
9	9,312	9	21,606	9	33,936	9	46,266	9	58,597	9	70,927	9	83,257	9	92,095
1/4	9,569	1/4	21,863	1/4	34,193	1/4	46,523	1/4	58,853	1/4	71,184	1/4	83,514	1/4	92,256
1/2	9,826	1/2	22,120	1/2	34,450	1/2	46,780	1/2	59,110	1/2	71,441	1/2	83,771	1/2	92,417
3/4	10,083	3/4	22,376	3/4	34,707	3/4	47,037	3/4	59,367	3/4	71,697	3/4	84,028	3/4	92,578
10	10,339	10	22,633	10	34,964	10	47,294	10	59,624	10	71,954	10	84,285	10	92,739
1/4	10,596	1/4	22,890	1/4	35,220	1/4	47,551	1/4	59,881	1/4	72,211	1/4	84,542	1/4	92,900
1/2	10,853	1/2	23,147	1/2	35,477	1/2	47,808	1/2	60,138	1/2	72,468	1/2	84,798	1/2	93,061
3/4	11,110	3/4	23,404	3/4	35,734	3/4	48,064	3/4	60,395	3/4	72,725	3/4	85,036	3/4	93,222
11	11,367	11	23,661	11	35,991	11	48,321	11	60,652	11	72,982	11	85,293	11	93,383
1/4	11,624	1/4	23,918	1/4	36,248	1/4	48,578	1/4	60,908	1/4	73,239	1/4	85,493	1/4	93,544
1/2	11,881	1/2	24,175	1/2	36,505	1/2	48,835	1/2	61,165	1/2	73,496	1/2	85,701	1/2	93,705
3/4	12,138	3/4	24,431	3/4	36,762	3/4	49,092	3/4	61,422	3/4	73,752	3/4	85,908	3/4	93,866

GAUGE LOCATED 50'-6" FORWARD OF AFT BULKHEAD AND 8'-3" OFF CENTERLINE.

COMPUTED IN ACCORDANCE WITH API CHAPTER 2.7

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 12/07.

CHART IS CERTIFIED FOR THIS TANK ONLY.  
 COMPUTED BY: JF 12/26/07  
 STAPLED BY: BC-LF 12/14/07  
 SAYBOLT LP

*J. Enders*

SAYBOLT LP.  
 Calibration Dept.  
 1028 W. Elizabeth Ave.  
 Linden, NJ 07036

# BARGE WEB - 180 HULL #801

## 1 STARBOARD INNGAGE TABLE GALLONS MANUAL GAUGING

### MANUAL GAUGE HEIGHT 9'-7 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.
0	372	0	12,381	9	24,675	0	36,960	0	49,245	0	61,530	0	73,815	0	86,100
1/4	557	1/4	12,637	1/4	24,931	1/4	37,236	1/4	49,541	1/4	61,846	1/4	74,151	1/4	86,456
1/2	741	1/2	12,893	1/2	25,188	1/2	37,493	1/2	49,798	1/2	62,103	1/2	74,408	1/2	86,713
3/4	925	3/4	13,150	3/4	25,444	3/4	37,749	3/4	50,054	3/4	62,359	3/4	74,664	3/4	86,968
1	1,109	1	13,406	1	25,700	1	38,005	1	50,310	1	62,615	1	74,919	1	87,224
1/4	1,362	1/4	13,662	1/4	25,957	1/4	38,262	1/4	50,567	1/4	62,871	1/4	75,176	1/4	87,479
1/2	1,615	1/2	13,918	1/2	26,213	1/2	38,518	1/2	50,823	1/2	63,124	1/2	75,432	1/2	87,734
3/4	1,868	3/4	14,174	3/4	26,469	3/4	38,774	3/4	51,080	3/4	63,380	3/4	75,688	3/4	87,989
2	2,120	2	14,430	2	26,726	2	39,031	2	51,336	2	63,636	2	75,944	2	88,244
1/4	2,377	1/4	14,686	1/4	26,982	1/4	39,287	1/4	51,592	1/4	63,892	1/4	76,199	1/4	88,500
1/2	2,634	1/2	14,942	1/2	27,238	1/2	39,544	1/2	51,848	1/2	64,148	1/2	76,451	1/2	88,756
3/4	2,890	3/4	15,198	3/4	27,495	3/4	39,800	3/4	52,105	3/4	64,404	3/4	76,707	3/4	89,012
3	3,147	3	15,454	3	27,751	3	40,056	3	52,361	3	64,661	3	76,964	3	89,268
1/4	3,403	1/4	15,710	1/4	28,008	1/4	40,313	1/4	52,618	1/4	64,917	1/4	77,220	1/4	89,524
1/2	3,660	1/2	15,966	1/2	28,264	1/2	40,569	1/2	52,874	1/2	65,173	1/2	77,476	1/2	89,780
3/4	3,917	3/4	16,222	3/4	28,520	3/4	40,825	3/4	53,130	3/4	65,429	3/4	77,733	3/4	90,036
4	4,174	4	16,478	4	28,777	4	41,082	4	53,387	4	65,685	4	77,989	4	90,292
1/4	4,431	1/4	16,734	1/4	29,033	1/4	41,338	1/4	53,643	1/4	65,941	1/4	78,245	1/4	90,548
1/2	4,688	1/2	16,990	1/2	29,289	1/2	41,594	1/2	53,899	1/2	66,197	1/2	78,502	1/2	90,804
3/4	4,945	3/4	17,246	3/4	29,546	3/4	41,851	3/4	54,156	3/4	66,453	3/4	78,758	3/4	91,060
5	5,201	5	17,502	5	29,802	5	42,107	5	54,412	5	66,710	5	79,014	5	91,316
1/4	5,458	1/4	17,758	1/4	30,058	1/4	42,363	1/4	54,668	1/4	66,966	1/4	79,271	1/4	91,572
1/2	5,715	1/2	18,014	1/2	30,315	1/2	42,620	1/2	54,925	1/2	67,222	1/2	79,527	1/2	91,828
3/4	5,972	3/4	18,270	3/4	30,571	3/4	42,876	3/4	55,181	3/4	67,479	3/4	79,783	3/4	92,084
6	6,228	6	18,526	6	30,827	6	43,132	6	55,438	6	67,735	6	80,040	6	92,340
1/4	6,485	1/4	18,782	1/4	31,084	1/4	43,389	1/4	55,694	1/4	67,991	1/4	80,296	1/4	92,596
1/2	6,741	1/2	19,038	1/2	31,340	1/2	43,645	1/2	55,950	1/2	68,248	1/2	80,553	1/2	92,852
3/4	6,997	3/4	19,294	3/4	31,596	3/4	43,902	3/4	56,207	3/4	68,504	3/4	80,809	3/4	93,108
7	7,254	7	19,550	7	31,853	7	44,158	7	56,463	7	68,760	7	81,065	7	93,364
1/4	7,510	1/4	19,806	1/4	32,109	1/4	44,414	1/4	56,719	1/4	69,017	1/4	81,322	1/4	93,620
1/2	7,766	1/2	20,062	1/2	32,366	1/2	44,671	1/2	56,976	1/2	69,273	1/2	81,578	1/2	93,876
3/4	8,023	3/4	20,318	3/4	32,622	3/4	44,927	3/4	57,232	3/4	69,530	3/4	81,834	3/4	94,132
8	8,279	8	20,574	8	32,878	8	45,183	8	57,488	8	69,788	8	82,091	8	94,388
1/4	8,535	1/4	20,830	1/4	33,135	1/4	45,440	1/4	57,745	1/4	70,042	1/4	82,347	1/4	94,644
1/2	8,792	1/2	21,086	1/2	33,391	1/2	45,696	1/2	58,001	1/2	70,298	1/2	82,603	1/2	94,900
3/4	9,048	3/4	21,343	3/4	33,647	3/4	45,952	3/4	58,257	3/4	70,555	3/4	82,860	3/4	95,156
9	9,304	9	21,599	9	33,904	9	46,209	9	58,514	9	70,811	9	83,116	9	95,412
1/4	9,561	1/4	21,855	1/4	34,160	1/4	46,465	1/4	58,770	1/4	71,068	1/4	83,372	1/4	95,668
1/2	9,817	1/2	22,111	1/2	34,416	1/2	46,721	1/2	59,028	1/2	71,324	1/2	83,629	1/2	95,924
3/4	10,073	3/4	22,368	3/4	34,673	3/4	46,978	3/4	59,282	3/4	71,580	3/4	83,885	3/4	96,180
10	10,330	10	22,624	10	34,929	10	47,234	10	59,539	10	71,837	10	84,141	10	96,436
1/4	10,586	1/4	22,880	1/4	35,185	1/4	47,491	1/4	59,794	1/4	72,093	1/4	84,397	1/4	96,692
1/2	10,843	1/2	23,137	1/2	35,442	1/2	47,747	1/2	60,050	1/2	72,349	1/2	84,651	1/2	96,948
3/4	11,099	3/4	23,393	3/4	35,698	3/4	48,003	3/4	60,307	3/4	72,606	3/4	84,908	3/4	97,204
11	11,355	11	23,649	11	35,955	11	48,260	11	60,563	11	72,862	11	85,164	11	97,460
1/4	11,612	1/4	23,906	1/4	36,211	1/4	48,516	1/4	60,819	1/4	73,118	1/4	85,419	1/4	97,716
1/2	11,868	1/2	24,162	1/2	36,467	1/2	48,772	1/2	61,075	1/2	73,375	1/2	85,675	1/2	97,972
3/4	12,124	3/4	24,419	3/4	36,724	3/4	49,029	3/4	61,331	3/4	73,631	3/4	85,931	3/4	98,228

GAUGE LOCATED 4'-9" FORWARD OF AFT BULKHEAD AND  
 9'-3" OFF CENTERLINE.

COMPUTED IN ACCORDANCE WITH API CHAPTER 2.7

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 1207.

CHART IS CERTIFIED FOR THIS TANK ONLY.  
 COMPUTED BY: JF 12/26/07  
 STRAPPED BY: BC-LF 12/14/07  
 SAYBOLT LP



SAYBOLT LP.  
 Calibration Dept.  
 1025 W. Elizabeth Ave.  
 Linden, NJ 07036

**BARGE WEB - 180**  
**HULL #801**

**2 STARBOARD**  
 INNGAGE TABLE  
 GALLONS  
 MANUAL GAUGING

**MANUAL GAUGE HEIGHT 9'-7 1/2"**

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.
0	372	0	12,987	0	24,700	0	37,023	0	49,346	0	61,669	0	73,992	0	86,091
1/4	566	1/4	12,644	1/4	24,956	1/4	37,279	1/4	49,603	1/4	61,926	1/4	74,249	1/4	86,255
1/2	740	1/2	12,801	1/2	25,213	1/2	37,536	1/2	49,859	1/2	62,182	1/2	74,505	1/2	86,419
3/4	824	3/4	13,157	3/4	25,470	3/4	37,793	3/4	50,116	3/4	62,439	3/4	74,762	3/4	86,584
1	1,108	1	13,414	1	25,727	1	38,050	1	50,373	1	62,696	1	75,019	1	86,748
1/4	1,361	1/4	13,671	1/4	25,983	1/4	38,306	1/4	50,629	1/4	62,952	1/4	75,276		
1/2	1,614	1/2	13,927	1/2	26,240	1/2	38,563	1/2	50,886	1/2	63,209	1/2	75,532		
3/4	1,867	3/4	14,183	3/4	26,497	3/4	38,820	3/4	51,143	3/4	63,466	3/4	75,789		
2	2,120	2	14,440	2	26,754	2	39,077	2	51,400	2	63,723	2	76,046		
1/4	2,376	1/4	14,696	1/4	27,010	1/4	39,333	1/4	51,656	1/4	63,979	1/4	76,302		
1/2	2,632	1/2	14,953	1/2	27,267	1/2	39,590	1/2	51,913	1/2	64,236	1/2	76,559		
3/4	2,889	3/4	15,209	3/4	27,524	3/4	39,847	3/4	52,170	3/4	64,493	3/4	76,816		
3	3,145	3	15,465	3	27,780	3	40,104	3	52,427	3	64,750	3	77,073		
1/4	3,402	1/4	15,722	1/4	28,037	1/4	40,360	1/4	52,683	1/4	65,006	1/4	77,329		
1/2	3,659	1/2	15,978	1/2	28,294	1/2	40,617	1/2	52,940	1/2	65,263	1/2	77,586		
3/4	3,916	3/4	16,235	3/4	28,551	3/4	40,874	3/4	53,197	3/4	65,520	3/4	77,843		
4	4,172	4	16,491	4	28,807	4	41,130	4	53,453	4	65,777	4	78,100		
1/4	4,429	1/4	16,747	1/4	29,064	1/4	41,387	1/4	53,710	1/4	66,033	1/4	78,356		
1/2	4,686	1/2	17,004	1/2	29,321	1/2	41,644	1/2	53,967	1/2	66,290	1/2	78,613		
3/4	4,942	3/4	17,260	3/4	29,578	3/4	41,901	3/4	54,224	3/4	66,547	3/4	78,870		
5	5,199	5	17,516	5	29,834	5	42,157	5	54,480	5	66,803	5	79,126		
1/4	5,456	1/4	17,773	1/4	30,091	1/4	42,414	1/4	54,737	1/4	67,060	1/4	79,383		
1/2	5,713	1/2	18,029	1/2	30,348	1/2	42,671	1/2	54,994	1/2	67,317	1/2	79,640		
3/4	5,969	3/4	18,286	3/4	30,604	3/4	42,928	3/4	55,251	3/4	67,574	3/4	79,897		
6	6,226	6	18,542	6	30,861	6	43,184	6	55,507	6	67,830	6	80,153		
1/4	6,483	1/4	18,798	1/4	31,118	1/4	43,441	1/4	55,764	1/4	68,087	1/4	80,410		
1/2	6,739	1/2	19,055	1/2	31,375	1/2	43,698	1/2	56,021	1/2	68,344	1/2	80,667		
3/4	6,996	3/4	19,311	3/4	31,631	3/4	43,954	3/4	56,277	3/4	68,601	3/4	80,924		
7	7,253	7	19,568	7	31,888	7	44,211	7	56,534	7	68,857	7	81,180		
1/4	7,509	1/4	19,824	1/4	32,145	1/4	44,468	1/4	56,791	1/4	69,114	1/4	81,437		
1/2	7,766	1/2	20,080	1/2	32,402	1/2	44,725	1/2	57,048	1/2	69,371	1/2	81,694		
3/4	8,023	3/4	20,337	3/4	32,658	3/4	44,981	3/4	57,304	3/4	69,627	3/4	81,950		
8	8,280	8	20,593	8	32,915	8	45,238	8	57,561	8	69,884	8	82,207		
1/4	8,536	1/4	20,849	1/4	33,172	1/4	45,495	1/4	57,818	1/4	70,141	1/4	82,464		
1/2	8,793	1/2	21,106	1/2	33,429	1/2	45,752	1/2	58,075	1/2	70,398	1/2	82,721		
3/4	9,050	3/4	21,362	3/4	33,685	3/4	46,008	3/4	58,331	3/4	70,654	3/4	82,977		
9	9,307	9	21,619	9	33,942	9	46,265	9	58,588	9	70,911	9	83,234		
1/4	9,563	1/4	21,876	1/4	34,199	1/4	46,522	1/4	58,845	1/4	71,168	1/4	83,491		
1/2	9,820	1/2	22,132	1/2	34,455	1/2	46,778	1/2	59,102	1/2	71,425	1/2	83,748		
3/4	10,077	3/4	22,389	3/4	34,712	3/4	47,035	3/4	59,358	3/4	71,681	3/4	84,004		
10	10,333	10	22,646	10	34,969	10	47,292	10	59,615	10	71,938	10	84,261		
1/4	10,590	1/4	22,903	1/4	35,226	1/4	47,549	1/4	59,872	1/4	72,195	1/4	84,517		
1/2	10,847	1/2	23,159	1/2	35,482	1/2	47,805	1/2	60,128	1/2	72,451	1/2	84,771		
3/4	11,104	3/4	23,416	3/4	35,739	3/4	48,062	3/4	60,385	3/4	72,708	3/4	85,012		
11	11,360	11	23,673	11	35,996	11	48,319	11	60,642	11	72,965	11	85,262		
1/4	11,617	1/4	23,930	1/4	36,253	1/4	48,576	1/4	60,899	1/4	73,222	1/4	85,469		
1/2	11,874	1/2	24,186	1/2	36,509	1/2	48,832	1/2	61,155	1/2	73,478	1/2	85,676		
3/4	12,131	3/4	24,443	3/4	36,766	3/4	49,089	3/4	61,412	3/4	73,735	3/4	85,883		

GAUGE LOCATED 30"-6" FORWARD OF AFT BULKHEAD AND 9'-3" OFF CENTERLINE.

COMPUTED IN ACCORDANCE WITH API CHAPTER 2.7

THIS TABLE SUPERSEDES ALL TABLES ISSUED PRIOR TO 12/07.

CHART IS CERTIFIED FOR THIS TANK ONLY.  
 COMPUTED BY: JF 12/26/07  
 STRAPPED BY: BC-LF 12/14/07  
 SAYBOLT LP

*Endorsed*