



BARGE "WEB 226B"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-1/8	01-1/8	- 01-3/8	01-3/8
2 PORT	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-1/2	00-1/2
2 STBD	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-1/2	00-1/2
3 PORT	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-1/2	00-1/2
3 STBD	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-1/2	00-1/2
4 CENTER	- 00-7/8	00-7/8	- 01-5/8	01-5/8	- 02-1/2	02-1/2	- 03-3/8	03-3/8	- 04-1/8	04-1/8	- 05-0/8	05-0/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-1/2"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED INNAGE IS 4'-00 1/2"

LENGTH BETWEEN DRAFT MARKS: 274'-00"

February 3, 2011

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 226B"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-02"

IN	0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
0	0.28	0	481.79	0	1,046.80	0	1,616.37	0	2,186.04	0	2,755.68	0	3,325.62	0	3,895.57	0	4,465.52	0	5,035.46	
1/4	2.26	1/4	493.66	1/4	1,058.67	1/4	1,628.23	1/4	2,197.92	1/4	2,767.55	1/4	3,337.50	1/4	3,907.44	1/4	4,477.39	1/4	5,047.34	
1/2	4.23	1/2	505.53	1/2	1,070.54	1/2	1,640.10	1/2	2,209.79	1/2	2,779.43	1/2	3,349.37	1/2	3,919.32	1/2	4,489.27	1/2	5,059.21	
3/4	6.21	3/4	517.39	3/4	1,082.40	3/4	1,651.96	3/4	2,221.67	3/4	2,791.30	3/4	3,361.25	3/4	3,931.19	3/4	4,501.14	3/4	5,071.09	
1	8.18	1	529.26	1	1,094.27	1	1,663.82	1	2,233.54	1	2,803.17	1	3,373.12	1	3,943.07	1	4,513.01	1	5,082.96	
1/4	14.12	1/4	541.13	1/4	1,106.14	1/4	1,675.68	1/4	2,245.41	1/4	2,815.05	1/4	3,384.99	1/4	3,954.94	1/4	4,524.89	1/4	5,094.83	
1/2	20.06	1/2	553.00	1/2	1,118.01	1/2	1,687.55	1/2	2,257.29	1/2	2,826.92	1/2	3,396.87	1/2	3,966.81	1/2	4,536.76	1/2	5,106.71	
3/4	25.99	3/4	564.86	3/4	1,129.88	3/4	1,699.41	3/4	2,269.16	3/4	2,838.80	3/4	3,408.74	3/4	3,978.69	3/4	4,548.64	3/4	5,118.58	
2	31.93	2	576.73	2	1,141.75	2	1,711.27	2	2,281.03	2	2,850.67	2	3,420.61	2	3,990.56	2	4,560.51	2	5,130.45	
1/4	40.44	1/4	588.60	1/4	1,153.62	1/4	1,723.14	1/4	2,292.91	1/4	2,862.54	1/4	3,432.49	1/4	4,002.43	1/4	4,572.38	1/4	5,142.32	
1/2	48.96	1/2	600.46	1/2	1,165.49	1/2	1,735.00	1/2	2,304.78	1/2	2,874.42	1/2	3,444.36	1/2	4,014.31	1/2	4,584.26	1/2	5,154.20	
3/4	57.47	3/4	612.33	3/4	1,177.35	3/4	1,746.87	3/4	2,316.66	3/4	2,886.29	3/4	3,456.24	3/4	4,026.18	3/4	4,596.13	3/4	5,166.07	
3	65.98	3	624.20	3	1,189.22	3	1,758.73	3	2,328.53	3	2,898.16	3	3,468.11	3	4,038.06	3	4,608.00	3	5,177.94	
1/4	76.40	1/4	636.07	1/4	1,201.09	1/4	1,770.60	1/4	2,340.40	1/4	2,910.04	1/4	3,479.99	1/4	4,049.93	1/4	4,619.88	1/4	5,189.81	
1/2	86.83	1/2	647.93	1/2	1,212.96	1/2	1,782.46	1/2	2,352.28	1/2	2,921.91	1/2	3,491.86	1/2	4,061.80	1/2	4,631.75	1/2	5,201.69	
3/4	97.25	3/4	659.80	3/4	1,224.82	3/4	1,794.33	3/4	2,364.15	3/4	2,933.79	3/4	3,503.74	3/4	4,073.68	3/4	4,643.63	3/4	5,213.56	
4	107.67	4	671.67	4	1,236.69	4	1,806.19	4	2,376.02	4	2,945.66	4	3,515.61	4	4,085.55	4	4,655.50	4	5,225.43	
1/4	118.77	1/4	683.54	1/4	1,248.56	1/4	1,818.06	1/4	2,387.90	1/4	2,957.53	1/4	3,527.48	1/4	4,097.42	1/4	4,667.37	1/4	5,237.30	
1/2	129.86	1/2	695.40	1/2	1,260.42	1/2	1,829.93	1/2	2,399.77	1/2	2,969.41	1/2	3,539.36	1/2	4,109.30	1/2	4,679.25	1/2	5,249.18	
3/4	140.96	3/4	707.27	3/4	1,272.29	3/4	1,841.80	3/4	2,411.65	3/4	2,981.28	3/4	3,551.23	3/4	4,121.17	3/4	4,691.12	3/4	5,261.05	
5	152.05	5	719.14	5	1,284.15	5	1,853.67	5	2,423.52	5	2,993.15	5	3,563.10	5	4,133.05	5	4,702.99	5	5,272.92	
1/4	163.81	1/4	731.01	1/4	1,296.02	1/4	1,865.54	1/4	2,435.39	1/4	3,005.03	1/4	3,574.98	1/4	4,144.92	1/4	4,714.87	1/4	5,284.79	
1/2	175.58	1/2	742.87	1/2	1,307.88	1/2	1,877.42	1/2	2,447.27	1/2	3,016.90	1/2	3,586.85	1/2	4,156.79	1/2	4,726.74	1/2	5,296.67	
3/4	187.34	3/4	754.74	3/4	1,319.75	3/4	1,889.29	3/4	2,459.14	3/4	3,028.78	3/4	3,598.73	3/4	4,168.67	3/4	4,738.62	3/4	5,308.54	
6	199.10	6	766.61	6	1,331.61	6	1,901.16	6	2,471.01	6	3,040.65	6	3,610.60	6	4,180.54	6	4,750.49	6	5,320.41	
1/4	210.87	1/4	778.41	1/4	1,343.48	1/4	1,913.03	1/4	2,482.89	1/4	3,052.52	1/4	3,622.47	1/4	4,192.42	1/4	4,762.37	1/4	5,332.28	
1/2	222.63	1/2	790.21	1/2	1,355.34	1/2	1,924.90	1/2	2,494.76	1/2	3,064.40	1/2	3,634.35	1/2	4,204.29	1/2	4,774.24	1/2	5,344.16	
3/4	234.40	3/4	802.01	3/4	1,367.21	3/4	1,936.77	3/4	2,506.64	3/4	3,076.27	3/4	3,646.22	3/4	4,216.17	3/4	4,786.12	3/4	5,356.03	
7	246.16	7	813.81	7	1,379.07	7	1,948.64	7	2,518.51	7	3,088.14	7	3,658.09	7	4,228.04	7	4,797.99	7	5,367.90	
1/4	257.92	1/4	825.27	1/4	1,390.94	1/4	1,960.51	1/4	2,530.35	1/4	3,100.02	1/4	3,669.97	1/4	4,239.91	1/4	4,809.86	1/4	5,379.77	
1/2	269.69	1/2	836.73	1/2	1,402.80	1/2	1,972.38	1/2	2,542.20	1/2	3,111.89	1/2	3,681.84	1/2	4,251.79	1/2	4,821.74	1/2	5,391.65	
3/4	281.45	3/4	848.19	3/4	1,414.67	3/4	1,984.25	3/4	2,554.04	3/4	3,123.77	3/4	3,693.72	3/4	4,263.66	3/4	4,833.61	3/4	5,403.52	
8	293.21	8	859.65	8	1,426.53	8	1,996.12	8	2,565.88	8	3,135.64	8	3,705.59	8	4,275.53	8	4,845.48	8	5,415.39	
1/4	304.98	1/4	871.11	1/4	1,438.40	1/4	2,007.99	1/4	2,577.72	1/4	3,147.52	1/4	3,717.46	1/4	4,287.41	1/4	4,857.36	1/4	5,427.26	
1/2	316.74	1/2	882.56	1/2	1,450.26	1/2	2,019.86	1/2	2,589.57	1/2	3,159.39	1/2	3,729.34	1/2	4,299.28	1/2	4,869.23	1/2	5,439.14	
3/4	328.51	3/4	894.02	3/4	1,462.13	3/4	2,031.73	3/4	2,601.41	3/4	3,171.27	3/4	3,741.21	3/4	4,311.16	3/4	4,881.11	3/4	5,451.01	
9	340.27	9	905.48	9	1,473.99	9	2,043.60	9	2,613.25	9	3,183.14	9	3,753.08	9	4,323.03	9	4,892.98	9	5,462.88	
1/4	352.04	1/4	917.11	1/4	1,485.86	1/4	2,055.47	1/4	2,625.11	1/4	3,195.01	1/4	3,764.95	1/4	4,334.91	1/4	4,904.85	1/4	5,474.76	
1/2	363.80	1/2	928.74	1/2	1,497.72	1/2	2,067.34	1/2	2,636.97	1/2	3,206.89	1/2	3,776.83	1/2	4,346.78	1/2	4,916.73	1/2	5,486.63	
3/4	375.57	3/4	940.37	3/4	1,509.59	3/4	2,079.21	3/4	2,648.82	3/4	3,218.76	3/4	3,788.70	3/4	4,358.66	3/4	4,928.60	3/4	5,498.51	
10	387.33	10	952.00	10	1,521.45	10	2,091.08	10	2,660.68	10	3,230.63	10	3,800.58	10	4,370.53	10	4,940.47	10	5,510.38	
1/4	399.09	1/4	963.83	1/4	1,533.32	1/4	2,102.95	1/4	2,672.56	1/4	3,242.51	1/4	3,812.45	1/4	4,382.40	1/4	4,952.35	1/4	5,522.25	
1/2	410.86	1/2	975.66	1/2	1,545.18	1/2	2,114.82	1/2	2,684.43	1/2	3,254.38	1/2	3,824.32	1/2	4,394.28	1/2	4,964.22	1/2	5,534.13	
3/4	422.62	3/4	987.50	3/4	1,557.05	3/4	2,126.69	3/4	2,696.31	3/4	3,266.26	3/4	3,836.20	3/4	4,406.15	3/4	4,976.10	3/4	5,546.00	
11	434.38	11	999.33	11	1,568.91	11	2,138.56	11	2,708.18	11	3,278.13	11	3,848.07	11	4,418.02	11	4,987.97	11	5,557.87	
1/4	446.23	1/4	1,011.20	1/4	1,580.78	1/4	2,150.43	1/4	2,720.06	1/4	3,290.00	1/4	3,859.94	1/4	4,429.90	1/4	4,999.84	1/4	5,569.74	
1/2	458.09	1/2	1,023.07	1/2	1,592.64	1/2	2,162.30	1/2	2,731.93	1/2	3,301.88	1/2	3,871.82	1/2	4,441.77	1/2	5,011.72	1/2	5,581.62	
3/4	469.94	3/4	1,034.93	3/4	1,604.51	3/4	2,174.17	3/4	2,743.81	3/4	3,313.75	3/4	3,883.69	3/4	4,453.65	3/4	5,023.59	3/4	5,593.49	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 01'-00" OFF CENTERLINE AND 41'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 226B"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-02"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	5,605.36	0	6,175.25	0	6,745.15	0	7,314.30	0	7,881.98	0		0		0		0		0	
1/4	5,617.23	1/4	6,187.12	1/4	6,757.02	1/4	7,326.13	1/4	7,893.81	1/4		1/4		1/4		1/4		1/4	
1/2	5,629.11	1/2	6,199.00	1/2	6,768.90	1/2	7,337.96	1/2	7,905.64	1/2		1/2		1/2		1/2		1/2	
3/4	5,640.98	3/4	6,210.87	3/4	6,780.77	3/4	7,349.78	3/4	7,917.46	3/4		3/4		3/4		3/4		3/4	
1	5,652.85	1	6,222.74	1	6,792.64	1	7,361.61	1	7,929.29	1		1		1		1		1	
1/4	5,664.72	1/4	6,234.62	1/4	6,804.51	1/4	7,373.44	1/4	7,941.12	1/4		1/4		1/4		1/4		1/4	
1/2	5,676.60	1/2	6,246.49	1/2	6,816.39	1/2	7,385.27	1/2	7,952.94	1/2		1/2		1/2		1/2		1/2	
3/4	5,688.47	3/4	6,258.37	3/4	6,828.26	3/4	7,397.09	3/4	7,964.77	3/4		3/4		3/4		3/4		3/4	
2	5,700.34	2	6,270.24	2	6,840.13	2	7,408.92	2	7,976.59	2		2		2		2		2	
1/4	5,712.21	1/4	6,282.11	1/4	6,852.00	1/4	7,420.75	1/4	7,988.42	1/4		1/4		1/4		1/4		1/4	
1/2	5,724.09	1/2	6,293.99	1/2	6,863.88	1/2	7,432.57	1/2	8,000.25	1/2		1/2		1/2		1/2		1/2	
3/4	5,735.96	3/4	6,305.86	3/4	6,875.75	3/4	7,444.40	3/4	8,012.07	3/4		3/4		3/4		3/4		3/4	
3	5,747.83	3	6,317.73	3	6,887.62	3	7,456.22	3	8,023.90	3		3		3		3		3	
1/4	5,759.70	1/4	6,329.60	1/4	6,899.49	1/4	7,468.05	1/4	8,034.47	1/4		1/4		1/4		1/4		1/4	
1/2	5,771.58	1/2	6,341.48	1/2	6,911.37	1/2	7,479.88	1/2	8,045.04	1/2		1/2		1/2		1/2		1/2	
3/4	5,783.45	3/4	6,353.35	3/4	6,923.24	3/4	7,491.70	3/4	8,055.60	3/4		3/4		3/4		3/4		3/4	
4	5,795.32	4	6,365.22	4	6,935.11	4	7,503.53	4	8,066.17	4		4		4		4		4	
1/4	5,807.19	1/4	6,377.09	1/4	6,946.98	1/4	7,515.36	1/4	8,074.58	1/4		1/4		1/4		1/4		1/4	
1/2	5,819.07	1/2	6,388.97	1/2	6,958.86	1/2	7,527.18	1/2	8,082.98	1/2		1/2		1/2		1/2		1/2	
3/4	5,830.94	3/4	6,400.84	3/4	6,970.73	3/4	7,539.01	3/4	8,091.39	3/4		3/4		3/4		3/4		3/4	
5	5,842.81	5	6,412.71	5	6,982.60	5	7,550.83	5	8,099.79	5		5		5		5		5	
1/4	5,854.69	1/4	6,424.58	1/4	6,994.47	1/4	7,562.66	1/4	8,106.04	1/4		1/4		1/4		1/4		1/4	
1/2	5,866.56	1/2	6,436.46	1/2	7,006.35	1/2	7,574.49	1/2	8,112.29	1/2		1/2		1/2		1/2		1/2	
3/4	5,878.44	3/4	6,448.33	3/4	7,018.22	3/4	7,586.31	3/4	8,118.53	3/4		3/4		3/4		3/4		3/4	
6	5,890.31	6	6,460.20	6	7,030.09	6	7,598.14	6	8,124.78	6		6		6		6		6	
1/4	5,902.18	1/4	6,472.07	1/4	7,041.97	1/4	7,609.97	1/4	8,128.87	1/4		1/4		1/4		1/4		1/4	
1/2	5,914.06	1/2	6,483.95	1/2	7,053.84	1/2	7,621.80	1/2	8,132.96	1/2		1/2		1/2		1/2		1/2	
3/4	5,925.93	3/4	6,495.82	3/4	7,065.72	3/4	7,633.62	3/4	8,137.04	3/4		3/4		3/4		3/4		3/4	
7	5,937.80	7	6,507.69	7	7,077.59	7	7,645.45	7	8,141.13	7		7		7		7		7	
1/4	5,949.67	1/4	6,519.56	1/4	7,089.46	1/4	7,657.28	1/4	8,143.06	1/4		1/4		1/4		1/4		1/4	
1/2	5,961.55	1/2	6,531.44	1/2	7,101.34	1/2	7,669.10	1/2	8,144.99	1/2		1/2		1/2		1/2		1/2	
3/4	5,973.42	3/4	6,543.31	3/4	7,113.21	3/4	7,680.93	3/4	8,146.91	3/4		3/4		3/4		3/4		3/4	
8	5,985.29	8	6,555.18	8	7,125.08	8	7,692.75	8	8,148.84	8		8		8		8		8	
1/4	5,997.16	1/4	6,567.05	1/4	7,136.91	1/4	7,704.58	1/4	8,149.38	1/4		1/4		1/4		1/4		1/4	
1/2	6,009.04	1/2	6,578.93	1/2	7,148.73	1/2	7,716.41	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6,020.91	3/4	6,590.80	3/4	7,160.56	3/4	7,728.23	3/4		3/4		3/4		3/4		3/4		3/4	
9	6,032.78	9	6,602.67	9	7,172.38	9	7,740.06	9		9		9		9		9		9	
1/4	6,044.65	1/4	6,614.54	1/4	7,184.21	1/4	7,751.89	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	6,056.53	1/2	6,626.42	1/2	7,196.04	1/2	7,763.72	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6,068.40	3/4	6,638.29	3/4	7,207.86	3/4	7,775.54	3/4		3/4		3/4		3/4		3/4		3/4	
10	6,080.27	10	6,650.16	10	7,219.69	10	7,787.37	10		10		10		10		10		10	
1/4	6,092.14	1/4	6,662.04	1/4	7,231.52	1/4	7,799.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	6,104.02	1/2	6,673.91	1/2	7,243.35	1/2	7,811.02	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6,115.89	3/4	6,685.79	3/4	7,255.17	3/4	7,822.85	3/4		3/4		3/4		3/4		3/4		3/4	
11	6,127.76	11	6,697.66	11	7,267.00	11	7,834.67	11		11		11		11		11		11	
1/4	6,139.63	1/4	6,709.53	1/4	7,278.83	1/4	7,846.50	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	6,151.51	1/2	6,721.41	1/2	7,290.65	1/2	7,858.33	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6,163.38	3/4	6,733.28	3/4	7,302.48	3/4	7,870.15	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/15/2000 ITS
DECK MEASUREMENTS: 02/02/2011 CL
REPRINTED: 02/02/2011 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2011

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77668
<http://www.pmacorp.net>



BARGE "WEB 226B"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09 3/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	10.23	0	277.71	0	562.31	0	848.61	0	1,134.75	0	1,420.75	0	1,707.02	0	1,993.42	0	2,279.83	0	2,566.24
1/4	13.86	1/4	283.68	1/4	568.28	1/4	854.57	1/4	1,140.72	1/4	1,426.69	1/4	1,712.99	1/4	1,999.39	1/4	2,285.80	1/4	2,572.21
1/2	17.50	1/2	289.65	1/2	574.24	1/2	860.53	1/2	1,146.68	1/2	1,432.64	1/2	1,718.95	1/2	2,005.35	1/2	2,291.77	1/2	2,578.17
3/4	21.13	3/4	295.61	3/4	580.21	3/4	866.48	3/4	1,152.65	3/4	1,438.58	3/4	1,724.92	3/4	2,011.32	3/4	2,297.73	3/4	2,584.14
1	24.76	1	301.58	1	586.18	1	872.44	1	1,158.61	1	1,444.52	1	1,730.88	1	2,017.29	1	2,303.70	1	2,590.10
1/4	29.52	1/4	307.55	1/4	592.15	1/4	878.40	1/4	1,164.58	1/4	1,450.48	1/4	1,736.85	1/4	2,023.26	1/4	2,309.67	1/4	2,596.07
1/2	34.28	1/2	313.51	1/2	598.11	1/2	884.36	1/2	1,170.55	1/2	1,456.43	1/2	1,742.82	1/2	2,029.22	1/2	2,315.63	1/2	2,602.04
3/4	39.04	3/4	319.48	3/4	604.08	3/4	890.32	3/4	1,176.51	3/4	1,462.39	3/4	1,748.78	3/4	2,035.19	3/4	2,321.60	3/4	2,608.00
2	43.80	2	325.44	2	610.05	2	896.28	2	1,182.48	2	1,468.34	2	1,754.75	2	2,041.16	2	2,327.56	2	2,613.97
1/4	49.04	1/4	331.41	1/4	616.01	1/4	902.24	1/4	1,188.45	1/4	1,474.31	1/4	1,760.72	1/4	2,047.12	1/4	2,333.53	1/4	2,619.94
1/2	54.28	1/2	337.38	1/2	621.98	1/2	908.21	1/2	1,194.42	1/2	1,480.28	1/2	1,766.69	1/2	2,053.09	1/2	2,339.50	1/2	2,625.91
3/4	59.52	3/4	343.34	3/4	627.94	3/4	914.17	3/4	1,200.38	3/4	1,486.24	3/4	1,772.65	3/4	2,059.05	3/4	2,345.46	3/4	2,631.87
3	64.76	3	349.31	3	633.91	3	920.13	3	1,206.35	3	1,492.21	3	1,778.62	3	2,065.02	3	2,351.43	3	2,637.84
1/4	70.66	1/4	355.28	1/4	639.88	1/4	926.09	1/4	1,212.32	1/4	1,498.18	1/4	1,784.59	1/4	2,070.99	1/4	2,357.40	1/4	2,643.81
1/2	76.56	1/2	361.25	1/2	645.84	1/2	932.05	1/2	1,218.29	1/2	1,504.15	1/2	1,790.56	1/2	2,076.96	1/2	2,363.37	1/2	2,649.78
3/4	82.45	3/4	367.21	3/4	651.81	3/4	938.01	3/4	1,224.25	3/4	1,510.11	3/4	1,796.52	3/4	2,082.92	3/4	2,369.33	3/4	2,655.74
4	88.35	4	373.18	4	657.78	4	943.97	4	1,230.22	4	1,516.08	4	1,802.49	4	2,088.89	4	2,375.30	4	2,661.71
1/4	94.25	1/4	379.14	1/4	663.74	1/4	949.93	1/4	1,236.19	1/4	1,522.05	1/4	1,808.46	1/4	2,094.86	1/4	2,381.27	1/4	2,667.68
1/2	100.15	1/2	385.10	1/2	669.71	1/2	955.89	1/2	1,242.15	1/2	1,528.02	1/2	1,814.42	1/2	2,100.83	1/2	2,387.24	1/2	2,673.64
3/4	106.04	3/4	391.07	3/4	675.67	3/4	961.85	3/4	1,248.12	3/4	1,533.98	3/4	1,820.39	3/4	2,106.79	3/4	2,393.20	3/4	2,679.61
5	111.94	5	397.03	5	681.64	5	967.81	5	1,254.08	5	1,539.95	5	1,826.35	5	2,112.76	5	2,399.17	5	2,685.57
1/4	117.84	1/4	402.90	1/4	687.60	1/4	973.77	1/4	1,260.05	1/4	1,545.92	1/4	1,832.32	1/4	2,118.73	1/4	2,405.14	1/4	2,691.54
1/2	123.74	1/2	408.78	1/2	693.57	1/2	979.73	1/2	1,266.02	1/2	1,551.88	1/2	1,838.29	1/2	2,124.70	1/2	2,411.10	1/2	2,697.51
3/4	129.63	3/4	414.65	3/4	699.53	3/4	985.69	3/4	1,271.98	3/4	1,557.85	3/4	1,844.25	3/4	2,130.66	3/4	2,417.07	3/4	2,703.47
6	135.53	6	420.53	6	705.50	6	991.65	6	1,277.95	6	1,563.81	6	1,850.22	6	2,136.63	6	2,423.03	6	2,709.44
1/4	141.43	1/4	426.32	1/4	711.46	1/4	997.61	1/4	1,283.92	1/4	1,569.78	1/4	1,856.19	1/4	2,142.60	1/4	2,429.00	1/4	2,715.41
1/2	147.33	1/2	432.12	1/2	717.43	1/2	1,003.57	1/2	1,289.89	1/2	1,575.75	1/2	1,862.16	1/2	2,148.56	1/2	2,434.97	1/2	2,721.38
3/4	153.23	3/4	437.91	3/4	723.40	3/4	1,009.53	3/4	1,295.85	3/4	1,581.71	3/4	1,868.12	3/4	2,154.53	3/4	2,440.93	3/4	2,727.34
7	159.13	7	443.71	7	729.36	7	1,015.49	7	1,301.82	7	1,587.68	7	1,874.09	7	2,160.49	7	2,446.90	7	2,733.31
1/4	165.03	1/4	449.50	1/4	735.33	1/4	1,021.45	1/4	1,307.78	1/4	1,593.65	1/4	1,880.06	1/4	2,166.46	1/4	2,452.87	1/4	2,739.28
1/2	170.93	1/2	455.30	1/2	741.29	1/2	1,027.42	1/2	1,313.73	1/2	1,599.62	1/2	1,886.02	1/2	2,172.43	1/2	2,458.84	1/2	2,745.24
3/4	176.82	3/4	461.10	3/4	747.26	3/4	1,033.38	3/4	1,319.69	3/4	1,605.58	3/4	1,891.99	3/4	2,178.39	3/4	2,464.80	3/4	2,751.21
8	182.72	8	466.89	8	753.22	8	1,039.34	8	1,325.64	8	1,611.55	8	1,897.95	8	2,184.36	8	2,470.77	8	2,757.17
1/4	188.62	1/4	472.85	1/4	759.19	1/4	1,045.30	1/4	1,331.59	1/4	1,617.52	1/4	1,903.92	1/4	2,190.33	1/4	2,476.74	1/4	2,763.14
1/2	194.52	1/2	478.80	1/2	765.15	1/2	1,051.26	1/2	1,337.53	1/2	1,623.49	1/2	1,909.89	1/2	2,196.30	1/2	2,482.70	1/2	2,769.11
3/4	200.41	3/4	484.75	3/4	771.12	3/4	1,057.22	3/4	1,343.48	3/4	1,629.45	3/4	1,915.85	3/4	2,202.26	3/4	2,488.67	3/4	2,775.07
9	206.31	9	490.71	9	777.08	9	1,063.18	9	1,349.42	9	1,635.42	9	1,921.82	9	2,208.23	9	2,494.63	9	2,781.04
1/4	212.23	1/4	496.68	1/4	783.04	1/4	1,069.14	1/4	1,355.36	1/4	1,641.39	1/4	1,927.79	1/4	2,214.20	1/4	2,500.60	1/4	2,787.01
1/2	218.14	1/2	502.64	1/2	789.01	1/2	1,075.10	1/2	1,361.31	1/2	1,647.35	1/2	1,933.76	1/2	2,220.17	1/2	2,506.57	1/2	2,792.98
3/4	224.06	3/4	508.61	3/4	794.97	3/4	1,081.06	3/4	1,367.25	3/4	1,653.32	3/4	1,939.72	3/4	2,226.13	3/4	2,512.53	3/4	2,798.94
10	229.97	10	514.58	10	800.93	10	1,087.02	10	1,373.19	10	1,659.28	10	1,945.69	10	2,232.10	10	2,518.50	10	2,804.91
1/4	235.94	1/4	520.54	1/4	806.89	1/4	1,092.99	1/4	1,379.14	1/4	1,665.25	1/4	1,951.66	1/4	2,238.07	1/4	2,524.47	1/4	2,810.88
1/2	241.91	1/2	526.51	1/2	812.86	1/2	1,098.95	1/2	1,385.08	1/2	1,671.22	1/2	1,957.63	1/2	2,244.03	1/2	2,530.44	1/2	2,816.85
3/4	247.87	3/4	532.47	3/4	818.82	3/4	1,104.92	3/4	1,391.03	3/4	1,677.18	3/4	1,963.59	3/4	2,250.00	3/4	2,536.40	3/4	2,822.81
11	253.84	11	538.44	11	824.78	11	1,110.88	11	1,396.97	11	1,683.15	11	1,969.56	11	2,255.96	11	2,542.37	11	2,828.78
1/4	259.81	1/4	544.41	1/4	830.74	1/4	1,116.85	1/4	1,402.92	1/4	1,689.12	1/4	1,975.53	1/4	2,261.93	1/4	2,548.34	1/4	2,834.75
1/2	265.78	1/2	550.37	1/2	836.70	1/2	1,122.82	1/2	1,408.86	1/2	1,695.09	1/2	1,981.49	1/2	2,267.90	1/2	2,554.31	1/2	2,840.71
3/4	271.74	3/4	556.34	3/4	842.65	3/4	1,128.78	3/4	1,414.81	3/4	1,701.05	3/4	1,987.46	3/4	2,273.86	3/4	2,560.27	3/4	2,846.68

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 11'-03" OFF CENTERLINE AND 38'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 226B"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09 3/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,852.64	0	3,139.05	0	3,425.46	0	3,711.35	0	3,996.65	0		0		0		0		0	
1/4	2,858.61	1/4	3,145.02	1/4	3,431.43	1/4	3,717.30	1/4	4,002.60	1/4		1/4		1/4		1/4		1/4	
1/2	2,864.58	1/2	3,150.99	1/2	3,437.39	1/2	3,723.24	1/2	4,008.54	1/2		1/2		1/2		1/2		1/2	
3/4	2,870.54	3/4	3,156.95	3/4	3,443.36	3/4	3,729.19	3/4	4,014.49	3/4		3/4		3/4		3/4		3/4	
1	2,876.51	1	3,162.92	1	3,449.32	1	3,735.13	1	4,020.43	1		1		1		1		1	
1/4	2,882.48	1/4	3,168.89	1/4	3,455.29	1/4	3,741.07	1/4	4,026.06	1/4		1/4		1/4		1/4		1/4	
1/2	2,888.45	1/2	3,174.85	1/2	3,461.26	1/2	3,747.02	1/2	4,031.68	1/2		1/2		1/2		1/2		1/2	
3/4	2,894.41	3/4	3,180.82	3/4	3,467.22	3/4	3,752.96	3/4	4,037.31	3/4		3/4		3/4		3/4		3/4	
2	2,900.38	2	3,186.78	2	3,473.19	2	3,758.90	2	4,042.93	2		2		2		2		2	
1/4	2,906.35	1/4	3,192.75	1/4	3,479.16	1/4	3,764.85	1/4	4,047.70	1/4		1/4		1/4		1/4		1/4	
1/2	2,912.31	1/2	3,198.72	1/2	3,485.13	1/2	3,770.79	1/2	4,052.47	1/2		1/2		1/2		1/2		1/2	
3/4	2,918.28	3/4	3,204.68	3/4	3,491.09	3/4	3,776.74	3/4	4,057.23	3/4		3/4		3/4		3/4		3/4	
3	2,924.24	3	3,210.65	3	3,497.06	3	3,782.68	3	4,062.00	3		3		3		3		3	
1/4	2,930.21	1/4	3,216.62	1/4	3,503.03	1/4	3,788.62	1/4	4,066.23	1/4		1/4		1/4		1/4		1/4	
1/2	2,936.18	1/2	3,222.59	1/2	3,508.99	1/2	3,794.57	1/2	4,070.45	1/2		1/2		1/2		1/2		1/2	
3/4	2,942.14	3/4	3,228.55	3/4	3,514.96	3/4	3,800.51	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,948.11	4	3,234.52	4	3,520.92	4	3,806.45	4		4		4		4		4		4	
1/4	2,954.08	1/4	3,240.49	1/4	3,526.89	1/4	3,812.40	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,960.05	1/2	3,246.46	1/2	3,532.86	1/2	3,818.34	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,966.01	3/4	3,252.42	3/4	3,538.82	3/4	3,824.29	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,971.98	5	3,258.39	5	3,544.79	5	3,830.23	5		5		5		5		5		5	
1/4	2,977.95	1/4	3,264.36	1/4	3,550.76	1/4	3,836.17	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,983.92	1/2	3,270.32	1/2	3,556.73	1/2	3,842.12	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,989.88	3/4	3,276.29	3/4	3,562.69	3/4	3,848.06	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,995.85	6	3,282.25	6	3,568.66	6	3,854.00	6		6		6		6		6		6	
1/4	3,001.82	1/4	3,288.22	1/4	3,574.62	1/4	3,859.95	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,007.78	1/2	3,294.19	1/2	3,580.57	1/2	3,865.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,013.75	3/4	3,300.15	3/4	3,586.53	3/4	3,871.84	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,019.71	7	3,306.12	7	3,592.48	7	3,877.78	7		7		7		7		7		7	
1/4	3,025.68	1/4	3,312.09	1/4	3,598.42	1/4	3,883.72	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,031.65	1/2	3,318.06	1/2	3,604.37	1/2	3,889.67	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,037.61	3/4	3,324.02	3/4	3,610.31	3/4	3,895.61	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,043.58	8	3,329.99	8	3,616.25	8	3,901.55	8		8		8		8		8		8	
1/4	3,049.55	1/4	3,335.96	1/4	3,622.20	1/4	3,907.50	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,055.52	1/2	3,341.92	1/2	3,628.14	1/2	3,913.44	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,061.48	3/4	3,347.89	3/4	3,634.09	3/4	3,919.39	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,067.45	9	3,353.85	9	3,640.03	9	3,925.33	9		9		9		9		9		9	
1/4	3,073.42	1/4	3,359.82	1/4	3,645.97	1/4	3,931.27	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,079.38	1/2	3,365.79	1/2	3,651.92	1/2	3,937.22	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,085.35	3/4	3,371.75	3/4	3,657.86	3/4	3,943.16	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,091.31	10	3,377.72	10	3,663.80	10	3,949.10	10		10		10		10		10		10	
1/4	3,097.28	1/4	3,383.69	1/4	3,669.75	1/4	3,955.05	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,103.25	1/2	3,389.66	1/2	3,675.69	1/2	3,960.99	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,109.21	3/4	3,395.62	3/4	3,681.64	3/4	3,966.94	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,115.18	11	3,401.59	11	3,687.58	11	3,972.88	11		11		11		11		11		11	
1/4	3,121.15	1/4	3,407.56	1/4	3,693.52	1/4	3,978.82	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,127.12	1/2	3,413.53	1/2	3,699.47	1/2	3,984.77	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,133.08	3/4	3,419.49	3/4	3,705.41	3/4	3,990.71	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/15/2000 ITS
DECK MEASUREMENTS: 02/02/2011 CL
REPRINTED: 02/02/2011 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2011

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77688
<http://www.pmacorp.net>



BARGE "WEB 226B"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	10.23	0	277.94	0	562.78	0	849.19	0	1,134.71	0	1,420.95	0	1,707.45	0	1,994.10	0	2,280.74	0	2,567.38
1/4	13.87	1/4	283.91	1/4	568.75	1/4	855.14	1/4	1,140.68	1/4	1,426.90	1/4	1,713.42	1/4	2,000.07	1/4	2,286.71	1/4	2,573.35
1/2	17.51	1/2	289.89	1/2	574.73	1/2	861.08	1/2	1,146.66	1/2	1,432.85	1/2	1,719.40	1/2	2,006.04	1/2	2,292.68	1/2	2,579.33
3/4	21.14	3/4	295.86	3/4	580.70	3/4	867.03	3/4	1,152.63	3/4	1,438.80	3/4	1,725.37	3/4	2,012.01	3/4	2,298.65	3/4	2,585.30
1	24.78	1	301.83	1	586.67	1	872.97	1	1,158.60	1	1,444.75	1	1,731.34	1	2,017.98	1	2,304.62	1	2,591.27
1/4	29.55	1/4	307.80	1/4	592.64	1/4	878.92	1/4	1,164.57	1/4	1,450.71	1/4	1,737.31	1/4	2,023.95	1/4	2,310.59	1/4	2,597.24
1/2	34.31	1/2	313.78	1/2	598.62	1/2	884.86	1/2	1,170.55	1/2	1,456.67	1/2	1,743.29	1/2	2,029.93	1/2	2,316.57	1/2	2,603.21
3/4	39.08	3/4	319.75	3/4	604.59	3/4	890.81	3/4	1,176.52	3/4	1,462.63	3/4	1,749.26	3/4	2,035.90	3/4	2,322.54	3/4	2,609.18
2	43.84	2	325.72	2	610.56	2	896.75	2	1,182.49	2	1,468.59	2	1,755.23	2	2,041.87	2	2,328.51	2	2,615.15
1/4	49.09	1/4	331.69	1/4	616.53	1/4	902.70	1/4	1,188.46	1/4	1,474.56	1/4	1,761.20	1/4	2,047.84	1/4	2,334.48	1/4	2,621.12
1/2	54.33	1/2	337.67	1/2	622.50	1/2	908.64	1/2	1,194.44	1/2	1,480.53	1/2	1,767.18	1/2	2,053.82	1/2	2,340.46	1/2	2,627.09
3/4	59.58	3/4	343.64	3/4	628.47	3/4	914.59	3/4	1,200.41	3/4	1,486.50	3/4	1,773.15	3/4	2,059.79	3/4	2,346.43	3/4	2,633.07
3	64.82	3	349.61	3	634.44	3	920.53	3	1,206.38	3	1,492.47	3	1,779.12	3	2,065.76	3	2,352.40	3	2,639.04
1/4	70.72	1/4	355.58	1/4	640.41	1/4	926.48	1/4	1,212.35	1/4	1,498.44	1/4	1,785.09	1/4	2,071.73	1/4	2,358.37	1/4	2,645.01
1/2	76.63	1/2	361.55	1/2	646.39	1/2	932.42	1/2	1,218.32	1/2	1,504.42	1/2	1,791.06	1/2	2,077.70	1/2	2,364.35	1/2	2,650.98
3/4	82.53	3/4	367.52	3/4	652.36	3/4	938.37	3/4	1,224.29	3/4	1,510.39	3/4	1,797.03	3/4	2,083.67	3/4	2,370.32	3/4	2,656.96
4	88.43	4	373.49	4	658.33	4	944.31	4	1,230.26	4	1,516.36	4	1,803.00	4	2,089.64	4	2,376.29	4	2,662.93
1/4	94.33	1/4	379.46	1/4	664.30	1/4	950.26	1/4	1,236.23	1/4	1,522.33	1/4	1,808.97	1/4	2,095.61	1/4	2,382.26	1/4	2,668.90
1/2	100.24	1/2	385.43	1/2	670.27	1/2	956.20	1/2	1,242.21	1/2	1,528.31	1/2	1,814.95	1/2	2,101.59	1/2	2,388.23	1/2	2,674.87
3/4	106.14	3/4	391.39	3/4	676.24	3/4	962.15	3/4	1,248.18	3/4	1,534.28	3/4	1,820.92	3/4	2,107.56	3/4	2,394.20	3/4	2,680.84
5	112.04	5	397.36	5	682.21	5	968.09	5	1,254.15	5	1,540.25	5	1,826.89	5	2,113.53	5	2,400.17	5	2,686.81
1/4	117.94	1/4	403.24	1/4	688.18	1/4	974.03	1/4	1,260.12	1/4	1,546.22	1/4	1,832.86	1/4	2,119.50	1/4	2,406.14	1/4	2,692.78
1/2	123.85	1/2	409.12	1/2	694.15	1/2	979.98	1/2	1,266.10	1/2	1,552.19	1/2	1,838.84	1/2	2,125.48	1/2	2,412.12	1/2	2,698.75
3/4	129.75	3/4	415.00	3/4	700.12	3/4	985.92	3/4	1,272.07	3/4	1,558.16	3/4	1,844.81	3/4	2,131.45	3/4	2,418.09	3/4	2,704.73
6	135.65	6	420.88	6	706.09	6	991.86	6	1,278.04	6	1,564.13	6	1,850.78	6	2,137.42	6	2,424.06	6	2,710.70
1/4	141.55	1/4	426.68	1/4	712.06	1/4	997.81	1/4	1,284.01	1/4	1,570.10	1/4	1,856.75	1/4	2,143.39	1/4	2,430.03	1/4	2,716.67
1/2	147.46	1/2	432.48	1/2	718.03	1/2	1,003.76	1/2	1,289.98	1/2	1,576.08	1/2	1,862.72	1/2	2,149.36	1/2	2,436.01	1/2	2,722.64
3/4	153.36	3/4	438.28	3/4	724.00	3/4	1,009.70	3/4	1,295.95	3/4	1,582.05	3/4	1,868.69	3/4	2,155.33	3/4	2,441.98	3/4	2,728.62
7	159.26	7	444.08	7	729.97	7	1,015.65	7	1,301.92	7	1,588.02	7	1,874.66	7	2,161.30	7	2,447.95	7	2,734.59
1/4	165.17	1/4	449.88	1/4	735.94	1/4	1,021.60	1/4	1,307.88	1/4	1,593.99	1/4	1,880.63	1/4	2,167.27	1/4	2,453.92	1/4	2,740.56
1/2	171.07	1/2	455.68	1/2	741.91	1/2	1,027.54	1/2	1,313.85	1/2	1,599.97	1/2	1,886.61	1/2	2,173.25	1/2	2,459.89	1/2	2,746.53
3/4	176.98	3/4	461.48	3/4	747.87	3/4	1,033.49	3/4	1,319.81	3/4	1,605.94	3/4	1,892.58	3/4	2,179.22	3/4	2,465.86	3/4	2,752.50
8	182.88	8	467.28	8	753.84	8	1,039.43	8	1,325.77	8	1,611.91	8	1,898.55	8	2,185.19	8	2,471.83	8	2,758.47
1/4	188.78	1/4	473.24	1/4	759.81	1/4	1,045.38	1/4	1,331.72	1/4	1,617.88	1/4	1,904.52	1/4	2,191.16	1/4	2,477.80	1/4	2,764.44
1/2	194.69	1/2	479.20	1/2	765.78	1/2	1,051.32	1/2	1,337.67	1/2	1,623.85	1/2	1,910.50	1/2	2,197.14	1/2	2,483.78	1/2	2,770.41
3/4	200.59	3/4	485.16	3/4	771.75	3/4	1,057.27	3/4	1,343.61	3/4	1,629.82	3/4	1,916.47	3/4	2,203.11	3/4	2,489.75	3/4	2,776.39
9	206.49	9	491.12	9	777.72	9	1,063.21	9	1,349.56	9	1,635.79	9	1,922.44	9	2,209.08	9	2,495.72	9	2,782.36
1/4	212.41	1/4	497.09	1/4	783.69	1/4	1,069.16	1/4	1,355.51	1/4	1,641.76	1/4	1,928.41	1/4	2,215.05	1/4	2,501.69	1/4	2,788.33
1/2	218.33	1/2	503.07	1/2	789.66	1/2	1,075.10	1/2	1,361.46	1/2	1,647.74	1/2	1,934.38	1/2	2,221.02	1/2	2,507.67	1/2	2,794.30
3/4	224.25	3/4	509.04	3/4	795.63	3/4	1,081.05	3/4	1,367.41	3/4	1,653.71	3/4	1,940.35	3/4	2,226.99	3/4	2,513.64	3/4	2,800.28
10	230.17	10	515.01	10	801.60	10	1,086.99	10	1,373.36	10	1,659.68	10	1,946.32	10	2,232.96	10	2,519.61	10	2,806.25
1/4	236.14	1/4	520.98	1/4	807.56	1/4	1,092.95	1/4	1,379.31	1/4	1,665.65	1/4	1,952.29	1/4	2,238.93	1/4	2,525.58	1/4	2,812.22
1/2	242.12	1/2	526.95	1/2	813.51	1/2	1,098.91	1/2	1,385.26	1/2	1,671.63	1/2	1,958.27	1/2	2,244.91	1/2	2,531.55	1/2	2,818.19
3/4	248.09	3/4	532.92	3/4	819.47	3/4	1,104.87	3/4	1,391.20	3/4	1,677.60	3/4	1,964.24	3/4	2,250.88	3/4	2,537.52	3/4	2,824.16
11	254.06	11	538.89	11	825.42	11	1,110.83	11	1,397.15	11	1,683.57	11	1,970.21	11	2,256.85	11	2,543.49	11	2,830.13
1/4	260.03	1/4	544.86	1/4	831.36	1/4	1,116.80	1/4	1,403.10	1/4	1,689.54	1/4	1,976.18	1/4	2,262.82	1/4	2,549.46	1/4	2,836.10
1/2	266.00	1/2	550.84	1/2	837.31	1/2	1,122.77	1/2	1,409.05	1/2	1,695.51	1/2	1,982.16	1/2	2,268.80	1/2	2,555.44	1/2	2,842.07
3/4	271.97	3/4	556.81	3/4	843.25	3/4	1,128.74	3/4	1,415.00	3/4	1,701.48	3/4	1,988.13	3/4	2,274.77	3/4	2,561.41	3/4	2,848.05

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 11'-03" OFF CENTERLINE AND 38'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 226B"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,854.02	0	3,140.66	0	3,427.30	0	3,713.44	0	3,998.97	0		0		0		0		0	
1/4	2,859.99	1/4	3,146.63	1/4	3,433.27	1/4	3,719.39	1/4	4,004.92	1/4		1/4		1/4		1/4		1/4	
1/2	2,865.96	1/2	3,152.60	1/2	3,439.24	1/2	3,725.33	1/2	4,010.87	1/2		1/2		1/2		1/2		1/2	
3/4	2,871.94	3/4	3,158.58	3/4	3,445.22	3/4	3,731.28	3/4	4,016.82	3/4		3/4		3/4		3/4		3/4	
1	2,877.91	1	3,164.55	1	3,451.19	1	3,737.23	1	4,022.77	1		1		1		1		1	
1/4	2,883.88	1/4	3,170.52	1/4	3,457.16	1/4	3,743.18	1/4	4,028.40	1/4		1/4		1/4		1/4		1/4	
1/2	2,889.85	1/2	3,176.49	1/2	3,463.13	1/2	3,749.13	1/2	4,034.03	1/2		1/2		1/2		1/2		1/2	
3/4	2,895.82	3/4	3,182.47	3/4	3,469.11	3/4	3,755.08	3/4	4,039.66	3/4		3/4		3/4		3/4		3/4	
2	2,901.79	2	3,188.44	2	3,475.08	2	3,761.03	2	4,045.29	2		2		2		2		2	
1/4	2,907.76	1/4	3,194.41	1/4	3,481.05	1/4	3,766.98	1/4	4,050.06	1/4		1/4		1/4		1/4		1/4	
1/2	2,913.73	1/2	3,200.38	1/2	3,487.02	1/2	3,772.92	1/2	4,054.83	1/2		1/2		1/2		1/2		1/2	
3/4	2,919.71	3/4	3,206.35	3/4	3,492.99	3/4	3,778.87	3/4	4,059.61	3/4		3/4		3/4		3/4		3/4	
3	2,925.68	3	3,212.32	3	3,498.96	3	3,784.82	3	4,064.38	3		3		3		3		3	
1/4	2,931.65	1/4	3,218.29	1/4	3,504.93	1/4	3,790.77	1/4	4,068.60	1/4		1/4		1/4		1/4		1/4	
1/2	2,937.62	1/2	3,224.26	1/2	3,510.90	1/2	3,796.72	1/2	4,072.83	1/2		1/2		1/2		1/2		1/2	
3/4	2,943.60	3/4	3,230.24	3/4	3,516.88	3/4	3,802.67	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,949.57	4	3,236.21	4	3,522.85	4	3,808.62	4		4		4		4		4		4	
1/4	2,955.54	1/4	3,242.18	1/4	3,528.82	1/4	3,814.57	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,961.51	1/2	3,248.15	1/2	3,534.79	1/2	3,820.51	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,967.49	3/4	3,254.13	3/4	3,540.77	3/4	3,826.46	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,973.46	5	3,260.10	5	3,546.74	5	3,832.41	5		5		5		5		5		5	
1/4	2,979.43	1/4	3,266.07	1/4	3,552.71	1/4	3,838.36	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,985.40	1/2	3,272.04	1/2	3,558.68	1/2	3,844.30	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,991.37	3/4	3,278.01	3/4	3,564.66	3/4	3,850.25	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,997.34	6	3,283.98	6	3,570.63	6	3,856.20	6		6		6		6		6		6	
1/4	3,003.31	1/4	3,289.95	1/4	3,576.59	1/4	3,862.15	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,009.28	1/2	3,295.92	1/2	3,582.55	1/2	3,868.10	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,015.26	3/4	3,301.90	3/4	3,588.51	3/4	3,874.05	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,021.23	7	3,307.87	7	3,594.47	7	3,880.00	7		7		7		7		7		7	
1/4	3,027.20	1/4	3,313.84	1/4	3,600.42	1/4	3,885.95	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,033.17	1/2	3,319.81	1/2	3,606.36	1/2	3,891.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,039.15	3/4	3,325.79	3/4	3,612.31	3/4	3,897.84	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,045.12	8	3,331.76	8	3,618.26	8	3,903.79	8		8		8		8		8		8	
1/4	3,051.09	1/4	3,337.73	1/4	3,624.21	1/4	3,909.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,057.06	1/2	3,343.70	1/2	3,630.15	1/2	3,915.69	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,063.03	3/4	3,349.67	3/4	3,636.10	3/4	3,921.64	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,069.00	9	3,355.64	9	3,642.05	9	3,927.59	9		9		9		9		9		9	
1/4	3,074.97	1/4	3,361.61	1/4	3,648.00	1/4	3,933.54	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,080.94	1/2	3,367.58	1/2	3,653.95	1/2	3,939.48	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,086.92	3/4	3,373.56	3/4	3,659.90	3/4	3,945.43	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,092.89	10	3,379.53	10	3,665.85	10	3,951.38	10		10		10		10		10		10	
1/4	3,098.86	1/4	3,385.50	1/4	3,671.80	1/4	3,957.33	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,104.83	1/2	3,391.47	1/2	3,677.74	1/2	3,963.28	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,110.81	3/4	3,397.45	3/4	3,683.69	3/4	3,969.23	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,116.78	11	3,403.42	11	3,689.64	11	3,975.18	11		11		11		11		11		11	
1/4	3,122.75	1/4	3,409.39	1/4	3,695.59	1/4	3,981.13	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,128.72	1/2	3,415.36	1/2	3,701.54	1/2	3,987.07	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,134.69	3/4	3,421.33	3/4	3,707.49	3/4	3,993.02	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/15/2000 ITS
DECK MEASUREMENTS: 02/02/2011 CL
REPRINTED: 02/02/2011 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2011

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77688
<http://www.pmacorp.net>



BARGE "WEB 226B"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09 3/8"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	10.24	0	277.97	0	562.83	0	849.26	0	1,134.81	0	1,421.07	0	1,707.60	0	1,994.26	0	2,280.93	0	2,567.60
1/4	13.88	1/4	283.94	1/4	568.80	1/4	855.21	1/4	1,140.78	1/4	1,427.02	1/4	1,713.57	1/4	2,000.23	1/4	2,286.90	1/4	2,573.57
1/2	17.51	1/2	289.92	1/2	574.78	1/2	861.15	1/2	1,146.76	1/2	1,432.97	1/2	1,719.55	1/2	2,006.21	1/2	2,292.88	1/2	2,579.54
3/4	21.15	3/4	295.89	3/4	580.75	3/4	867.10	3/4	1,152.73	3/4	1,438.92	3/4	1,725.52	3/4	2,012.18	3/4	2,298.85	3/4	2,585.51
1	24.78	1	301.86	1	586.72	1	873.04	1	1,158.70	1	1,444.87	1	1,731.49	1	2,018.15	1	2,304.82	1	2,591.48
1/4	29.55	1/4	307.83	1/4	592.69	1/4	878.99	1/4	1,164.67	1/4	1,450.83	1/4	1,737.46	1/4	2,024.12	1/4	2,310.79	1/4	2,597.45
1/2	34.31	1/2	313.81	1/2	598.67	1/2	884.93	1/2	1,170.65	1/2	1,456.79	1/2	1,743.44	1/2	2,030.10	1/2	2,316.77	1/2	2,603.43
3/4	39.08	3/4	319.78	3/4	604.64	3/4	890.88	3/4	1,176.62	3/4	1,462.75	3/4	1,749.41	3/4	2,036.07	3/4	2,322.74	3/4	2,609.40
2	43.84	2	325.75	2	610.61	2	896.82	2	1,182.59	2	1,468.71	2	1,755.38	2	2,042.04	2	2,328.71	2	2,615.37
1/4	49.09	1/4	331.72	1/4	616.58	1/4	902.77	1/4	1,188.56	1/4	1,474.68	1/4	1,761.35	1/4	2,048.01	1/4	2,334.68	1/4	2,621.34
1/2	54.33	1/2	337.70	1/2	622.56	1/2	908.71	1/2	1,194.54	1/2	1,480.66	1/2	1,767.32	1/2	2,053.99	1/2	2,340.66	1/2	2,627.32
3/4	59.58	3/4	343.67	3/4	628.53	3/4	914.66	3/4	1,200.51	3/4	1,486.63	3/4	1,773.30	3/4	2,059.96	3/4	2,346.63	3/4	2,633.29
3	64.82	3	349.64	3	634.50	3	920.60	3	1,206.48	3	1,492.60	3	1,779.27	3	2,065.93	3	2,352.60	3	2,639.26
1/4	70.73	1/4	355.61	1/4	640.47	1/4	926.55	1/4	1,212.45	1/4	1,498.57	1/4	1,785.24	1/4	2,071.90	1/4	2,358.57	1/4	2,645.23
1/2	76.63	1/2	361.59	1/2	646.45	1/2	932.50	1/2	1,218.43	1/2	1,504.55	1/2	1,791.21	1/2	2,077.88	1/2	2,364.55	1/2	2,651.21
3/4	82.54	3/4	367.56	3/4	652.42	3/4	938.44	3/4	1,224.40	3/4	1,510.52	3/4	1,797.18	3/4	2,083.85	3/4	2,370.52	3/4	2,657.18
4	88.44	4	373.53	4	658.39	4	944.39	4	1,230.37	4	1,516.49	4	1,803.15	4	2,089.82	4	2,376.49	4	2,663.15
1/4	94.34	1/4	379.50	1/4	664.36	1/4	950.34	1/4	1,236.34	1/4	1,522.46	1/4	1,809.12	1/4	2,095.79	1/4	2,382.46	1/4	2,669.12
1/2	100.25	1/2	385.46	1/2	670.33	1/2	956.28	1/2	1,242.32	1/2	1,528.44	1/2	1,815.10	1/2	2,101.77	1/2	2,388.43	1/2	2,675.10
3/4	106.15	3/4	391.43	3/4	676.30	3/4	962.23	3/4	1,248.29	3/4	1,534.41	3/4	1,821.07	3/4	2,107.74	3/4	2,394.40	3/4	2,681.07
5	112.05	5	397.39	5	682.27	5	968.17	5	1,254.26	5	1,540.38	5	1,827.04	5	2,113.71	5	2,400.37	5	2,687.04
1/4	117.95	1/4	403.27	1/4	688.24	1/4	974.12	1/4	1,260.23	1/4	1,546.35	1/4	1,833.01	1/4	2,119.68	1/4	2,406.34	1/4	2,693.01
1/2	123.86	1/2	409.16	1/2	694.21	1/2	980.06	1/2	1,266.20	1/2	1,552.33	1/2	1,838.99	1/2	2,125.66	1/2	2,412.32	1/2	2,698.99
3/4	129.76	3/4	415.04	3/4	700.18	3/4	986.01	3/4	1,272.17	3/4	1,558.30	3/4	1,844.96	3/4	2,131.63	3/4	2,418.29	3/4	2,704.96
6	135.66	6	420.92	6	706.15	6	991.95	6	1,278.14	6	1,564.27	6	1,850.93	6	2,137.60	6	2,424.26	6	2,710.93
1/4	141.57	1/4	426.72	1/4	712.12	1/4	997.90	1/4	1,284.11	1/4	1,570.24	1/4	1,856.90	1/4	2,143.57	1/4	2,430.23	1/4	2,716.90
1/2	147.47	1/2	432.52	1/2	718.09	1/2	1,003.84	1/2	1,290.09	1/2	1,576.21	1/2	1,862.88	1/2	2,149.55	1/2	2,436.21	1/2	2,722.87
3/4	153.38	3/4	438.32	3/4	724.06	3/4	1,009.79	3/4	1,296.06	3/4	1,582.18	3/4	1,868.85	3/4	2,155.52	3/4	2,442.18	3/4	2,728.85
7	159.28	7	444.12	7	730.03	7	1,015.73	7	1,302.03	7	1,588.15	7	1,874.82	7	2,161.49	7	2,448.15	7	2,734.82
1/4	165.18	1/4	449.92	1/4	736.00	1/4	1,021.68	1/4	1,307.99	1/4	1,594.12	1/4	1,880.79	1/4	2,167.46	1/4	2,454.12	1/4	2,740.79
1/2	171.09	1/2	455.72	1/2	741.97	1/2	1,027.63	1/2	1,313.96	1/2	1,600.10	1/2	1,886.77	1/2	2,173.43	1/2	2,460.10	1/2	2,746.76
3/4	176.99	3/4	461.52	3/4	747.94	3/4	1,033.57	3/4	1,319.92	3/4	1,606.07	3/4	1,892.74	3/4	2,179.40	3/4	2,466.07	3/4	2,752.74
8	182.89	8	467.32	8	753.91	8	1,039.52	8	1,325.88	8	1,612.04	8	1,898.71	8	2,185.37	8	2,472.04	8	2,758.71
1/4	188.80	1/4	473.28	1/4	759.88	1/4	1,045.47	1/4	1,331.83	1/4	1,618.01	1/4	1,904.68	1/4	2,191.34	1/4	2,478.01	1/4	2,764.68
1/2	194.70	1/2	479.24	1/2	765.85	1/2	1,051.41	1/2	1,337.78	1/2	1,623.99	1/2	1,910.66	1/2	2,197.32	1/2	2,483.99	1/2	2,770.65
3/4	200.61	3/4	485.20	3/4	771.82	3/4	1,057.36	3/4	1,343.73	3/4	1,629.96	3/4	1,916.63	3/4	2,203.29	3/4	2,489.96	3/4	2,776.62
9	206.51	9	491.16	9	777.79	9	1,063.30	9	1,349.68	9	1,635.93	9	1,922.60	9	2,209.26	9	2,495.93	9	2,782.59
1/4	212.43	1/4	497.13	1/4	783.76	1/4	1,069.25	1/4	1,355.63	1/4	1,641.90	1/4	1,928.57	1/4	2,215.23	1/4	2,501.90	1/4	2,788.56
1/2	218.35	1/2	503.11	1/2	789.73	1/2	1,075.19	1/2	1,361.58	1/2	1,647.88	1/2	1,934.55	1/2	2,221.21	1/2	2,507.88	1/2	2,794.53
3/4	224.27	3/4	509.08	3/4	795.70	3/4	1,081.14	3/4	1,367.52	3/4	1,653.85	3/4	1,940.52	3/4	2,227.18	3/4	2,513.85	3/4	2,800.51
10	230.19	10	515.05	10	801.67	10	1,087.08	10	1,373.47	10	1,659.82	10	1,946.49	10	2,233.15	10	2,519.82	10	2,806.48
1/4	236.16	1/4	521.02	1/4	807.63	1/4	1,093.04	1/4	1,379.42	1/4	1,665.79	1/4	1,952.46	1/4	2,239.12	1/4	2,525.79	1/4	2,812.45
1/2	242.14	1/2	527.00	1/2	813.58	1/2	1,099.00	1/2	1,385.37	1/2	1,671.77	1/2	1,958.44	1/2	2,245.10	1/2	2,531.77	1/2	2,818.42
3/4	248.11	3/4	532.97	3/4	819.54	3/4	1,104.96	3/4	1,391.32	3/4	1,677.74	3/4	1,964.41	3/4	2,251.07	3/4	2,537.74	3/4	2,824.40
11	254.08	11	538.94	11	825.49	11	1,110.92	11	1,397.27	11	1,683.71	11	1,970.38	11	2,257.04	11	2,543.71	11	2,830.37
1/4	260.05	1/4	544.91	1/4	831.43	1/4	1,116.89	1/4	1,403.22	1/4	1,689.68	1/4	1,976.35	1/4	2,263.01	1/4	2,549.68	1/4	2,836.34
1/2	266.03	1/2	550.89	1/2	837.38	1/2	1,122.87	1/2	1,409.17	1/2	1,695.66	1/2	1,982.32	1/2	2,268.99	1/2	2,555.66	1/2	2,842.31
3/4	272.00	3/4	556.86	3/4	843.32	3/4	1,128.84	3/4	1,415.12	3/4	1,701.63	3/4	1,988.29	3/4	2,274.96	3/4	2,561.63	3/4	2,848.29

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 11'-03" OFF CENTERLINE AND 38'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P. O. Box 2092
 Pearland, Texas 77568
 http://www.pmacorp.net



BARGE "WEB 226B"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09 3/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,854.26	0	3,140.93	0	3,427.59	0	3,713.75	0	3,999.31	0		0		0		0		0	
1/4	2,860.23	1/4	3,146.90	1/4	3,433.56	1/4	3,719.70	1/4	4,005.26	1/4		1/4		1/4		1/4		1/4	
1/2	2,866.20	1/2	3,152.87	1/2	3,439.53	1/2	3,725.65	1/2	4,011.20	1/2		1/2		1/2		1/2		1/2	
3/4	2,872.18	3/4	3,158.85	3/4	3,445.51	3/4	3,731.60	3/4	4,017.15	3/4		3/4		3/4		3/4		3/4	
1	2,878.15	1	3,164.82	1	3,451.48	1	3,737.55	1	4,023.10	1		1		1		1		1	
1 1/4	2,884.12	1 1/4	3,170.79	1 1/4	3,457.45	1 1/4	3,743.50	1 1/4	4,028.73	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,890.09	1 1/2	3,176.76	1 1/2	3,463.42	1 1/2	3,749.44	1 1/2	4,034.36	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,896.07	3/4	3,182.73	3/4	3,469.40	3/4	3,755.39	3/4	4,040.00	3/4		3/4		3/4		3/4		3/4	
2	2,902.04	2	3,188.70	2	3,475.37	2	3,761.34	2	4,045.63	2		2		2		2		2	
1 1/4	2,908.01	1 1/4	3,194.67	1 1/4	3,481.34	1 1/4	3,767.29	1 1/4	4,050.40	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,913.98	1 1/2	3,200.64	1 1/2	3,487.31	1 1/2	3,773.24	1 1/2	4,055.17	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,919.96	3/4	3,206.62	3/4	3,493.29	3/4	3,779.19	3/4	4,059.95	3/4		3/4		3/4		3/4		3/4	
3	2,925.93	3	3,212.59	3	3,499.26	3	3,785.14	3	4,064.72	3		3		3		3		3	
1 1/4	2,931.90	1 1/4	3,218.56	1 1/4	3,505.23	1 1/4	3,791.09	1 1/4	4,068.94	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,937.87	1 1/2	3,224.53	1 1/2	3,511.20	1 1/2	3,797.04	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,943.85	3/4	3,230.51	3/4	3,517.18	3/4	3,802.99	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,949.82	4	3,236.48	4	3,523.15	4	3,808.94	4		4		4		4		4		4	
1 1/4	2,955.79	1 1/4	3,242.45	1 1/4	3,529.12	1 1/4	3,814.89	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,961.76	1 1/2	3,248.42	1 1/2	3,535.09	1 1/2	3,820.83	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,967.74	3/4	3,254.40	3/4	3,541.07	3/4	3,826.78	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,973.71	5	3,260.37	5	3,547.04	5	3,832.73	5		5		5		5		5		5	
1 1/4	2,979.68	1 1/4	3,266.34	1 1/4	3,553.01	1 1/4	3,838.68	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,985.65	1 1/2	3,272.31	1 1/2	3,558.98	1 1/2	3,844.63	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,991.62	3/4	3,278.29	3/4	3,564.96	3/4	3,850.58	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,997.59	6	3,284.26	6	3,570.93	6	3,856.53	6		6		6		6		6		6	
1 1/4	3,003.56	1 1/4	3,290.23	1 1/4	3,576.89	1 1/4	3,862.48	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,009.53	1 1/2	3,296.20	1 1/2	3,582.85	1 1/2	3,868.42	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	3,015.51	3/4	3,302.18	3/4	3,588.81	3/4	3,874.37	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,021.48	7	3,308.15	7	3,594.77	7	3,880.32	7		7		7		7		7		7	
1 1/4	3,027.45	1 1/4	3,314.12	1 1/4	3,600.72	1 1/4	3,886.27	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,033.42	1 1/2	3,320.09	1 1/2	3,606.66	1 1/2	3,892.22	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	3,039.40	3/4	3,326.07	3/4	3,612.61	3/4	3,898.17	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,045.37	8	3,332.04	8	3,618.56	8	3,904.12	8		8		8		8		8		8	
1 1/4	3,051.34	1 1/4	3,338.01	1 1/4	3,624.51	1 1/4	3,910.07	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,057.31	1 1/2	3,343.98	1 1/2	3,630.46	1 1/2	3,916.02	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	3,063.29	3/4	3,349.96	3/4	3,636.41	3/4	3,921.97	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,069.26	9	3,355.93	9	3,642.36	9	3,927.92	9		9		9		9		9		9	
1 1/4	3,075.23	1 1/4	3,361.90	1 1/4	3,648.31	1 1/4	3,933.87	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,081.20	1 1/2	3,367.87	1 1/2	3,654.26	1 1/2	3,939.81	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	3,087.18	3/4	3,373.84	3/4	3,660.21	3/4	3,945.76	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,093.15	10	3,379.81	10	3,666.16	10	3,951.71	10		10		10		10		10		10	
1 1/4	3,099.12	1 1/4	3,385.78	1 1/4	3,672.11	1 1/4	3,957.66	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,105.09	1 1/2	3,391.75	1 1/2	3,678.05	1 1/2	3,963.61	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	3,111.07	3/4	3,397.73	3/4	3,684.00	3/4	3,969.56	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,117.04	11	3,403.70	11	3,689.95	11	3,975.51	11		11		11		11		11		11	
1 1/4	3,123.01	1 1/4	3,409.67	1 1/4	3,695.90	1 1/4	3,981.46	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	3,128.98	1 1/2	3,415.64	1 1/2	3,701.85	1 1/2	3,987.41	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	3,134.96	3/4	3,421.62	3/4	3,707.80	3/4	3,993.36	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/15/2000 ITS
DECK MEASUREMENTS: 02/02/2011 CL
REPRINTED: 02/02/2011 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2011

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77668
<http://www.pmacorp.net>



BARGE "WEB 226B"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	10.24	0	277.99	0	562.88	0	849.46	0	1,135.88	0	1,422.16	0	1,708.72	0	1,995.41	0	2,282.10	0	2,568.79
1/4	13.88	1/4	283.96	1/4	568.85	1/4	855.43	1/4	1,141.86	1/4	1,428.11	1/4	1,714.69	1/4	2,001.38	1/4	2,288.07	1/4	2,574.76
1/2	17.51	1/2	289.94	1/2	574.83	1/2	861.39	1/2	1,147.83	1/2	1,434.06	1/2	1,720.67	1/2	2,007.36	1/2	2,294.05	1/2	2,580.74
3/4	21.15	3/4	295.91	3/4	580.80	3/4	867.36	3/4	1,153.80	3/4	1,440.01	3/4	1,726.64	3/4	2,013.33	3/4	2,300.02	3/4	2,586.71
1	24.78	1	301.88	1	586.77	1	873.32	1	1,159.77	1	1,445.96	1	1,732.61	1	2,019.30	1	2,305.99	1	2,592.68
1/4	29.55	1/4	307.86	1/4	592.74	1/4	879.29	1/4	1,165.74	1/4	1,451.92	1/4	1,738.58	1/4	2,025.27	1/4	2,311.96	1/4	2,598.65
1/2	34.31	1/2	313.83	1/2	598.72	1/2	885.25	1/2	1,171.72	1/2	1,457.89	1/2	1,744.56	1/2	2,031.25	1/2	2,317.94	1/2	2,604.63
3/4	39.08	3/4	319.81	3/4	604.69	3/4	891.22	3/4	1,177.69	3/4	1,463.85	3/4	1,750.53	3/4	2,037.22	3/4	2,323.91	3/4	2,610.60
2	43.84	2	325.78	2	610.66	2	897.18	2	1,183.66	2	1,469.81	2	1,756.50	2	2,043.19	2	2,329.88	2	2,616.57
1/4	49.09	1/4	331.75	1/4	616.63	1/4	903.15	1/4	1,189.63	1/4	1,475.78	1/4	1,762.47	1/4	2,049.16	1/4	2,335.85	1/4	2,622.54
1/2	54.34	1/2	337.73	1/2	622.61	1/2	909.12	1/2	1,195.61	1/2	1,481.76	1/2	1,768.45	1/2	2,055.14	1/2	2,341.83	1/2	2,628.52
3/4	59.58	3/4	343.70	3/4	628.58	3/4	915.08	3/4	1,201.58	3/4	1,487.73	3/4	1,774.42	3/4	2,061.11	3/4	2,347.80	3/4	2,634.49
3	64.83	3	349.67	3	634.55	3	921.05	3	1,207.55	3	1,493.70	3	1,780.39	3	2,067.08	3	2,353.77	3	2,640.46
1/4	70.73	1/4	355.64	1/4	640.52	1/4	927.02	1/4	1,213.52	1/4	1,499.67	1/4	1,786.36	1/4	2,073.05	1/4	2,359.74	1/4	2,646.43
1/2	76.64	1/2	361.62	1/2	646.50	1/2	932.98	1/2	1,219.50	1/2	1,505.65	1/2	1,792.34	1/2	2,079.03	1/2	2,365.72	1/2	2,652.41
3/4	82.54	3/4	367.59	3/4	652.47	3/4	938.95	3/4	1,225.47	3/4	1,511.62	3/4	1,798.31	3/4	2,085.00	3/4	2,371.69	3/4	2,658.38
4	88.44	4	373.56	4	658.44	4	944.91	4	1,231.44	4	1,517.59	4	1,804.28	4	2,090.97	4	2,377.66	4	2,664.35
1/4	94.35	1/4	379.53	1/4	664.41	1/4	950.88	1/4	1,237.42	1/4	1,523.56	1/4	1,810.25	1/4	2,096.94	1/4	2,383.63	1/4	2,670.32
1/2	100.25	1/2	385.50	1/2	670.39	1/2	956.85	1/2	1,243.39	1/2	1,529.54	1/2	1,816.23	1/2	2,102.92	1/2	2,389.61	1/2	2,676.30
3/4	106.16	3/4	391.46	3/4	676.36	3/4	962.81	3/4	1,249.37	3/4	1,535.51	3/4	1,822.20	3/4	2,108.89	3/4	2,395.58	3/4	2,682.27
5	112.06	5	397.43	5	682.33	5	968.78	5	1,255.34	5	1,541.48	5	1,828.17	5	2,114.86	5	2,401.55	5	2,688.24
1/4	117.97	1/4	403.31	1/4	688.30	1/4	974.75	1/4	1,261.31	1/4	1,547.45	1/4	1,834.14	1/4	2,120.83	1/4	2,407.52	1/4	2,694.21
1/2	123.87	1/2	409.19	1/2	694.27	1/2	980.71	1/2	1,267.29	1/2	1,553.43	1/2	1,840.12	1/2	2,126.81	1/2	2,413.50	1/2	2,700.18
3/4	129.78	3/4	415.07	3/4	700.24	3/4	986.68	3/4	1,273.26	3/4	1,559.40	3/4	1,846.09	3/4	2,132.78	3/4	2,419.47	3/4	2,706.16
6	135.68	6	420.95	6	706.21	6	992.64	6	1,279.23	6	1,565.37	6	1,852.06	6	2,138.75	6	2,425.44	6	2,712.13
1/4	141.58	1/4	426.75	1/4	712.18	1/4	998.61	1/4	1,285.20	1/4	1,571.34	1/4	1,858.03	1/4	2,144.72	1/4	2,431.41	1/4	2,718.10
1/2	147.49	1/2	432.55	1/2	718.15	1/2	1,004.58	1/2	1,291.18	1/2	1,577.32	1/2	1,864.01	1/2	2,150.70	1/2	2,437.39	1/2	2,724.07
3/4	153.39	3/4	438.35	3/4	724.12	3/4	1,010.54	3/4	1,297.15	3/4	1,583.29	3/4	1,869.98	3/4	2,156.67	3/4	2,443.36	3/4	2,730.05
7	159.29	7	444.15	7	730.09	7	1,016.51	7	1,303.12	7	1,589.26	7	1,875.95	7	2,162.64	7	2,449.33	7	2,736.02
1/4	165.20	1/4	449.95	1/4	736.06	1/4	1,022.48	1/4	1,309.08	1/4	1,595.23	1/4	1,881.92	1/4	2,168.61	1/4	2,455.30	1/4	2,741.99
1/2	171.10	1/2	455.76	1/2	742.03	1/2	1,028.44	1/2	1,315.04	1/2	1,601.21	1/2	1,887.90	1/2	2,174.59	1/2	2,461.28	1/2	2,747.96
3/4	177.01	3/4	461.56	3/4	748.00	3/4	1,034.41	3/4	1,321.00	3/4	1,607.18	3/4	1,893.87	3/4	2,180.56	3/4	2,467.25	3/4	2,753.94
8	182.91	8	467.36	8	753.97	8	1,040.37	8	1,326.96	8	1,613.15	8	1,899.84	8	2,186.53	8	2,473.22	8	2,759.91
1/4	188.81	1/4	473.32	1/4	759.94	1/4	1,046.34	1/4	1,332.91	1/4	1,619.12	1/4	1,905.81	1/4	2,192.50	1/4	2,479.19	1/4	2,765.88
1/2	194.72	1/2	479.28	1/2	765.91	1/2	1,052.31	1/2	1,338.86	1/2	1,625.10	1/2	1,911.79	1/2	2,198.48	1/2	2,485.17	1/2	2,771.85
3/4	200.62	3/4	485.24	3/4	771.88	3/4	1,058.27	3/4	1,344.81	3/4	1,631.07	3/4	1,917.76	3/4	2,204.45	3/4	2,491.14	3/4	2,777.83
9	206.52	9	491.20	9	777.85	9	1,064.24	9	1,350.76	9	1,637.04	9	1,923.73	9	2,210.42	9	2,497.11	9	2,783.80
1/4	212.44	1/4	497.18	1/4	783.82	1/4	1,070.21	1/4	1,356.71	1/4	1,643.02	1/4	1,929.71	1/4	2,216.39	1/4	2,503.08	1/4	2,789.77
1/2	218.37	1/2	503.15	1/2	789.80	1/2	1,076.18	1/2	1,362.66	1/2	1,648.99	1/2	1,935.68	1/2	2,222.37	1/2	2,509.06	1/2	2,795.74
3/4	224.29	3/4	509.13	3/4	795.77	3/4	1,082.14	3/4	1,368.61	3/4	1,654.97	3/4	1,941.66	3/4	2,228.34	3/4	2,515.03	3/4	2,801.72
10	230.21	10	515.10	10	801.74	10	1,088.11	10	1,374.56	10	1,660.94	10	1,947.63	10	2,234.31	10	2,521.00	10	2,807.69
1/4	236.18	1/4	521.07	1/4	807.71	1/4	1,094.08	1/4	1,380.51	1/4	1,666.91	1/4	1,953.60	1/4	2,240.29	1/4	2,526.98	1/4	2,813.66
1/2	242.16	1/2	527.05	1/2	813.67	1/2	1,100.05	1/2	1,386.46	1/2	1,672.89	1/2	1,959.58	1/2	2,246.26	1/2	2,532.95	1/2	2,819.63
3/4	248.13	3/4	533.02	3/4	819.64	3/4	1,106.02	3/4	1,392.41	3/4	1,678.86	3/4	1,965.55	3/4	2,252.24	3/4	2,538.93	3/4	2,825.61
11	254.10	11	538.99	11	825.60	11	1,111.99	11	1,398.36	11	1,684.83	11	1,971.52	11	2,258.21	11	2,544.90	11	2,831.58
1/4	260.07	1/4	544.96	1/4	831.57	1/4	1,117.96	1/4	1,404.31	1/4	1,690.80	1/4	1,977.49	1/4	2,264.18	1/4	2,550.87	1/4	2,837.55
1/2	266.05	1/2	550.94	1/2	837.53	1/2	1,123.94	1/2	1,410.26	1/2	1,696.78	1/2	1,983.47	1/2	2,270.16	1/2	2,556.85	1/2	2,843.53
3/4	272.02	3/4	556.91	3/4	843.50	3/4	1,129.91	3/4	1,416.21	3/4	1,702.75	3/4	1,989.44	3/4	2,276.13	3/4	2,562.82	3/4	2,849.50

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 11'-03" OFF CENTERLINE AND 38'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 226B"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,855.48	0	3,142.17	0	3,428.85	0	3,715.04	0	4,000.62	0		0		0		0		0	
1/4	2,861.45	1/4	3,148.14	1/4	3,434.82	1/4	3,720.99	1/4	4,006.57	1/4		1/4		1/4		1/4		1/4	
1/2	2,867.42	1/2	3,154.11	1/2	3,440.80	1/2	3,726.93	1/2	4,012.52	1/2		1/2		1/2		1/2		1/2	
3/4	2,873.40	3/4	3,160.09	3/4	3,446.77	3/4	3,732.88	3/4	4,018.47	3/4		3/4		3/4		3/4		3/4	
1	2,879.37	1	3,166.06	1	3,452.75	1	3,738.83	1	4,024.42	1		1		1		1		1	
1/4	2,885.34	1/4	3,172.03	1/4	3,458.72	1/4	3,744.78	1/4	4,030.05	1/4		1/4		1/4		1/4		1/4	
1/2	2,891.31	1/2	3,178.00	1/2	3,464.69	1/2	3,750.73	1/2	4,035.68	1/2		1/2		1/2		1/2		1/2	
3/4	2,897.29	3/4	3,183.98	3/4	3,470.67	3/4	3,756.68	3/4	4,041.31	3/4		3/4		3/4		3/4		3/4	
2	2,903.26	2	3,189.95	2	3,476.64	2	3,762.63	2	4,046.94	2		2		2		2		2	
1/4	2,909.23	1/4	3,195.92	1/4	3,482.61	1/4	3,768.58	1/4	4,051.71	1/4		1/4		1/4		1/4		1/4	
1/2	2,915.20	1/2	3,201.89	1/2	3,488.58	1/2	3,774.53	1/2	4,056.48	1/2		1/2		1/2		1/2		1/2	
3/4	2,921.18	3/4	3,207.87	3/4	3,494.56	3/4	3,780.48	3/4	4,061.26	3/4		3/4		3/4		3/4		3/4	
3	2,927.15	3	3,213.84	3	3,500.53	3	3,786.43	3	4,066.03	3		3		3		3		3	
1/4	2,933.12	1/4	3,219.81	1/4	3,506.50	1/4	3,792.38	1/4	4,070.26	1/4		1/4		1/4		1/4		1/4	
1/2	2,939.09	1/2	3,225.78	1/2	3,512.47	1/2	3,798.33	1/2	4,074.49	1/2		1/2		1/2		1/2		1/2	
3/4	2,945.07	3/4	3,231.76	3/4	3,518.45	3/4	3,804.28	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,951.04	4	3,237.73	4	3,524.42	4	3,810.23	4		4		4		4		4		4	
1/4	2,957.01	1/4	3,243.70	1/4	3,530.39	1/4	3,816.18	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,962.98	1/2	3,249.67	1/2	3,536.36	1/2	3,822.13	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,968.96	3/4	3,255.65	3/4	3,542.34	3/4	3,828.08	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,974.93	5	3,261.62	5	3,548.31	5	3,834.03	5		5		5		5		5		5	
1/4	2,980.90	1/4	3,267.59	1/4	3,554.28	1/4	3,839.98	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,986.87	1/2	3,273.56	1/2	3,560.25	1/2	3,845.93	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,992.85	3/4	3,279.54	3/4	3,566.23	3/4	3,851.88	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,998.82	6	3,285.51	6	3,572.20	6	3,857.83	6		6		6		6		6		6	
1/4	3,004.79	1/4	3,291.48	1/4	3,578.16	1/4	3,863.78	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,010.76	1/2	3,297.46	1/2	3,584.12	1/2	3,869.72	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,016.74	3/4	3,303.43	3/4	3,590.08	3/4	3,875.67	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,022.71	7	3,309.40	7	3,596.04	7	3,881.62	7		7		7		7		7		7	
1/4	3,028.68	1/4	3,315.37	1/4	3,601.99	1/4	3,887.57	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,034.65	1/2	3,321.34	1/2	3,607.94	1/2	3,893.52	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,040.63	3/4	3,327.32	3/4	3,613.89	3/4	3,899.47	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,046.60	8	3,333.29	8	3,619.84	8	3,905.42	8		8		8		8		8		8	
1/4	3,052.57	1/4	3,339.26	1/4	3,625.79	1/4	3,911.37	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,058.54	1/2	3,345.23	1/2	3,631.74	1/2	3,917.32	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,064.52	3/4	3,351.21	3/4	3,637.69	3/4	3,923.27	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,070.49	9	3,357.18	9	3,643.64	9	3,929.22	9		9		9		9		9		9	
1/4	3,076.46	1/4	3,363.15	1/4	3,649.59	1/4	3,935.17	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,082.43	1/2	3,369.12	1/2	3,655.54	1/2	3,941.12	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,088.41	3/4	3,375.10	3/4	3,661.49	3/4	3,947.07	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,094.38	10	3,381.07	10	3,667.44	10	3,953.02	10		10		10		10		10		10	
1/4	3,100.35	1/4	3,387.04	1/4	3,673.39	1/4	3,958.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,106.32	1/2	3,393.01	1/2	3,679.34	1/2	3,964.92	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,112.30	3/4	3,398.99	3/4	3,685.29	3/4	3,970.87	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,118.27	11	3,404.96	11	3,691.24	11	3,976.82	11		11		11		11		11		11	
1/4	3,124.24	1/4	3,410.93	1/4	3,697.19	1/4	3,982.77	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,130.22	1/2	3,416.90	1/2	3,703.14	1/2	3,988.72	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,136.19	3/4	3,422.88	3/4	3,709.09	3/4	3,994.67	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/15/2000 ITS
DECK MEASUREMENTS: 02/02/2011 CL
REPRINTED: 02/02/2011 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2011

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 226B"

4 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-01 5/8"

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.
0	0.28	0	444.87	0	966.86	0	1,492.98	0	2,018.50	0	2,544.35	0	3,069.77	0	3,596.10	0	4,121.77	0	4,629.53
1/4	2.11	1/4	455.83	1/4	977.83	1/4	1,503.92	1/4	2,029.47	1/4	2,555.25	1/4	3,080.74	1/4	3,607.05	1/4	4,132.72	1/4	4,639.00
1/2	3.93	1/2	466.80	1/2	988.79	1/2	1,514.87	1/2	2,040.44	1/2	2,566.14	1/2	3,091.71	1/2	3,618.01	1/2	4,143.67	1/2	4,648.48
3/4	5.76	3/4	477.76	3/4	999.76	3/4	1,525.81	3/4	2,051.41	3/4	2,577.04	3/4	3,102.67	3/4	3,628.96	3/4	4,154.62	3/4	4,657.95
1	7.58	1	488.72	1	1,010.72	1	1,536.75	1	2,062.38	1	2,587.93	1	3,113.64	1	3,639.91	1	4,165.57	1	4,667.43
1/4	13.06	1/4	499.69	1/4	1,021.68	1/4	1,547.69	1/4	2,073.35	1/4	2,598.84	1/4	3,124.61	1/4	3,650.86	1/4	4,176.52	1/4	4,676.89
1/2	18.55	1/2	510.65	1/2	1,032.65	1/2	1,558.64	1/2	2,084.32	1/2	2,609.75	1/2	3,135.58	1/2	3,661.81	1/2	4,187.47	1/2	4,686.35
3/4	24.03	3/4	521.62	3/4	1,043.61	3/4	1,569.58	3/4	2,095.29	3/4	2,620.66	3/4	3,146.55	3/4	3,672.76	3/4	4,198.43	3/4	4,695.80
2	29.51	2	532.58	2	1,054.57	2	1,580.52	2	2,106.26	2	2,631.57	2	3,157.52	2	3,683.71	2	4,209.38	2	4,705.26
1/4	37.38	1/4	543.55	1/4	1,065.54	1/4	1,591.47	1/4	2,117.23	1/4	2,642.49	1/4	3,168.49	1/4	3,694.66	1/4	4,220.33	1/4	4,714.72
1/2	45.24	1/2	554.51	1/2	1,076.50	1/2	1,602.41	1/2	2,128.20	1/2	2,653.41	1/2	3,179.46	1/2	3,705.62	1/2	4,231.29	1/2	4,724.17
3/4	53.11	3/4	565.48	3/4	1,087.47	3/4	1,613.36	3/4	2,139.17	3/4	2,664.33	3/4	3,190.42	3/4	3,716.57	3/4	4,242.24	3/4	4,733.63
3	60.97	3	576.44	3	1,098.43	3	1,624.30	3	2,150.14	3	2,675.25	3	3,201.39	3	3,727.52	3	4,253.19	3	4,743.08
1/4	70.59	1/4	587.40	1/4	1,109.39	1/4	1,635.25	1/4	2,161.11	1/4	2,686.19	1/4	3,212.36	1/4	3,738.47	1/4	4,264.14	1/4	4,752.54
1/2	80.22	1/2	598.37	1/2	1,120.35	1/2	1,646.20	1/2	2,172.08	1/2	2,697.13	1/2	3,223.33	1/2	3,749.42	1/2	4,275.09	1/2	4,762.00
3/4	89.84	3/4	609.33	3/4	1,131.31	3/4	1,657.14	3/4	2,183.04	3/4	2,708.07	3/4	3,234.30	3/4	3,760.37	3/4	4,286.04	3/4	4,771.45
4	99.46	4	620.29	4	1,142.27	4	1,668.09	4	2,194.01	4	2,719.01	4	3,245.27	4	3,771.32	4	4,296.99	4	4,780.91
1/4	109.70	1/4	631.26	1/4	1,153.23	1/4	1,679.04	1/4	2,204.98	1/4	2,729.97	1/4	3,256.24	1/4	3,782.27	1/4	4,307.92	1/4	4,790.37
1/2	119.95	1/2	642.22	1/2	1,164.19	1/2	1,689.99	1/2	2,215.95	1/2	2,740.93	1/2	3,267.21	1/2	3,793.23	1/2	4,318.85	1/2	4,799.83
3/4	130.19	3/4	653.19	3/4	1,175.15	3/4	1,700.94	3/4	2,226.92	3/4	2,751.88	3/4	3,278.18	3/4	3,804.18	3/4	4,329.77	3/4	4,809.28
5	140.43	5	664.15	5	1,186.11	5	1,711.89	5	2,237.89	5	2,762.84	5	3,289.15	5	3,815.13	5	4,340.70	5	4,818.74
1/4	151.29	1/4	675.12	1/4	1,197.07	1/4	1,722.84	1/4	2,248.86	1/4	2,773.80	1/4	3,300.12	1/4	3,826.08	1/4	4,351.63	1/4	4,828.20
1/2	162.15	1/2	686.08	1/2	1,208.03	1/2	1,733.79	1/2	2,259.83	1/2	2,784.75	1/2	3,311.09	1/2	3,837.03	1/2	4,362.56	1/2	4,837.65
3/4	173.01	3/4	697.05	3/4	1,218.99	3/4	1,744.74	3/4	2,270.80	3/4	2,795.71	3/4	3,322.05	3/4	3,847.98	3/4	4,373.49	3/4	4,847.11
6	183.87	6	708.01	6	1,229.95	6	1,755.69	6	2,281.77	6	2,806.66	6	3,333.02	6	3,858.93	6	4,384.42	6	4,856.56
1/4	194.73	1/4	718.91	1/4	1,240.91	1/4	1,766.64	1/4	2,292.74	1/4	2,817.62	1/4	3,343.99	1/4	3,869.88	1/4	4,395.35	1/4	4,866.02
1/2	205.59	1/2	729.81	1/2	1,251.87	1/2	1,777.59	1/2	2,303.71	1/2	2,828.59	1/2	3,354.96	1/2	3,880.84	1/2	4,406.28	1/2	4,875.48
3/4	216.45	3/4	740.71	3/4	1,262.83	3/4	1,788.54	3/4	2,314.68	3/4	2,839.55	3/4	3,365.93	3/4	3,891.79	3/4	4,417.20	3/4	4,884.93
7	227.31	7	751.61	7	1,273.79	7	1,799.49	7	2,325.65	7	2,850.51	7	3,376.90	7	3,902.74	7	4,428.13	7	4,894.39
1/4	238.17	1/4	762.20	1/4	1,284.75	1/4	1,810.44	1/4	2,336.59	1/4	2,861.47	1/4	3,387.87	1/4	3,913.69	1/4	4,439.06	1/4	4,903.85
1/2	249.03	1/2	772.78	1/2	1,295.71	1/2	1,821.39	1/2	2,347.53	1/2	2,872.44	1/2	3,398.84	1/2	3,924.65	1/2	4,449.99	1/2	4,913.31
3/4	259.89	3/4	783.37	3/4	1,306.67	3/4	1,832.34	3/4	2,358.46	3/4	2,883.40	3/4	3,409.80	3/4	3,935.60	3/4	4,460.91	3/4	4,922.76
8	270.75	8	793.95	8	1,317.63	8	1,843.29	8	2,369.40	8	2,894.36	8	3,420.77	8	3,946.55	8	4,471.84	8	4,932.22
1/4	281.61	1/4	804.54	1/4	1,328.59	1/4	1,854.24	1/4	2,380.34	1/4	2,905.32	1/4	3,431.74	1/4	3,957.50	1/4	4,482.77	1/4	4,941.68
1/2	292.47	1/2	815.13	1/2	1,339.55	1/2	1,865.19	1/2	2,391.28	1/2	2,916.28	1/2	3,442.70	1/2	3,968.45	1/2	4,493.69	1/2	4,951.14
3/4	303.33	3/4	825.71	3/4	1,350.51	3/4	1,876.14	3/4	2,402.22	3/4	2,927.24	3/4	3,453.67	3/4	3,979.40	3/4	4,504.62	3/4	4,960.59
9	314.19	9	836.30	9	1,361.47	9	1,887.09	9	2,413.16	9	2,938.20	9	3,464.63	9	3,990.35	9	4,515.55	9	4,970.05
1/4	325.05	1/4	847.05	1/4	1,372.43	1/4	1,898.04	1/4	2,424.10	1/4	2,949.17	1/4	3,475.60	1/4	4,001.30	1/4	4,526.50	1/4	4,979.51
1/2	335.92	1/2	857.79	1/2	1,383.39	1/2	1,908.99	1/2	2,435.03	1/2	2,960.13	1/2	3,486.56	1/2	4,012.26	1/2	4,537.45	1/2	4,988.96
3/4	346.78	3/4	868.54	3/4	1,394.35	3/4	1,919.94	3/4	2,445.97	3/4	2,971.10	3/4	3,497.53	3/4	4,023.21	3/4	4,548.40	3/4	4,998.42
10	357.64	10	879.28	10	1,405.31	10	1,930.89	10	2,456.90	10	2,982.06	10	3,508.49	10	4,034.16	10	4,559.36	10	5,007.87
1/4	368.50	1/4	890.21	1/4	1,416.27	1/4	1,941.84	1/4	2,467.83	1/4	2,993.02	1/4	3,519.44	1/4	4,045.11	1/4	4,560.31	1/4	5,017.33
1/2	379.36	1/2	901.14	1/2	1,427.23	1/2	1,952.79	1/2	2,478.77	1/2	3,003.99	1/2	3,530.40	1/2	4,056.06	1/2	4,571.26	1/2	5,026.79
3/4	390.22	3/4	912.07	3/4	1,438.18	3/4	1,963.74	3/4	2,489.70	3/4	3,014.95	3/4	3,541.35	3/4	4,067.01	3/4	4,582.06	3/4	5,036.24
11	401.08	11	923.00	11	1,449.14	11	1,974.69	11	2,500.63	11	3,025.91	11	3,552.30	11	4,077.96	11	4,593.01	11	5,045.70
1/4	412.03	1/4	933.97	1/4	1,460.10	1/4	1,985.64	1/4	2,511.56	1/4	3,036.88	1/4	3,563.25	1/4	4,088.91	1/4	4,603.96	1/4	5,055.16
1/2	422.98	1/2	944.93	1/2	1,471.06	1/2	1,996.60	1/2	2,522.49	1/2	3,047.84	1/2	3,574.20	1/2	4,099.86	1/2	4,614.91	1/2	5,064.62
3/4	433.92	3/4	955.90	3/4	1,482.02	3/4	2,007.55	3/4	2,533.42	3/4	3,058.81	3/4	3,585.15	3/4	4,110.82	3/4	4,625.86	3/4	5,074.07

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 01'-00" OFF CENTERLINE AND 52'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 226B"

4 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-01 5/8"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	5,083.53	0	5,523.60	0	5,702.17	0	5,862.38	0	6,001.83	0		0		0		0		0	
1/4	5,092.99	1/4	5,530.60	1/4	5,705.31	1/4	5,865.49	1/4	6,004.95	1/4		1/4		1/4		1/4		1/4	
1/2	5,102.44	1/2	5,537.59	1/2	5,708.45	1/2	5,868.61	1/2	6,008.06	1/2		1/2		1/2		1/2		1/2	
3/4	5,111.90	3/4	5,544.59	3/4	5,711.58	3/4	5,861.72	3/4	6,011.18	3/4		3/4		3/4		3/4		3/4	
1	5,121.35	1	5,551.58	1	5,714.72	1	5,864.83	1	6,014.29	1		1		1		1		1	
1/4	5,130.81	1/4	5,557.07	1/4	5,717.86	1/4	5,867.95	1/4	6,017.40	1/4		1/4		1/4		1/4		1/4	
1/2	5,140.27	1/2	5,562.56	1/2	5,721.00	1/2	5,871.06	1/2	6,020.52	1/2		1/2		1/2		1/2		1/2	
3/4	5,149.72	3/4	5,568.04	3/4	5,724.14	3/4	5,874.18	3/4	6,023.63	3/4		3/4		3/4		3/4		3/4	
2	5,159.18	2	5,573.53	2	5,727.28	2	5,877.29	2	6,026.74	2		2		2		2		2	
1/4	5,168.64	1/4	5,577.45	1/4	5,730.42	1/4	5,880.40	1/4	6,029.85	1/4		1/4		1/4		1/4		1/4	
1/2	5,178.10	1/2	5,581.38	1/2	5,733.56	1/2	5,883.52	1/2	6,032.97	1/2		1/2		1/2		1/2		1/2	
3/4	5,187.55	3/4	5,585.30	3/4	5,736.69	3/4	5,886.63	3/4	6,036.08	3/4		3/4		3/4		3/4		3/4	
3	5,197.01	3	5,589.22	3	5,739.83	3	5,889.74	3	6,039.19	3		3		3		3		3	
1/4	5,206.47	1/4	5,592.36	1/4	5,742.97	1/4	5,892.86	1/4	6,042.00	1/4		1/4		1/4		1/4		1/4	
1/2	5,215.92	1/2	5,595.50	1/2	5,746.11	1/2	5,895.97	1/2	6,044.81	1/2		1/2		1/2		1/2		1/2	
3/4	5,225.38	3/4	5,598.63	3/4	5,749.24	3/4	5,899.09	3/4	6,047.61	3/4		3/4		3/4		3/4		3/4	
4	5,234.83	4	5,601.77	4	5,752.38	4	5,902.20	4	6,050.42	4		4		4		4		4	
1/4	5,244.29	1/4	5,604.91	1/4	5,755.52	1/4	5,905.31	1/4	6,052.63	1/4		1/4		1/4		1/4		1/4	
1/2	5,253.75	1/2	5,608.05	1/2	5,758.66	1/2	5,908.43	1/2	6,054.85	1/2		1/2		1/2		1/2		1/2	
3/4	5,263.20	3/4	5,611.18	3/4	5,761.79	3/4	5,911.54	3/4	6,057.06	3/4		3/4		3/4		3/4		3/4	
5	5,272.66	5	5,614.32	5	5,764.93	5	5,914.65	5	6,059.27	5		5		5		5		5	
1/4	5,282.12	1/4	5,617.46	1/4	5,768.07	1/4	5,917.77	1/4	6,060.91	1/4		1/4		1/4		1/4		1/4	
1/2	5,291.58	1/2	5,620.60	1/2	5,771.20	1/2	5,920.88	1/2	6,062.55	1/2		1/2		1/2		1/2		1/2	
3/4	5,301.03	3/4	5,623.73	3/4	5,774.34	3/4	5,924.00	3/4	6,064.19	3/4		3/4		3/4		3/4		3/4	
6	5,310.49	6	5,626.87	6	5,777.47	6	5,927.11	6	6,065.83	6		6		6		6		6	
1/4	5,319.95	1/4	5,630.01	1/4	5,780.60	1/4	5,930.22	1/4	6,066.90	1/4		1/4		1/4		1/4		1/4	
1/2	5,329.40	1/2	5,633.15	1/2	5,783.74	1/2	5,933.34	1/2	6,067.98	1/2		1/2		1/2		1/2		1/2	
3/4	5,338.86	3/4	5,636.28	3/4	5,786.87	3/4	5,936.45	3/4	6,069.05	3/4		3/4		3/4		3/4		3/4	
7	5,348.31	7	5,639.42	7	5,790.00	7	5,939.56	7	6,070.12	7		7		7		7		7	
1/4	5,357.73	1/4	5,642.56	1/4	5,793.13	1/4	5,942.67	1/4	6,070.62	1/4		1/4		1/4		1/4		1/4	
1/2	5,367.15	1/2	5,645.70	1/2	5,796.26	1/2	5,945.79	1/2	6,071.11	1/2		1/2		1/2		1/2		1/2	
3/4	5,376.57	3/4	5,648.83	3/4	5,799.39	3/4	5,948.90	3/4	6,071.61	3/4		3/4		3/4		3/4		3/4	
8	5,385.99	8	5,651.97	8	5,802.52	8	5,952.01	8		8		8		8		8		8	
1/4	5,395.38	1/4	5,655.11	1/4	5,805.65	1/4	5,955.13	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,404.76	1/2	5,658.25	1/2	5,808.77	1/2	5,958.24	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,414.15	3/4	5,661.38	3/4	5,811.90	3/4	5,961.36	3/4		3/4		3/4		3/4		3/4		3/4	
9	5,423.53	9	5,664.52	9	5,815.02	9	5,964.47	9		9		9		9		9		9	
1/4	5,432.92	1/4	5,667.66	1/4	5,818.13	1/4	5,967.58	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,442.30	1/2	5,670.80	1/2	5,821.25	1/2	5,970.70	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,451.69	3/4	5,673.93	3/4	5,824.36	3/4	5,973.81	3/4		3/4		3/4		3/4		3/4		3/4	
10	5,461.07	10	5,677.07	10	5,827.47	10	5,976.92	10		10		10		10		10		10	
1/4	5,469.67	1/4	5,680.21	1/4	5,830.58	1/4	5,980.04	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,478.27	1/2	5,683.35	1/2	5,833.70	1/2	5,983.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,486.87	3/4	5,686.48	3/4	5,836.81	3/4	5,986.27	3/4		3/4		3/4		3/4		3/4		3/4	
11	5,495.47	11	5,689.62	11	5,839.92	11	5,989.38	11		11		11		11		11		11	
1/4	5,502.50	1/4	5,692.76	1/4	5,843.04	1/4	5,992.49	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,509.54	1/2	5,695.90	1/2	5,846.15	1/2	5,995.61	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,516.57	3/4	5,699.03	3/4	5,849.27	3/4	5,998.72	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/15/2000 ITS
DECK MEASUREMENTS: 02/02/2011 CL
REPRINTED: 02/02/2011 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2011

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>