

BARGE "WEB 240"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	BOW	STERN	BOW	STERN	BOW	STERN	BOW	STERN	BOW	STERN	BOW	STERN
1 CNTR	-00-1/4	00-1/4	-00-3/8	00-3/8	-00-5/8	00-5/8	-00-7/8	00-7/8	-01-0/8	01-0/8	-01-1/4	01-1/4
2 PORT	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8
2 STBD	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8
3 PORT	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8
3 STBD	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8
4 CNTR	-00-1/8	00-1/8	-00-1/8	00-1/8	-00-1/4	00-1/4	-00-3/8	00-3/8	-00-3/8	00-3/8	-00-4/8	00-4/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CNTR IS 00-3/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 CNTR, THE TRIM CORRECTED INNAGE IS 4'-00 3/8"

LENGTH BETWEEN DRAFT MARKS: 287'-00"

December 21, 2007


PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



1 CENTER
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS


GAUGE HEIGHT 15'-02"

Table with columns for BARGE HEIGHT (0 FT. to 9 FT.), INNAGE (0 to 364), and CAPACITY (0 FT. to 2,874.28). Rows correspond to barge heights from 0 to 9 feet.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P. O. Box 2092
Pearland, Texas 77588
http://www.pmaoerp.net



BARGE "WEB 240"

1 CENTER
INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-02"

IN	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	5,929.53	6,538.05	7,146.56	7,755.08	8,363.12	8,971.16	9,579.19	10,187.23	10,795.26	11,403.29
1/4	5,942.21	6,550.73	7,159.24	7,767.76	8,375.76	8,983.76	9,591.76	10,199.76	10,807.76	11,415.76
1/2	5,954.88	6,563.40	7,171.91	7,780.43	8,388.40	8,996.40	9,604.40	10,212.40	10,820.40	11,428.40
3/4	5,967.55	6,576.08	7,184.59	7,793.11	8,401.05	8,401.05	8,401.05	8,401.05	8,401.05	8,401.05
1	5,980.24	6,588.76	7,197.27	7,805.79	8,413.69	8,413.69	8,413.69	8,413.69	8,413.69	8,413.69
1/4	5,992.92	6,601.44	7,209.95	7,818.47	8,425.82	8,425.82	8,425.82	8,425.82	8,425.82	8,425.82
1/2	6,005.59	6,614.11	7,222.62	7,831.14	8,437.95	8,437.95	8,437.95	8,437.95	8,437.95	8,437.95
3/4	6,018.27	6,626.79	7,235.30	7,843.82	8,450.09	8,450.09	8,450.09	8,450.09	8,450.09	8,450.09
1	6,030.95	6,639.47	7,247.98	7,856.50	8,462.22	8,462.22	8,462.22	8,462.22	8,462.22	8,462.22
1/4	6,043.63	6,652.15	7,260.66	7,869.18	8,472.82	8,472.82	8,472.82	8,472.82	8,472.82	8,472.82
1/2	6,056.30	6,664.82	7,273.33	7,881.85	8,483.43	8,483.43	8,483.43	8,483.43	8,483.43	8,483.43
3/4	6,068.98	6,677.50	7,286.01	7,894.53	8,494.03	8,494.03	8,494.03	8,494.03	8,494.03	8,494.03
1	6,081.66	6,690.18	7,298.69	7,907.21	8,504.64	8,504.64	8,504.64	8,504.64	8,504.64	8,504.64
1/4	6,094.34	6,702.86	7,311.37	7,919.89	8,513.20	8,513.20	8,513.20	8,513.20	8,513.20	8,513.20
1/2	6,107.01	6,715.53	7,324.04	7,932.56	8,521.77	8,521.77	8,521.77	8,521.77	8,521.77	8,521.77
3/4	6,119.69	6,728.21	7,336.72	7,945.24	8,530.33	8,530.33	8,530.33	8,530.33	8,530.33	8,530.33
1	6,132.37	6,740.89	7,349.40	7,957.92	8,538.90	8,538.90	8,538.90	8,538.90	8,538.90	8,538.90
1/4	6,145.05	6,753.56	7,362.08	7,970.60	8,545.43	8,545.43	8,545.43	8,545.43	8,545.43	8,545.43
1/2	6,157.72	6,766.24	7,374.75	7,983.27	8,551.95	8,551.95	8,551.95	8,551.95	8,551.95	8,551.95
3/4	6,170.40	6,778.93	7,387.43	7,995.95	8,558.49	8,558.49	8,558.49	8,558.49	8,558.49	8,558.49
1	6,183.08	6,791.59	7,400.11	8,008.63	8,565.02	8,565.02	8,565.02	8,565.02	8,565.02	8,565.02
1/4	6,195.76	6,804.27	7,412.79	8,021.30	8,569.51	8,569.51	8,569.51	8,569.51	8,569.51	8,569.51
1/2	6,208.43	6,816.94	7,425.46	8,033.98	8,574.01	8,574.01	8,574.01	8,574.01	8,574.01	8,574.01
3/4	6,221.11	6,829.62	7,438.14	8,046.65	8,578.50	8,578.50	8,578.50	8,578.50	8,578.50	8,578.50
1	6,233.79	6,842.30	7,450.82	8,059.33	8,583.00	8,583.00	8,583.00	8,583.00	8,583.00	8,583.00
1/4	6,246.47	6,854.98	7,463.50	8,072.01	8,585.45	8,585.45	8,585.45	8,585.45	8,585.45	8,585.45
1/2	6,259.14	6,867.65	7,476.17	8,084.68	8,587.91	8,587.91	8,587.91	8,587.91	8,587.91	8,587.91
3/4	6,271.82	6,880.33	7,488.85	8,097.36	8,590.36	8,590.36	8,590.36	8,590.36	8,590.36	8,590.36
1	6,284.50	6,893.01	7,501.53	8,110.04	8,592.82	8,592.82	8,592.82	8,592.82	8,592.82	8,592.82
1/4	6,297.18	6,905.69	7,514.21	8,122.72	8,593.83	8,593.83	8,593.83	8,593.83	8,593.83	8,593.83
1/2	6,309.85	6,918.36	7,526.88	8,135.39	8,594.85	8,594.85	8,594.85	8,594.85	8,594.85	8,594.85
3/4	6,322.53	6,931.04	7,539.55	8,148.07	8,595.86	8,595.86	8,595.86	8,595.86	8,595.86	8,595.86
1	6,335.21	6,943.72	7,552.24	8,160.75	8,596.87	8,596.87	8,596.87	8,596.87	8,596.87	8,596.87
1/4	6,347.89	6,956.40	7,564.92	8,173.42	8,597.88	8,597.88	8,597.88	8,597.88	8,597.88	8,597.88
1/2	6,360.56	6,969.07	7,577.59	8,186.09	8,598.89	8,598.89	8,598.89	8,598.89	8,598.89	8,598.89
3/4	6,373.24	6,981.75	7,590.27	8,198.76	8,599.90	8,599.90	8,599.90	8,599.90	8,599.90	8,599.90
1	6,385.92	6,994.43	7,602.95	8,211.43	8,600.91	8,600.91	8,600.91	8,600.91	8,600.91	8,600.91
1/4	6,398.60	7,007.11	7,615.63	8,224.07	8,601.92	8,601.92	8,601.92	8,601.92	8,601.92	8,601.92
1/2	6,411.27	7,019.78	7,628.30	8,236.71	8,602.93	8,602.93	8,602.93	8,602.93	8,602.93	8,602.93
3/4	6,423.95	7,032.46	7,640.98	8,249.35	8,603.94	8,603.94	8,603.94	8,603.94	8,603.94	8,603.94
1	6,436.63	7,045.14	7,653.66	8,261.99	8,604.95	8,604.95	8,604.95	8,604.95	8,604.95	8,604.95
1/4	6,449.31	7,057.82	7,666.34	8,274.63	8,605.96	8,605.96	8,605.96	8,605.96	8,605.96	8,605.96
1/2	6,461.98	7,070.49	7,679.01	8,287.27	8,606.97	8,606.97	8,606.97	8,606.97	8,606.97	8,606.97
3/4	6,474.66	7,083.17	7,691.69	8,299.92	8,607.98	8,607.98	8,607.98	8,607.98	8,607.98	8,607.98
1	6,487.34	7,095.85	7,704.37	8,312.56	8,608.99	8,608.99	8,608.99	8,608.99	8,608.99	8,608.99
1/4	6,500.02	7,108.53	7,717.05	8,325.20	8,609.00	8,609.00	8,609.00	8,609.00	8,609.00	8,609.00
1/2	6,512.69	7,121.20	7,729.72	8,337.84	8,610.01	8,610.01	8,610.01	8,610.01	8,610.01	8,610.01
3/4	6,525.37	7,133.88	7,742.40	8,350.48	8,611.02	8,611.02	8,611.02	8,611.02	8,611.02	8,611.02


CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/20/2002 ITS
DECK MEASUREMENTS: 12/21/2007 CL
PRINTED: 12/21/2007 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2007

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77568
http://www.dnacorp.net



BARGE "WEB 240"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS & OF 42 U.S. GALLONS

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	16.66	321.67	630.35	941.37	1,252.23	1,562.73	1,873.61	2,184.62	2,495.63	2,806.55
1/4	22.32	328.15	636.83	947.85	1,258.71	1,569.19	1,880.09	2,191.10	2,502.11	2,813.13
1/2	27.97	334.63	643.31	954.33	1,265.19	1,575.65	1,886.57	2,197.57	2,508.59	2,819.61
3/4	33.63	341.11	649.79	960.80	1,271.66	1,582.10	1,893.05	2,204.06	2,515.07	2,826.08
1	39.28	347.59	656.27	967.28	1,278.14	1,588.56	1,899.53	2,210.54	2,521.55	2,832.56
1 1/4	45.74	354.07	662.75	973.76	1,284.62	1,595.03	1,906.01	2,217.02	2,528.03	2,839.04
1 1/2	52.21	360.55	669.23	980.23	1,291.10	1,601.50	1,912.49	2,223.50	2,534.51	2,845.51
3/4	58.67	367.03	675.71	986.71	1,297.58	1,607.97	1,918.97	2,229.98	2,540.99	2,851.99
2	65.13	373.51	682.19	993.18	1,304.06	1,614.44	1,925.45	2,236.46	2,547.47	2,858.46
1 1/4	71.60	379.99	688.67	999.66	1,310.54	1,620.92	1,931.93	2,242.94	2,553.95	2,864.95
1 1/2	78.06	386.47	695.15	1,006.14	1,317.02	1,627.40	1,938.41	2,249.42	2,560.43	2,871.43
3/4	84.53	392.95	701.63	1,012.61	1,323.50	1,633.87	1,944.88	2,255.90	2,566.91	2,877.92
3	90.99	399.43	708.11	1,019.09	1,329.98	1,640.35	1,951.36	2,262.38	2,573.39	2,884.40
1 1/4	97.45	405.91	714.59	1,025.57	1,336.46	1,646.83	1,957.84	2,268.86	2,579.87	2,890.88
1 1/2	103.92	412.39	721.07	1,032.04	1,342.93	1,653.31	1,964.32	2,275.34	2,586.35	2,897.36
3/4	110.38	418.87	727.55	1,038.52	1,349.41	1,659.79	1,970.80	2,281.81	2,592.82	2,903.84
4	116.84	425.35	734.03	1,044.99	1,355.88	1,666.27	1,977.28	2,288.29	2,599.30	2,910.32
1 1/4	123.30	431.83	740.51	1,051.47	1,362.35	1,672.75	1,983.76	2,294.77	2,605.78	2,916.80
1 1/2	129.77	438.31	746.99	1,057.94	1,368.82	1,679.23	1,990.24	2,301.25	2,612.26	2,923.28
3/4	136.23	444.79	753.47	1,064.42	1,375.29	1,685.71	1,996.72	2,307.73	2,618.74	2,929.75
5	142.69	451.27	759.95	1,070.89	1,381.88	1,692.19	2,003.20	2,314.21	2,625.22	2,936.23
1 1/4	149.16	457.70	766.43	1,077.37	1,388.23	1,698.67	2,009.68	2,320.69	2,631.70	2,942.71
1 1/2	155.62	464.13	772.91	1,083.84	1,394.70	1,705.15	2,016.16	2,327.17	2,638.18	2,949.19
3/4	162.09	470.56	779.38	1,090.32	1,401.17	1,711.63	2,022.64	2,333.65	2,644.66	2,955.67
6	168.55	476.99	785.86	1,096.79	1,407.64	1,718.11	2,029.12	2,340.13	2,651.14	2,962.15
1 1/4	174.98	483.37	792.34	1,103.27	1,414.12	1,724.59	2,035.60	2,346.61	2,657.62	2,968.63
1 1/2	181.37	489.76	798.82	1,109.75	1,420.59	1,731.07	2,042.08	2,353.09	2,664.10	2,975.11
3/4	187.77	496.14	805.30	1,116.22	1,427.07	1,737.54	2,048.55	2,359.57	2,670.58	2,981.59
7	194.18	502.52	811.78	1,122.70	1,433.54	1,744.02	2,055.03	2,366.05	2,677.06	2,988.07
1 1/4	200.54	508.90	818.26	1,129.18	1,440.01	1,750.50	2,061.51	2,372.53	2,683.54	2,994.55
1 1/2	206.89	515.28	824.74	1,135.65	1,446.48	1,756.98	2,067.99	2,379.01	2,690.02	3,001.03
3/4	213.25	521.66	831.22	1,142.13	1,452.94	1,763.46	2,074.47	2,385.48	2,696.49	3,007.51
8	219.60	528.04	837.70	1,148.60	1,459.41	1,769.94	2,080.95	2,391.96	2,702.97	3,013.99
1 1/4	225.96	534.42	844.18	1,155.08	1,465.87	1,776.42	2,087.43	2,398.44	2,709.45	3,020.47
1 1/2	232.32	540.81	850.66	1,161.55	1,472.33	1,782.90	2,093.91	2,404.92	2,715.93	3,026.95
3/4	238.67	547.19	857.14	1,168.03	1,478.78	1,789.38	2,100.39	2,411.40	2,722.41	3,033.42
9	245.03	553.57	863.62	1,174.50	1,485.24	1,795.86	2,106.87	2,417.88	2,728.89	3,039.90
1 1/4	251.39	559.95	870.10	1,180.98	1,491.70	1,802.34	2,113.35	2,424.36	2,735.37	3,046.38
1 1/2	257.76	566.34	876.58	1,187.46	1,498.16	1,808.82	2,119.83	2,430.84	2,741.85	3,052.86
3/4	264.12	572.72	883.06	1,193.93	1,504.61	1,815.30	2,126.31	2,437.32	2,748.33	3,059.34
10	270.48	579.10	889.54	1,200.41	1,511.07	1,821.78	2,132.79	2,443.80	2,754.81	3,065.82
1 1/4	276.85	585.48	896.02	1,206.89	1,517.53	1,828.26	2,139.27	2,450.28	2,761.29	3,072.30
1 1/2	283.23	591.87	902.50	1,213.37	1,523.99	1,834.74	2,145.75	2,456.76	2,767.77	3,078.78
3/4	289.60	598.25	908.97	1,219.84	1,530.44	1,841.21	2,152.23	2,463.24	2,774.25	3,085.26
11	295.97	604.63	915.45	1,226.32	1,536.90	1,847.69	2,158.71	2,469.72	2,780.73	3,091.74
1 1/4	302.40	611.06	921.93	1,232.80	1,543.36	1,854.17	2,165.19	2,476.20	2,787.21	3,098.22
1 1/2	308.82	617.49	928.41	1,239.28	1,549.82	1,860.65	2,171.67	2,482.68	2,793.69	3,104.70
3/4	315.25	623.92	934.89	1,245.75	1,556.27	1,867.13	2,178.14	2,489.15	2,800.17	3,111.18

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH IPIIMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 10" DIAMETER HATCH, OPPOSITE HINGE.
GAUGE POINT: (10" HATCH) LOCATED 11'-00" OFF CENTERLINE AND 39'-00" FORWARD OF AFT BULKHEAD.
CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 9'16" ABOVE TANK BOTTOM.



BARGE "WEB 240"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09 1/2"

HT	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	3,117.66	3,428.67	3,739.68	4,050.24	4,360.69	4,671.13	4,981.57	5,292.01	5,602.45	5,912.89
1/4	3,124.14	3,435.15	3,746.16	4,056.69	4,367.14	4,677.58	4,988.02	5,298.46	5,608.90	5,919.34
1/2	3,130.62	3,441.63	3,752.64	4,062.13	4,372.58	4,683.02	4,993.46	5,303.90	5,614.34	5,924.78
3/4	3,137.09	3,448.11	3,759.12	4,068.58	4,379.03	4,689.47	5,000.00	5,310.44	5,620.88	5,931.32
1	3,143.57	3,454.59	3,765.60	4,075.02	4,384.48	4,694.92	5,005.36	5,315.80	5,626.24	5,936.68
1 1/4	3,150.05	3,461.07	3,772.06	4,081.47	4,390.93	4,701.37	5,011.80	5,322.24	5,632.68	5,943.12
1 1/2	3,156.53	3,467.55	3,778.52	4,087.91	4,396.38	4,707.82	5,017.24	5,327.68	5,638.12	5,948.56
1 3/4	3,163.01	3,474.02	3,784.94	4,094.36	4,401.83	4,713.26	5,022.68	5,333.12	5,643.56	5,954.00
2	3,169.49	3,480.50	3,791.44	4,100.80	4,407.28	4,718.71	5,028.12	5,338.56	5,649.00	5,959.44
1/4	3,175.97	3,486.98	3,797.89	4,107.24	4,412.73	4,724.15	5,033.56	5,344.00	5,654.44	5,964.88
1/2	3,182.45	3,493.46	3,804.33	4,113.69	4,418.19	4,729.59	5,039.00	5,349.44	5,659.88	5,970.32
3/4	3,188.93	3,499.94	3,810.78	4,119.64	4,423.64	4,735.03	5,044.44	5,354.88	5,665.32	5,975.76
1	3,195.41	3,506.42	3,817.22	4,126.57	4,429.09	4,740.47	5,049.88	5,360.28	5,670.76	5,981.20
1 1/4	3,201.89	3,512.90	3,823.67	4,133.02	4,434.54	4,745.91	5,055.32	5,365.72	5,676.20	5,986.64
1 1/2	3,208.37	3,519.38	3,830.11	4,139.46	4,439.99	4,751.35	5,060.76	5,371.16	5,681.64	5,992.08
3/4	3,214.85	3,525.86	3,836.56	4,145.91	4,445.46	4,756.79	5,066.20	5,376.60	5,687.08	5,997.52
4	3,221.33	3,532.34	3,843.00	4,152.35	4,450.93	4,762.23	5,071.64	5,382.04	5,692.52	6,002.96
1/4	3,227.81	3,538.82	3,849.45	4,158.80	4,456.40	4,767.67	5,077.08	5,387.48	5,697.96	6,008.40
1/2	3,234.29	3,545.30	3,855.89	4,165.24	4,461.87	4,773.11	5,082.52	5,392.92	5,703.40	6,013.84
3/4	3,240.76	3,551.78	3,862.34	4,171.69	4,467.34	4,778.55	5,087.96	5,398.36	5,708.84	6,019.28
5	3,247.24	3,558.26	3,868.78	4,178.13	4,472.81	4,783.99	5,093.40	5,403.80	5,714.28	6,024.72
1/4	3,253.72	3,564.74	3,875.23	4,184.58	4,478.28	4,789.43	5,098.84	5,409.24	5,719.72	6,030.16
1/2	3,260.20	3,571.22	3,881.67	4,191.02	4,483.75	4,794.87	5,104.28	5,414.68	5,725.16	6,035.60
3/4	3,266.68	3,577.69	3,888.12	4,197.47	4,489.12	4,800.31	5,109.72	5,420.12	5,730.60	6,041.04
6	3,273.16	3,584.17	3,894.56	4,203.91	4,494.59	4,805.75	5,115.16	5,425.56	5,736.04	6,046.48
1/4	3,279.64	3,590.65	3,901.01	4,210.36	4,499.96	4,811.19	5,120.60	5,431.00	5,741.48	6,051.92
1/2	3,286.12	3,597.13	3,907.45	4,216.80	4,505.43	4,816.63	5,126.04	5,436.44	5,746.92	6,057.36
3/4	3,292.60	3,603.61	3,913.90	4,223.25	4,510.90	4,822.07	5,131.48	5,441.88	5,752.36	6,062.80
7	3,299.08	3,610.09	3,920.34	4,229.69	4,516.37	4,827.51	5,136.92	5,447.32	5,757.80	6,068.24
1/4	3,305.56	3,616.57	3,926.79	4,236.14	4,521.84	4,832.95	5,142.36	5,452.76	5,763.24	6,073.68
1/2	3,312.04	3,623.05	3,933.23	4,242.58	4,527.31	4,838.39	5,147.80	5,458.20	5,768.68	6,079.12
3/4	3,318.52	3,629.53	3,939.68	4,249.03	4,532.78	4,843.83	5,153.24	5,463.64	5,774.12	6,084.56
8	3,325.00	3,636.01	3,946.12	4,255.47	4,538.25	4,849.27	5,158.68	5,469.08	5,779.56	6,090.00
1/4	3,331.48	3,642.49	3,952.57	4,261.92	4,543.72	4,854.71	5,164.12	5,474.52	5,785.00	6,095.44
1/2	3,337.96	3,648.97	3,959.01	4,268.36	4,549.19	4,860.15	5,169.56	5,479.96	5,790.44	6,100.88
3/4	3,344.43	3,655.45	3,965.46	4,274.81	4,554.66	4,865.59	5,175.00	5,485.40	5,795.88	6,106.32
9	3,350.91	3,661.93	3,971.90	4,281.25	4,560.13	4,871.03	5,180.44	5,490.84	5,801.32	6,111.76
1/4	3,357.39	3,668.41	3,978.35	4,287.70	4,565.60	4,876.47	5,185.88	5,496.28	5,806.76	6,117.20
1/2	3,363.87	3,674.89	3,984.79	4,294.14	4,571.07	4,881.91	5,191.32	5,501.72	5,812.20	6,122.64
3/4	3,370.35	3,681.36	3,991.24	4,300.59	4,576.54	4,887.35	5,196.76	5,507.16	5,817.64	6,128.08
10	3,376.83	3,687.84	3,997.68	4,307.03	4,582.01	4,892.79	5,202.20	5,512.60	5,823.08	6,133.52
1/4	3,383.31	3,694.33	4,004.13	4,313.48	4,587.49	4,898.23	5,207.64	5,518.04	5,828.52	6,138.96
1/2	3,389.79	3,700.80	4,010.57	4,319.92	4,592.96	4,903.67	5,213.08	5,523.48	5,833.96	6,144.40
3/4	3,396.27	3,707.28	4,017.02	4,326.37	4,598.43	4,909.11	5,218.52	5,528.92	5,839.40	6,149.84
11	3,402.75	3,713.76	4,023.46	4,332.81	4,603.90	4,914.55	5,223.96	5,534.36	5,844.84	6,155.28
1/4	3,409.23	3,720.24	4,029.91	4,339.28	4,609.38	4,920.00	5,229.40	5,539.80	5,850.28	6,160.72
1/2	3,415.71	3,726.72	4,036.35	4,345.75	4,614.86	4,925.43	5,234.84	5,545.24	5,855.72	6,166.16
3/4	3,422.19	3,733.20	4,042.80	4,352.22	4,620.34	4,930.87	5,240.28	5,550.68	5,861.16	6,171.60


CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/20/2002 IIS
DECK MEASUREMENTS: 12/21/2007 CL
PRINTED: 12/21/2007 CL

PRECISION MEASUREMENT
& ANALYSIS, INC.

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2007

P.O. Box 2092
Pearland, Texas 77588
http://www.ipmacorp.net



BARGE "WEB 240"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OR 42 U.S. GALLONS			GAUGE HEIGHT 14'-09 3/4"						
10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	0	0	0	0	0	0	0	0	0
1/4	3,118.88	3,430.13	3,741.38	4,051.18	4,360.77	4,669.96	4,978.55	5,286.54	5,593.93
1/2	3,126.36	3,436.61	3,747.87	4,057.63	4,367.22	4,676.41	4,985.00	5,293.59	5,601.18
3/4	3,131.85	3,443.10	3,754.35	4,064.08	4,373.67	4,682.86	4,991.45	5,300.04	5,607.63
1	3,138.33	3,449.58	3,760.84	4,070.53	4,380.12	4,689.31	5,000.00	5,307.50	5,614.12
1 1/4	3,144.81	3,456.06	3,767.32	4,076.98	4,386.59	4,695.76	5,006.88	5,314.38	5,620.60
1 1/2	3,151.30	3,462.55	3,773.79	4,083.43	4,393.06	4,702.22	5,013.75	5,321.25	5,627.08
1 3/4	3,157.78	3,469.03	3,780.25	4,089.88	4,399.36	4,708.67	5,020.63	5,328.13	5,633.56
2	3,164.27	3,475.52	3,786.72	4,096.32	4,405.82	4,715.12	5,027.50	5,335.00	5,640.04
2 1/4	3,170.75	3,482.00	3,793.18	4,102.77	4,412.22	4,721.57	5,034.38	5,341.88	5,646.52
2 1/2	3,177.24	3,488.49	3,799.63	4,109.22	4,418.67	4,727.02	5,041.25	5,348.75	5,653.00
2 3/4	3,183.72	3,494.97	3,806.08	4,115.67	4,425.00	4,732.47	5,048.13	5,355.63	5,659.48
3	3,190.21	3,501.46	3,812.53	4,122.12	4,431.63	4,737.92	5,055.00	5,362.50	5,665.96
3 1/4	3,196.69	3,507.94	3,818.98	4,128.57	4,438.08	4,743.37	5,061.88	5,369.38	5,672.44
3 1/2	3,203.18	3,514.43	3,825.43	4,135.02	4,444.54	4,748.82	5,068.75	5,376.25	5,678.92
3 3/4	3,209.66	3,520.91	3,831.88	4,141.47	4,450.90	4,754.27	5,075.63	5,383.13	5,685.40
4	3,216.15	3,527.40	3,838.33	4,147.92	4,457.35	4,759.72	5,082.50	5,390.00	5,691.88
4 1/4	3,222.63	3,533.88	3,844.78	4,154.37	4,463.80	4,765.17	5,089.38	5,396.88	5,698.36
4 1/2	3,229.11	3,540.36	3,851.23	4,160.82	4,470.25	4,770.62	5,096.25	5,403.75	5,704.84
4 3/4	3,235.60	3,546.85	3,857.68	4,167.27	4,476.70	4,776.07	5,103.13	5,410.63	5,711.32
5	3,242.08	3,553.33	3,864.13	4,173.72	4,483.15	4,781.52	5,109.00	5,417.50	5,717.80
5 1/4	3,248.56	3,559.81	3,870.58	4,180.17	4,489.60	4,786.97	5,115.88	5,424.38	5,724.28
5 1/2	3,255.05	3,566.30	3,877.03	4,186.62	4,496.05	4,792.42	5,122.75	5,431.25	5,730.76
5 3/4	3,261.53	3,572.78	3,883.48	4,193.07	4,502.50	4,797.87	5,129.13	5,438.13	5,737.24
6	3,268.02	3,579.27	3,889.93	4,199.52	4,508.95	4,803.32	5,135.50	5,445.00	5,743.72
6 1/4	3,274.50	3,585.75	3,896.38	4,205.97	4,515.40	4,808.77	5,141.88	5,451.88	5,750.20
6 1/2	3,280.99	3,592.24	3,902.83	4,212.42	4,521.85	4,814.22	5,148.25	5,458.75	5,756.68
6 3/4	3,287.47	3,598.72	3,909.28	4,218.87	4,528.30	4,819.67	5,154.63	5,465.63	5,763.16
7	3,293.96	3,605.21	3,915.73	4,225.32	4,534.75	4,825.12	5,161.00	5,472.50	5,769.64
7 1/4	3,300.44	3,611.69	3,922.18	4,231.77	4,541.20	4,830.57	5,167.38	5,479.38	5,776.12
7 1/2	3,306.93	3,618.18	3,928.63	4,238.22	4,547.65	4,836.02	5,173.75	5,486.25	5,782.60
7 3/4	3,313.41	3,624.66	3,935.08	4,244.67	4,554.10	4,841.47	5,180.13	5,493.13	5,789.08
8	3,319.90	3,631.15	3,941.53	4,251.12	4,560.55	4,846.92	5,186.50	5,499.50	5,795.56
8 1/4	3,326.38	3,637.63	3,947.98	4,257.57	4,567.00	4,852.37	5,192.88	5,505.88	5,802.04
8 1/2	3,332.86	3,644.12	3,954.43	4,264.02	4,573.45	4,857.82	5,199.25	5,512.25	5,808.52
8 3/4	3,339.35	3,650.60	3,960.88	4,270.47	4,579.90	4,863.27	5,205.63	5,518.63	5,815.00
9	3,345.83	3,657.09	3,967.33	4,276.92	4,586.35	4,868.72	5,212.00	5,525.00	5,821.48
9 1/4	3,352.31	3,663.57	3,973.78	4,283.37	4,592.80	4,874.17	5,218.38	5,531.38	5,827.96
9 1/2	3,358.80	3,670.05	3,980.23	4,289.82	4,599.25	4,879.62	5,224.75	5,537.75	5,834.44
9 3/4	3,365.28	3,676.54	3,986.68	4,296.27	4,605.70	4,885.07	5,231.13	5,544.13	5,840.92
10	3,371.77	3,683.02	3,993.13	4,302.72	4,612.15	4,890.52	5,237.50	5,550.50	5,847.40
10 1/4	3,378.25	3,689.50	3,999.58	4,309.17	4,618.60	4,895.97	5,243.88	5,556.88	5,853.88
10 1/2	3,384.74	3,695.99	4,006.03	4,315.62	4,625.05	4,901.42	5,250.25	5,563.25	5,860.36
10 3/4	3,391.22	3,702.47	4,012.48	4,322.07	4,631.50	4,906.87	5,256.63	5,569.63	5,866.84
11	3,397.71	3,708.96	4,018.93	4,328.52	4,637.95	4,912.32	5,263.00	5,576.00	5,873.32
11 1/4	3,404.19	3,715.44	4,025.38	4,334.97	4,644.40	4,917.77	5,269.38	5,582.38	5,879.80
11 1/2	3,410.68	3,721.93	4,031.83	4,341.42	4,650.85	4,923.22	5,275.75	5,588.75	5,886.28
11 3/4	3,417.16	3,728.41	4,038.28	4,347.87	4,657.30	4,928.67	5,282.13	5,595.13	5,892.76
12	3,423.65	3,734.90	4,044.73	4,354.32	4,663.75	4,934.12	5,288.50	5,601.50	5,899.24


CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/20/2002 ITS
DECK MEASUREMENTS: 12/21/2007 CL
PRINTED: 12/21/2007 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2007

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77688
http://www.pmaacorp.net



BARGE "WEB 240"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09 1/4"

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	16.69	322.16	631.29	942.77	1,254.09	1,565.06	1,876.40	2,187.87	2,499.34	2,810.81
1/2	22.35	328.64	637.78	949.26	1,260.58	1,571.53	1,882.89	2,194.36	2,505.83	2,817.30
1	28.02	335.13	644.27	955.75	1,267.07	1,577.99	1,889.38	2,200.84	2,512.32	2,823.79
3/4	33.68	341.62	650.76	962.23	1,273.55	1,584.46	1,895.86	2,207.33	2,518.81	2,830.28
1	39.34	348.11	657.25	968.71	1,280.04	1,590.92	1,902.35	2,213.82	2,525.30	2,836.77
1/4	45.01	354.60	663.74	975.21	1,286.53	1,597.39	1,908.84	2,220.31	2,531.79	2,843.26
1/2	50.67	361.09	670.23	981.69	1,293.02	1,603.88	1,915.33	2,226.80	2,538.27	2,849.74
3/4	56.34	367.58	676.72	988.18	1,299.51	1,610.36	1,921.82	2,233.29	2,544.76	2,856.23
2	62.00	374.07	683.21	994.66	1,306.00	1,616.84	1,928.31	2,239.78	2,551.25	2,862.72
1/4	67.67	380.56	689.70	1,001.15	1,312.49	1,623.33	1,934.80	2,246.27	2,557.74	2,869.21
1/2	73.34	387.05	696.19	1,007.63	1,318.98	1,629.82	1,941.29	2,252.76	2,564.23	2,875.70
3/4	79.00	393.53	702.67	1,014.12	1,325.47	1,636.30	1,947.77	2,259.25	2,570.72	2,882.19
3	84.66	400.02	709.16	1,020.60	1,331.96	1,642.79	1,954.26	2,265.74	2,577.21	2,888.68
1/4	90.32	406.51	715.65	1,027.09	1,338.44	1,649.28	1,960.75	2,272.23	2,583.70	2,895.17
1/2	95.99	413.00	722.14	1,033.57	1,344.93	1,655.77	1,967.24	2,278.71	2,590.18	2,901.66
3/4	101.64	419.49	728.63	1,040.06	1,351.41	1,662.26	1,973.73	2,285.20	2,596.67	2,908.15
4	107.01	425.98	735.12	1,046.54	1,357.89	1,668.75	1,980.22	2,291.69	2,603.16	2,914.64
1/2	112.38	432.47	741.61	1,053.03	1,364.37	1,675.24	1,986.71	2,298.18	2,609.65	2,921.13
3/4	117.96	438.96	748.10	1,059.51	1,370.85	1,681.73	1,993.19	2,304.67	2,616.14	2,927.61
5	123.43	445.45	754.59	1,066.00	1,377.33	1,688.21	1,999.68	2,311.16	2,622.63	2,934.10
1/4	128.90	451.94	761.08	1,072.48	1,383.81	1,694.70	2,006.16	2,317.65	2,629.12	2,940.59
1/2	134.38	458.38	767.57	1,078.97	1,390.29	1,701.19	2,012.65	2,324.14	2,635.61	2,947.08
3/4	139.85	464.82	774.06	1,085.45	1,396.77	1,707.68	2,019.15	2,330.62	2,642.10	2,953.57
6	145.33	471.26	780.55	1,091.94	1,403.25	1,714.17	2,025.64	2,337.11	2,648.59	2,960.06
1/4	150.80	477.70	787.04	1,098.42	1,409.73	1,720.66	2,032.13	2,343.60	2,655.08	2,966.55
1/2	156.28	484.09	793.53	1,104.91	1,416.22	1,727.15	2,038.62	2,350.09	2,661.57	2,973.04
3/4	161.64	490.49	800.02	1,111.40	1,422.70	1,733.64	2,045.11	2,356.58	2,668.05	2,979.52
7	167.05	496.88	806.50	1,117.88	1,429.19	1,740.13	2,051.60	2,363.07	2,674.54	2,986.01
1/4	172.47	503.27	812.99	1,124.37	1,435.67	1,746.62	2,058.09	2,369.56	2,681.03	2,992.50
1/2	177.84	509.66	819.48	1,130.86	1,442.15	1,753.11	2,064.58	2,376.05	2,687.52	2,998.99
3/4	183.20	516.05	825.97	1,137.34	1,448.63	1,759.60	2,071.07	2,382.54	2,694.01	3,005.48
8	188.57	522.44	832.46	1,143.83	1,455.10	1,766.08	2,077.55	2,389.03	2,700.50	3,011.97
1/4	193.93	528.83	838.95	1,150.31	1,461.58	1,772.57	2,084.04	2,395.52	2,707.99	3,018.46
1/2	200.84	535.22	845.44	1,156.80	1,468.05	1,779.06	2,090.53	2,402.01	2,713.48	3,024.95
3/4	207.20	541.61	851.93	1,163.28	1,474.52	1,785.55	2,097.02	2,408.49	2,719.96	3,031.44
9	213.57	548.01	858.41	1,169.77	1,480.98	1,792.04	2,103.51	2,414.98	2,726.45	3,037.93
1/4	219.93	554.40	864.90	1,176.25	1,487.45	1,798.53	2,110.00	2,421.47	2,732.94	3,044.42
1/2	226.30	560.79	871.39	1,182.74	1,493.92	1,805.02	2,116.49	2,427.96	2,739.43	3,050.91
3/4	232.66	567.18	877.88	1,189.23	1,500.39	1,811.51	2,122.98	2,434.45	2,745.92	3,057.39
10	239.03	573.57	884.37	1,195.71	1,506.85	1,817.99	2,129.47	2,440.94	2,752.41	3,063.88
1/4	245.39	579.96	890.86	1,202.20	1,513.32	1,824.48	2,135.96	2,447.43	2,758.90	3,070.37
1/2	251.76	586.35	897.35	1,208.69	1,519.79	1,830.97	2,142.45	2,453.92	2,765.39	3,076.86
3/4	258.11	592.75	903.84	1,215.17	1,526.22	1,837.46	2,148.93	2,460.40	2,771.88	3,083.35
11	264.41	599.14	910.33	1,221.66	1,532.76	1,843.95	2,155.42	2,466.89	2,778.37	3,089.84
1/4	270.88	605.53	916.82	1,228.14	1,539.19	1,850.44	2,161.91	2,473.38	2,784.86	3,096.33
1/2	277.26	611.97	923.31	1,234.63	1,545.66	1,856.93	2,168.40	2,479.87	2,791.35	3,102.82
3/4	283.65	618.41	929.80	1,241.12	1,552.13	1,863.42	2,174.89	2,486.36	2,797.83	3,109.30
12	290.03	624.85	936.28	1,247.60	1,558.59	1,869.91	2,181.38	2,492.85	2,804.32	3,115.79

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT


& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

http://www.ipma.com.net

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 10" DIAMETER HATCH, OPPOSITE HINGE.
 GAUGE POINT: (10" HATCH) LOCATED 11'-00" OFF CENTERLINE AND 39'-00" FORWARD OF AFT BULKHEAD.
 CAPACITY TABLE REFLECTS GAUGING ON DATUM PLATE, LOCATED 5/16" ABOVE TANK BOTTOM.



3 PORT
INNA GE TABLE

GAUGE HEIGHT 14'-09 1/4"

Table with columns: 10 FT., 11 FT., 12 FT., 13 FT., 14 FT., 15 FT., 16 FT., 17 FT., 18 FT., 19 FT. Each column contains multiple rows of numerical data.

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

STRAPPED: 10/20/2002 ITS
DECK MEASUREMENTS: 12/21/2007 CL
PRINTED: 12/21/2007 CL

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2007

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77568
http://www.pmacorp.net

Handwritten signature



BARGE "WEB 240"

**3 STBD
INNAGE TABLE**


CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS		GAUGE HEIGHT 14'-09 1/4"	
IN	OUT	IN	OUT
0	3,121.00	0	3,432.48
1/4	3,127.49	1/4	3,438.96
1/2	3,133.97	1/2	3,445.44
3/4	3,140.46	3/4	3,451.93
1	3,146.95	1	3,458.41
1 1/4	3,153.44	1 1/4	3,464.90
1 1/2	3,159.93	1 1/2	3,471.39
1 3/4	3,166.42	1 3/4	3,477.88
2	3,172.91	2	3,484.37
2 1/4	3,179.40	2 1/4	3,490.86
2 1/2	3,185.88	2 1/2	3,497.34
2 3/4	3,192.37	2 3/4	3,503.83
3	3,198.86	3	3,510.32
3 1/4	3,205.35	3 1/4	3,516.81
3 1/2	3,211.84	3 1/2	3,523.30
3 3/4	3,218.33	3 3/4	3,529.79
4	3,224.82	4	3,536.28
4 1/4	3,231.31	4 1/4	3,542.77
4 1/2	3,237.79	4 1/2	3,549.26
4 3/4	3,244.28	4 3/4	3,555.75
5	3,250.77	5	3,562.24
5 1/4	3,257.26	5 1/4	3,568.73
5 1/2	3,263.75	5 1/2	3,575.21
5 3/4	3,270.24	5 3/4	3,581.70
6	3,276.73	6	3,588.19
6 1/4	3,283.22	6 1/4	3,594.68
6 1/2	3,289.70	6 1/2	3,601.17
6 3/4	3,296.19	6 3/4	3,607.66
7	3,302.68	7	3,614.15
7 1/4	3,309.17	7 1/4	3,620.64
7 1/2	3,315.66	7 1/2	3,627.12
7 3/4	3,322.15	7 3/4	3,633.61
8	3,328.64	8	3,640.10
8 1/4	3,335.13	8 1/4	3,646.59
8 1/2	3,341.61	8 1/2	3,653.08
8 3/4	3,348.10	8 3/4	3,659.57
9	3,354.59	9	3,666.06
9 1/4	3,361.08	9 1/4	3,672.55
9 1/2	3,367.57	9 1/2	3,679.03
9 3/4	3,374.06	9 3/4	3,685.52
10	3,380.55	10	3,692.01
10 1/4	3,387.04	10 1/4	3,698.50
10 1/2	3,393.52	10 1/2	3,704.99
10 3/4	3,400.01	10 3/4	3,711.48
11	3,406.50	11	3,717.97
11 1/4	3,412.99	11 1/4	3,724.46
11 1/2	3,419.48	11 1/2	3,730.94
11 3/4	3,425.98	11 3/4	3,737.43


CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/20/2002 ITS
DECK MEASUREMENTS: 12/21/2007 CL
PRINTED: 12/21/2007 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2007

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Portland, Texas 77688
http://www.pmacorp.net





BARGE "WEB 240"

4 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-01 3/4"

IN	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	6.96	0	591.35	0	1,208.25	0	1,829.09	0	2,449.34	0
1/4	13.40	1/4	604.19	1/4	1,221.10	1/4	1,842.03	1/4	2,462.26	1/4
1/2	19.85	1/2	617.04	1/2	1,233.96	1/2	1,854.97	1/2	2,475.19	1/2
3/4	26.29	3/4	629.88	3/4	1,246.81	3/4	1,867.91	3/4	2,488.11	3/4
1	32.73	1	642.72	1	1,259.66	1	1,880.85	1	2,501.03	1
1 1/4	44.03	1 1/4	655.66	1 1/4	1,272.60	1 1/4	1,893.78	1 1/4	2,513.96	1 1/4
1 1/2	55.33	1 1/2	668.61	1 1/2	1,285.54	1 1/2	1,906.71	1 1/2	2,526.89	1 1/2
1 3/4	66.63	1 3/4	681.55	1 3/4	1,298.48	1 3/4	1,919.64	1 3/4	2,539.81	1 3/4
2	77.93	2	694.49	2	1,311.42	2	1,932.57	2	2,552.74	2
2 1/4	90.85	2 1/4	707.43	2 1/4	1,324.36	2 1/4	1,945.49	2 1/4	2,565.68	2 1/4
2 1/2	103.78	2 1/2	720.38	2 1/2	1,337.31	2 1/2	1,958.41	2 1/2	2,578.61	2 1/2
2 3/4	116.70	2 3/4	733.32	2 3/4	1,350.25	2 3/4	1,971.32	2 3/4	2,591.55	2 3/4
3	129.62	3	746.26	3	1,363.19	3	1,984.24	3	2,604.48	3
3 1/4	142.54	3 1/4	759.20	3 1/4	1,376.13	3 1/4	1,997.16	3 1/4	2,617.41	3 1/4
3 1/2	155.46	3 1/2	772.14	3 1/2	1,389.08	3 1/2	2,010.08	3 1/2	2,630.35	3 1/2
3 3/4	168.38	3 3/4	785.08	3 3/4	1,402.02	3 3/4	2,023.00	3 3/4	2,643.28	3 3/4
4	181.30	4	798.02	4	1,414.96	4	2,035.92	4	2,656.21	4
4 1/4	194.22	4 1/4	810.96	4 1/4	1,427.90	4 1/4	2,048.84	4 1/4	2,669.15	4 1/4
4 1/2	207.14	4 1/2	823.91	4 1/2	1,440.85	4 1/2	2,061.76	4 1/2	2,682.08	4 1/2
4 3/4	220.06	4 3/4	836.85	4 3/4	1,453.79	4 3/4	2,074.67	4 3/4	2,695.02	4 3/4
5	232.98	5	849.79	5	1,466.73	5	2,087.59	5	2,707.95	5
5 1/4	245.90	5 1/4	862.73	5 1/4	1,479.67	5 1/4	2,100.51	5 1/4	2,720.89	5 1/4
5 1/2	258.82	5 1/2	875.68	5 1/2	1,492.61	5 1/2	2,113.43	5 1/2	2,733.82	5 1/2
5 3/4	271.74	5 3/4	888.62	5 3/4	1,505.55	5 3/4	2,126.34	5 3/4	2,746.76	5 3/4
6	284.66	6	901.56	6	1,518.49	6	2,139.26	6	2,759.69	6
6 1/4	297.58	6 1/4	914.41	6 1/4	1,531.43	6 1/4	2,152.18	6 1/4	2,772.63	6 1/4
6 1/2	310.51	6 1/2	927.27	6 1/2	1,544.38	6 1/2	2,165.10	6 1/2	2,785.56	6 1/2
6 3/4	323.43	6 3/4	940.12	6 3/4	1,557.32	6 3/4	2,178.01	6 3/4	2,798.50	6 3/4
7	336.35	7	952.97	7	1,570.26	7	2,190.93	7	2,811.43	7
7 1/4	349.17	7 1/4	965.74	7 1/4	1,583.20	7 1/4	2,203.86	7 1/4	2,824.37	7 1/4
7 1/2	362.00	7 1/2	978.50	7 1/2	1,596.15	7 1/2	2,216.77	7 1/2	2,837.30	7 1/2
7 3/4	374.82	7 3/4	991.27	7 3/4	1,609.09	7 3/4	2,229.69	7 3/4	2,850.24	7 3/4
8	387.64	8	1,004.03	8	1,622.03	8	2,242.61	8	2,863.17	8
8 1/4	400.36	8 1/4	1,016.79	8 1/4	1,634.97	8 1/4	2,255.53	8 1/4	2,876.08	8 1/4
8 1/2	413.09	8 1/2	1,029.56	8 1/2	1,647.91	8 1/2	2,268.45	8 1/2	2,889.00	8 1/2
8 3/4	425.81	8 3/4	1,042.32	8 3/4	1,660.85	8 3/4	2,281.37	8 3/4	2,901.91	8 3/4
9	438.53	9	1,055.08	9	1,673.79	9	2,294.29	9	2,914.82	9
9 1/4	451.26	9 1/4	1,067.85	9 1/4	1,686.73	9 1/4	2,307.21	9 1/4	2,927.71	9 1/4
9 1/2	463.98	9 1/2	1,080.61	9 1/2	1,699.68	9 1/2	2,320.13	9 1/2	2,940.60	9 1/2
9 3/4	476.71	9 3/4	1,093.38	9 3/4	1,712.62	9 3/4	2,333.05	9 3/4	2,953.49	9 3/4
10	489.43	10	1,106.14	10	1,725.56	10	2,345.97	10	2,966.38	10
10 1/4	502.17	10 1/4	1,118.90	10 1/4	1,738.50	10 1/4	2,358.89	10 1/4	2,979.27	10 1/4
10 1/2	514.90	10 1/2	1,131.67	10 1/2	1,751.44	10 1/2	2,371.82	10 1/2	2,992.17	10 1/2
10 3/4	527.64	10 3/4	1,144.43	10 3/4	1,764.38	10 3/4	2,384.74	10 3/4	3,005.06	10 3/4
11	540.37	11	1,157.19	11	1,777.32	11	2,397.66	11	3,017.95	11
11 1/4	553.12	11 1/4	1,169.96	11 1/4	1,790.26	11 1/4	2,410.58	11 1/4	3,030.84	11 1/4
11 1/2	565.86	11 1/2	1,182.72	11 1/2	1,803.21	11 1/2	2,423.50	11 1/2	3,043.73	11 1/2
11 3/4	578.61	11 3/4	1,195.49	11 3/4	1,816.15	11 3/4	2,436.42	11 3/4	3,056.62	11 3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.


PRECISION MEASUREMENT

& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

Http://www.pimacorp.net



BARGE "WEB 240"

4 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-01 3/4"

IN	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	6,173.20	0	6,772.74	0	7,166.76	0	7,549.08	0	7,931.12	0
1/4	6,186.11	1/4	6,785.37	1/4	7,174.75	1/4	7,557.04	1/4	7,939.08	1/4
1/2	6,199.03	1/2	6,792.00	1/2	7,182.74	1/2	7,565.00	1/2	7,947.04	1/2
3/4	6,211.94	3/4	6,801.53	3/4	7,190.72	3/4	7,572.95	3/4	7,955.00	3/4
1	6,224.85	1	6,811.26	1	7,198.71	1	7,580.91	1	7,962.96	1
1 1/4	6,237.76	1 1/4	6,820.06	1 1/4	7,206.70	1 1/4	7,588.87	1 1/4	7,970.60	1 1/4
1 1/2	6,250.68	1 1/2	6,828.87	1 1/2	7,214.68	1 1/2	7,596.83	1 1/2	7,978.24	1 1/2
1 3/4	6,263.59	1 3/4	6,837.67	1 3/4	7,222.67	1 3/4	7,604.79	1 3/4	7,985.87	1 3/4
2	6,276.50	2	6,846.47	2	7,230.65	2	7,612.75	2	7,993.51	2
1/4	6,289.42	1/4	6,854.66	1/4	7,238.63	1/4	7,620.71	1/4	8,000.21	1/4
1/2	6,302.33	1/2	6,862.85	1/2	7,246.60	1/2	7,628.67	1/2	8,006.90	1/2
3/4	6,315.25	3/4	6,871.04	3/4	7,254.58	3/4	7,636.63	3/4	8,013.60	3/4
3	6,328.16	3	6,879.23	3	7,262.55	3	7,644.59	3	8,020.29	3
1/4	6,341.07	1/4	6,887.22	1/4	7,270.51	1/4	7,652.55	1/4	8,025.72	1/4
1/2	6,353.99	1/2	6,895.20	1/2	7,278.47	1/2	7,660.51	1/2	8,031.15	1/2
3/4	6,366.90	3/4	6,903.19	3/4	7,286.42	3/4	7,668.46	3/4	8,036.58	3/4
4	6,379.81	4	6,911.17	4	7,294.38	4	7,676.42	4	8,042.01	4
1/4	6,392.72	1/4	6,919.16	1/4	7,302.34	1/4	7,684.38	1/4	8,046.16	1/4
1/2	6,405.64	1/2	6,927.15	1/2	7,310.30	1/2	7,692.34	1/2	8,050.31	1/2
3/4	6,418.55	3/4	6,935.13	3/4	7,318.26	3/4	7,700.30	3/4	8,054.46	3/4
5	6,431.46	5	6,943.12	5	7,326.22	5	7,708.26	5	8,058.61	5
1/4	6,444.38	1/4	6,951.11	1/4	7,334.18	1/4	7,716.22	1/4	8,061.48	1/4
1/2	6,457.29	1/2	6,959.10	1/2	7,342.14	1/2	7,724.18	1/2	8,064.35	1/2
3/4	6,470.21	3/4	6,967.08	3/4	7,350.10	3/4	7,732.14	3/4	8,067.22	3/4
6	6,483.12	6	6,975.07	6	7,358.06	6	7,740.10	6	8,070.09	6
1/4	6,496.03	1/4	6,983.06	1/4	7,366.02	1/4	7,748.06	1/4	8,071.68	1/4
1/2	6,508.95	1/2	6,991.05	1/2	7,373.98	1/2	7,756.02	1/2	8,073.28	1/2
3/4	6,521.86	3/4	6,999.03	3/4	7,381.93	3/4	7,763.97	3/4	8,074.87	3/4
7	6,534.77	7	7,007.02	7	7,389.89	7	7,771.93	7	8,076.46	7
1/4	6,547.69	1/4	7,015.01	1/4	7,397.85	1/4	7,779.89	1/4	8,077.15	1/4
1/2	6,560.60	1/2	7,023.00	1/2	7,405.81	1/2	7,787.85	1/2	8,077.83	1/2
3/4	6,573.52	3/4	7,030.98	3/4	7,413.77	3/4	7,795.81	3/4	8,078.52	3/4
8	6,586.43	8	7,038.97	8	7,421.73	8	7,803.77	8	8,079.21	8
1/4	6,599.35	1/4	7,046.96	1/4	7,429.69	1/4	7,811.73	1/4	8,080.90	1/4
1/2	6,612.27	1/2	7,054.94	1/2	7,437.65	1/2	7,819.69	1/2	8,082.59	1/2
3/4	6,625.19	3/4	7,062.93	3/4	7,445.61	3/4	7,827.65	3/4	8,084.28	3/4
9	6,638.11	9	7,070.91	9	7,453.57	9	7,835.61	9	8,085.97	9
1/4	6,649.42	1/4	7,078.90	1/4	7,461.53	1/4	7,843.57	1/4	8,087.66	1/4
1/2	6,661.54	1/2	7,086.89	1/2	7,469.49	1/2	7,851.53	1/2	8,089.35	1/2
3/4	6,673.65	3/4	7,094.87	3/4	7,477.44	3/4	7,859.48	3/4	8,091.04	3/4
10	6,685.76	10	7,102.86	10	7,485.40	10	7,867.44	10	8,092.73	10
1/4	6,697.05	1/4	7,110.85	1/4	7,493.36	1/4	7,875.40	1/4	8,094.42	1/4
1/2	6,708.34	1/2	7,118.84	1/2	7,501.32	1/2	7,883.36	1/2	8,096.11	1/2
3/4	6,719.62	3/4	7,126.82	3/4	7,509.28	3/4	7,891.32	3/4	8,097.80	3/4
11	6,730.91	11	7,134.81	11	7,517.24	11	7,899.28	11	8,099.49	11
1/4	6,741.37	1/4	7,142.80	1/4	7,525.20	1/4	7,907.24	1/4	8,101.18	1/4
1/2	6,751.83	1/2	7,150.77	1/2	7,533.16	1/2	7,915.20	1/2	8,102.87	1/2
3/4	6,762.28	3/4	7,158.77	3/4	7,541.12	3/4	7,923.16	3/4	8,104.56	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 10/20/2002 HTS
DECK MEASUREMENTS: 12/21/2007 CL
PRINTED: 12/21/2007 CL

PRECISION MEASUREMENT
& ANALYSIS, INC.

CANCELS AND SUPERCEDES
ALL PRIOR TO 12/2007

P.O. Box 2892
Pearland, Texas 77588
http://www.pima.com