



# BARGE "WEB 255T"

## INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4
2 PORT	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8
2 STBD	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8
3 PORT	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8
3 STBD	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8	00-0/8
4 CENTER	- 00-3/8	00-3/8	- 00-3/4	00-3/4	- 01-0/8	01-0/8	- 01-3/8	01-3/8	- 01-3/4	01-3/4	- 02-1/8	02-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-1/4"  
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED INNAGE IS 4'-00 1/4'

LENGTH BETWEEN DRAFT MARKS: 256'-00"

July 28, 2011

**PRECISION MEASUREMENT  
& ANALYSIS, INC.**

P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>



# BARGE "WEB 255T"

## 1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-02 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0.42	0	484.40	0	1,041.28	0	1,600.32	0	2,159.20	0	2,718.29	0	3,277.39	0	3,836.48	0	4,395.58	0	4,954.67
1/4	2.36	1/4	496.02	1/4	1,052.93	1/4	1,611.97	1/4	2,170.85	1/4	2,729.94	1/4	3,289.04	1/4	3,848.13	1/4	4,407.23	1/4	4,966.32
1/2	4.30	1/2	507.64	1/2	1,064.58	1/2	1,623.61	1/2	2,182.50	1/2	2,741.59	1/2	3,300.69	1/2	3,859.78	1/2	4,418.88	1/2	4,977.97
3/4	6.23	3/4	519.25	3/4	1,076.22	3/4	1,635.26	3/4	2,194.14	3/4	2,753.23	3/4	3,312.33	3/4	3,871.42	3/4	4,430.52	3/4	4,989.61
1	8.17	1	530.87	1	1,087.87	1	1,646.90	1	2,205.79	1	2,764.88	1	3,323.98	1	3,883.07	1	4,442.17	1	5,001.26
1/4	13.92	1/4	542.49	1/4	1,099.52	1/4	1,658.54	1/4	2,217.44	1/4	2,776.53	1/4	3,335.63	1/4	3,894.72	1/4	4,453.82	1/4	5,012.91
1/2	19.67	1/2	554.10	1/2	1,111.17	1/2	1,670.19	1/2	2,229.09	1/2	2,788.18	1/2	3,347.28	1/2	3,906.37	1/2	4,465.47	1/2	5,024.56
3/4	25.41	3/4	565.72	3/4	1,122.82	3/4	1,681.83	3/4	2,240.73	3/4	2,799.83	3/4	3,358.92	3/4	3,918.01	3/4	4,477.11	3/4	5,036.20
2	31.16	2	577.33	2	1,134.47	2	1,693.47	2	2,252.38	2	2,811.48	2	3,370.57	2	3,929.66	2	4,488.76	2	5,047.85
1/4	40.56	1/4	588.98	1/4	1,146.12	1/4	1,705.11	1/4	2,264.03	1/4	2,823.13	1/4	3,382.22	1/4	3,941.31	1/4	4,500.41	1/4	5,059.50
1/2	49.97	1/2	600.63	1/2	1,157.77	1/2	1,716.76	1/2	2,275.68	1/2	2,834.78	1/2	3,393.87	1/2	3,952.96	1/2	4,512.06	1/2	5,071.15
3/4	59.37	3/4	612.28	3/4	1,169.41	3/4	1,728.40	3/4	2,287.32	3/4	2,846.42	3/4	3,405.51	3/4	3,964.61	3/4	4,523.70	3/4	5,082.79
3	68.77	3	623.93	3	1,181.06	3	1,740.04	3	2,298.97	3	2,858.07	3	3,417.16	3	3,976.26	3	4,535.35	3	5,094.44
1/4	80.10	1/4	635.58	1/4	1,192.71	1/4	1,751.69	1/4	2,310.62	1/4	2,869.72	1/4	3,428.81	1/4	3,987.91	1/4	4,547.00	1/4	5,106.09
1/2	91.44	1/2	647.23	1/2	1,204.36	1/2	1,763.33	1/2	2,322.27	1/2	2,881.37	1/2	3,440.46	1/2	3,999.56	1/2	4,558.65	1/2	5,117.74
3/4	102.77	3/4	658.87	3/4	1,216.00	3/4	1,774.98	3/4	2,333.91	3/4	2,893.01	3/4	3,452.10	3/4	4,011.20	3/4	4,570.29	3/4	5,129.39
4	114.10	4	670.52	4	1,227.65	4	1,786.62	4	2,345.56	4	2,904.66	4	3,463.75	4	4,022.85	4	4,581.94	4	5,141.04
1/4	125.40	1/4	682.17	1/4	1,239.30	1/4	1,798.26	1/4	2,357.21	1/4	2,916.31	1/4	3,475.40	1/4	4,034.50	1/4	4,593.59	1/4	5,152.69
1/2	136.71	1/2	693.82	1/2	1,250.95	1/2	1,809.91	1/2	2,368.86	1/2	2,927.96	1/2	3,487.05	1/2	4,046.15	1/2	4,605.24	1/2	5,164.34
3/4	148.01	3/4	705.46	3/4	1,262.59	3/4	1,821.55	3/4	2,380.50	3/4	2,939.60	3/4	3,498.69	3/4	4,057.79	3/4	4,616.88	3/4	5,175.98
5	159.31	5	717.11	5	1,274.24	5	1,833.19	5	2,392.15	5	2,951.25	5	3,510.34	5	4,069.44	5	4,628.53	5	5,187.63
1/4	170.91	1/4	728.74	1/4	1,285.89	1/4	1,844.83	1/4	2,403.80	1/4	2,962.90	1/4	3,521.99	1/4	4,081.09	1/4	4,640.18	1/4	5,199.28
1/2	182.51	1/2	740.37	1/2	1,297.54	1/2	1,856.48	1/2	2,415.45	1/2	2,974.55	1/2	3,533.64	1/2	4,092.74	1/2	4,651.83	1/2	5,210.93
3/4	194.11	3/4	752.00	3/4	1,309.18	3/4	1,868.12	3/4	2,427.10	3/4	2,986.19	3/4	3,545.28	3/4	4,104.38	3/4	4,663.47	3/4	5,222.57
6	205.71	6	763.63	6	1,320.83	6	1,879.76	6	2,438.75	6	2,997.84	6	3,556.93	6	4,116.03	6	4,675.12	6	5,234.22
1/4	217.31	1/4	775.20	1/4	1,332.48	1/4	1,891.40	1/4	2,450.40	1/4	3,009.49	1/4	3,568.58	1/4	4,127.68	1/4	4,686.77	1/4	5,245.87
1/2	228.91	1/2	786.78	1/2	1,344.13	1/2	1,903.05	1/2	2,462.05	1/2	3,021.14	1/2	3,580.23	1/2	4,139.33	1/2	4,698.42	1/2	5,257.52
3/4	240.50	3/4	798.35	3/4	1,355.77	3/4	1,914.69	3/4	2,473.69	3/4	3,032.78	3/4	3,591.88	3/4	4,150.97	3/4	4,710.06	3/4	5,269.16
7	252.10	7	809.92	7	1,367.42	7	1,926.33	7	2,485.34	7	3,044.43	7	3,603.53	7	4,162.62	7	4,721.71	7	5,280.81
1/4	263.70	1/4	821.49	1/4	1,379.07	1/4	1,937.98	1/4	2,496.99	1/4	3,056.08	1/4	3,615.18	1/4	4,174.27	1/4	4,733.36	1/4	5,292.46
1/2	275.30	1/2	833.05	1/2	1,390.72	1/2	1,949.62	1/2	2,508.64	1/2	3,067.73	1/2	3,626.83	1/2	4,185.92	1/2	4,745.01	1/2	5,304.11
3/4	286.90	3/4	844.62	3/4	1,402.36	3/4	1,961.27	3/4	2,520.28	3/4	3,079.37	3/4	3,638.47	3/4	4,197.56	3/4	4,756.66	3/4	5,315.75
8	298.50	8	856.18	8	1,414.01	8	1,972.91	8	2,531.93	8	3,091.02	8	3,650.12	8	4,209.21	8	4,768.31	8	5,327.40
1/4	310.09	1/4	867.72	1/4	1,425.65	1/4	1,984.55	1/4	2,543.58	1/4	3,102.67	1/4	3,661.77	1/4	4,220.86	1/4	4,779.96	1/4	5,339.05
1/2	321.69	1/2	879.27	1/2	1,437.30	1/2	1,996.20	1/2	2,555.23	1/2	3,114.32	1/2	3,673.42	1/2	4,232.51	1/2	4,791.61	1/2	5,350.70
3/4	333.28	3/4	890.81	3/4	1,448.94	3/4	2,007.84	3/4	2,566.87	3/4	3,125.96	3/4	3,685.06	3/4	4,244.15	3/4	4,803.25	3/4	5,362.34
9	344.87	9	902.35	9	1,460.58	9	2,019.48	9	2,578.52	9	3,137.61	9	3,696.71	9	4,255.80	9	4,814.90	9	5,373.99
1/4	356.49	1/4	913.89	1/4	1,472.22	1/4	2,031.12	1/4	2,590.17	1/4	3,149.26	1/4	3,708.36	1/4	4,267.45	1/4	4,826.55	1/4	5,385.64
1/2	368.11	1/2	925.44	1/2	1,483.87	1/2	2,042.77	1/2	2,601.82	1/2	3,160.91	1/2	3,720.01	1/2	4,279.10	1/2	4,838.20	1/2	5,397.29
3/4	379.73	3/4	936.98	3/4	1,495.51	3/4	2,054.41	3/4	2,613.46	3/4	3,172.55	3/4	3,731.65	3/4	4,290.74	3/4	4,849.84	3/4	5,408.93
10	391.35	10	948.52	10	1,507.15	10	2,066.05	10	2,625.11	10	3,184.20	10	3,743.30	10	4,302.39	10	4,861.49	10	5,420.58
1/4	402.97	1/4	960.06	1/4	1,518.80	1/4	2,077.70	1/4	2,636.76	1/4	3,195.85	1/4	3,754.95	1/4	4,314.04	1/4	4,873.14	1/4	5,432.23
1/2	414.60	1/2	971.61	1/2	1,530.45	1/2	2,089.34	1/2	2,648.41	1/2	3,207.50	1/2	3,766.60	1/2	4,325.69	1/2	4,884.79	1/2	5,443.88
3/4	426.22	3/4	983.15	3/4	1,542.09	3/4	2,100.99	3/4	2,660.05	3/4	3,219.15	3/4	3,778.24	3/4	4,337.33	3/4	4,896.43	3/4	5,455.52
11	437.84	11	994.69	11	1,553.74	11	2,112.63	11	2,671.70	11	3,230.80	11	3,789.89	11	4,348.98	11	4,908.08	11	5,467.17
1/4	449.48	1/4	1,006.34	1/4	1,565.39	1/4	2,124.27	1/4	2,683.35	1/4	3,242.45	1/4	3,801.54	1/4	4,360.63	1/4	4,919.73	1/4	5,478.82
1/2	461.12	1/2	1,017.99	1/2	1,577.03	1/2	2,135.92	1/2	2,695.00	1/2	3,254.10	1/2	3,813.19	1/2	4,372.28	1/2	4,931.38	1/2	5,490.47
3/4	472.76	3/4	1,029.63	3/4	1,588.68	3/4	2,147.56	3/4	2,706.64	3/4	3,265.74	3/4	3,824.83	3/4	4,383.93	3/4	4,943.02	3/4	5,502.11

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE  
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH  
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 01'-00" OFF CENTERLINE AND 37'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 255T"

## 1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-02 1/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	5,513.76	0	6,072.86	0	6,631.95	0	7,191.05	0	7,750.22	0		0		0		0		0	
1/4	5,525.41	1/4	6,084.51	1/4	6,643.60	1/4	7,202.70	1/4	7,761.87	1/4		1/4		1/4		1/4		1/4	
1/2	5,537.06	1/2	6,096.16	1/2	6,655.25	1/2	7,214.35	1/2	7,773.52	1/2		1/2		1/2		1/2		1/2	
3/4	5,548.71	3/4	6,107.80	3/4	6,666.89	3/4	7,225.99	3/4	7,785.17	3/4		3/4		3/4		3/4		3/4	
1	5,560.36	1	6,119.45	1	6,678.54	1	7,237.64	1	7,796.82	1		1		1		1		1	
1/4	5,572.01	1/4	6,131.10	1/4	6,690.19	1/4	7,249.29	1/4	7,808.47	1/4		1/4		1/4		1/4		1/4	
1/2	5,583.66	1/2	6,142.75	1/2	6,701.84	1/2	7,260.94	1/2	7,820.12	1/2		1/2		1/2		1/2		1/2	
3/4	5,595.30	3/4	6,154.39	3/4	6,713.49	3/4	7,272.58	3/4	7,831.77	3/4		3/4		3/4		3/4		3/4	
2	5,606.95	2	6,166.04	2	6,725.14	2	7,284.23	2	7,843.42	2		2		2		2		2	
1/4	5,618.60	1/4	6,177.69	1/4	6,736.79	1/4	7,295.88	1/4	7,854.95	1/4		1/4		1/4		1/4		1/4	
1/2	5,630.25	1/2	6,189.34	1/2	6,748.44	1/2	7,307.53	1/2	7,866.48	1/2		1/2		1/2		1/2		1/2	
3/4	5,641.89	3/4	6,200.98	3/4	6,760.08	3/4	7,319.18	3/4	7,878.02	3/4		3/4		3/4		3/4		3/4	
3	5,653.54	3	6,212.63	3	6,771.73	3	7,330.83	3	7,889.55	3		3		3		3		3	
1/4	5,665.20	1/4	6,224.28	1/4	6,783.38	1/4	7,342.48	1/4	7,899.57	1/4		1/4		1/4		1/4		1/4	
1/2	5,676.85	1/2	6,235.93	1/2	6,795.03	1/2	7,354.13	1/2	7,909.58	1/2		1/2		1/2		1/2		1/2	
3/4	5,688.51	3/4	6,247.57	3/4	6,806.67	3/4	7,365.78	3/4	7,919.60	3/4		3/4		3/4		3/4		3/4	
4	5,700.16	4	6,259.22	4	6,818.32	4	7,377.43	4	7,929.62	4		4		4		4		4	
1/4	5,711.80	1/4	6,270.87	1/4	6,829.97	1/4	7,389.08	1/4	7,937.77	1/4		1/4		1/4		1/4		1/4	
1/2	5,723.44	1/2	6,282.52	1/2	6,841.62	1/2	7,400.73	1/2	7,945.93	1/2		1/2		1/2		1/2		1/2	
3/4	5,735.08	3/4	6,294.17	3/4	6,853.26	3/4	7,412.38	3/4	7,954.08	3/4		3/4		3/4		3/4		3/4	
5	5,746.72	5	6,305.82	5	6,864.91	5	7,424.03	5	7,962.24	5		5		5		5		5	
1/4	5,758.37	1/4	6,317.47	1/4	6,876.56	1/4	7,435.68	1/4	7,968.53	1/4		1/4		1/4		1/4		1/4	
1/2	5,770.02	1/2	6,329.12	1/2	6,888.21	1/2	7,447.33	1/2	7,974.82	1/2		1/2		1/2		1/2		1/2	
3/4	5,781.66	3/4	6,340.76	3/4	6,899.85	3/4	7,458.98	3/4	7,981.11	3/4		3/4		3/4		3/4		3/4	
6	5,793.31	6	6,352.41	6	6,911.50	6	7,470.63	6	7,987.40	6		6		6		6		6	
1/4	5,804.96	1/4	6,364.06	1/4	6,923.15	1/4	7,482.28	1/4	7,991.82	1/4		1/4		1/4		1/4		1/4	
1/2	5,816.61	1/2	6,375.71	1/2	6,934.80	1/2	7,493.93	1/2	7,996.25	1/2		1/2		1/2		1/2		1/2	
3/4	5,828.25	3/4	6,387.35	3/4	6,946.44	3/4	7,505.58	3/4	8,000.67	3/4		3/4		3/4		3/4		3/4	
7	5,839.90	7	6,399.00	7	6,958.09	7	7,517.23	7	8,005.10	7		7		7		7		7	
1/4	5,851.55	1/4	6,410.65	1/4	6,969.74	1/4	7,528.88	1/4	8,007.66	1/4		1/4		1/4		1/4		1/4	
1/2	5,863.20	1/2	6,422.30	1/2	6,981.39	1/2	7,540.53	1/2	8,010.22	1/2		1/2		1/2		1/2		1/2	
3/4	5,874.84	3/4	6,433.94	3/4	6,993.03	3/4	7,552.17	3/4	8,012.79	3/4		3/4		3/4		3/4		3/4	
8	5,886.49	8	6,445.59	8	7,004.68	8	7,563.82	8	8,015.35	8		8		8		8		8	
1/4	5,898.14	1/4	6,457.24	1/4	7,016.33	1/4	7,575.47	1/4	8,016.51	1/4		1/4		1/4		1/4		1/4	
1/2	5,909.79	1/2	6,468.89	1/2	7,027.98	1/2	7,587.12	1/2	8,017.68	1/2		1/2		1/2		1/2		1/2	
3/4	5,921.44	3/4	6,480.53	3/4	7,039.62	3/4	7,598.77	3/4		3/4		3/4		3/4		3/4		3/4	
9	5,933.09	9	6,492.18	9	7,051.27	9	7,610.42	9		9		9		9		9		9	
1/4	5,944.74	1/4	6,503.83	1/4	7,062.92	1/4	7,622.07	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,956.39	1/2	6,515.48	1/2	7,074.57	1/2	7,633.72	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,968.03	3/4	6,527.12	3/4	7,086.22	3/4	7,645.37	3/4		3/4		3/4		3/4		3/4		3/4	
10	5,979.68	10	6,538.77	10	7,097.87	10	7,657.02	10		10		10		10		10		10	
1/4	5,991.33	1/4	6,550.42	1/4	7,109.52	1/4	7,668.67	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	6,002.98	1/2	6,562.07	1/2	7,121.17	1/2	7,680.32	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6,014.62	3/4	6,573.71	3/4	7,132.81	3/4	7,691.97	3/4		3/4		3/4		3/4		3/4		3/4	
11	6,026.27	11	6,585.36	11	7,144.46	11	7,703.62	11		11		11		11		11		11	
1/4	6,037.92	1/4	6,597.01	1/4	7,156.11	1/4	7,715.27	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	6,049.57	1/2	6,608.66	1/2	7,167.76	1/2	7,726.92	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	6,061.21	3/4	6,620.30	3/4	7,179.40	3/4	7,738.57	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/01/2006 ITS  
DECK MEASUREMENTS: 07/27/2011 SW  
REPRINTED: 07/28/2011 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 07/2011

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 255T"

## 2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-08 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	8.61	0	260.17	0	521.18	0	783.49	0	1,045.66	0	1,308.03	0	1,570.41	0	1,832.78	0	2,095.15	0	2,357.53
1/4	12.14	1/4	265.62	1/4	526.65	1/4	788.95	1/4	1,051.13	1/4	1,313.50	1/4	1,575.87	1/4	1,838.24	1/4	2,100.62	1/4	2,363.00
1/2	15.67	1/2	271.07	1/2	532.11	1/2	794.41	1/2	1,056.60	1/2	1,318.97	1/2	1,581.34	1/2	1,843.71	1/2	2,106.08	1/2	2,368.46
3/4	19.20	3/4	276.52	3/4	537.58	3/4	799.87	3/4	1,062.06	3/4	1,324.43	3/4	1,586.80	3/4	1,849.17	3/4	2,111.55	3/4	2,373.93
1	22.73	1	281.97	1	543.04	1	805.33	1	1,067.53	1	1,329.90	1	1,592.27	1	1,854.64	1	2,117.02	1	2,379.39
1/4	27.82	1/4	287.42	1/4	548.51	1/4	810.79	1/4	1,073.00	1/4	1,335.37	1/4	1,597.74	1/4	1,860.11	1/4	2,122.48	1/4	2,384.86
1/2	32.91	1/2	292.88	1/2	553.98	1/2	816.26	1/2	1,078.46	1/2	1,340.83	1/2	1,603.20	1/2	1,865.57	1/2	2,127.95	1/2	2,390.32
3/4	37.99	3/4	298.33	3/4	559.44	3/4	821.72	3/4	1,083.93	3/4	1,346.30	3/4	1,608.67	3/4	1,871.04	3/4	2,133.41	3/4	2,395.79
2	43.08	2	303.78	2	564.91	2	827.18	2	1,089.39	2	1,351.76	2	1,614.14	2	1,876.51	2	2,138.88	2	2,401.25
1/4	48.40	1/4	309.23	1/4	570.38	1/4	832.64	1/4	1,094.86	1/4	1,357.23	1/4	1,619.60	1/4	1,881.97	1/4	2,144.35	1/4	2,406.72
1/2	53.71	1/2	314.68	1/2	575.84	1/2	838.10	1/2	1,100.32	1/2	1,362.70	1/2	1,625.07	1/2	1,887.44	1/2	2,149.81	1/2	2,412.19
3/4	59.03	3/4	320.13	3/4	581.31	3/4	843.56	3/4	1,105.79	3/4	1,368.16	3/4	1,630.53	3/4	1,892.90	3/4	2,155.28	3/4	2,417.65
3	64.34	3	325.58	3	586.77	3	849.02	3	1,111.25	3	1,373.63	3	1,636.00	3	1,898.37	3	2,160.75	3	2,423.12
1/4	69.72	1/4	331.03	1/4	592.24	1/4	854.48	1/4	1,116.72	1/4	1,379.10	1/4	1,641.46	1/4	1,903.84	1/4	2,166.21	1/4	2,428.59
1/2	75.10	1/2	336.48	1/2	597.71	1/2	859.95	1/2	1,122.19	1/2	1,384.56	1/2	1,646.93	1/2	1,909.30	1/2	2,171.68	1/2	2,434.05
3/4	80.47	3/4	341.93	3/4	603.17	3/4	865.41	3/4	1,127.65	3/4	1,390.03	3/4	1,652.39	3/4	1,914.77	3/4	2,177.14	3/4	2,439.52
4	85.85	4	347.38	4	608.64	4	870.87	4	1,133.12	4	1,395.49	4	1,657.86	4	1,920.24	4	2,182.61	4	2,444.98
1/4	91.29	1/4	352.80	1/4	614.11	1/4	876.33	1/4	1,138.59	1/4	1,400.96	1/4	1,663.33	1/4	1,925.70	1/4	2,188.07	1/4	2,450.45
1/2	96.74	1/2	358.23	1/2	619.57	1/2	881.79	1/2	1,144.05	1/2	1,406.43	1/2	1,668.79	1/2	1,931.17	1/2	2,193.54	1/2	2,455.92
3/4	102.18	3/4	363.65	3/4	625.04	3/4	887.25	3/4	1,149.52	3/4	1,411.89	3/4	1,674.26	3/4	1,936.63	3/4	2,199.00	3/4	2,461.38
5	107.62	5	369.07	5	630.50	5	892.71	5	1,154.98	5	1,417.36	5	1,679.73	5	1,942.10	5	2,204.47	5	2,466.85
1/4	113.06	1/4	374.49	1/4	635.97	1/4	898.17	1/4	1,160.45	1/4	1,422.83	1/4	1,685.19	1/4	1,947.57	1/4	2,209.94	1/4	2,472.32
1/2	118.51	1/2	379.90	1/2	641.44	1/2	903.64	1/2	1,165.92	1/2	1,428.29	1/2	1,690.66	1/2	1,953.03	1/2	2,215.40	1/2	2,477.78
3/4	123.95	3/4	385.32	3/4	646.90	3/4	909.10	3/4	1,171.38	3/4	1,433.76	3/4	1,696.12	3/4	1,958.50	3/4	2,220.87	3/4	2,483.25
6	129.39	6	390.73	6	652.37	6	914.56	6	1,176.85	6	1,439.22	6	1,701.59	6	1,963.97	6	2,226.34	6	2,488.71
1/4	134.83	1/4	396.14	1/4	657.84	1/4	920.02	1/4	1,182.32	1/4	1,444.69	1/4	1,707.06	1/4	1,969.43	1/4	2,231.81	1/4	2,494.18
1/2	140.27	1/2	401.56	1/2	663.30	1/2	925.48	1/2	1,187.78	1/2	1,450.15	1/2	1,712.52	1/2	1,974.90	1/2	2,237.27	1/2	2,499.65
3/4	145.71	3/4	406.97	3/4	668.77	3/4	930.94	3/4	1,193.25	3/4	1,455.62	3/4	1,717.99	3/4	1,980.36	3/4	2,242.74	3/4	2,505.11
7	151.15	7	412.38	7	674.23	7	936.40	7	1,198.71	7	1,461.08	7	1,723.46	7	1,985.83	7	2,248.20	7	2,510.58
1/4	156.60	1/4	417.79	1/4	679.70	1/4	941.86	1/4	1,204.18	1/4	1,466.55	1/4	1,728.92	1/4	1,991.29	1/4	2,253.67	1/4	2,516.05
1/2	162.05	1/2	423.21	1/2	685.16	1/2	947.33	1/2	1,209.65	1/2	1,472.02	1/2	1,734.39	1/2	1,996.76	1/2	2,259.14	1/2	2,521.51
3/4	167.49	3/4	428.62	3/4	690.63	3/4	952.79	3/4	1,215.11	3/4	1,477.48	3/4	1,739.85	3/4	2,002.22	3/4	2,264.60	3/4	2,526.98
8	172.94	8	434.03	8	696.09	8	958.25	8	1,220.58	8	1,482.95	8	1,745.32	8	2,007.69	8	2,270.07	8	2,532.44
1/4	178.39	1/4	439.45	1/4	701.55	1/4	963.71	1/4	1,226.05	1/4	1,488.42	1/4	1,750.79	1/4	2,013.16	1/4	2,275.54	1/4	2,537.91
1/2	183.85	1/2	444.86	1/2	707.02	1/2	969.18	1/2	1,231.51	1/2	1,493.88	1/2	1,756.25	1/2	2,018.62	1/2	2,281.00	1/2	2,543.37
3/4	189.30	3/4	450.28	3/4	712.48	3/4	974.64	3/4	1,236.98	3/4	1,499.35	3/4	1,761.72	3/4	2,024.09	3/4	2,286.47	3/4	2,548.84
9	194.75	9	455.69	9	717.94	9	980.10	9	1,242.44	9	1,504.81	9	1,767.19	9	2,029.56	9	2,291.93	9	2,554.30
1/4	200.20	1/4	461.13	1/4	723.40	1/4	985.56	1/4	1,247.91	1/4	1,510.28	1/4	1,772.65	1/4	2,035.02	1/4	2,297.40	1/4	2,559.77
1/2	205.66	1/2	466.57	1/2	728.87	1/2	991.02	1/2	1,253.38	1/2	1,515.75	1/2	1,778.12	1/2	2,040.49	1/2	2,302.87	1/2	2,565.24
3/4	211.11	3/4	472.01	3/4	734.33	3/4	996.48	3/4	1,258.84	3/4	1,521.21	3/4	1,783.58	3/4	2,045.95	3/4	2,308.33	3/4	2,570.70
10	216.56	10	477.45	10	739.79	10	1,001.94	10	1,264.31	10	1,526.68	10	1,789.05	10	2,051.42	10	2,313.80	10	2,576.17
1/4	222.01	1/4	482.92	1/4	745.25	1/4	1,007.41	1/4	1,269.78	1/4	1,532.15	1/4	1,794.52	1/4	2,056.89	1/4	2,319.27	1/4	2,581.64
1/2	227.47	1/2	488.38	1/2	750.72	1/2	1,012.87	1/2	1,275.24	1/2	1,537.61	1/2	1,799.98	1/2	2,062.35	1/2	2,324.73	1/2	2,587.10
3/4	232.92	3/4	493.85	3/4	756.18	3/4	1,018.34	3/4	1,280.71	3/4	1,543.07	3/4	1,805.45	3/4	2,067.82	3/4	2,330.20	3/4	2,592.57
11	238.37	11	499.31	11	761.64	11	1,023.80	11	1,286.17	11	1,548.54	11	1,810.92	11	2,073.29	11	2,335.66	11	2,598.03
1/4	243.82	1/4	504.78	1/4	767.10	1/4	1,029.27	1/4	1,291.64	1/4	1,554.01	1/4	1,816.38	1/4	2,078.75	1/4	2,341.13	1/4	2,603.50
1/2	249.27	1/2	510.25	1/2	772.57	1/2	1,034.73	1/2	1,297.10	1/2	1,559.47	1/2	1,821.85	1/2	2,084.22	1/2	2,346.60	1/2	2,608.97
3/4	254.72	3/4	515.71	3/4	778.03	3/4	1,040.20	3/4	1,302.57	3/4	1,564.94	3/4	1,827.31	3/4	2,089.68	3/4	2,352.06	3/4	2,614.43

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE  
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH  
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 11'-00" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



# BARGE "WEB 255T"

## 2 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-08 3/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	2,619.90	0	2,882.27	0	3,144.64	0	3,407.01	0	3,669.43	0		0		0		0		0	
1/4	2,625.37	1/4	2,887.74	1/4	3,150.11	1/4	3,412.48	1/4	3,674.90	1/4		1/4		1/4		1/4		1/4	
1/2	2,630.83	1/2	2,893.21	1/2	3,155.58	1/2	3,417.95	1/2	3,680.37	1/2		1/2		1/2		1/2		1/2	
3/4	2,636.30	3/4	2,898.67	3/4	3,161.04	3/4	3,423.41	3/4	3,685.83	3/4		3/4		3/4		3/4		3/4	
1	2,641.76	1	2,904.14	1	3,166.51	1	3,428.88	1	3,691.30	1		1		1		1		1	
1/4	2,647.23	1/4	2,909.61	1/4	3,171.98	1/4	3,434.35	1/4	3,696.20	1/4		1/4		1/4		1/4		1/4	
1/2	2,652.70	1/2	2,915.07	1/2	3,177.44	1/2	3,439.82	1/2	3,701.10	1/2		1/2		1/2		1/2		1/2	
3/4	2,658.16	3/4	2,920.54	3/4	3,182.91	3/4	3,445.28	3/4	3,705.99	3/4		3/4		3/4		3/4		3/4	
2	2,663.63	2	2,926.00	2	3,188.37	2	3,450.75	2	3,710.89	2		2		2		2		2	
1/4	2,669.10	1/4	2,931.47	1/4	3,193.84	1/4	3,456.22	1/4	3,714.88	1/4		1/4		1/4		1/4		1/4	
1/2	2,674.56	1/2	2,936.93	1/2	3,199.31	1/2	3,461.69	1/2	3,718.86	1/2		1/2		1/2		1/2		1/2	
3/4	2,680.03	3/4	2,942.40	3/4	3,204.77	3/4	3,467.15	3/4	3,722.85	3/4		3/4		3/4		3/4		3/4	
3	2,685.49	3	2,947.86	3	3,210.24	3	3,472.62	3	3,726.83	3		3		3		3		3	
1/4	2,690.96	1/4	2,953.33	1/4	3,215.71	1/4	3,478.09	1/4	3,729.91	1/4		1/4		1/4		1/4		1/4	
1/2	2,696.43	1/2	2,958.80	1/2	3,221.17	1/2	3,483.55	1/2	3,732.98	1/2		1/2		1/2		1/2		1/2	
3/4	2,701.89	3/4	2,964.26	3/4	3,226.64	3/4	3,489.02	3/4	3,736.06	3/4		3/4		3/4		3/4		3/4	
4	2,707.36	4	2,969.73	4	3,232.10	4	3,494.48	4	3,739.13	4		4		4		4		4	
1/4	2,712.83	1/4	2,975.20	1/4	3,237.57	1/4	3,499.95	1/4	3,741.29	1/4		1/4		1/4		1/4		1/4	
1/2	2,718.29	1/2	2,980.66	1/2	3,243.04	1/2	3,505.42	1/2	3,743.46	1/2		1/2		1/2		1/2		1/2	
3/4	2,723.76	3/4	2,986.13	3/4	3,248.50	3/4	3,510.88	3/4	3,745.62	3/4		3/4		3/4		3/4		3/4	
5	2,729.22	5	2,991.59	5	3,253.97	5	3,516.35	5	3,747.78	5		5		5		5		5	
1/4	2,734.69	1/4	2,997.06	1/4	3,259.44	1/4	3,521.82	1/4	3,749.03	1/4		1/4		1/4		1/4		1/4	
1/2	2,740.15	1/2	3,002.53	1/2	3,264.90	1/2	3,527.29	1/2	3,750.29	1/2		1/2		1/2		1/2		1/2	
3/4	2,745.62	3/4	3,007.99	3/4	3,270.37	3/4	3,532.75	3/4	3,751.54	3/4		3/4		3/4		3/4		3/4	
6	2,751.08	6	3,013.46	6	3,275.83	6	3,538.22	6	3,752.79	6		6		6		6		6	
1/4	2,756.55	1/4	3,018.93	1/4	3,281.30	1/4	3,543.69	1/4	3,753.25	1/4		1/4		1/4		1/4		1/4	
1/2	2,762.02	1/2	3,024.39	1/2	3,286.76	1/2	3,549.16	1/2	3,753.70	1/2		1/2		1/2		1/2		1/2	
3/4	2,767.48	3/4	3,029.86	3/4	3,292.23	3/4	3,554.62	3/4	3,754.16	3/4		3/4		3/4		3/4		3/4	
7	2,772.95	7	3,035.32	7	3,297.69	7	3,560.09	7		7		7		7		7		7	
1/4	2,778.42	1/4	3,040.79	1/4	3,303.16	1/4	3,565.56	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,783.88	1/2	3,046.26	1/2	3,308.63	1/2	3,571.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,789.35	3/4	3,051.72	3/4	3,314.09	3/4	3,576.49	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,794.81	8	3,057.19	8	3,319.56	8	3,581.96	8		8		8		8		8		8	
1/4	2,800.28	1/4	3,062.66	1/4	3,325.03	1/4	3,587.43	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,805.75	1/2	3,068.12	1/2	3,330.49	1/2	3,592.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,811.21	3/4	3,073.59	3/4	3,335.96	3/4	3,598.36	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,816.68	9	3,079.05	9	3,341.42	9	3,603.82	9		9		9		9		9		9	
1/4	2,822.15	1/4	3,084.52	1/4	3,346.89	1/4	3,609.29	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,827.61	1/2	3,089.98	1/2	3,352.36	1/2	3,614.76	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,833.08	3/4	3,095.45	3/4	3,357.82	3/4	3,620.22	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,838.54	10	3,100.91	10	3,363.29	10	3,625.69	10		10		10		10		10		10	
1/4	2,844.01	1/4	3,106.38	1/4	3,368.76	1/4	3,631.16	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,849.48	1/2	3,111.85	1/2	3,374.22	1/2	3,636.63	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,854.94	3/4	3,117.31	3/4	3,379.69	3/4	3,642.09	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,860.41	11	3,122.78	11	3,385.15	11	3,647.56	11		11		11		11		11		11	
1/4	2,865.88	1/4	3,128.25	1/4	3,390.62	1/4	3,653.03	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,871.34	1/2	3,133.71	1/2	3,396.08	1/2	3,658.50	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,876.81	3/4	3,139.18	3/4	3,401.55	3/4	3,663.96	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/01/2006 ITS  
DECK MEASUREMENTS: 07/27/2011 SW  
REPRINTED: 07/28/2011 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 07/2011

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 255T"

## 2 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	8.64	0	261.10	0	523.04	0	786.17	0	1,048.62	0	1,311.92	0	1,575.22	0	1,838.53	0	2,101.83	0	2,365.14
1/4	12.18	1/4	266.57	1/4	528.53	1/4	791.64	1/4	1,054.11	1/4	1,317.41	1/4	1,580.71	1/4	1,844.01	1/4	2,107.31	1/4	2,370.62
1/2	15.73	1/2	272.04	1/2	534.01	1/2	797.10	1/2	1,059.59	1/2	1,322.89	1/2	1,586.19	1/2	1,849.50	1/2	2,112.80	1/2	2,376.11
3/4	19.27	3/4	277.51	3/4	539.50	3/4	802.57	3/4	1,065.08	3/4	1,328.38	3/4	1,591.68	3/4	1,854.98	3/4	2,118.28	3/4	2,381.59
1	22.81	1	282.98	1	544.98	1	808.03	1	1,070.56	1	1,333.86	1	1,597.17	1	1,860.47	1	2,123.77	1	2,387.08
1/4	27.92	1/4	288.45	1/4	550.47	1/4	813.50	1/4	1,076.05	1/4	1,339.35	1/4	1,602.65	1/4	1,865.95	1/4	2,129.26	1/4	2,392.56
1/2	33.02	1/2	293.92	1/2	555.95	1/2	818.96	1/2	1,081.53	1/2	1,344.83	1/2	1,608.14	1/2	1,871.44	1/2	2,134.74	1/2	2,398.05
3/4	38.13	3/4	299.39	3/4	561.44	3/4	824.43	3/4	1,087.02	3/4	1,350.32	3/4	1,613.62	3/4	1,876.92	3/4	2,140.23	3/4	2,403.53
2	43.23	2	304.86	2	566.92	2	829.89	2	1,092.50	2	1,355.80	2	1,619.11	2	1,882.41	2	2,145.72	2	2,409.02
1/4	48.57	1/4	310.33	1/4	572.41	1/4	835.36	1/4	1,097.99	1/4	1,361.29	1/4	1,624.59	1/4	1,887.89	1/4	2,151.20	1/4	2,414.50
1/2	53.90	1/2	315.80	1/2	577.90	1/2	840.82	1/2	1,103.47	1/2	1,366.78	1/2	1,630.08	1/2	1,893.38	1/2	2,156.69	1/2	2,419.99
3/4	59.24	3/4	321.27	3/4	583.38	3/4	846.29	3/4	1,108.96	3/4	1,372.26	3/4	1,635.56	3/4	1,898.86	3/4	2,162.17	3/4	2,425.47
3	64.57	3	326.74	3	588.87	3	851.75	3	1,114.44	3	1,377.75	3	1,641.05	3	1,904.35	3	2,167.66	3	2,430.96
1/4	69.97	1/4	332.21	1/4	594.36	1/4	857.22	1/4	1,119.93	1/4	1,383.24	1/4	1,646.53	1/4	1,909.84	1/4	2,173.14	1/4	2,436.44
1/2	75.37	1/2	337.68	1/2	599.84	1/2	862.68	1/2	1,125.41	1/2	1,388.72	1/2	1,652.02	1/2	1,915.32	1/2	2,178.63	1/2	2,441.93
3/4	80.76	3/4	343.15	3/4	605.33	3/4	868.15	3/4	1,130.90	3/4	1,394.21	3/4	1,657.50	3/4	1,920.81	3/4	2,184.11	3/4	2,447.42
4	86.16	4	348.62	4	610.81	4	873.61	4	1,136.38	4	1,399.69	4	1,662.99	4	1,926.30	4	2,189.60	4	2,452.90
1/4	91.62	1/4	354.06	1/4	616.30	1/4	879.08	1/4	1,141.87	1/4	1,405.18	1/4	1,668.47	1/4	1,931.78	1/4	2,195.08	1/4	2,458.39
1/2	97.09	1/2	359.51	1/2	621.78	1/2	884.54	1/2	1,147.36	1/2	1,410.66	1/2	1,673.96	1/2	1,937.27	1/2	2,200.57	1/2	2,463.88
3/4	102.55	3/4	364.95	3/4	627.27	3/4	890.01	3/4	1,152.84	3/4	1,416.15	3/4	1,679.44	3/4	1,942.75	3/4	2,206.05	3/4	2,469.36
5	108.01	5	370.39	5	632.75	5	895.47	5	1,158.33	5	1,421.63	5	1,684.93	5	1,948.24	5	2,211.54	5	2,474.85
1/4	113.47	1/4	375.82	1/4	638.24	1/4	900.94	1/4	1,163.82	1/4	1,427.12	1/4	1,690.42	1/4	1,953.72	1/4	2,217.02	1/4	2,480.34
1/2	118.93	1/2	381.26	1/2	643.72	1/2	906.40	1/2	1,169.30	1/2	1,432.60	1/2	1,695.90	1/2	1,959.21	1/2	2,222.51	1/2	2,485.82
3/4	124.39	3/4	386.69	3/4	649.21	3/4	911.87	3/4	1,174.79	3/4	1,438.08	3/4	1,701.39	3/4	1,964.69	3/4	2,227.99	3/4	2,491.31
6	129.85	6	392.12	6	654.69	6	917.33	6	1,180.27	6	1,443.57	6	1,706.88	6	1,970.18	6	2,233.48	6	2,496.79
1/4	135.31	1/4	397.55	1/4	660.18	1/4	922.80	1/4	1,185.76	1/4	1,449.05	1/4	1,712.36	1/4	1,975.66	1/4	2,238.97	1/4	2,502.28
1/2	140.78	1/2	402.99	1/2	665.67	1/2	928.26	1/2	1,191.24	1/2	1,454.54	1/2	1,717.85	1/2	1,981.15	1/2	2,244.45	1/2	2,507.76
3/4	146.24	3/4	408.42	3/4	671.15	3/4	933.73	3/4	1,196.73	3/4	1,460.02	3/4	1,723.33	3/4	1,986.63	3/4	2,249.94	3/4	2,513.25
7	151.70	7	413.85	7	676.64	7	939.19	7	1,202.21	7	1,465.51	7	1,728.82	7	1,992.12	7	2,255.43	7	2,518.73
1/4	157.17	1/4	419.29	1/4	682.12	1/4	944.66	1/4	1,207.70	1/4	1,471.00	1/4	1,734.30	1/4	1,997.60	1/4	2,260.91	1/4	2,524.22
1/2	162.63	1/2	424.72	1/2	687.61	1/2	950.12	1/2	1,213.18	1/2	1,476.48	1/2	1,739.79	1/2	2,003.09	1/2	2,266.40	1/2	2,529.70
3/4	168.10	3/4	430.16	3/4	693.09	3/4	955.59	3/4	1,218.67	3/4	1,481.97	3/4	1,745.27	3/4	2,008.57	3/4	2,271.88	3/4	2,535.19
8	173.56	8	435.59	8	698.57	8	961.05	8	1,224.15	8	1,487.46	8	1,750.76	8	2,014.06	8	2,277.37	8	2,540.67
1/4	179.03	1/4	441.02	1/4	704.05	1/4	966.52	1/4	1,229.64	1/4	1,492.94	1/4	1,756.24	1/4	2,019.55	1/4	2,282.85	1/4	2,546.16
1/2	184.51	1/2	446.46	1/2	709.54	1/2	971.98	1/2	1,235.12	1/2	1,498.43	1/2	1,761.73	1/2	2,025.03	1/2	2,288.34	1/2	2,551.64
3/4	189.98	3/4	451.89	3/4	715.02	3/4	977.45	3/4	1,240.61	3/4	1,503.91	3/4	1,767.21	3/4	2,030.52	3/4	2,293.82	3/4	2,557.13
9	195.45	9	457.32	9	720.50	9	982.91	9	1,246.09	9	1,509.40	9	1,772.70	9	2,036.01	9	2,299.31	9	2,562.61
1/4	200.92	1/4	462.78	1/4	725.98	1/4	988.38	1/4	1,251.58	1/4	1,514.88	1/4	1,778.18	1/4	2,041.49	1/4	2,304.79	1/4	2,568.10
1/2	206.40	1/2	468.24	1/2	731.47	1/2	993.84	1/2	1,257.07	1/2	1,520.37	1/2	1,783.67	1/2	2,046.98	1/2	2,310.28	1/2	2,573.59
3/4	211.87	3/4	473.69	3/4	736.95	3/4	999.31	3/4	1,262.55	3/4	1,525.85	3/4	1,789.15	3/4	2,052.46	3/4	2,315.76	3/4	2,579.07
10	217.34	10	479.15	10	742.43	10	1,004.77	10	1,268.04	10	1,531.34	10	1,794.64	10	2,057.95	10	2,321.25	10	2,584.56
1/4	222.81	1/4	484.64	1/4	747.90	1/4	1,010.25	1/4	1,273.53	1/4	1,536.82	1/4	1,800.13	1/4	2,063.43	1/4	2,326.73	1/4	2,590.05
1/2	228.28	1/2	490.13	1/2	753.37	1/2	1,015.72	1/2	1,279.01	1/2	1,542.31	1/2	1,805.61	1/2	2,068.92	1/2	2,332.22	1/2	2,595.53
3/4	233.75	3/4	495.61	3/4	758.84	3/4	1,021.20	3/4	1,284.50	3/4	1,547.79	3/4	1,811.10	3/4	2,074.40	3/4	2,337.70	3/4	2,601.02
11	239.22	11	501.10	11	764.31	11	1,026.67	11	1,289.98	11	1,553.28	11	1,816.59	11	2,079.89	11	2,343.19	11	2,606.50
1/4	244.69	1/4	506.59	1/4	769.78	1/4	1,032.16	1/4	1,295.47	1/4	1,558.76	1/4	1,822.07	1/4	2,085.37	1/4	2,348.68	1/4	2,611.99
1/2	250.16	1/2	512.07	1/2	775.24	1/2	1,037.65	1/2	1,300.95	1/2	1,564.25	1/2	1,827.56	1/2	2,090.86	1/2	2,354.16	1/2	2,617.47
3/4	255.63	3/4	517.56	3/4	780.71	3/4	1,043.13	3/4	1,306.44	3/4	1,569.73	3/4	1,833.04	3/4	2,096.34	3/4	2,359.65	3/4	2,622.96

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE  
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH  
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 11'-00" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 255T"

**2 STBD  
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

**GAUGE HEIGHT 14'-09"**

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,628.44	0	2,891.74	0	3,155.05	0	3,418.35	0	3,681.70	0		0		0		0		0	
1/4	2,633.93	1/4	2,897.23	1/4	3,160.54	1/4	3,423.84	1/4	3,687.19	1/4		1/4		1/4		1/4		1/4	
1/2	2,639.41	1/2	2,902.72	1/2	3,166.02	1/2	3,429.33	1/2	3,692.67	1/2		1/2		1/2		1/2		1/2	
3/4	2,644.90	3/4	2,908.20	3/4	3,171.51	3/4	3,434.81	3/4	3,698.16	3/4		3/4		3/4		3/4		3/4	
1	2,650.38	1	2,913.69	1	3,176.99	1	3,440.30	1	3,703.64	1		1		1		1		1	
1/4	2,655.87	1/4	2,919.18	1/4	3,182.48	1/4	3,445.79	1/4	3,708.77	1/4		1/4		1/4		1/4		1/4	
1/2	2,661.35	1/2	2,924.66	1/2	3,187.96	1/2	3,451.27	1/2	3,713.90	1/2		1/2		1/2		1/2		1/2	
3/4	2,666.84	3/4	2,930.15	3/4	3,193.45	3/4	3,456.76	3/4	3,719.03	3/4		3/4		3/4		3/4		3/4	
2	2,672.32	2	2,935.63	2	3,198.93	2	3,462.24	2	3,724.16	2		2		2		2		2	
1/4	2,677.81	1/4	2,941.12	1/4	3,204.42	1/4	3,467.73	1/4	3,728.34	1/4		1/4		1/4		1/4		1/4	
1/2	2,683.30	1/2	2,946.60	1/2	3,209.90	1/2	3,473.22	1/2	3,732.51	1/2		1/2		1/2		1/2		1/2	
3/4	2,688.78	3/4	2,952.09	3/4	3,215.39	3/4	3,478.70	3/4	3,736.69	3/4		3/4		3/4		3/4		3/4	
3	2,694.27	3	2,957.57	3	3,220.87	3	3,484.19	3	3,740.86	3		3		3		3		3	
1/4	2,699.76	1/4	2,963.06	1/4	3,226.36	1/4	3,489.68	1/4	3,744.08	1/4		1/4		1/4		1/4		1/4	
1/2	2,705.24	1/2	2,968.54	1/2	3,231.85	1/2	3,495.16	1/2	3,747.30	1/2		1/2		1/2		1/2		1/2	
3/4	2,710.73	3/4	2,974.03	3/4	3,237.33	3/4	3,500.65	3/4	3,750.51	3/4		3/4		3/4		3/4		3/4	
4	2,716.21	4	2,979.51	4	3,242.82	4	3,506.13	4	3,753.73	4		4		4		4		4	
1/4	2,721.70	1/4	2,985.00	1/4	3,248.31	1/4	3,511.62	1/4	3,756.00	1/4		1/4		1/4		1/4		1/4	
1/2	2,727.18	1/2	2,990.48	1/2	3,253.79	1/2	3,517.11	1/2	3,758.27	1/2		1/2		1/2		1/2		1/2	
3/4	2,732.67	3/4	2,995.97	3/4	3,259.28	3/4	3,522.59	3/4	3,760.53	3/4		3/4		3/4		3/4		3/4	
5	2,738.15	5	3,001.45	5	3,264.76	5	3,528.08	5	3,762.80	5		5		5		5		5	
1/4	2,743.64	1/4	3,006.94	1/4	3,270.25	1/4	3,533.57	1/4	3,764.11	1/4		1/4		1/4		1/4		1/4	
1/2	2,749.12	1/2	3,012.43	1/2	3,275.73	1/2	3,539.06	1/2	3,765.42	1/2		1/2		1/2		1/2		1/2	
3/4	2,754.61	3/4	3,017.91	3/4	3,017.91	3/4	3,544.54	3/4	3,766.73	3/4		3/4		3/4		3/4		3/4	
6	2,760.09	6	3,023.40	6	3,286.70	6	3,550.03	6	3,768.04	6		6		6		6		6	
1/4	2,765.58	1/4	3,028.89	1/4	3,292.19	1/4	3,555.52	1/4	3,768.52	1/4		1/4		1/4		1/4		1/4	
1/2	2,771.06	1/2	3,034.37	1/2	3,297.67	1/2	3,561.00	1/2	3,768.99	1/2		1/2		1/2		1/2		1/2	
3/4	2,776.55	3/4	3,039.86	3/4	3,303.16	3/4	3,566.49	3/4	3,769.47	3/4		3/4		3/4		3/4		3/4	
7	2,782.03	7	3,045.34	7	3,308.64	7	3,571.97	7		7		7		7		7		7	
1/4	2,787.52	1/4	3,050.83	1/4	3,314.13	1/4	3,577.46	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,793.01	1/2	3,056.31	1/2	3,319.61	1/2	3,582.95	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,798.49	3/4	3,061.80	3/4	3,325.10	3/4	3,588.43	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,803.98	8	3,067.28	8	3,330.58	8	3,593.92	8		8		8		8		8		8	
1/4	2,809.47	1/4	3,072.77	1/4	3,336.07	1/4	3,599.41	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,814.95	1/2	3,078.25	1/2	3,341.56	1/2	3,604.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,820.44	3/4	3,083.74	3/4	3,347.04	3/4	3,610.38	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,825.92	9	3,089.22	9	3,352.53	9	3,615.86	9		9		9		9		9		9	
1/4	2,831.41	1/4	3,094.71	1/4	3,358.02	1/4	3,621.35	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,836.89	1/2	3,100.19	1/2	3,363.50	1/2	3,626.84	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,842.38	3/4	3,105.68	3/4	3,368.99	3/4	3,632.32	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,847.86	10	3,111.16	10	3,374.47	10	3,637.81	10		10		10		10		10		10	
1/4	2,853.35	1/4	3,116.65	1/4	3,379.96	1/4	3,643.30	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,858.83	1/2	3,122.14	1/2	3,385.44	1/2	3,648.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,864.32	3/4	3,127.62	3/4	3,390.93	3/4	3,654.27	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,869.80	11	3,133.11	11	3,396.41	11	3,659.75	11		11		11		11		11		11	
1/4	2,875.29	1/4	3,138.60	1/4	3,401.90	1/4	3,665.24	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,880.77	1/2	3,144.08	1/2	3,407.38	1/2	3,670.73	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,886.26	3/4	3,149.57	3/4	3,412.87	3/4	3,676.21	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/01/2006 ITS  
DECK MEASUREMENTS: 07/27/2011 SW  
REPRINTED: 07/28/2011 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 07/2011

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 255T"

# 3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	8.63	0	260.75	0	522.32	0	785.09	0	1,047.18	0	1,310.12	0	1,573.07	0	1,836.01	0	2,098.96	0	2,361.90
1/4	12.17	1/4	266.21	1/4	527.80	1/4	790.55	1/4	1,052.66	1/4	1,315.60	1/4	1,578.55	1/4	1,841.49	1/4	2,104.44	1/4	2,367.38
1/2	15.71	1/2	271.68	1/2	533.28	1/2	796.00	1/2	1,058.14	1/2	1,321.08	1/2	1,584.03	1/2	1,846.97	1/2	2,109.91	1/2	2,372.85
3/4	19.24	3/4	277.14	3/4	538.75	3/4	801.46	3/4	1,063.61	3/4	1,326.56	3/4	1,589.50	3/4	1,852.44	3/4	2,115.39	3/4	2,378.33
1	22.78	1	282.60	1	544.23	1	806.92	1	1,069.09	1	1,332.04	1	1,594.98	1	1,857.92	1	2,120.87	1	2,383.81
1/4	27.88	1/4	288.06	1/4	549.71	1/4	812.38	1/4	1,074.57	1/4	1,337.52	1/4	1,600.46	1/4	1,863.40	1/4	2,126.35	1/4	2,389.29
1/2	32.98	1/2	293.53	1/2	555.19	1/2	817.83	1/2	1,080.05	1/2	1,343.00	1/2	1,605.94	1/2	1,868.88	1/2	2,131.82	1/2	2,394.76
3/4	38.07	3/4	298.99	3/4	560.67	3/4	823.29	3/4	1,085.52	3/4	1,348.47	3/4	1,611.41	3/4	1,874.36	3/4	2,137.30	3/4	2,400.24
2	43.17	2	304.45	2	566.15	2	828.75	2	1,091.00	2	1,353.95	2	1,616.89	2	1,879.84	2	2,142.78	2	2,405.72
1/4	48.50	1/4	309.91	1/4	571.63	1/4	834.21	1/4	1,096.48	1/4	1,359.43	1/4	1,622.37	1/4	1,885.32	1/4	2,148.26	1/4	2,411.20
1/2	53.83	1/2	315.38	1/2	577.11	1/2	839.66	1/2	1,101.96	1/2	1,364.91	1/2	1,627.85	1/2	1,890.79	1/2	2,153.73	1/2	2,416.68
3/4	59.15	3/4	320.84	3/4	582.58	3/4	845.12	3/4	1,107.44	3/4	1,370.38	3/4	1,633.32	3/4	1,896.27	3/4	2,159.21	3/4	2,422.16
3	64.48	3	326.30	3	588.06	3	850.58	3	1,112.92	3	1,375.86	3	1,638.80	3	1,901.75	3	2,164.69	3	2,427.64
1/4	69.87	1/4	331.76	1/4	593.54	1/4	856.04	1/4	1,118.40	1/4	1,381.34	1/4	1,644.28	1/4	1,907.23	1/4	2,170.17	1/4	2,433.12
1/2	75.26	1/2	337.23	1/2	599.02	1/2	861.49	1/2	1,123.88	1/2	1,386.82	1/2	1,649.76	1/2	1,912.70	1/2	2,175.64	1/2	2,438.59
3/4	80.65	3/4	342.69	3/4	604.49	3/4	866.95	3/4	1,129.35	3/4	1,392.29	3/4	1,655.24	3/4	1,918.18	3/4	2,181.12	3/4	2,444.07
4	86.04	4	348.15	4	609.97	4	872.41	4	1,134.83	4	1,397.77	4	1,660.72	4	1,923.66	4	2,186.60	4	2,449.55
1/4	91.50	1/4	353.59	1/4	615.45	1/4	877.87	1/4	1,140.31	1/4	1,403.25	1/4	1,666.20	1/4	1,929.14	1/4	2,192.08	1/4	2,455.03
1/2	96.95	1/2	359.02	1/2	620.92	1/2	883.32	1/2	1,145.79	1/2	1,408.73	1/2	1,671.68	1/2	1,934.61	1/2	2,197.56	1/2	2,460.50
3/4	102.41	3/4	364.46	3/4	626.40	3/4	888.78	3/4	1,151.26	3/4	1,414.20	3/4	1,677.15	3/4	1,940.09	3/4	2,203.04	3/4	2,465.98
5	107.86	5	369.89	5	631.88	5	894.24	5	1,156.74	5	1,419.68	5	1,682.63	5	1,945.57	5	2,208.52	5	2,471.46
1/4	113.31	1/4	375.32	1/4	637.36	1/4	899.70	1/4	1,162.22	1/4	1,425.16	1/4	1,688.11	1/4	1,951.05	1/4	2,214.00	1/4	2,476.94
1/2	118.77	1/2	380.74	1/2	642.84	1/2	905.15	1/2	1,167.70	1/2	1,430.64	1/2	1,693.59	1/2	1,956.52	1/2	2,219.47	1/2	2,482.41
3/4	124.22	3/4	386.17	3/4	648.32	3/4	910.61	3/4	1,173.17	3/4	1,436.12	3/4	1,699.06	3/4	1,962.00	3/4	2,224.95	3/4	2,487.89
6	129.67	6	391.59	6	653.80	6	916.07	6	1,178.65	6	1,441.60	6	1,704.54	6	1,967.48	6	2,230.43	6	2,493.37
1/4	135.13	1/4	397.02	1/4	659.28	1/4	921.53	1/4	1,184.13	1/4	1,447.08	1/4	1,710.02	1/4	1,972.96	1/4	2,235.91	1/4	2,498.85
1/2	140.58	1/2	402.44	1/2	664.75	1/2	926.98	1/2	1,189.61	1/2	1,452.56	1/2	1,715.50	1/2	1,978.44	1/2	2,241.38	1/2	2,504.32
3/4	146.04	3/4	407.87	3/4	670.23	3/4	932.44	3/4	1,195.08	3/4	1,458.03	3/4	1,720.97	3/4	1,983.92	3/4	2,246.86	3/4	2,509.80
7	151.49	7	413.29	7	675.71	7	937.90	7	1,200.56	7	1,463.51	7	1,726.45	7	1,989.40	7	2,252.34	7	2,515.28
1/4	156.95	1/4	418.72	1/4	681.18	1/4	943.36	1/4	1,206.04	1/4	1,468.99	1/4	1,731.93	1/4	1,994.88	1/4	2,257.82	1/4	2,520.76
1/2	162.41	1/2	424.14	1/2	686.66	1/2	948.82	1/2	1,211.52	1/2	1,474.47	1/2	1,737.41	1/2	2,000.35	1/2	2,263.29	1/2	2,526.24
3/4	167.86	3/4	429.57	3/4	692.13	3/4	954.28	3/4	1,217.00	3/4	1,479.94	3/4	1,742.88	3/4	2,005.83	3/4	2,268.77	3/4	2,531.72
8	173.32	8	434.99	8	697.61	8	959.74	8	1,222.48	8	1,485.42	8	1,748.36	8	2,011.31	8	2,274.25	8	2,537.20
1/4	178.79	1/4	440.42	1/4	703.08	1/4	965.20	1/4	1,227.96	1/4	1,490.90	1/4	1,753.84	1/4	2,016.79	1/4	2,279.73	1/4	2,542.68
1/2	184.25	1/2	445.84	1/2	708.56	1/2	970.65	1/2	1,233.44	1/2	1,496.38	1/2	1,759.32	1/2	2,022.26	1/2	2,285.20	1/2	2,548.15
3/4	189.72	3/4	451.27	3/4	714.04	3/4	976.11	3/4	1,238.91	3/4	1,501.85	3/4	1,764.80	3/4	2,027.74	3/4	2,290.68	3/4	2,553.63
9	195.18	9	456.69	9	719.51	9	981.57	9	1,244.39	9	1,507.33	9	1,770.28	9	2,033.22	9	2,296.16	9	2,559.11
1/4	200.65	1/4	462.14	1/4	724.99	1/4	987.03	1/4	1,249.87	1/4	1,512.81	1/4	1,775.74	1/4	2,038.70	1/4	2,301.64	1/4	2,564.59
1/2	206.11	1/2	467.60	1/2	730.46	1/2	992.48	1/2	1,255.35	1/2	1,518.29	1/2	1,781.19	1/2	2,044.17	1/2	2,307.12	1/2	2,570.06
3/4	211.58	3/4	473.05	3/4	735.94	3/4	997.94	3/4	1,260.82	3/4	1,523.76	3/4	1,786.65	3/4	2,049.65	3/4	2,312.60	3/4	2,575.54
10	217.04	10	478.50	10	741.41	10	1,003.40	10	1,266.30	10	1,529.24	10	1,792.11	10	2,055.13	10	2,318.08	10	2,581.02
1/4	222.50	1/4	483.98	1/4	746.87	1/4	1,008.87	1/4	1,271.78	1/4	1,534.72	1/4	1,797.61	1/4	2,060.61	1/4	2,323.56	1/4	2,586.50
1/2	227.97	1/2	489.46	1/2	752.34	1/2	1,014.34	1/2	1,277.26	1/2	1,540.20	1/2	1,803.10	1/2	2,066.08	1/2	2,329.03	1/2	2,591.97
3/4	233.43	3/4	494.93	3/4	757.80	3/4	1,019.80	3/4	1,282.73	3/4	1,545.68	3/4	1,808.60	3/4	2,071.56	3/4	2,334.51	3/4	2,597.45
11	238.89	11	500.41	11	763.26	11	1,025.27	11	1,288.21	11	1,551.16	11	1,814.10	11	2,077.04	11	2,339.99	11	2,602.93
1/4	244.36	1/4	505.89	1/4	768.72	1/4	1,030.75	1/4	1,293.69	1/4	1,556.64	1/4	1,819.58	1/4	2,082.52	1/4	2,345.47	1/4	2,608.41
1/2	249.82	1/2	511.37	1/2	774.18	1/2	1,036.23	1/2	1,299.17	1/2	1,562.12	1/2	1,825.06	1/2	2,088.00	1/2	2,350.94	1/2	2,613.88
3/4	255.29	3/4	516.84	3/4	779.63	3/4	1,041.70	3/4	1,304.64	3/4	1,567.59	3/4	1,830.53	3/4	2,093.48	3/4	2,356.42	3/4	2,619.36

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE  
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH  
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 11'-00" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "WEB 255T"

## 3 PORT INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,624.84	0	2,887.79	0	3,150.73	0	3,413.68	0	3,676.66	0		0		0		0		0	
1/4	2,630.32	1/4	2,893.27	1/4	3,156.21	1/4	3,419.16	1/4	3,682.14	1/4		1/4		1/4		1/4		1/4	
1/2	2,635.80	1/2	2,898.74	1/2	3,161.68	1/2	3,424.63	1/2	3,687.62	1/2		1/2		1/2		1/2		1/2	
3/4	2,641.28	3/4	2,904.22	3/4	3,167.16	3/4	3,430.11	3/4	3,693.10	3/4		3/4		3/4		3/4		3/4	
1	2,646.76	1	2,909.70	1	3,172.64	1	3,435.59	1	3,698.58	1		1		1		1		1	
1/4	2,652.24	1/4	2,915.18	1/4	3,178.12	1/4	3,441.07	1/4	3,703.88	1/4		1/4		1/4		1/4		1/4	
1/2	2,657.71	1/2	2,920.65	1/2	3,183.60	1/2	3,446.55	1/2	3,709.18	1/2		1/2		1/2		1/2		1/2	
3/4	2,663.19	3/4	2,926.13	3/4	3,189.08	3/4	3,452.03	3/4	3,714.48	3/4		3/4		3/4		3/4		3/4	
2	2,668.67	2	2,931.61	2	3,194.56	2	3,457.51	2	3,719.78	2		2		2		2		2	
1/4	2,674.15	1/4	2,937.09	1/4	3,200.04	1/4	3,462.99	1/4	3,724.19	1/4		1/4		1/4		1/4		1/4	
1/2	2,679.62	1/2	2,942.56	1/2	3,205.51	1/2	3,468.46	1/2	3,728.59	1/2		1/2		1/2		1/2		1/2	
3/4	2,685.10	3/4	2,948.04	3/4	3,210.99	3/4	3,473.94	3/4	3,733.00	3/4		3/4		3/4		3/4		3/4	
3	2,690.58	3	2,953.52	3	3,216.47	3	3,479.42	3	3,737.41	3		3		3		3		3	
1/4	2,696.06	1/4	2,959.00	1/4	3,221.95	1/4	3,484.90	1/4	3,740.86	1/4		1/4		1/4		1/4		1/4	
1/2	2,701.53	1/2	2,964.48	1/2	3,227.42	1/2	3,490.38	1/2	3,744.31	1/2		1/2		1/2		1/2		1/2	
3/4	2,707.01	3/4	2,969.96	3/4	3,232.90	3/4	3,495.86	3/4	3,747.77	3/4		3/4		3/4		3/4		3/4	
4	2,712.49	4	2,975.44	4	3,238.38	4	3,501.34	4	3,751.22	4		4		4		4		4	
1/4	2,717.97	1/4	2,980.92	1/4	3,243.86	1/4	3,506.82	1/4	3,753.72	1/4		1/4		1/4		1/4		1/4	
1/2	2,723.44	1/2	2,986.39	1/2	3,249.33	1/2	3,512.29	1/2	3,756.22	1/2		1/2		1/2		1/2		1/2	
3/4	2,728.92	3/4	2,991.87	3/4	3,254.81	3/4	3,517.77	3/4	3,758.72	3/4		3/4		3/4		3/4		3/4	
5	2,734.40	5	2,997.35	5	3,260.29	5	3,523.25	5	3,761.22	5		5		5		5		5	
1/4	2,739.88	1/4	3,002.83	1/4	3,265.77	1/4	3,528.73	1/4	3,762.77	1/4		1/4		1/4		1/4		1/4	
1/2	2,745.36	1/2	3,008.30	1/2	3,271.24	1/2	3,534.21	1/2	3,764.31	1/2		1/2		1/2		1/2		1/2	
3/4	2,750.84	3/4	3,013.78	3/4	3,276.72	3/4	3,539.69	3/4	3,765.86	3/4		3/4		3/4		3/4		3/4	
6	2,756.32	6	3,019.26	6	3,282.20	6	3,545.17	6	3,767.41	6		6		6		6		6	
1/4	2,761.80	1/4	3,024.74	1/4	3,287.68	1/4	3,550.65	1/4	3,768.00	1/4		1/4		1/4		1/4		1/4	
1/2	2,767.27	1/2	3,030.21	1/2	3,293.16	1/2	3,556.12	1/2	3,768.60	1/2		1/2		1/2		1/2		1/2	
3/4	2,772.75	3/4	3,035.69	3/4	3,298.64	3/4	3,561.60	3/4	3,769.19	3/4		3/4		3/4		3/4		3/4	
7	2,778.23	7	3,041.17	7	3,304.12	7	3,567.08	7	3,769.79	7		7		7		7		7	
1/4	2,783.71	1/4	3,046.65	1/4	3,309.60	1/4	3,572.56	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,789.18	1/2	3,052.12	1/2	3,315.07	1/2	3,578.04	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,794.66	3/4	3,057.60	3/4	3,320.55	3/4	3,583.52	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,800.14	8	3,063.08	8	3,326.03	8	3,589.00	8		8		8		8		8		8	
1/4	2,805.62	1/4	3,068.56	1/4	3,331.51	1/4	3,594.48	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,811.09	1/2	3,074.04	1/2	3,336.98	1/2	3,599.95	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,816.57	3/4	3,079.52	3/4	3,342.46	3/4	3,605.43	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,822.05	9	3,085.00	9	3,347.94	9	3,610.91	9		9		9		9		9		9	
1/4	2,827.53	1/4	3,090.48	1/4	3,353.42	1/4	3,616.39	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,833.00	1/2	3,095.95	1/2	3,358.89	1/2	3,621.87	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,838.48	3/4	3,101.43	3/4	3,364.37	3/4	3,627.35	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,843.96	10	3,106.91	10	3,369.85	10	3,632.83	10		10		10		10		10		10	
1/4	2,849.44	1/4	3,112.39	1/4	3,375.33	1/4	3,638.31	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,854.92	1/2	3,117.86	1/2	3,380.80	1/2	3,643.79	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,860.40	3/4	3,123.34	3/4	3,386.28	3/4	3,649.27	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,865.88	11	3,128.82	11	3,391.76	11	3,654.75	11		11		11		11		11		11	
1/4	2,871.36	1/4	3,134.30	1/4	3,397.24	1/4	3,660.23	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,876.83	1/2	3,139.77	1/2	3,402.72	1/2	3,665.70	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,882.31	3/4	3,145.25	3/4	3,408.20	3/4	3,671.18	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/01/2006 ITS  
DECK MEASUREMENTS: 07/27/2011 SW  
REPRINTED: 07/28/2011 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 07/2011

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 255T"

## 3 STBD INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-09 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	8.63	0	260.66	0	522.15	0	784.91	0	1,047.37	0	1,310.23	0	1,573.09	0	1,835.95	0	2,098.81	0	2,361.66
1/4	12.17	1/4	266.12	1/4	527.63	1/4	790.38	1/4	1,052.85	1/4	1,315.71	1/4	1,578.56	1/4	1,841.42	1/4	2,104.28	1/4	2,367.14
1/2	15.70	1/2	271.58	1/2	533.10	1/2	795.85	1/2	1,058.33	1/2	1,321.19	1/2	1,584.04	1/2	1,846.90	1/2	2,109.76	1/2	2,372.61
3/4	19.24	3/4	277.04	3/4	538.58	3/4	801.31	3/4	1,063.80	3/4	1,326.66	3/4	1,589.51	3/4	1,852.37	3/4	2,115.23	3/4	2,378.09
1	22.77	1	282.50	1	544.05	1	806.78	1	1,069.28	1	1,332.14	1	1,594.99	1	1,857.85	1	2,120.71	1	2,383.57
1/4	27.87	1/4	287.96	1/4	549.53	1/4	812.25	1/4	1,074.76	1/4	1,337.62	1/4	1,600.47	1/4	1,863.33	1/4	2,126.18	1/4	2,389.04
1/2	32.97	1/2	293.42	1/2	555.01	1/2	817.71	1/2	1,080.23	1/2	1,343.09	1/2	1,605.94	1/2	1,868.80	1/2	2,131.66	1/2	2,394.52
3/4	38.06	3/4	298.88	3/4	560.48	3/4	823.18	3/4	1,085.71	3/4	1,348.57	3/4	1,611.42	3/4	1,874.28	3/4	2,137.13	3/4	2,399.99
2	43.16	2	304.34	2	565.96	2	828.64	2	1,091.18	2	1,354.04	2	1,616.90	2	1,879.76	2	2,142.61	2	2,405.47
1/4	48.49	1/4	309.80	1/4	571.44	1/4	834.11	1/4	1,096.66	1/4	1,359.52	1/4	1,622.37	1/4	1,885.23	1/4	2,148.09	1/4	2,410.95
1/2	53.81	1/2	315.27	1/2	576.91	1/2	839.58	1/2	1,102.14	1/2	1,365.00	1/2	1,627.85	1/2	1,890.71	1/2	2,153.56	1/2	2,416.42
3/4	59.14	3/4	320.73	3/4	582.39	3/4	845.04	3/4	1,107.61	3/4	1,370.47	3/4	1,633.32	3/4	1,896.18	3/4	2,159.04	3/4	2,421.90
3	64.46	3	326.19	3	587.86	3	850.51	3	1,113.09	3	1,375.95	3	1,638.80	3	1,901.66	3	2,164.52	3	2,427.38
1/4	69.85	1/4	331.65	1/4	593.34	1/4	855.98	1/4	1,118.57	1/4	1,381.43	1/4	1,644.28	1/4	1,907.14	1/4	2,169.99	1/4	2,432.85
1/2	75.24	1/2	337.11	1/2	598.82	1/2	861.45	1/2	1,124.04	1/2	1,386.90	1/2	1,649.75	1/2	1,912.61	1/2	2,175.47	1/2	2,438.33
3/4	80.62	3/4	342.57	3/4	604.29	3/4	866.91	3/4	1,129.52	3/4	1,392.38	3/4	1,655.23	3/4	1,918.09	3/4	2,180.94	3/4	2,443.80
4	86.01	4	348.03	4	609.77	4	872.38	4	1,134.99	4	1,397.85	4	1,660.71	4	1,923.57	4	2,186.42	4	2,449.28
1/4	91.46	1/4	353.46	1/4	615.25	1/4	877.85	1/4	1,140.47	1/4	1,403.33	1/4	1,666.18	1/4	1,929.04	1/4	2,191.90	1/4	2,454.76
1/2	96.92	1/2	358.90	1/2	620.72	1/2	883.31	1/2	1,145.95	1/2	1,408.80	1/2	1,671.66	1/2	1,934.52	1/2	2,197.37	1/2	2,460.23
3/4	102.37	3/4	364.33	3/4	626.20	3/4	888.78	3/4	1,151.42	3/4	1,414.28	3/4	1,677.13	3/4	1,939.99	3/4	2,202.85	3/4	2,465.71
5	107.82	5	369.76	5	631.67	5	894.25	5	1,156.90	5	1,419.76	5	1,682.61	5	1,945.47	5	2,208.33	5	2,471.19
1/4	113.27	1/4	375.18	1/4	637.15	1/4	899.71	1/4	1,162.38	1/4	1,425.23	1/4	1,688.09	1/4	1,950.95	1/4	2,213.80	1/4	2,476.66
1/2	118.73	1/2	380.61	1/2	642.63	1/2	905.18	1/2	1,167.85	1/2	1,430.71	1/2	1,693.56	1/2	1,956.42	1/2	2,219.28	1/2	2,482.14
3/4	124.18	3/4	386.03	3/4	648.10	3/4	910.65	3/4	1,173.33	3/4	1,436.18	3/4	1,699.04	3/4	1,961.90	3/4	2,224.75	3/4	2,487.61
6	129.63	6	391.45	6	653.58	6	916.11	6	1,178.80	6	1,441.66	6	1,704.52	6	1,967.38	6	2,230.23	6	2,493.09
1/4	135.08	1/4	396.88	1/4	659.06	1/4	921.58	1/4	1,184.28	1/4	1,447.14	1/4	1,709.99	1/4	1,972.85	1/4	2,235.71	1/4	2,498.57
1/2	140.54	1/2	402.30	1/2	664.53	1/2	927.05	1/2	1,189.76	1/2	1,452.61	1/2	1,715.47	1/2	1,978.33	1/2	2,241.18	1/2	2,504.04
3/4	145.99	3/4	407.73	3/4	670.01	3/4	932.51	3/4	1,195.23	3/4	1,458.09	3/4	1,720.94	3/4	1,983.80	3/4	2,246.66	3/4	2,509.52
7	151.44	7	413.15	7	675.48	7	937.98	7	1,200.71	7	1,463.57	7	1,726.42	7	1,989.28	7	2,252.14	7	2,515.00
1/4	156.90	1/4	418.57	1/4	680.96	1/4	943.45	1/4	1,206.19	1/4	1,469.04	1/4	1,731.90	1/4	1,994.76	1/4	2,257.61	1/4	2,520.47
1/2	162.36	1/2	424.00	1/2	686.43	1/2	948.91	1/2	1,211.66	1/2	1,474.52	1/2	1,737.37	1/2	2,000.23	1/2	2,263.09	1/2	2,525.95
3/4	167.81	3/4	429.42	3/4	691.91	3/4	954.38	3/4	1,217.14	3/4	1,479.99	3/4	1,742.85	3/4	2,005.71	3/4	2,268.56	3/4	2,531.42
8	173.27	8	434.84	8	697.38	8	959.85	8	1,222.61	8	1,485.47	8	1,748.33	8	2,011.19	8	2,274.04	8	2,536.90
1/4	178.73	1/4	440.27	1/4	702.85	1/4	965.32	1/4	1,228.09	1/4	1,490.95	1/4	1,753.80	1/4	2,016.66	1/4	2,279.52	1/4	2,542.38
1/2	184.20	1/2	445.69	1/2	708.33	1/2	970.78	1/2	1,233.57	1/2	1,496.42	1/2	1,759.28	1/2	2,022.14	1/2	2,284.99	1/2	2,547.85
3/4	189.66	3/4	451.12	3/4	713.80	3/4	976.25	3/4	1,239.04	3/4	1,501.90	3/4	1,764.75	3/4	2,027.61	3/4	2,290.47	3/4	2,553.33
9	195.12	9	456.54	9	719.27	9	981.72	9	1,244.52	9	1,507.38	9	1,770.23	9	2,033.09	9	2,295.95	9	2,558.81
1/4	200.58	1/4	461.99	1/4	724.75	1/4	987.18	1/4	1,250.00	1/4	1,512.85	1/4	1,775.71	1/4	2,038.57	1/4	2,301.42	1/4	2,564.28
1/2	206.05	1/2	467.44	1/2	730.22	1/2	992.65	1/2	1,255.47	1/2	1,518.33	1/2	1,781.18	1/2	2,044.04	1/2	2,306.90	1/2	2,569.76
3/4	211.51	3/4	472.89	3/4	735.70	3/4	998.11	3/4	1,260.95	3/4	1,523.80	3/4	1,786.66	3/4	2,049.52	3/4	2,312.37	3/4	2,575.23
10	216.97	10	478.34	10	741.17	10	1,003.58	10	1,266.42	10	1,529.28	10	1,792.14	10	2,055.00	10	2,317.85	10	2,580.71
1/4	222.43	1/4	483.82	1/4	746.64	1/4	1,009.05	1/4	1,271.90	1/4	1,534.76	1/4	1,797.61	1/4	2,060.47	1/4	2,323.33	1/4	2,586.19
1/2	227.89	1/2	489.29	1/2	752.11	1/2	1,014.53	1/2	1,277.38	1/2	1,540.23	1/2	1,803.09	1/2	2,065.95	1/2	2,328.80	1/2	2,591.66
3/4	233.35	3/4	494.77	3/4	757.57	3/4	1,020.00	3/4	1,282.85	3/4	1,545.71	3/4	1,808.56	3/4	2,071.42	3/4	2,334.28	3/4	2,597.14
11	238.81	11	500.24	11	763.04	11	1,025.47	11	1,288.33	11	1,551.19	11	1,814.04	11	2,076.90	11	2,339.76	11	2,602.62
1/4	244.27	1/4	505.72	1/4	768.51	1/4	1,030.95	1/4	1,293.81	1/4	1,556.66	1/4	1,819.52	1/4	2,082.38	1/4	2,345.23	1/4	2,608.09
1/2	249.74	1/2	511.20	1/2	773.98	1/2	1,036.42	1/2	1,299.28	1/2	1,562.14	1/2	1,824.99	1/2	2,087.85	1/2	2,350.71	1/2	2,613.57
3/4	255.20	3/4	516.67	3/4	779.44	3/4	1,041.90	3/4	1,304.76	3/4	1,567.61	3/4	1,830.47	3/4	2,093.33	3/4	2,356.18	3/4	2,619.04

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE  
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH  
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 11'-00" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 255T"

**3 STBD  
INNAGE TABLE**

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

**GAUGE HEIGHT 14'-09 1/4"**

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	2,624.52	0	2,887.38	0	3,150.24	0	3,413.09	0	3,675.99	0		0		0		0		0	
1/4	2,630.00	1/4	2,892.85	1/4	3,155.71	1/4	3,418.57	1/4	3,681.47	1/4		1/4		1/4		1/4		1/4	
1/2	2,635.47	1/2	2,898.33	1/2	3,161.19	1/2	3,424.04	1/2	3,686.94	1/2		1/2		1/2		1/2		1/2	
3/4	2,640.95	3/4	2,903.80	3/4	3,166.66	3/4	3,429.52	3/4	3,692.42	3/4		3/4		3/4		3/4		3/4	
1	2,646.43	1	2,909.28	1	3,172.14	1	3,435.00	1	3,697.90	1		1		1		1		1	
1/4	2,651.90	1/4	2,914.76	1/4	3,177.62	1/4	3,440.48	1/4	3,703.03	1/4		1/4		1/4		1/4		1/4	
1/2	2,657.38	1/2	2,920.23	1/2	3,183.09	1/2	3,445.95	1/2	3,708.17	1/2		1/2		1/2		1/2		1/2	
3/4	2,662.85	3/4	2,925.71	3/4	3,188.57	3/4	3,451.43	3/4	3,713.30	3/4		3/4		3/4		3/4		3/4	
2	2,668.33	2	2,931.19	2	3,194.05	2	3,456.91	2	3,718.44	2		2		2		2		2	
1/4	2,673.80	1/4	2,936.66	1/4	3,199.52	1/4	3,462.38	1/4	3,722.66	1/4		1/4		1/4		1/4		1/4	
1/2	2,679.28	1/2	2,942.14	1/2	3,205.00	1/2	3,467.86	1/2	3,726.88	1/2		1/2		1/2		1/2		1/2	
3/4	2,684.75	3/4	2,947.61	3/4	3,210.47	3/4	3,473.33	3/4	3,731.10	3/4		3/4		3/4		3/4		3/4	
3	2,690.23	3	2,953.09	3	3,215.95	3	3,478.81	3	3,735.32	3		3		3		3		3	
1/4	2,695.71	1/4	2,958.57	1/4	3,221.42	1/4	3,484.29	1/4	3,738.63	1/4		1/4		1/4		1/4		1/4	
1/2	2,701.18	1/2	2,964.04	1/2	3,226.90	1/2	3,489.76	1/2	3,741.94	1/2		1/2		1/2		1/2		1/2	
3/4	2,706.66	3/4	2,969.52	3/4	3,232.37	3/4	3,495.24	3/4	3,745.25	3/4		3/4		3/4		3/4		3/4	
4	2,712.14	4	2,975.00	4	3,237.85	4	3,500.72	4	3,748.56	4		4		4		4		4	
1/4	2,717.61	1/4	2,980.47	1/4	3,243.33	1/4	3,506.20	1/4	3,750.95	1/4		1/4		1/4		1/4		1/4	
1/2	2,723.09	1/2	2,985.95	1/2	3,248.80	1/2	3,511.67	1/2	3,753.35	1/2		1/2		1/2		1/2		1/2	
3/4	2,728.56	3/4	2,991.42	3/4	3,254.28	3/4	3,517.15	3/4	3,755.74	3/4		3/4		3/4		3/4		3/4	
5	2,734.04	5	2,996.90	5	3,259.76	5	3,522.63	5	3,758.14	5		5		5		5		5	
1/4	2,739.52	1/4	3,002.38	1/4	3,265.23	1/4	3,528.11	1/4	3,759.62	1/4		1/4		1/4		1/4		1/4	
1/2	2,744.99	1/2	3,007.85	1/2	3,270.71	1/2	3,533.58	1/2	3,761.10	1/2		1/2		1/2		1/2		1/2	
3/4	2,750.47	3/4	3,013.33	3/4	3,276.18	3/4	3,539.06	3/4	3,762.59	3/4		3/4		3/4		3/4		3/4	
6	2,755.95	6	3,018.81	6	3,281.66	6	3,544.54	6	3,764.07	6		6		6		6		6	
1/4	2,761.42	1/4	3,024.28	1/4	3,287.14	1/4	3,550.02	1/4	3,764.64	1/4		1/4		1/4		1/4		1/4	
1/2	2,766.90	1/2	3,029.76	1/2	3,292.61	1/2	3,555.49	1/2	3,765.21	1/2		1/2		1/2		1/2		1/2	
3/4	2,772.37	3/4	3,035.23	3/4	3,298.09	3/4	3,560.97	3/4	3,765.78	3/4		3/4		3/4		3/4		3/4	
7	2,777.85	7	3,040.71	7	3,303.57	7	3,566.45	7	3,766.35	7		7		7		7		7	
1/4	2,783.33	1/4	3,046.19	1/4	3,309.04	1/4	3,571.93	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,788.80	1/2	3,051.66	1/2	3,314.52	1/2	3,577.40	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,794.28	3/4	3,057.14	3/4	3,319.99	3/4	3,582.88	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,799.76	8	3,062.62	8	3,325.47	8	3,588.36	8		8		8		8		8		8	
1/4	2,805.23	1/4	3,068.09	1/4	3,330.95	1/4	3,593.83	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,810.71	1/2	3,073.57	1/2	3,336.42	1/2	3,599.31	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,816.18	3/4	3,079.04	3/4	3,341.90	3/4	3,604.78	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,821.66	9	3,084.52	9	3,347.38	9	3,610.26	9		9		9		9		9		9	
1/4	2,827.14	1/4	3,090.00	1/4	3,352.85	1/4	3,615.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,832.61	1/2	3,095.47	1/2	3,358.33	1/2	3,621.21	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,838.09	3/4	3,100.95	3/4	3,363.80	3/4	3,626.69	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,843.57	10	3,106.43	10	3,369.28	10	3,632.17	10		10		10		10		10		10	
1/4	2,849.04	1/4	3,111.90	1/4	3,374.76	1/4	3,637.65	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,854.52	1/2	3,117.38	1/2	3,380.23	1/2	3,643.12	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,859.99	3/4	3,122.85	3/4	3,385.71	3/4	3,648.60	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,865.47	11	3,128.33	11	3,391.19	11	3,654.08	11		11		11		11		11		11	
1/4	2,870.95	1/4	3,133.81	1/4	3,396.66	1/4	3,659.56	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,876.42	1/2	3,139.28	1/2	3,402.14	1/2	3,665.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,881.90	3/4	3,144.76	3/4	3,407.61	3/4	3,670.51	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/01/2006 ITS  
DECK MEASUREMENTS: 07/27/2011 SW  
REPRINTED: 07/28/2011 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 07/2011

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 255T"

## 4 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-11"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	1.26	0	456.71	0	980.32	0	1,505.97	0	2,030.99	0	2,556.47	0	3,081.40	0	3,607.04	0	4,132.01	0	4,656.59
1/4	3.08	1/4	467.64	1/4	991.28	1/4	1,516.91	1/4	2,041.95	1/4	2,567.38	1/4	3,092.36	1/4	3,617.98	1/4	4,142.95	1/4	4,667.52
1/2	4.90	1/2	478.57	1/2	1,002.23	1/2	1,527.84	1/2	2,052.90	1/2	2,578.29	1/2	3,103.31	1/2	3,628.91	1/2	4,153.88	1/2	4,678.45
3/4	6.72	3/4	489.49	3/4	1,013.19	3/4	1,538.78	3/4	2,063.86	3/4	2,589.20	3/4	3,114.27	3/4	3,639.85	3/4	4,164.82	3/4	4,689.37
1	8.54	1	500.42	1	1,024.14	1	1,549.71	1	2,074.81	1	2,600.11	1	3,125.22	1	3,650.78	1	4,175.75	1	4,700.30
1/4	13.95	1/4	511.35	1/4	1,035.10	1/4	1,560.65	1/4	2,085.77	1/4	2,611.02	1/4	3,136.17	1/4	3,661.72	1/4	4,186.69	1/4	4,711.21
1/2	19.36	1/2	522.28	1/2	1,046.05	1/2	1,571.59	1/2	2,096.72	1/2	2,621.93	1/2	3,147.13	1/2	3,672.66	1/2	4,197.63	1/2	4,722.12
3/4	24.76	3/4	533.20	3/4	1,057.01	3/4	1,582.52	3/4	2,107.68	3/4	2,632.83	3/4	3,158.08	3/4	3,683.59	3/4	4,208.56	3/4	4,733.03
2	30.17	2	544.13	2	1,067.96	2	1,593.46	2	2,118.63	2	2,643.74	2	3,169.03	2	3,694.53	2	4,219.50	2	4,743.94
1/4	39.02	1/4	555.09	1/4	1,078.92	1/4	1,604.40	1/4	2,129.59	1/4	2,654.66	1/4	3,179.99	1/4	3,705.47	1/4	4,230.44	1/4	4,754.85
1/2	47.87	1/2	566.04	1/2	1,089.87	1/2	1,615.34	1/2	2,140.54	1/2	2,665.57	1/2	3,190.94	1/2	3,716.41	1/2	4,241.38	1/2	4,765.76
3/4	56.71	3/4	577.00	3/4	1,100.83	3/4	1,626.28	3/4	2,151.50	3/4	2,676.49	3/4	3,201.90	3/4	3,727.34	3/4	4,252.31	3/4	4,776.67
3	65.56	3	587.95	3	1,111.78	3	1,637.22	3	2,162.45	3	2,687.40	3	3,212.85	3	3,738.28	3	4,263.25	3	4,787.58
1/4	76.24	1/4	598.91	1/4	1,122.73	1/4	1,648.16	1/4	2,173.41	1/4	2,698.33	1/4	3,223.81	1/4	3,749.22	1/4	4,274.19	1/4	4,798.49
1/2	86.92	1/2	609.87	1/2	1,133.69	1/2	1,659.10	1/2	2,184.36	1/2	2,709.25	1/2	3,234.76	1/2	3,760.16	1/2	4,285.13	1/2	4,809.40
3/4	97.59	3/4	620.82	3/4	1,144.64	3/4	1,670.03	3/4	2,195.32	3/4	2,720.18	3/4	3,245.72	3/4	3,771.09	3/4	4,296.06	3/4	4,820.31
4	108.27	4	631.78	4	1,155.59	4	1,680.97	4	2,206.27	4	2,731.10	4	3,256.67	4	3,782.03	4	4,307.00	4	4,831.22
1/4	118.95	1/4	642.74	1/4	1,166.54	1/4	1,691.91	1/4	2,217.23	1/4	2,742.04	1/4	3,267.63	1/4	3,792.97	1/4	4,317.94	1/4	4,842.13
1/2	129.62	1/2	653.69	1/2	1,177.50	1/2	1,702.85	1/2	2,228.19	1/2	2,752.99	1/2	3,278.58	1/2	3,803.90	1/2	4,328.87	1/2	4,853.04
3/4	140.30	3/4	664.65	3/4	1,188.45	3/4	1,713.78	3/4	2,239.14	3/4	2,763.93	3/4	3,289.54	3/4	3,814.84	3/4	4,339.81	3/4	4,863.95
5	150.97	5	675.60	5	1,199.40	5	1,724.72	5	2,250.10	5	2,774.87	5	3,300.49	5	3,825.77	5	4,350.74	5	4,874.86
1/4	161.88	1/4	686.53	1/4	1,210.35	1/4	1,735.66	1/4	2,261.06	1/4	2,785.81	1/4	3,311.44	1/4	3,836.71	1/4	4,361.66	1/4	4,885.77
1/2	172.80	1/2	697.47	1/2	1,221.30	1/2	1,746.60	1/2	2,272.01	1/2	2,796.76	1/2	3,322.40	1/2	3,847.65	1/2	4,372.57	1/2	4,896.68
3/4	183.71	3/4	708.40	3/4	1,232.25	3/4	1,757.53	3/4	2,282.97	3/4	2,807.70	3/4	3,333.35	3/4	3,858.58	3/4	4,383.49	3/4	4,907.58
6	194.62	6	719.33	6	1,243.20	6	1,768.47	6	2,293.92	6	2,818.64	6	3,344.30	6	3,869.52	6	4,394.40	6	4,918.49
1/4	205.53	1/4	730.19	1/4	1,254.15	1/4	1,779.41	1/4	2,304.88	1/4	2,829.59	1/4	3,355.26	1/4	3,880.46	1/4	4,405.31	1/4	4,929.40
1/2	216.44	1/2	741.05	1/2	1,265.11	1/2	1,790.35	1/2	2,315.83	1/2	2,840.54	1/2	3,366.21	1/2	3,891.40	1/2	4,416.23	1/2	4,940.31
3/4	227.35	3/4	751.90	3/4	1,276.06	3/4	1,801.28	3/4	2,326.79	3/4	2,851.48	3/4	3,377.17	3/4	3,902.33	3/4	4,427.14	3/4	4,951.22
7	238.26	7	762.76	7	1,287.01	7	1,812.22	7	2,337.74	7	2,862.43	7	3,388.12	7	3,913.27	7	4,438.05	7	4,962.13
1/4	249.17	1/4	773.62	1/4	1,297.96	1/4	1,823.16	1/4	2,348.70	1/4	2,873.38	1/4	3,399.08	1/4	3,924.21	1/4	4,448.97	1/4	4,973.04
1/2	260.09	1/2	784.48	1/2	1,308.91	1/2	1,834.10	1/2	2,359.65	1/2	2,884.33	1/2	3,410.03	1/2	3,935.15	1/2	4,459.88	1/2	4,983.95
3/4	271.00	3/4	795.33	3/4	1,319.86	3/4	1,845.03	3/4	2,370.61	3/4	2,895.27	3/4	3,420.99	3/4	3,946.08	3/4	4,470.80	3/4	4,994.86
8	281.91	8	806.19	8	1,330.81	8	1,855.97	8	2,381.56	8	2,906.22	8	3,431.94	8	3,957.02	8	4,481.71	8	5,005.77
1/4	292.82	1/4	817.05	1/4	1,341.76	1/4	1,866.91	1/4	2,392.52	1/4	2,917.17	1/4	3,442.89	1/4	3,967.96	1/4	4,492.62	1/4	5,016.68
1/2	303.73	1/2	827.91	1/2	1,352.70	1/2	1,877.85	1/2	2,403.47	1/2	2,928.12	1/2	3,453.84	1/2	3,978.89	1/2	4,503.54	1/2	5,027.59
3/4	314.64	3/4	838.77	3/4	1,363.65	3/4	1,888.79	3/4	2,414.43	3/4	2,939.06	3/4	3,464.79	3/4	3,989.83	3/4	4,514.45	3/4	5,038.50
9	325.55	9	849.63	9	1,374.59	9	1,899.73	9	2,425.38	9	2,950.01	9	3,475.74	9	4,000.76	9	4,525.36	9	5,049.41
1/4	336.48	1/4	860.49	1/4	1,385.54	1/4	1,910.67	1/4	2,436.32	1/4	2,960.96	1/4	3,486.69	1/4	4,011.70	1/4	4,536.28	1/4	5,060.32
1/2	347.42	1/2	871.35	1/2	1,396.49	1/2	1,921.61	1/2	2,447.26	1/2	2,971.91	1/2	3,497.64	1/2	4,022.64	1/2	4,547.19	1/2	5,071.23
3/4	358.35	3/4	882.20	3/4	1,407.43	3/4	1,932.54	3/4	2,458.19	3/4	2,982.86	3/4	3,508.59	3/4	4,033.57	3/4	4,558.11	3/4	5,082.14
10	369.28	10	893.06	10	1,418.38	10	1,943.48	10	2,469.13	10	2,993.81	10	3,519.54	10	4,044.51	10	4,569.02	10	5,093.05
1/4	380.21	1/4	903.92	1/4	1,429.33	1/4	1,954.42	1/4	2,480.05	1/4	3,004.76	1/4	3,530.48	1/4	4,055.45	1/4	4,579.97	1/4	5,103.96
1/2	391.14	1/2	914.78	1/2	1,440.28	1/2	1,965.36	1/2	2,490.97	1/2	3,015.71	1/2	3,541.42	1/2	4,066.39	1/2	4,590.91	1/2	5,114.87
3/4	402.07	3/4	925.63	3/4	1,451.23	3/4	1,976.29	3/4	2,501.89	3/4	3,026.65	3/4	3,552.35	3/4	4,077.32	3/4	4,601.86	3/4	5,125.78
11	413.00	11	936.49	11	1,462.18	11	1,987.23	11	2,512.81	11	3,037.60	11	3,563.29	11	4,088.26	11	4,612.80	11	5,136.69
1/4	423.93	1/4	947.45	1/4	1,473.13	1/4	1,998.17	1/4	2,523.73	1/4	3,048.55	1/4	3,574.23	1/4	4,099.20	1/4	4,623.75	1/4	5,147.60
1/2	434.86	1/2	958.41	1/2	1,484.08	1/2	2,009.11	1/2	2,534.64	1/2	3,059.50	1/2	3,585.17	1/2	4,110.14	1/2	4,634.70	1/2	5,158.51
3/4	445.78	3/4	969.36	3/4	1,495.02	3/4	2,020.05	3/4	2,545.56	3/4	3,070.45	3/4	3,596.10	3/4	4,121.07	3/4	4,645.64	3/4	5,169.42

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE SCALED FROM THE BOTTOM STRIKE PLATE BELOW THE GAUGE HATCH TO TOP OF TANK AT CENTERLINE  
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT THE 10" GAUGE HATCH  
 GAUGE POINT: (10" GAUGE HATCH) LOCATED 01'-00" OFF CENTERLINE AND 40'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 255T"

## 4 CENTER INNAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-11"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	5,180.33	0	5,697.68	0	5,983.98	0	6,270.01	0	6,555.39	0		0		0		0		0	
1/4	5,191.24	1/4	5,703.59	1/4	5,989.95	1/4	6,275.96	1/4	6,560.91	1/4		1/4		1/4		1/4		1/4	
1/2	5,202.15	1/2	5,709.50	1/2	5,995.92	1/2	6,281.90	1/2	6,566.43	1/2		1/2		1/2		1/2		1/2	
3/4	5,213.05	3/4	5,715.41	3/4	6,001.89	3/4	6,287.85	3/4	6,571.95	3/4		3/4		3/4		3/4		3/4	
1	5,223.96	1	5,721.32	1	6,007.86	1	6,293.79	1	6,577.47	1		1		1		1		1	
1/4	5,234.87	1/4	5,727.29	1/4	6,013.83	1/4	6,299.74	1/4	6,581.85	1/4		1/4		1/4		1/4		1/4	
1/2	5,245.78	1/2	5,733.25	1/2	6,019.80	1/2	6,305.68	1/2	6,586.23	1/2		1/2		1/2		1/2		1/2	
3/4	5,256.69	3/4	5,739.22	3/4	6,025.77	3/4	6,311.63	3/4	6,590.62	3/4		3/4		3/4		3/4		3/4	
2	5,267.60	2	5,745.19	2	6,031.74	2	6,317.57	2	6,595.00	2		2		2		2		2	
1/4	5,278.51	1/4	5,751.16	1/4	6,037.71	1/4	6,323.52	1/4	6,598.22	1/4		1/4		1/4		1/4		1/4	
1/2	5,289.42	1/2	5,757.13	1/2	6,043.68	1/2	6,329.47	1/2	6,601.44	1/2		1/2		1/2		1/2		1/2	
3/4	5,300.33	3/4	5,763.10	3/4	6,049.65	3/4	6,335.41	3/4	6,604.66	3/4		3/4		3/4		3/4		3/4	
3	5,311.24	3	5,769.07	3	6,055.62	3	6,341.36	3	6,607.88	3		3		3		3		3	
1/4	5,322.15	1/4	5,775.04	1/4	6,061.59	1/4	6,347.31	1/4	6,609.94	1/4		1/4		1/4		1/4		1/4	
1/2	5,333.06	1/2	5,781.01	1/2	6,067.56	1/2	6,353.25	1/2	6,612.00	1/2		1/2		1/2		1/2		1/2	
3/4	5,343.97	3/4	5,786.98	3/4	6,073.53	3/4	6,359.20	3/4	6,614.06	3/4		3/4		3/4		3/4		3/4	
4	5,354.88	4	5,792.95	4	6,079.50	4	6,365.14	4	6,616.12	4		4		4		4		4	
1/4	5,365.79	1/4	5,798.92	1/4	6,085.47	1/4	6,371.09	1/4	6,617.04	1/4		1/4		1/4		1/4		1/4	
1/2	5,376.70	1/2	5,804.89	1/2	6,091.44	1/2	6,377.03	1/2	6,617.96	1/2		1/2		1/2		1/2		1/2	
3/4	5,387.61	3/4	5,810.86	3/4	6,097.41	3/4	6,382.98	3/4	6,618.89	3/4		3/4		3/4		3/4		3/4	
5	5,398.52	5	5,816.83	5	6,103.38	5	6,388.92	5	6,619.81	5		5		5		5		5	
1/4	5,409.43	1/4	5,822.80	1/4	6,109.35	1/4	6,394.87	1/4	6,619.88	1/4		1/4		1/4		1/4		1/4	
1/2	5,420.34	1/2	5,828.77	1/2	6,115.31	1/2	6,400.81	1/2	6,619.95	1/2		1/2		1/2		1/2		1/2	
3/4	5,431.25	3/4	5,834.74	3/4	6,121.28	3/4	6,406.76	3/4	=====	3/4		3/4		3/4		3/4		3/4	
6	5,442.16	6	5,840.71	6	6,127.24	6	6,412.70	6		6		6		6		6		6	
1/4	5,453.07	1/4	5,846.68	1/4	6,133.21	1/4	6,418.64	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,463.97	1/2	5,852.65	1/2	6,139.17	1/2	6,424.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,474.88	3/4	5,858.62	3/4	6,145.14	3/4	6,430.53	3/4		3/4		3/4		3/4		3/4		3/4	
7	5,485.79	7	5,864.59	7	6,151.10	7	6,436.48	7		7		7		7		7		7	
1/4	5,496.67	1/4	5,870.56	1/4	6,157.05	1/4	6,442.43	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,507.54	1/2	5,876.53	1/2	6,162.99	1/2	6,448.37	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,518.42	3/4	5,882.50	3/4	6,168.94	3/4	6,454.32	3/4		3/4		3/4		3/4		3/4		3/4	
8	5,529.29	8	5,888.47	8	6,174.88	8	6,460.27	8		8		8		8		8		8	
1/4	5,540.13	1/4	5,894.44	1/4	6,180.83	1/4	6,466.21	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,550.96	1/2	5,900.41	1/2	6,186.77	1/2	6,472.16	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,561.80	3/4	5,906.38	3/4	6,192.72	3/4	6,478.10	3/4		3/4		3/4		3/4		3/4		3/4	
9	5,572.63	9	5,912.35	9	6,198.66	9	6,484.05	9		9		9		9		9		9	
1/4	5,583.47	1/4	5,918.32	1/4	6,204.61	1/4	6,489.99	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,594.30	1/2	5,924.29	1/2	6,210.56	1/2	6,495.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,605.14	3/4	5,930.25	3/4	6,216.50	3/4	6,501.88	3/4		3/4		3/4		3/4		3/4		3/4	
10	5,615.98	10	5,936.22	10	6,222.45	10	6,507.83	10		10		10		10		10		10	
1/4	5,626.82	1/4	5,942.19	1/4	6,228.40	1/4	6,513.77	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,637.65	1/2	5,948.16	1/2	6,234.34	1/2	6,519.72	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,648.49	3/4	5,954.13	3/4	6,240.29	3/4	6,525.66	3/4		3/4		3/4		3/4		3/4		3/4	
11	5,659.33	11	5,960.10	11	6,246.23	11	6,531.61	11		11		11		11		11		11	
1/4	5,668.92	1/4	5,966.07	1/4	6,252.18	1/4	6,537.55	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,678.50	1/2	5,972.04	1/2	6,258.12	1/2	6,543.50	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,688.09	3/4	5,978.01	3/4	6,264.07	3/4	6,549.44	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/01/2006 ITS  
DECK MEASUREMENTS: 07/27/2011 SW  
REPRINTED: 07/28/2011 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 07/2011

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>