



BARGE "WEB 262"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-0/8	01-0/8	- 01-1/4	01-1/4
2 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
2 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
4 CENTER	- 00-5/8	00-5/8	- 01-1/4	01-1/4	- 02-0/8	02-0/8	- 02-5/8	02-5/8	- 03-1/4	03-1/4	- 03-7/8	03-7/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 4 CENTER IS 01-1/4"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 4 CENTER, THE TRIM CORRECTED INNAGE IS 4'-01 1/4'

LENGTH BETWEEN DRAFT MARKS: 233'-09"

March 11, 2010

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 262"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-01"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	4.25	0	363.97	0	853.76	0	1,379.29	0	1,903.86	0	2,427.91	0	2,953.58	0	3,479.35	0	4,005.13	0	4,530.90
1/4	7.33	1/4	373.47	1/4	864.71	1/4	1,390.23	1/4	1,914.78	1/4	2,438.84	1/4	2,964.53	1/4	3,490.31	1/4	4,016.08	1/4	4,541.85
1/2	10.41	1/2	382.96	1/2	875.66	1/2	1,401.17	1/2	1,925.71	1/2	2,449.76	1/2	2,975.49	1/2	3,501.26	1/2	4,027.03	1/2	4,552.80
3/4	13.49	3/4	392.46	3/4	886.60	3/4	1,412.11	3/4	1,936.64	3/4	2,460.69	3/4	2,986.44	3/4	3,512.21	3/4	4,037.99	3/4	4,563.76
1	16.56	1	401.96	1	897.55	1	1,423.05	1	1,947.57	1	2,471.62	1	2,997.39	1	3,523.17	1	4,048.94	1	4,574.71
1 1/4	20.77	1 1/4	411.56	1 1/4	908.50	1 1/4	1,433.98	1 1/4	1,958.50	1 1/4	2,482.57	1 1/4	3,008.35	1 1/4	3,534.12	1 1/4	4,059.89	1 1/4	4,585.66
1 1/2	24.97	1 1/2	421.17	1 1/2	919.44	1 1/2	1,444.91	1 1/2	1,969.43	1 1/2	2,493.53	1 1/2	3,019.30	1 1/2	3,545.07	1 1/2	4,070.85	1 1/2	4,596.62
3/4	29.18	3/4	430.77	3/4	930.39	3/4	1,455.84	3/4	1,980.36	3/4	2,504.48	3/4	3,030.25	3/4	3,556.03	3/4	4,081.80	3/4	4,607.57
2	33.38	2	440.37	2	941.34	2	1,466.76	2	1,991.29	2	2,515.44	2	3,041.21	2	3,566.98	2	4,092.75	2	4,618.52
1 1/4	38.46	1 1/4	450.23	1 1/4	952.28	1 1/4	1,477.69	1 1/4	2,002.24	1 1/4	2,526.39	1 1/4	3,052.16	1 1/4	3,577.93	1 1/4	4,103.71	1 1/4	4,629.48
1 1/2	43.54	1 1/2	460.09	1 1/2	963.23	1 1/2	1,488.62	1 1/2	2,013.18	1 1/2	2,537.34	1 1/2	3,063.12	1 1/2	3,588.89	1 1/2	4,114.66	1 1/2	4,640.43
3/4	48.62	3/4	469.95	3/4	974.18	3/4	1,499.55	3/4	2,024.13	3/4	2,548.30	3/4	3,074.07	3/4	3,599.84	3/4	4,125.61	3/4	4,651.38
3	53.70	3	479.82	3	985.12	3	1,510.48	3	2,035.07	3	2,559.25	3	3,085.02	3	3,610.80	3	4,136.57	3	4,662.34
1 1/4	60.79	1 1/4	489.88	1 1/4	996.07	1 1/4	1,521.41	1 1/4	2,046.03	1 1/4	2,570.20	1 1/4	3,095.98	1 1/4	3,621.75	1 1/4	4,147.52	1 1/4	4,673.29
1 1/2	67.88	1 1/2	499.94	1 1/2	1,007.02	1 1/2	1,532.34	1 1/2	2,056.98	1 1/2	2,581.16	1 1/2	3,106.93	1 1/2	3,632.70	1 1/2	4,158.48	1 1/2	4,684.24
3/4	74.97	3/4	510.00	3/4	1,017.96	3/4	1,543.26	3/4	2,067.94	3/4	2,592.11	3/4	3,117.88	3/4	3,643.66	3/4	4,169.43	3/4	4,695.20
4	82.06	4	520.06	4	1,028.91	4	1,554.19	4	2,078.89	4	2,603.06	4	3,128.84	4	3,654.61	4	4,180.38	4	4,706.15
1 1/4	90.21	1 1/4	530.27	1 1/4	1,039.86	1 1/4	1,565.12	1 1/4	2,089.85	1 1/4	2,614.02	1 1/4	3,139.79	1 1/4	3,665.56	1 1/4	4,191.34	1 1/4	4,717.10
1 1/2	98.36	1 1/2	540.49	1 1/2	1,050.80	1 1/2	1,576.04	1 1/2	2,100.80	1 1/2	2,624.97	1 1/2	3,150.74	1 1/2	3,676.52	1 1/2	4,202.29	1 1/2	4,728.06
3/4	106.50	3/4	550.70	3/4	1,061.75	3/4	1,586.97	3/4	2,111.76	3/4	2,635.93	3/4	3,161.70	3/4	3,687.47	3/4	4,213.24	3/4	4,739.01
5	114.65	5	560.91	5	1,072.70	5	1,597.89	5	2,122.71	5	2,646.88	5	3,172.65	5	3,698.42	5	4,224.20	5	4,749.96
1 1/4	123.01	1 1/4	571.29	1 1/4	1,083.64	1 1/4	1,608.82	1 1/4	2,133.67	1 1/4	2,657.83	1 1/4	3,183.61	1 1/4	3,709.38	1 1/4	4,235.15	1 1/4	4,760.92
1 1/2	131.37	1 1/2	581.66	1 1/2	1,094.59	1 1/2	1,619.75	1 1/2	2,144.63	1 1/2	2,668.79	1 1/2	3,194.56	1 1/2	3,720.33	1 1/2	4,246.10	1 1/2	4,771.87
3/4	139.73	3/4	592.04	3/4	1,105.54	3/4	1,630.67	3/4	2,155.58	3/4	2,679.74	3/4	3,205.51	3/4	3,731.29	3/4	4,257.06	3/4	4,782.82
6	148.09	6	602.41	6	1,116.48	6	1,641.60	6	2,166.54	6	2,690.69	6	3,216.47	6	3,742.24	6	4,268.01	6	4,793.78
1 1/4	156.64	1 1/4	612.29	1 1/4	1,127.43	1 1/4	1,652.52	1 1/4	2,177.45	1 1/4	2,701.65	1 1/4	3,227.42	1 1/4	3,753.19	1 1/4	4,278.97	1 1/4	4,804.73
1 1/2	165.19	1 1/2	622.17	1 1/2	1,138.38	1 1/2	1,663.45	1 1/2	2,188.36	1 1/2	2,712.60	1 1/2	3,238.37	1 1/2	3,764.15	1 1/2	4,289.92	1 1/2	4,815.68
3/4	173.75	3/4	632.05	3/4	1,149.32	3/4	1,674.38	3/4	2,199.27	3/4	2,723.55	3/4	3,249.33	3/4	3,775.10	3/4	4,300.87	3/4	4,826.64
7	182.30	7	641.93	7	1,160.27	7	1,685.30	7	2,210.18	7	2,734.51	7	3,260.28	7	3,786.05	7	4,311.83	7	4,837.59
1 1/4	191.02	1 1/4	651.58	1 1/4	1,171.21	1 1/4	1,696.23	1 1/4	2,221.07	1 1/4	2,745.46	1 1/4	3,271.23	1 1/4	3,797.01	1 1/4	4,322.78	1 1/4	4,848.54
1 1/2	199.74	1 1/2	661.23	1 1/2	1,182.16	1 1/2	1,707.15	1 1/2	2,231.96	1 1/2	2,756.41	1 1/2	3,282.19	1 1/2	3,807.96	1 1/2	4,333.73	1 1/2	4,859.50
3/4	208.45	3/4	670.88	3/4	1,193.11	3/4	1,718.08	3/4	2,242.84	3/4	2,767.37	3/4	3,293.14	3/4	3,818.91	3/4	4,344.69	3/4	4,870.45
8	217.17	8	680.53	8	1,204.05	8	1,729.01	8	2,253.73	8	2,778.32	8	3,304.09	8	3,829.87	8	4,355.64	8	4,881.40
1 1/4	226.07	1 1/4	691.00	1 1/4	1,215.00	1 1/4	1,739.93	1 1/4	2,264.62	1 1/4	2,789.28	1 1/4	3,315.05	1 1/4	3,840.82	1 1/4	4,366.59	1 1/4	4,892.36
1 1/2	234.97	1 1/2	701.46	1 1/2	1,225.95	1 1/2	1,750.86	1 1/2	2,275.50	1 1/2	2,800.23	1 1/2	3,326.00	1 1/2	3,851.77	1 1/2	4,377.55	1 1/2	4,903.31
3/4	243.87	3/4	711.92	3/4	1,236.89	3/4	1,761.78	3/4	2,286.39	3/4	2,811.18	3/4	3,336.96	3/4	3,862.73	3/4	4,388.50	3/4	4,914.26
9	252.77	9	722.38	9	1,247.84	9	1,772.71	9	2,297.27	9	2,822.14	9	3,347.91	9	3,873.68	9	4,399.45	9	4,925.22
1 1/4	261.87	1 1/4	733.32	1 1/4	1,258.79	1 1/4	1,783.64	1 1/4	2,308.16	1 1/4	2,833.09	1 1/4	3,358.86	1 1/4	3,884.64	1 1/4	4,410.41	1 1/4	4,936.17
1 1/2	270.96	1 1/2	744.26	1 1/2	1,269.74	1 1/2	1,794.56	1 1/2	2,319.05	1 1/2	2,844.04	1 1/2	3,369.82	1 1/2	3,895.59	1 1/2	4,421.36	1 1/2	4,947.12
3/4	280.06	3/4	755.20	3/4	1,280.70	3/4	1,805.49	3/4	2,329.93	3/4	2,855.00	3/4	3,380.77	3/4	3,906.54	3/4	4,432.31	3/4	4,958.08
10	289.16	10	766.14	10	1,291.65	10	1,816.42	10	2,340.82	10	2,865.95	10	3,391.72	10	3,917.50	10	4,443.27	10	4,969.03
1 1/4	298.43	1 1/4	777.10	1 1/4	1,302.60	1 1/4	1,827.35	1 1/4	2,351.71	1 1/4	2,876.90	1 1/4	3,402.68	1 1/4	3,928.45	1 1/4	4,454.22	1 1/4	4,979.98
1 1/2	307.70	1 1/2	788.05	1 1/2	1,313.56	1 1/2	1,838.28	1 1/2	2,362.59	1 1/2	2,887.86	1 1/2	3,413.63	1 1/2	3,939.40	1 1/2	4,465.18	1 1/2	4,990.94
3/4	316.97	3/4	799.01	3/4	1,324.51	3/4	1,849.21	3/4	2,373.48	3/4	2,898.81	3/4	3,424.58	3/4	3,950.36	3/4	4,476.13	3/4	5,001.89
11	326.24	11	809.96	11	1,335.47	11	1,860.14	11	2,384.36	11	2,909.77	11	3,435.54	11	3,961.31	11	4,487.08	11	5,012.85
1 1/4	335.67	1 1/4	820.91	1 1/4	1,346.43	1 1/4	1,871.07	1 1/4	2,395.25	1 1/4	2,920.72	1 1/4	3,446.49	1 1/4	3,972.26	1 1/4	4,498.04	1 1/4	5,023.80
1 1/2	345.10	1 1/2	831.86	1 1/2	1,357.38	1 1/2	1,882.00	1 1/2	2,406.14	1 1/2	2,931.67	1 1/2	3,457.45	1 1/2	3,983.22	1 1/2	4,508.99	1 1/2	5,034.75
3/4	354.53	3/4	842.81	3/4	1,368.34	3/4	1,892.93	3/4	2,417.02	3/4	2,942.63	3/4	3,468.40	3/4	3,994.17	3/4	4,519.94	3/4	5,045.71

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 0'-10" OFF CENTERLINE AND 37'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 262"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-01"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	5,056.66	0	5,582.42	0	6,108.19	0	6,632.47	0	7,154.43	0		0		0		0		0	
1/4	5,067.61	1/4	5,593.38	1/4	6,119.14	1/4	6,643.35	1/4	7,165.30	1/4		1/4		1/4		1/4		1/4	
1/2	5,078.57	1/2	5,604.33	1/2	6,130.09	1/2	6,654.22	1/2	7,176.18	1/2		1/2		1/2		1/2		1/2	
3/4	5,089.52	3/4	5,615.28	3/4	6,141.05	3/4	6,665.09	3/4	7,187.05	3/4		3/4		3/4		3/4		3/4	
1	5,100.47	1	5,626.24	1	6,152.00	1	6,675.97	1	7,197.93	1		1		1		1		1	
1/4	5,111.43	1/4	5,637.19	1/4	6,162.95	1/4	6,686.84	1/4	7,208.80	1/4		1/4		1/4		1/4		1/4	
1/2	5,122.38	1/2	5,648.14	1/2	6,173.91	1/2	6,697.72	1/2	7,219.67	1/2		1/2		1/2		1/2		1/2	
3/4	5,133.33	3/4	5,659.10	3/4	6,184.86	3/4	6,708.59	3/4	7,230.55	3/4		3/4		3/4		3/4		3/4	
2	5,144.29	2	5,670.05	2	6,195.81	2	6,719.46	2	7,241.42	2		2		2		2		2	
1/4	5,155.24	1/4	5,681.00	1/4	6,206.77	1/4	6,730.34	1/4	7,251.10	1/4		1/4		1/4		1/4		1/4	
1/2	5,166.19	1/2	5,691.96	1/2	6,217.72	1/2	6,741.21	1/2	7,260.79	1/2		1/2		1/2		1/2		1/2	
3/4	5,177.15	3/4	5,702.91	3/4	6,228.67	3/4	6,752.09	3/4	7,270.47	3/4		3/4		3/4		3/4		3/4	
3	5,188.10	3	5,713.86	3	6,239.63	3	6,762.96	3	7,280.15	3		3		3		3		3	
1/4	5,199.05	1/4	5,724.82	1/4	6,250.58	1/4	6,773.84	1/4	7,287.92	1/4		1/4		1/4		1/4		1/4	
1/2	5,210.01	1/2	5,735.77	1/2	6,261.52	1/2	6,784.71	1/2	7,295.69	1/2		1/2		1/2		1/2		1/2	
3/4	5,220.96	3/4	5,746.72	3/4	6,272.47	3/4	6,795.58	3/4	7,303.46	3/4		3/4		3/4		3/4		3/4	
4	5,231.91	4	5,757.68	4	6,283.42	4	6,806.46	4	7,311.23	4		4		4		4		4	
1/4	5,242.87	1/4	5,768.63	1/4	6,294.37	1/4	6,817.33	1/4	7,317.15	1/4		1/4		1/4		1/4		1/4	
1/2	5,253.82	1/2	5,779.58	1/2	6,305.31	1/2	6,828.21	1/2	7,323.06	1/2		1/2		1/2		1/2		1/2	
3/4	5,264.77	3/4	5,790.54	3/4	6,316.26	3/4	6,839.08	3/4	7,328.97	3/4		3/4		3/4		3/4		3/4	
5	5,275.73	5	5,801.49	5	6,327.20	5	6,849.95	5	7,334.88	5		5		5		5		5	
1/4	5,286.68	1/4	5,812.44	1/4	6,338.15	1/4	6,860.83	1/4	7,338.97	1/4		1/4		1/4		1/4		1/4	
1/2	5,297.63	1/2	5,823.40	1/2	6,349.09	1/2	6,871.70	1/2	7,343.05	1/2		1/2		1/2		1/2		1/2	
3/4	5,308.59	3/4	5,834.35	3/4	6,360.03	3/4	6,882.58	3/4	7,347.14	3/4		3/4		3/4		3/4		3/4	
6	5,319.54	6	5,845.30	6	6,370.98	6	6,893.45	6	7,351.22	6		6		6		6		6	
1/4	5,330.49	1/4	5,856.26	1/4	6,381.92	1/4	6,904.32	1/4	7,353.48	1/4		1/4		1/4		1/4		1/4	
1/2	5,341.45	1/2	5,867.21	1/2	6,392.86	1/2	6,915.20	1/2	7,355.74	1/2		1/2		1/2		1/2		1/2	
3/4	5,352.40	3/4	5,878.16	3/4	6,403.81	3/4	6,926.07	3/4	7,357.99	3/4		3/4		3/4		3/4		3/4	
7	5,363.35	7	5,889.12	7	6,414.75	7	6,936.95	7	7,360.25	7		7		7		7		7	
1/4	5,374.31	1/4	5,900.07	1/4	6,425.67	1/4	6,947.82	1/4	7,361.04	1/4		1/4		1/4		1/4		1/4	
1/2	5,385.26	1/2	5,911.02	1/2	6,436.59	1/2	6,958.69	1/2	7,361.83	1/2		1/2		1/2		1/2		1/2	
3/4	5,396.21	3/4	5,921.98	3/4	6,447.51	3/4	6,969.57	3/4	7,362.62	3/4		3/4		3/4		3/4		3/4	
8	5,407.17	8	5,932.93	8	6,458.44	8	6,980.44	8		8		8		8		8		8	
1/4	5,418.12	1/4	5,943.88	1/4	6,469.32	1/4	6,991.32	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,429.07	1/2	5,954.84	1/2	6,480.21	1/2	7,002.19	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,440.03	3/4	5,965.79	3/4	6,491.10	3/4	7,013.07	3/4		3/4		3/4		3/4		3/4		3/4	
9	5,450.98	9	5,976.74	9	6,501.98	9	7,023.94	9		9		9		9		9		9	
1/4	5,461.93	1/4	5,987.70	1/4	6,512.86	1/4	7,034.81	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,472.89	1/2	5,998.65	1/2	6,523.73	1/2	7,045.69	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,483.84	3/4	6,009.60	3/4	6,534.61	3/4	7,056.56	3/4		3/4		3/4		3/4		3/4		3/4	
10	5,494.79	10	6,020.56	10	6,545.48	10	7,067.44	10		10		10		10		10		10	
1/4	5,505.75	1/4	6,031.51	1/4	6,556.35	1/4	7,078.31	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,516.70	1/2	6,042.46	1/2	6,567.23	1/2	7,089.18	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,527.65	3/4	6,053.42	3/4	6,578.10	3/4	7,100.06	3/4		3/4		3/4		3/4		3/4		3/4	
11	5,538.61	11	6,064.37	11	6,588.98	11	7,110.93	11		11		11		11		11		11	
1/4	5,549.56	1/4	6,075.32	1/4	6,599.85	1/4	7,121.81	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	5,560.52	1/2	6,086.28	1/2	6,610.72	1/2	7,132.68	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	5,571.47	3/4	6,097.23	3/4	6,621.60	3/4	7,143.55	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/10/2010 CL - SW
CALCULATED: 03/11/2010 CL
PRINTED: 03/11/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 262"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-08 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	17.57	0	269.57	0	527.91	0	790.35	0	1,050.90	0	1,310.70	0	1,573.95	0	1,837.20	0	2,100.44	0	2,363.62
1/4	21.14	1/4	275.01	1/4	533.39	1/4	795.78	1/4	1,056.36	1/4	1,316.19	1/4	1,579.43	1/4	1,842.68	1/4	2,105.93	1/4	2,369.10
1/2	24.71	1/2	280.44	1/2	538.87	1/2	801.21	1/2	1,061.82	1/2	1,321.67	1/2	1,584.92	1/2	1,848.16	1/2	2,111.41	1/2	2,374.58
3/4	28.28	3/4	285.87	3/4	544.35	3/4	806.64	3/4	1,067.27	3/4	1,327.16	3/4	1,590.40	3/4	1,853.65	3/4	2,116.89	3/4	2,380.07
1	31.85	1	291.31	1	549.83	1	812.07	1	1,072.73	1	1,332.64	1	1,595.89	1	1,859.13	1	2,122.38	1	2,385.55
1 1/4	36.67	1 1/4	296.76	1 1/4	555.30	1 1/4	817.50	1 1/4	1,078.21	1 1/4	1,338.12	1 1/4	1,601.37	1 1/4	1,864.62	1 1/4	2,127.86	1 1/4	2,391.03
1 1/2	41.49	1 1/2	302.22	1 1/2	560.77	1 1/2	822.93	1 1/2	1,083.70	1 1/2	1,343.61	1 1/2	1,606.85	1 1/2	1,870.10	1 1/2	2,133.35	1 1/2	2,396.51
3/4	46.31	3/4	307.68	3/4	566.24	3/4	828.36	3/4	1,089.18	3/4	1,349.09	3/4	1,612.34	3/4	1,875.59	3/4	2,138.83	3/4	2,401.99
2	51.13	2	313.14	2	571.72	2	833.79	2	1,094.66	2	1,354.58	2	1,617.82	2	1,881.07	2	2,144.32	2	2,407.47
1 1/4	56.53	1 1/4	318.61	1 1/4	577.19	1 1/4	839.22	1 1/4	1,100.14	1 1/4	1,360.06	1 1/4	1,623.31	1 1/4	1,886.55	1 1/4	2,149.80	1 1/4	2,412.95
1 1/2	61.93	1 1/2	324.09	1 1/2	582.66	1 1/2	844.64	1 1/2	1,105.63	1 1/2	1,365.55	1 1/2	1,628.79	1 1/2	1,892.04	1 1/2	2,155.28	1 1/2	2,418.43
3/4	67.33	3/4	329.56	3/4	588.13	3/4	850.07	3/4	1,111.11	3/4	1,371.03	3/4	1,634.28	3/4	1,897.52	3/4	2,160.77	3/4	2,423.91
3	72.73	3	335.03	3	593.60	3	855.50	3	1,116.59	3	1,376.51	3	1,639.76	3	1,903.01	3	2,166.25	3	2,429.40
1 1/4	78.16	1 1/4	340.50	1 1/4	599.08	1 1/4	860.93	1 1/4	1,122.08	1 1/4	1,382.00	1 1/4	1,645.25	1 1/4	1,908.49	1 1/4	2,171.74	1 1/4	2,434.88
1 1/2	83.59	1 1/2	345.96	1 1/2	604.55	1 1/2	866.35	1 1/2	1,127.56	1 1/2	1,387.48	1 1/2	1,650.73	1 1/2	1,913.98	1 1/2	2,177.22	1 1/2	2,440.36
3/4	89.02	3/4	351.42	3/4	610.02	3/4	871.78	3/4	1,133.04	3/4	1,392.97	3/4	1,656.21	3/4	1,919.46	3/4	2,182.71	3/4	2,445.84
4	94.45	4	356.89	4	615.49	4	877.21	4	1,138.53	4	1,398.45	4	1,661.70	4	1,924.94	4	2,188.19	4	2,451.32
1 1/4	99.90	1 1/4	362.08	1 1/4	620.97	1 1/4	882.63	1 1/4	1,144.01	1 1/4	1,403.94	1 1/4	1,667.18	1 1/4	1,930.43	1 1/4	2,193.68	1 1/4	2,456.80
1 1/2	105.36	1 1/2	367.27	1 1/2	626.44	1 1/2	888.06	1 1/2	1,149.50	1 1/2	1,409.42	1 1/2	1,672.67	1 1/2	1,935.91	1 1/2	2,199.16	1 1/2	2,462.28
3/4	110.81	3/4	372.47	3/4	631.91	3/4	893.49	3/4	1,154.98	3/4	1,414.90	3/4	1,678.15	3/4	1,941.40	3/4	2,204.64	3/4	2,467.76
5	116.26	5	377.66	5	637.38	5	898.91	5	1,160.46	5	1,420.39	5	1,683.64	5	1,946.88	5	2,210.13	5	2,473.24
1 1/4	121.73	1 1/4	382.59	1 1/4	642.86	1 1/4	904.34	1 1/4	1,165.88	1 1/4	1,425.87	1 1/4	1,689.12	1 1/4	1,952.37	1 1/4	2,215.61	1 1/4	2,478.73
1 1/2	127.20	1 1/2	387.52	1 1/2	648.33	1 1/2	909.77	1 1/2	1,171.29	1 1/2	1,431.36	1 1/2	1,694.60	1 1/2	1,957.85	1 1/2	2,221.10	1 1/2	2,484.21
3/4	132.67	3/4	392.46	3/4	653.80	3/4	915.19	3/4	1,176.71	3/4	1,436.84	3/4	1,700.09	3/4	1,963.33	3/4	2,226.58	3/4	2,489.69
6	138.14	6	397.39	6	659.27	6	920.62	6	1,182.13	6	1,442.33	6	1,705.57	6	1,968.82	6	2,232.07	6	2,495.17
1 1/4	143.61	1 1/4	402.60	1 1/4	664.75	1 1/4	926.05	1 1/4	1,187.47	1 1/4	1,447.81	1 1/4	1,711.06	1 1/4	1,974.30	1 1/4	2,237.55	1 1/4	2,500.65
1 1/2	149.08	1 1/2	407.81	1 1/2	670.22	1 1/2	931.47	1 1/2	1,192.82	1 1/2	1,453.29	1 1/2	1,716.54	1 1/2	1,979.79	1 1/2	2,243.03	1 1/2	2,506.13
3/4	154.55	3/4	413.03	3/4	675.69	3/4	936.90	3/4	1,198.16	3/4	1,458.78	3/4	1,722.03	3/4	1,985.27	3/4	2,248.52	3/4	2,511.61
7	160.02	7	418.24	7	681.16	7	942.33	7	1,203.51	7	1,464.26	7	1,727.51	7	1,990.76	7	2,254.00	7	2,517.09
1 1/4	165.49	1 1/4	423.72	1 1/4	686.63	1 1/4	947.76	1 1/4	1,208.85	1 1/4	1,469.75	1 1/4	1,732.99	1 1/4	1,996.24	1 1/4	2,259.48	1 1/4	2,522.57
1 1/2	170.97	1 1/2	429.21	1 1/2	692.11	1 1/2	953.18	1 1/2	1,214.20	1 1/2	1,475.23	1 1/2	1,738.48	1 1/2	2,001.72	1 1/2	2,264.96	1 1/2	2,528.06
3/4	176.45	3/4	434.69	3/4	697.58	3/4	958.61	3/4	1,219.55	3/4	1,480.72	3/4	1,743.96	3/4	2,007.21	3/4	2,270.44	3/4	2,533.54
8	181.93	8	440.17	8	703.05	8	964.04	8	1,224.89	8	1,486.20	8	1,749.45	8	2,012.69	8	2,275.92	8	2,539.02
1 1/4	187.41	1 1/4	445.66	1 1/4	708.52	1 1/4	969.46	1 1/4	1,230.24	1 1/4	1,491.68	1 1/4	1,754.93	1 1/4	2,018.18	1 1/4	2,281.41	1 1/4	2,544.50
1 1/2	192.90	1 1/2	451.14	1 1/2	714.00	1 1/2	974.89	1 1/2	1,235.58	1 1/2	1,497.17	1 1/2	1,760.42	1 1/2	2,023.66	1 1/2	2,286.89	1 1/2	2,549.98
3/4	198.38	3/4	456.63	3/4	719.47	3/4	980.32	3/4	1,240.93	3/4	1,502.65	3/4	1,765.90	3/4	2,029.15	3/4	2,292.37	3/4	2,555.46
9	203.87	9	462.11	9	724.94	9	985.75	9	1,246.28	9	1,508.14	9	1,771.38	9	2,034.63	9	2,297.85	9	2,560.94
1 1/4	209.35	1 1/4	467.59	1 1/4	730.41	1 1/4	991.18	1 1/4	1,251.62	1 1/4	1,513.62	1 1/4	1,776.87	1 1/4	2,040.11	1 1/4	2,303.33	1 1/4	2,566.42
1 1/2	214.83	1 1/2	473.08	1 1/2	735.88	1 1/2	996.61	1 1/2	1,256.97	1 1/2	1,519.11	1 1/2	1,782.35	1 1/2	2,045.60	1 1/2	2,308.81	1 1/2	2,571.90
3/4	220.32	3/4	478.56	3/4	741.36	3/4	1,002.04	3/4	1,262.31	3/4	1,524.59	3/4	1,787.84	3/4	2,051.08	3/4	2,314.29	3/4	2,577.39
10	225.80	10	484.04	10	746.83	10	1,007.47	10	1,267.66	10	1,530.07	10	1,793.32	10	2,056.57	10	2,319.77	10	2,582.87
1 1/4	231.29	1 1/4	489.53	1 1/4	752.28	1 1/4	1,012.90	1 1/4	1,273.01	1 1/4	1,535.56	1 1/4	1,798.81	1 1/4	2,062.05	1 1/4	2,325.25	1 1/4	2,588.35
1 1/2	236.77	1 1/2	495.01	1 1/2	757.73	1 1/2	1,018.33	1 1/2	1,278.35	1 1/2	1,541.04	1 1/2	1,804.29	1 1/2	2,067.54	1 1/2	2,330.74	1 1/2	2,593.83
3/4	242.25	3/4	500.50	3/4	763.18	3/4	1,023.76	3/4	1,283.70	3/4	1,546.53	3/4	1,809.77	3/4	2,073.02	3/4	2,336.22	3/4	2,599.31
11	247.74	11	505.98	11	768.63	11	1,029.19	11	1,289.04	11	1,552.01	11	1,815.26	11	2,078.50	11	2,341.70	11	2,604.79
1 1/4	253.20	1 1/4	511.46	1 1/4	774.06	1 1/4	1,034.62	1 1/4	1,294.46	1 1/4	1,557.50	1 1/4	1,820.74	1 1/4	2,083.99	1 1/4	2,347.18	1 1/4	2,610.27
1 1/2	258.66	1 1/2	516.95	1 1/2	779.49	1 1/2	1,040.05	1 1/2	1,299.87	1 1/2	1,562.98	1 1/2	1,826.23	1 1/2	2,089.47	1 1/2	2,352.66	1 1/2	2,615.75
3/4	264.11	3/4	522.43	3/4	784.92	3/4	1,045.48	3/4	1,305.29	3/4	1,568.46	3/4	1,831.71	3/4	2,094.96	3/4	2,358.14	3/4	2,621.23

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 11'-00" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 262"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-08 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,626.72	0	2,889.81	0	3,152.90	0	3,415.23	0	3,676.81	0		0		0		0		0	
1/4	2,632.20	1/4	2,895.29	1/4	3,158.38	1/4	3,420.68	1/4	3,681.78	1/4		1/4		1/4		1/4		1/4	
1/2	2,637.68	1/2	2,900.77	1/2	3,163.86	1/2	3,426.13	1/2	3,686.75	1/2		1/2		1/2		1/2		1/2	
3/4	2,643.16	3/4	2,906.25	3/4	3,169.34	3/4	3,431.58	3/4	3,691.73	3/4		3/4		3/4		3/4		3/4	
1	2,648.64	1	2,911.73	1	3,174.83	1	3,437.03	1	3,696.70	1		1		1		1		1	
1/4	2,654.12	1/4	2,917.21	1/4	3,180.31	1/4	3,442.48	1/4	3,700.71	1/4		1/4		1/4		1/4		1/4	
1/2	2,659.60	1/2	2,922.69	1/2	3,185.79	1/2	3,447.93	1/2	3,704.73	1/2		1/2		1/2		1/2		1/2	
3/4	2,665.08	3/4	2,928.18	3/4	3,191.27	3/4	3,453.38	3/4	3,708.75	3/4		3/4		3/4		3/4		3/4	
2	2,670.56	2	2,933.66	2	3,196.75	2	3,458.83	2	3,712.76	2		2		2		2		2	
1/4	2,676.05	1/4	2,939.14	1/4	3,202.23	1/4	3,464.28	1/4	3,715.84	1/4		1/4		1/4		1/4		1/4	
1/2	2,681.53	1/2	2,944.62	1/2	3,207.71	1/2	3,469.72	1/2	3,718.92	1/2		1/2		1/2		1/2		1/2	
3/4	2,687.01	3/4	2,950.10	3/4	3,213.19	3/4	3,475.17	3/4	3,722.00	3/4		3/4		3/4		3/4		3/4	
3	2,692.49	3	2,955.58	3	3,218.67	3	3,480.62	3	3,725.08	3		3		3		3		3	
1/4	2,697.97	1/4	2,961.06	1/4	3,224.16	1/4	3,486.07	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,703.45	1/2	2,966.54	1/2	3,229.64	1/2	3,491.52	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,708.93	3/4	2,972.02	3/4	3,235.12	3/4	3,496.97	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,714.41	4	2,977.51	4	3,240.60	4	3,502.42	4		4		4		4		4		4	
1/4	2,719.89	1/4	2,982.99	1/4	3,246.08	1/4	3,507.87	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,725.37	1/2	2,988.47	1/2	3,251.56	1/2	3,513.32	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,730.86	3/4	2,993.95	3/4	3,257.04	3/4	3,518.77	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,736.34	5	2,999.43	5	3,262.52	5	3,524.22	5		5		5		5		5		5	
1/4	2,741.82	1/4	3,004.91	1/4	3,268.00	1/4	3,529.67	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,747.30	1/2	3,010.39	1/2	3,273.47	1/2	3,535.12	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,752.78	3/4	3,015.87	3/4	3,278.95	3/4	3,540.57	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,758.26	6	3,021.35	6	3,284.42	6	3,546.02	6		6		6		6		6		6	
1/4	2,763.74	1/4	3,026.84	1/4	3,289.88	1/4	3,551.47	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,769.22	1/2	3,032.32	1/2	3,295.33	1/2	3,556.92	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,774.70	3/4	3,037.80	3/4	3,300.79	3/4	3,562.37	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,780.19	7	3,043.28	7	3,306.24	7	3,567.82	7		7		7		7		7		7	
1/4	2,785.67	1/4	3,048.76	1/4	3,311.69	1/4	3,573.27	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,791.15	1/2	3,054.24	1/2	3,317.14	1/2	3,578.72	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,796.63	3/4	3,059.72	3/4	3,322.59	3/4	3,584.17	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,802.11	8	3,065.20	8	3,328.04	8	3,589.62	8		8		8		8		8		8	
1/4	2,807.59	1/4	3,070.68	1/4	3,333.48	1/4	3,595.07	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,813.07	1/2	3,076.17	1/2	3,338.93	1/2	3,600.52	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,818.55	3/4	3,081.65	3/4	3,344.38	3/4	3,605.96	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,824.03	9	3,087.13	9	3,349.83	9	3,611.41	9		9		9		9		9		9	
1/4	2,829.52	1/4	3,092.61	1/4	3,355.28	1/4	3,616.86	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,835.00	1/2	3,098.09	1/2	3,360.73	1/2	3,622.31	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,840.48	3/4	3,103.57	3/4	3,366.18	3/4	3,627.76	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,845.96	10	3,109.05	10	3,371.63	10	3,633.21	10		10		10		10		10		10	
1/4	2,851.44	1/4	3,114.53	1/4	3,377.08	1/4	3,638.66	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,856.92	1/2	3,120.01	1/2	3,382.53	1/2	3,644.11	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,862.40	3/4	3,125.50	3/4	3,387.98	3/4	3,649.56	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,867.88	11	3,130.98	11	3,393.43	11	3,655.01	11		11		11		11		11		11	
1/4	2,873.36	1/4	3,136.46	1/4	3,398.88	1/4	3,660.46	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,878.85	1/2	3,141.94	1/2	3,404.33	1/2	3,665.91	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,884.33	3/4	3,147.42	3/4	3,409.78	3/4	3,671.36	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/10/2010 CL - SW
CALCULATED: 03/11/2010 CL
PRINTED: 03/11/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 262"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-08 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	17.58	0	269.70	0	528.16	0	789.38	0	1,039.29	0	1,298.76	0	1,562.13	0	1,825.49	0	2,088.86	0	2,352.18
1/4	21.15	1/4	275.13	1/4	533.64	1/4	794.58	1/4	1,044.63	1/4	1,304.25	1/4	1,567.61	1/4	1,830.98	1/4	2,094.35	1/4	2,357.66
1/2	24.72	1/2	280.57	1/2	539.12	1/2	799.79	1/2	1,049.98	1/2	1,309.73	1/2	1,573.10	1/2	1,836.47	1/2	2,099.83	1/2	2,363.15
3/4	28.29	3/4	286.01	3/4	544.60	3/4	805.00	3/4	1,055.33	3/4	1,315.22	3/4	1,578.59	3/4	1,841.95	3/4	2,105.32	3/4	2,368.63
1	31.86	1	291.44	1	550.08	1	810.21	1	1,060.68	1	1,320.71	1	1,584.07	1	1,847.44	1	2,110.81	1	2,374.12
1/4	36.88	1/4	296.90	1/4	555.56	1/4	815.42	1/4	1,066.16	1/4	1,326.19	1/4	1,589.56	1/4	1,852.93	1/4	2,116.29	1/4	2,379.60
1/2	41.51	1/2	302.36	1/2	561.03	1/2	820.62	1/2	1,071.65	1/2	1,331.68	1/2	1,595.05	1/2	1,858.41	1/2	2,121.78	1/2	2,385.08
3/4	46.33	3/4	307.82	3/4	566.51	3/4	825.83	3/4	1,077.13	3/4	1,337.17	3/4	1,600.53	3/4	1,863.90	3/4	2,127.27	3/4	2,390.57
2	51.15	2	313.29	2	571.98	2	831.04	2	1,082.62	2	1,342.65	2	1,606.02	2	1,869.39	2	2,132.75	2	2,396.05
1/4	56.55	1/4	318.76	1/4	577.46	1/4	836.25	1/4	1,088.10	1/4	1,348.14	1/4	1,611.51	1/4	1,874.87	1/4	2,138.24	1/4	2,401.53
1/2	61.96	1/2	324.24	1/2	582.93	1/2	841.45	1/2	1,093.59	1/2	1,353.63	1/2	1,616.99	1/2	1,880.36	1/2	2,143.73	1/2	2,407.02
3/4	67.36	3/4	329.71	3/4	588.41	3/4	846.66	3/4	1,099.07	3/4	1,359.11	3/4	1,622.48	3/4	1,885.85	3/4	2,149.21	3/4	2,412.50
3	72.77	3	335.19	3	593.88	3	851.87	3	1,104.56	3	1,364.60	3	1,627.97	3	1,891.33	3	2,154.70	3	2,417.99
1/4	78.20	1/4	340.66	1/4	599.36	1/4	857.07	1/4	1,110.05	1/4	1,370.09	1/4	1,633.45	1/4	1,896.82	1/4	2,160.19	1/4	2,423.47
1/2	83.63	1/2	346.12	1/2	604.83	1/2	862.28	1/2	1,115.53	1/2	1,375.58	1/2	1,638.94	1/2	1,902.31	1/2	2,165.67	1/2	2,428.95
3/4	89.06	3/4	351.59	3/4	610.31	3/4	867.48	3/4	1,121.02	3/4	1,381.06	3/4	1,644.43	3/4	1,907.79	3/4	2,171.16	3/4	2,434.44
4	94.49	4	357.05	4	615.78	4	872.69	4	1,126.50	4	1,386.55	4	1,649.92	4	1,913.28	4	2,176.65	4	2,439.92
1/4	99.95	1/4	362.25	1/4	621.26	1/4	877.89	1/4	1,131.99	1/4	1,392.04	1/4	1,655.40	1/4	1,918.77	1/4	2,182.13	1/4	2,445.40
1/2	105.40	1/2	367.45	1/2	626.73	1/2	883.10	1/2	1,137.48	1/2	1,397.52	1/2	1,660.89	1/2	1,924.26	1/2	2,187.62	1/2	2,450.89
3/4	110.86	3/4	372.64	3/4	632.21	3/4	888.30	3/4	1,142.97	3/4	1,403.01	3/4	1,666.38	3/4	1,929.74	3/4	2,193.11	3/4	2,456.37
5	116.32	5	377.84	5	637.68	5	893.51	5	1,148.45	5	1,408.50	5	1,671.86	5	1,935.23	5	2,198.60	5	2,461.86
1/4	121.79	1/4	382.77	1/4	643.16	1/4	898.71	1/4	1,153.87	1/4	1,413.98	1/4	1,677.35	1/4	1,940.72	1/4	2,204.08	1/4	2,467.34
1/2	127.26	1/2	387.70	1/2	648.63	1/2	903.92	1/2	1,159.29	1/2	1,419.47	1/2	1,682.84	1/2	1,946.20	1/2	2,209.57	1/2	2,472.82
3/4	132.73	3/4	392.64	3/4	654.11	3/4	909.12	3/4	1,164.70	3/4	1,424.96	3/4	1,688.32	3/4	1,951.69	3/4	2,215.06	3/4	2,478.31
6	138.20	6	397.57	6	659.58	6	914.33	6	1,170.12	6	1,430.44	6	1,693.81	6	1,957.18	6	2,220.54	6	2,483.79
1/4	143.67	1/4	402.79	1/4	665.06	1/4	919.53	1/4	1,175.47	1/4	1,435.93	1/4	1,699.30	1/4	1,962.66	1/4	2,226.03	1/4	2,489.28
1/2	149.15	1/2	408.00	1/2	670.53	1/2	924.74	1/2	1,180.82	1/2	1,441.42	1/2	1,704.78	1/2	1,968.15	1/2	2,231.52	1/2	2,494.76
3/4	154.62	3/4	413.22	3/4	676.01	3/4	929.94	3/4	1,186.17	3/4	1,446.90	3/4	1,710.27	3/4	1,973.64	3/4	2,237.00	3/4	2,500.24
7	160.09	7	418.43	7	681.48	7	935.15	7	1,191.52	7	1,452.39	7	1,715.76	7	1,979.12	7	2,242.49	7	2,505.73
1/4	165.57	1/4	423.92	1/4	686.96	1/4	940.35	1/4	1,196.86	1/4	1,457.88	1/4	1,721.24	1/4	1,984.61	1/4	2,247.98	1/4	2,511.21
1/2	171.05	1/2	429.41	1/2	692.43	1/2	945.56	1/2	1,202.21	1/2	1,463.36	1/2	1,726.73	1/2	1,990.10	1/2	2,253.46	1/2	2,516.69
3/4	176.53	3/4	434.89	3/4	697.91	3/4	950.76	3/4	1,207.56	3/4	1,468.85	3/4	1,732.22	3/4	1,995.58	3/4	2,258.95	3/4	2,522.18
8	182.01	8	440.38	8	703.38	8	955.97	8	1,212.91	8	1,474.34	8	1,737.70	8	2,001.07	8	2,264.44	8	2,527.66
1/4	187.50	1/4	445.87	1/4	708.86	1/4	961.17	1/4	1,218.26	1/4	1,479.82	1/4	1,743.19	1/4	2,006.56	1/4	2,269.92	1/4	2,533.15
1/2	192.99	1/2	451.35	1/2	714.33	1/2	966.38	1/2	1,223.61	1/2	1,485.31	1/2	1,748.68	1/2	2,012.04	1/2	2,275.41	1/2	2,538.63
3/4	198.47	3/4	456.84	3/4	719.81	3/4	971.59	3/4	1,228.95	3/4	1,490.80	3/4	1,754.16	3/4	2,017.53	3/4	2,280.89	3/4	2,544.11
9	203.96	9	462.32	9	725.28	9	976.79	9	1,234.30	9	1,496.28	9	1,759.65	9	2,023.02	9	2,286.37	9	2,549.60
1/4	209.45	1/4	467.81	1/4	730.75	1/4	982.00	1/4	1,239.65	1/4	1,501.77	1/4	1,765.14	1/4	2,028.50	1/4	2,291.86	1/4	2,555.08
1/2	214.93	1/2	473.30	1/2	736.23	1/2	987.21	1/2	1,245.00	1/2	1,507.26	1/2	1,770.62	1/2	2,033.99	1/2	2,297.34	1/2	2,560.56
3/4	220.42	3/4	478.78	3/4	741.70	3/4	992.42	3/4	1,250.35	3/4	1,512.75	3/4	1,776.11	3/4	2,039.48	3/4	2,302.83	3/4	2,566.05
10	225.91	10	484.27	10	747.18	10	997.62	10	1,255.69	10	1,518.23	10	1,781.60	10	2,044.96	10	2,308.31	10	2,571.53
1/4	231.39	1/4	489.76	1/4	752.52	1/4	1,002.83	1/4	1,261.04	1/4	1,523.72	1/4	1,787.09	1/4	2,050.45	1/4	2,313.79	1/4	2,577.02
1/2	236.88	1/2	495.24	1/2	757.86	1/2	1,008.04	1/2	1,266.39	1/2	1,529.21	1/2	1,792.57	1/2	2,055.94	1/2	2,319.28	1/2	2,582.50
3/4	242.37	3/4	500.73	3/4	763.20	3/4	1,013.25	3/4	1,271.74	3/4	1,534.69	3/4	1,798.06	3/4	2,061.43	3/4	2,324.76	3/4	2,587.98
11	247.85	11	506.21	11	768.54	11	1,018.46	11	1,277.09	11	1,540.18	11	1,803.55	11	2,066.91	11	2,330.24	11	2,593.47
1/4	253.32	1/4	511.70	1/4	773.75	1/4	1,023.69	1/4	1,282.51	1/4	1,545.67	1/4	1,809.03	1/4	2,072.40	1/4	2,335.73	1/4	2,598.95
1/2	258.78	1/2	517.19	1/2	778.96	1/2	1,028.87	1/2	1,287.92	1/2	1,551.15	1/2	1,814.52	1/2	2,077.89	1/2	2,341.21	1/2	2,604.43
3/4	264.24	3/4	522.67	3/4	784.17	3/4	1,034.08	3/4	1,293.34	3/4	1,556.64	3/4	1,820.01	3/4	2,083.37	3/4	2,346.70	3/4	2,609.92

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 11'-00" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
 http://www.pmacorp.net



BARGE "WEB 262"

2 STBD
INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-08 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,615.40	0	2,878.62	0	3,141.85	0	3,404.28	0	3,665.99	0		0		0		0		0	
1/4	2,620.89	1/4	2,884.11	1/4	3,147.33	1/4	3,409.73	1/4	3,670.96	1/4		1/4		1/4		1/4		1/4	
1/2	2,626.37	1/2	2,889.59	1/2	3,152.81	1/2	3,415.19	1/2	3,675.94	1/2		1/2		1/2		1/2		1/2	
3/4	2,631.85	3/4	2,895.08	3/4	3,158.30	3/4	3,420.64	3/4	3,680.91	3/4		3/4		3/4		3/4		3/4	
1	2,637.34	1	2,900.56	1	3,163.78	1	3,426.09	1	3,685.88	1		1		1		1		1	
1 1/4	2,642.82	1 1/4	2,906.04	1 1/4	3,169.27	1 1/4	3,431.54	1 1/4	3,689.90	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,648.31	1 1/2	2,911.53	1 1/2	3,174.75	1 1/2	3,437.00	1 1/2	3,693.92	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,653.79	3/4	2,917.01	3/4	3,180.23	3/4	3,442.45	3/4	3,697.94	3/4		3/4		3/4		3/4		3/4	
2	2,659.27	2	2,922.50	2	3,185.72	2	3,447.90	2	3,701.96	2		2		2		2		2	
1 1/4	2,664.76	1 1/4	2,927.98	1 1/4	3,191.20	1 1/4	3,453.35	1 1/4	3,705.04	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,670.24	1 1/2	2,933.46	1 1/2	3,196.69	1 1/2	3,458.80	1 1/2	3,708.12	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,675.72	3/4	2,938.95	3/4	3,202.17	3/4	3,464.26	3/4	3,711.20	3/4		3/4		3/4		3/4		3/4	
3	2,681.21	3	2,944.43	3	3,207.65	3	3,469.71	3	3,714.28	3		3		3		3		3	
1 1/4	2,686.69	1 1/4	2,949.91	1 1/4	3,213.14	1 1/4	3,475.16	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,692.18	1 1/2	2,955.40	1 1/2	3,218.62	1 1/2	3,480.61	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,697.66	3/4	2,960.88	3/4	3,224.10	3/4	3,486.07	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,703.14	4	2,966.37	4	3,229.59	4	3,491.52	4		4		4		4		4		4	
1 1/4	2,708.63	1 1/4	2,971.85	1 1/4	3,235.07	1 1/4	3,496.97	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,714.11	1 1/2	2,977.33	1 1/2	3,240.56	1 1/2	3,502.42	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,719.59	3/4	2,982.82	3/4	3,246.04	3/4	3,507.87	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,725.08	5	2,988.30	5	3,251.52	5	3,513.33	5		5		5		5		5		5	
1 1/4	2,730.56	1 1/4	2,993.78	1 1/4	3,257.00	1 1/4	3,518.78	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,736.05	1 1/2	2,999.27	1 1/2	3,262.47	1 1/2	3,524.23	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,741.53	3/4	3,004.75	3/4	3,267.94	3/4	3,529.68	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,747.01	6	3,010.24	6	3,273.41	6	3,535.14	6		6		6		6		6		6	
1 1/4	2,752.50	1 1/4	3,015.72	1 1/4	3,278.87	1 1/4	3,540.59	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,757.98	1 1/2	3,021.20	1 1/2	3,284.33	1 1/2	3,546.04	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,763.46	3/4	3,026.69	3/4	3,289.79	3/4	3,551.49	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,768.95	7	3,032.17	7	3,295.25	7	3,556.94	7		7		7		7		7		7	
1 1/4	2,774.43	1 1/4	3,037.65	1 1/4	3,300.70	1 1/4	3,562.40	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,779.92	1 1/2	3,043.14	1 1/2	3,306.15	1 1/2	3,567.85	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,785.40	3/4	3,048.62	3/4	3,311.60	3/4	3,573.30	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,790.88	8	3,054.11	8	3,317.05	8	3,578.75	8		8		8		8		8		8	
1 1/4	2,796.37	1 1/4	3,059.59	1 1/4	3,322.50	1 1/4	3,584.21	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,801.85	1 1/2	3,065.07	1 1/2	3,327.95	1 1/2	3,589.66	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,807.34	3/4	3,070.56	3/4	3,333.40	3/4	3,595.11	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,812.82	9	3,076.04	9	3,338.86	9	3,600.56	9		9		9		9		9		9	
1 1/4	2,818.30	1 1/4	3,081.53	1 1/4	3,344.31	1 1/4	3,606.01	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,823.79	1 1/2	3,087.01	1 1/2	3,349.76	1 1/2	3,611.47	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,829.27	3/4	3,092.49	3/4	3,355.21	3/4	3,616.92	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,834.75	10	3,097.98	10	3,360.67	10	3,622.37	10		10		10		10		10		10	
1 1/4	2,840.24	1 1/4	3,103.46	1 1/4	3,366.12	1 1/4	3,627.82	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,845.72	1 1/2	3,108.94	1 1/2	3,371.57	1 1/2	3,633.28	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,851.21	3/4	3,114.43	3/4	3,377.02	3/4	3,638.73	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,856.69	11	3,119.91	11	3,382.47	11	3,644.18	11		11		11		11		11		11	
1 1/4	2,862.17	1 1/4	3,125.40	1 1/4	3,387.93	1 1/4	3,649.63	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,867.66	1 1/2	3,130.88	1 1/2	3,393.38	1 1/2	3,655.08	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,873.14	3/4	3,136.36	3/4	3,398.83	3/4	3,660.54	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/10/2010 CL - SW
CALCULATED: 03/11/2010 CL
PRINTED: 03/11/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "WEB 262"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-08 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	17.58	0	269.69	0	528.15	0	789.36	0	1,039.25	0	1,298.72	0	1,562.09	0	1,825.45	0	2,088.82	0	2,352.14
1/4	21.15	1/4	275.13	1/4	533.63	1/4	794.57	1/4	1,044.60	1/4	1,304.21	1/4	1,567.57	1/4	1,830.94	1/4	2,094.31	1/4	2,357.62
1/2	24.72	1/2	280.56	1/2	539.11	1/2	799.78	1/2	1,049.95	1/2	1,309.69	1/2	1,573.06	1/2	1,836.43	1/2	2,099.79	1/2	2,363.11
3/4	28.29	3/4	286.00	3/4	544.59	3/4	804.98	3/4	1,055.29	3/4	1,315.18	3/4	1,578.55	3/4	1,841.91	3/4	2,105.28	3/4	2,368.59
1	31.86	1	291.44	1	550.07	1	810.19	1	1,060.64	1	1,320.67	1	1,584.03	1	1,847.40	1	2,110.77	1	2,374.07
1/4	36.68	1/4	296.90	1/4	555.55	1/4	815.40	1/4	1,066.12	1/4	1,326.15	1/4	1,589.52	1/4	1,852.89	1/4	2,116.25	1/4	2,379.56
1/2	41.50	1/2	302.36	1/2	561.02	1/2	820.61	1/2	1,071.61	1/2	1,331.64	1/2	1,595.01	1/2	1,858.37	1/2	2,121.74	1/2	2,385.04
3/4	46.32	3/4	307.82	3/4	566.49	3/4	825.81	3/4	1,077.10	3/4	1,337.13	3/4	1,600.49	3/4	1,863.86	3/4	2,127.23	3/4	2,390.53
2	51.14	2	313.28	2	571.97	2	831.02	2	1,082.58	2	1,342.61	2	1,605.98	2	1,869.35	2	2,132.71	2	2,396.01
1/4	56.55	1/4	318.76	1/4	577.44	1/4	836.23	1/4	1,088.07	1/4	1,348.10	1/4	1,611.47	1/4	1,874.83	1/4	2,138.20	1/4	2,401.49
1/2	61.95	1/2	324.23	1/2	582.92	1/2	841.43	1/2	1,093.55	1/2	1,353.59	1/2	1,616.95	1/2	1,880.32	1/2	2,143.69	1/2	2,406.98
3/4	67.36	3/4	329.71	3/4	588.39	3/4	846.64	3/4	1,099.04	3/4	1,359.07	3/4	1,622.44	3/4	1,885.81	3/4	2,149.17	3/4	2,412.46
3	72.76	3	335.18	3	593.87	3	851.84	3	1,104.52	3	1,364.56	3	1,627.93	3	1,891.29	3	2,154.66	3	2,417.94
1/4	78.19	1/4	340.65	1/4	599.34	1/4	857.05	1/4	1,110.01	1/4	1,370.05	1/4	1,633.41	1/4	1,896.78	1/4	2,160.15	1/4	2,423.43
1/2	83.62	1/2	346.12	1/2	604.82	1/2	862.25	1/2	1,115.50	1/2	1,375.53	1/2	1,638.90	1/2	1,902.27	1/2	2,165.63	1/2	2,428.91
3/4	89.05	3/4	351.58	3/4	610.29	3/4	867.46	3/4	1,120.98	3/4	1,381.02	3/4	1,644.39	3/4	1,907.75	3/4	2,171.12	3/4	2,434.40
4	94.48	4	357.05	4	615.77	4	872.66	4	1,126.47	4	1,386.51	4	1,649.87	4	1,913.24	4	2,176.61	4	2,439.88
1/4	99.94	1/4	362.24	1/4	621.24	1/4	877.87	1/4	1,131.96	1/4	1,391.99	1/4	1,655.36	1/4	1,918.73	1/4	2,182.09	1/4	2,445.36
1/2	105.40	1/2	367.44	1/2	626.72	1/2	883.07	1/2	1,137.44	1/2	1,397.48	1/2	1,660.85	1/2	1,924.21	1/2	2,187.58	1/2	2,450.85
3/4	110.86	3/4	372.63	3/4	632.19	3/4	888.28	3/4	1,142.93	3/4	1,402.97	3/4	1,666.33	3/4	1,929.70	3/4	2,193.07	3/4	2,456.33
5	116.31	5	377.83	5	637.67	5	893.48	5	1,148.42	5	1,408.46	5	1,671.82	5	1,935.19	5	2,198.55	5	2,461.82
1/4	121.78	1/4	382.76	1/4	643.14	1/4	898.69	1/4	1,153.83	1/4	1,413.94	1/4	1,677.31	1/4	1,940.67	1/4	2,204.04	1/4	2,467.30
1/2	127.26	1/2	387.69	1/2	648.62	1/2	903.89	1/2	1,159.25	1/2	1,419.43	1/2	1,682.80	1/2	1,946.16	1/2	2,209.53	1/2	2,472.78
3/4	132.73	3/4	392.63	3/4	654.09	3/4	909.10	3/4	1,164.67	3/4	1,424.92	3/4	1,688.28	3/4	1,951.65	3/4	2,215.01	3/4	2,478.27
6	138.20	6	397.56	6	659.57	6	914.30	6	1,170.09	6	1,430.40	6	1,693.77	6	1,957.14	6	2,220.50	6	2,483.75
1/4	143.67	1/4	402.78	1/4	665.04	1/4	919.51	1/4	1,175.43	1/4	1,435.89	1/4	1,699.26	1/4	1,962.62	1/4	2,225.99	1/4	2,489.23
1/2	149.14	1/2	407.99	1/2	670.52	1/2	924.71	1/2	1,180.78	1/2	1,441.38	1/2	1,704.74	1/2	1,968.11	1/2	2,231.48	1/2	2,494.72
3/4	154.61	3/4	413.21	3/4	675.99	3/4	929.92	3/4	1,186.13	3/4	1,446.86	3/4	1,710.23	3/4	1,973.60	3/4	2,236.96	3/4	2,500.20
7	160.08	7	418.42	7	681.47	7	935.12	7	1,191.48	7	1,452.35	7	1,715.72	7	1,979.08	7	2,242.45	7	2,505.69
1/4	165.56	1/4	423.91	1/4	686.94	1/4	940.32	1/4	1,196.83	1/4	1,457.84	1/4	1,721.20	1/4	1,984.57	1/4	2,247.94	1/4	2,511.17
1/2	171.04	1/2	429.39	1/2	692.42	1/2	945.53	1/2	1,202.17	1/2	1,463.32	1/2	1,726.69	1/2	1,990.06	1/2	2,253.42	1/2	2,516.65
3/4	176.53	3/4	434.88	3/4	697.89	3/4	950.73	3/4	1,207.52	3/4	1,468.81	3/4	1,732.18	3/4	1,995.54	3/4	2,258.91	3/4	2,522.14
8	182.01	8	440.37	8	703.37	8	955.94	8	1,212.87	8	1,474.30	8	1,737.66	8	2,001.03	8	2,264.40	8	2,527.62
1/4	187.49	1/4	445.85	1/4	708.84	1/4	961.15	1/4	1,218.22	1/4	1,479.78	1/4	1,743.15	1/4	2,006.52	1/4	2,269.88	1/4	2,533.10
1/2	192.98	1/2	451.34	1/2	714.32	1/2	966.35	1/2	1,223.57	1/2	1,485.27	1/2	1,748.64	1/2	2,012.00	1/2	2,275.37	1/2	2,538.59
3/4	198.47	3/4	456.83	3/4	719.79	3/4	971.56	3/4	1,228.92	3/4	1,490.76	3/4	1,754.12	3/4	2,017.49	3/4	2,280.85	3/4	2,544.07
9	203.95	9	462.31	9	725.27	9	976.76	9	1,234.26	9	1,496.24	9	1,759.61	9	2,022.98	9	2,286.33	9	2,549.56
1/4	209.44	1/4	467.80	1/4	730.74	1/4	981.97	1/4	1,239.61	1/4	1,501.73	1/4	1,765.10	1/4	2,028.46	1/4	2,291.82	1/4	2,555.04
1/2	214.93	1/2	473.28	1/2	736.22	1/2	987.18	1/2	1,244.96	1/2	1,507.22	1/2	1,770.58	1/2	2,033.95	1/2	2,297.30	1/2	2,560.52
3/4	220.41	3/4	478.77	3/4	741.69	3/4	992.39	3/4	1,250.31	3/4	1,512.70	3/4	1,776.07	3/4	2,039.44	3/4	2,302.79	3/4	2,566.01
10	225.90	10	484.26	10	747.17	10	997.59	10	1,255.66	10	1,518.19	10	1,781.56	10	2,044.92	10	2,308.27	10	2,571.49
1/4	231.39	1/4	489.74	1/4	752.61	1/4	1,002.80	1/4	1,261.00	1/4	1,523.68	1/4	1,787.04	1/4	2,050.41	1/4	2,313.75	1/4	2,576.98
1/2	236.88	1/2	495.23	1/2	757.85	1/2	1,008.01	1/2	1,266.35	1/2	1,529.16	1/2	1,792.53	1/2	2,055.90	1/2	2,319.24	1/2	2,582.46
3/4	242.36	3/4	500.72	3/4	763.19	3/4	1,013.22	3/4	1,271.70	3/4	1,534.65	3/4	1,798.02	3/4	2,061.38	3/4	2,324.72	3/4	2,587.94
11	247.85	11	506.20	11	768.53	11	1,018.42	11	1,277.05	11	1,540.14	11	1,803.50	11	2,066.87	11	2,330.20	11	2,593.43
1/4	253.31	1/4	511.69	1/4	773.74	1/4	1,023.63	1/4	1,282.47	1/4	1,545.63	1/4	1,808.99	1/4	2,072.36	1/4	2,335.69	1/4	2,598.91
1/2	258.77	1/2	517.17	1/2	778.95	1/2	1,028.84	1/2	1,287.88	1/2	1,551.11	1/2	1,814.48	1/2	2,077.84	1/2	2,341.17	1/2	2,604.39
3/4	264.23	3/4	522.66	3/4	784.15	3/4	1,034.05	3/4	1,293.30	3/4	1,556.60	3/4	1,819.97	3/4	2,083.33	3/4	2,346.66	3/4	2,609.88

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 11'-00" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2082
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 262"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,615.36	0	2,878.58	0	3,141.81	0	3,404.24	0	3,665.94	0		0		0		0		0	
1/4	2,620.85	1/4	2,884.07	1/4	3,147.29	1/4	3,409.69	1/4	3,670.91	1/4		1/4		1/4		1/4		1/4	
1/2	2,626.33	1/2	2,889.55	1/2	3,152.77	1/2	3,415.14	1/2	3,675.89	1/2		1/2		1/2		1/2		1/2	
3/4	2,631.81	3/4	2,895.04	3/4	3,158.26	3/4	3,420.60	3/4	3,680.86	3/4		3/4		3/4		3/4		3/4	
1	2,637.30	1	2,900.52	1	3,163.74	1	3,426.05	1	3,685.84	1		1		1		1		1	
1 1/4	2,642.78	1 1/4	2,906.00	1 1/4	3,169.23	1 1/4	3,431.50	1 1/4	3,689.86	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,648.26	1 1/2	2,911.49	1 1/2	3,174.71	1 1/2	3,436.95	1 1/2	3,693.88	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,653.75	3/4	2,916.97	3/4	3,180.19	3/4	3,442.40	3/4	3,697.89	3/4		3/4		3/4		3/4		3/4	
2	2,659.23	2	2,922.45	2	3,185.68	2	3,447.86	2	3,701.91	2		2		2		2		2	
2 1/4	2,664.72	2 1/4	2,927.94	2 1/4	3,191.16	2 1/4	3,453.31	2 1/4	3,704.99	2 1/4		2 1/4		2 1/4		2 1/4		2 1/4	
2 1/2	2,670.20	2 1/2	2,933.42	2 1/2	3,196.64	2 1/2	3,458.76	2 1/2	3,708.08	2 1/2		2 1/2		2 1/2		2 1/2		2 1/2	
3/4	2,675.68	3/4	2,938.91	3/4	3,202.13	3/4	3,464.21	3/4	3,711.16	3/4		3/4		3/4		3/4		3/4	
3	2,681.17	3	2,944.39	3	3,207.61	3	3,469.66	3	3,714.24	3		3		3		3		3	
3 1/4	2,686.65	3 1/4	2,949.87	3 1/4	3,213.10	3 1/4	3,475.12	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
3 1/2	2,692.13	3 1/2	2,955.36	3 1/2	3,218.58	3 1/2	3,480.57	3 1/2		3 1/2		3 1/2		3 1/2		3 1/2		3 1/2	
3/4	2,697.62	3/4	2,960.84	3/4	3,224.06	3/4	3,486.02	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,703.10	4	2,966.32	4	3,229.55	4	3,491.47	4		4		4		4		4		4	
4 1/4	2,708.59	4 1/4	2,971.81	4 1/4	3,235.03	4 1/4	3,496.92	4 1/4		4 1/4		4 1/4		4 1/4		4 1/4		4 1/4	
4 1/2	2,714.07	4 1/2	2,977.29	4 1/2	3,240.51	4 1/2	3,502.38	4 1/2		4 1/2		4 1/2		4 1/2		4 1/2		4 1/2	
3/4	2,719.55	3/4	2,982.78	3/4	3,246.00	3/4	3,507.83	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,725.04	5	2,988.26	5	3,251.48	5	3,513.28	5		5		5		5		5		5	
5 1/4	2,730.52	5 1/4	2,993.74	5 1/4	3,256.95	5 1/4	3,518.73	5 1/4		5 1/4		5 1/4		5 1/4		5 1/4		5 1/4	
5 1/2	2,736.01	5 1/2	2,999.23	5 1/2	3,262.43	5 1/2	3,524.19	5 1/2		5 1/2		5 1/2		5 1/2		5 1/2		5 1/2	
3/4	2,741.49	3/4	3,004.71	3/4	3,267.90	3/4	3,529.64	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,746.97	6	3,010.20	6	3,273.37	6	3,535.09	6		6		6		6		6		6	
6 1/4	2,752.46	6 1/4	3,015.68	6 1/4	3,278.83	6 1/4	3,540.54	6 1/4		6 1/4		6 1/4		6 1/4		6 1/4		6 1/4	
6 1/2	2,757.94	6 1/2	3,021.16	6 1/2	3,284.29	6 1/2	3,545.99	6 1/2		6 1/2		6 1/2		6 1/2		6 1/2		6 1/2	
3/4	2,763.42	3/4	3,026.65	3/4	3,289.75	3/4	3,551.45	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,768.91	7	3,032.13	7	3,295.20	7	3,556.90	7		7		7		7		7		7	
7 1/4	2,774.39	7 1/4	3,037.61	7 1/4	3,300.65	7 1/4	3,562.35	7 1/4		7 1/4		7 1/4		7 1/4		7 1/4		7 1/4	
7 1/2	2,779.88	7 1/2	3,043.10	7 1/2	3,306.10	7 1/2	3,567.80	7 1/2		7 1/2		7 1/2		7 1/2		7 1/2		7 1/2	
3/4	2,785.36	3/4	3,048.58	3/4	3,311.56	3/4	3,573.25	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,790.84	8	3,054.07	8	3,317.01	8	3,578.71	8		8		8		8		8		8	
8 1/4	2,796.33	8 1/4	3,059.55	8 1/4	3,322.46	8 1/4	3,584.16	8 1/4		8 1/4		8 1/4		8 1/4		8 1/4		8 1/4	
8 1/2	2,801.81	8 1/2	3,065.03	8 1/2	3,327.91	8 1/2	3,589.61	8 1/2		8 1/2		8 1/2		8 1/2		8 1/2		8 1/2	
3/4	2,807.29	3/4	3,070.52	3/4	3,333.36	3/4	3,595.06	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,812.78	9	3,076.00	9	3,338.81	9	3,600.51	9		9		9		9		9		9	
9 1/4	2,818.26	9 1/4	3,081.48	9 1/4	3,344.27	9 1/4	3,605.97	9 1/4		9 1/4		9 1/4		9 1/4		9 1/4		9 1/4	
9 1/2	2,823.75	9 1/2	3,086.97	9 1/2	3,349.72	9 1/2	3,611.42	9 1/2		9 1/2		9 1/2		9 1/2		9 1/2		9 1/2	
3/4	2,829.23	3/4	3,092.45	3/4	3,355.17	3/4	3,616.87	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,834.71	10	3,097.94	10	3,360.62	10	3,622.32	10		10		10		10		10		10	
10 1/4	2,840.20	10 1/4	3,103.42	10 1/4	3,366.07	10 1/4	3,627.78	10 1/4		10 1/4		10 1/4		10 1/4		10 1/4		10 1/4	
10 1/2	2,845.68	10 1/2	3,108.90	10 1/2	3,371.53	10 1/2	3,633.23	10 1/2		10 1/2		10 1/2		10 1/2		10 1/2		10 1/2	
3/4	2,851.17	3/4	3,114.39	3/4	3,376.98	3/4	3,638.68	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,856.65	11	3,119.87	11	3,382.43	11	3,644.13	11		11		11		11		11		11	
11 1/4	2,862.13	11 1/4	3,125.36	11 1/4	3,387.88	11 1/4	3,649.58	11 1/4		11 1/4		11 1/4		11 1/4		11 1/4		11 1/4	
11 1/2	2,867.62	11 1/2	3,130.84	11 1/2	3,393.34	11 1/2	3,655.04	11 1/2		11 1/2		11 1/2		11 1/2		11 1/2		11 1/2	
3/4	2,873.10	3/4	3,136.32	3/4	3,398.79	3/4	3,660.49	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/10/2010 CL - SW
CALCULATED: 03/11/2010 CL
PRINTED: 03/11/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 262"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-08 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	17.57	0	269.57	0	527.90	0	790.34	0	1,050.89	0	1,310.68	0	1,573.93	0	1,837.17	0	2,100.42	0	2,363.60
1/4	21.14	1/4	275.00	1/4	533.38	1/4	795.77	1/4	1,056.34	1/4	1,316.16	1/4	1,579.41	1/4	1,842.66	1/4	2,105.90	1/4	2,369.08
1/2	24.71	1/2	280.43	1/2	538.86	1/2	801.20	1/2	1,061.80	1/2	1,321.65	1/2	1,584.90	1/2	1,848.14	1/2	2,111.39	1/2	2,374.56
3/4	28.28	3/4	285.87	3/4	544.34	3/4	806.63	3/4	1,067.26	3/4	1,327.13	3/4	1,590.38	3/4	1,853.63	3/4	2,116.87	3/4	2,380.04
1	31.85	1	291.30	1	549.81	1	812.06	1	1,072.71	1	1,332.62	1	1,595.86	1	1,859.11	1	2,122.36	1	2,385.52
1/4	36.66	1/4	296.76	1/4	555.29	1/4	817.49	1/4	1,078.19	1/4	1,338.10	1/4	1,601.35	1/4	1,864.59	1/4	2,127.84	1/4	2,391.01
1/2	41.48	1/2	302.22	1/2	560.76	1/2	822.91	1/2	1,083.68	1/2	1,343.59	1/2	1,606.83	1/2	1,870.08	1/2	2,133.33	1/2	2,396.49
3/4	46.30	3/4	307.67	3/4	566.23	3/4	828.34	3/4	1,089.16	3/4	1,349.07	3/4	1,612.32	3/4	1,875.56	3/4	2,138.81	3/4	2,401.97
2	51.12	2	313.13	2	571.70	2	833.77	2	1,094.64	2	1,354.55	2	1,617.80	2	1,881.05	2	2,144.29	2	2,407.45
1/4	56.52	1/4	318.61	1/4	577.18	1/4	839.20	1/4	1,100.13	1/4	1,360.04	1/4	1,623.29	1/4	1,886.53	1/4	2,149.78	1/4	2,412.93
1/2	61.92	1/2	324.08	1/2	582.65	1/2	844.63	1/2	1,105.61	1/2	1,365.52	1/2	1,628.77	1/2	1,892.02	1/2	2,155.26	1/2	2,418.41
3/4	67.33	3/4	329.55	3/4	588.12	3/4	850.06	3/4	1,111.09	3/4	1,371.01	3/4	1,634.25	3/4	1,897.50	3/4	2,160.75	3/4	2,423.89
3	72.73	3	335.03	3	593.59	3	855.49	3	1,116.58	3	1,376.49	3	1,639.74	3	1,902.98	3	2,166.23	3	2,429.37
1/4	78.16	1/4	340.49	1/4	599.06	1/4	860.91	1/4	1,122.06	1/4	1,381.98	1/4	1,645.22	1/4	1,908.47	1/4	2,171.72	1/4	2,434.85
1/2	83.59	1/2	345.95	1/2	604.54	1/2	866.34	1/2	1,127.54	1/2	1,387.46	1/2	1,650.71	1/2	1,913.96	1/2	2,177.20	1/2	2,440.33
3/4	89.01	3/4	351.42	3/4	610.01	3/4	871.77	3/4	1,133.03	3/4	1,392.94	3/4	1,656.19	3/4	1,919.44	3/4	2,182.68	3/4	2,445.82
4	94.44	4	356.88	4	615.48	4	877.19	4	1,138.51	4	1,398.43	4	1,661.68	4	1,924.92	4	2,188.17	4	2,451.30
1/4	99.90	1/4	362.07	1/4	620.95	1/4	882.62	1/4	1,143.99	1/4	1,403.91	1/4	1,667.16	1/4	1,930.41	1/4	2,193.65	1/4	2,456.78
1/2	105.35	1/2	367.27	1/2	626.43	1/2	888.05	1/2	1,149.48	1/2	1,409.40	1/2	1,672.64	1/2	1,935.89	1/2	2,199.14	1/2	2,462.26
3/4	110.81	3/4	372.46	3/4	631.90	3/4	893.47	3/4	1,154.96	3/4	1,414.88	3/4	1,678.13	3/4	1,941.37	3/4	2,204.62	3/4	2,467.74
5	116.26	5	377.65	5	637.37	5	898.90	5	1,160.45	5	1,420.37	5	1,683.61	5	1,946.86	5	2,210.11	5	2,473.22
1/4	121.73	1/4	382.58	1/4	642.84	1/4	904.33	1/4	1,165.86	1/4	1,425.85	1/4	1,689.10	1/4	1,952.34	1/4	2,215.59	1/4	2,478.70
1/2	127.20	1/2	387.51	1/2	648.32	1/2	909.75	1/2	1,171.28	1/2	1,431.33	1/2	1,694.58	1/2	1,957.83	1/2	2,221.07	1/2	2,484.18
3/4	132.67	3/4	392.45	3/4	653.79	3/4	915.18	3/4	1,176.69	3/4	1,436.82	3/4	1,700.07	3/4	1,963.31	3/4	2,226.56	3/4	2,489.66
6	138.13	6	397.38	6	659.26	6	920.61	6	1,182.11	6	1,442.30	6	1,705.55	6	1,968.80	6	2,232.04	6	2,495.15
1/4	143.60	1/4	402.59	1/4	664.73	1/4	926.03	1/4	1,187.45	1/4	1,447.79	1/4	1,711.03	1/4	1,974.28	1/4	2,237.53	1/4	2,500.63
1/2	149.07	1/2	407.80	1/2	670.20	1/2	931.46	1/2	1,192.80	1/2	1,453.27	1/2	1,716.52	1/2	1,979.76	1/2	2,243.01	1/2	2,506.11
3/4	154.54	3/4	413.01	3/4	675.68	3/4	936.89	3/4	1,198.14	3/4	1,458.76	3/4	1,722.00	3/4	1,985.25	3/4	2,248.50	3/4	2,511.59
7	160.01	7	418.23	7	681.15	7	942.31	7	1,203.49	7	1,464.24	7	1,727.49	7	1,990.73	7	2,253.98	7	2,517.07
1/4	165.49	1/4	423.71	1/4	686.62	1/4	947.74	1/4	1,208.84	1/4	1,469.73	1/4	1,732.97	1/4	1,996.22	1/4	2,259.46	1/4	2,522.55
1/2	170.97	1/2	429.19	1/2	692.09	1/2	953.17	1/2	1,214.18	1/2	1,475.21	1/2	1,738.46	1/2	2,001.70	1/2	2,264.94	1/2	2,528.03
3/4	176.44	3/4	434.68	3/4	697.57	3/4	958.59	3/4	1,219.53	3/4	1,480.69	3/4	1,743.94	3/4	2,007.19	3/4	2,270.42	3/4	2,533.51
8	181.92	8	440.16	8	703.04	8	964.02	8	1,224.87	8	1,486.18	8	1,749.42	8	2,012.67	8	2,275.90	8	2,538.99
1/4	187.41	1/4	445.65	1/4	708.51	1/4	969.45	1/4	1,230.22	1/4	1,491.66	1/4	1,754.91	1/4	2,018.16	1/4	2,281.38	1/4	2,544.48
1/2	192.89	1/2	451.13	1/2	713.98	1/2	974.88	1/2	1,235.56	1/2	1,497.15	1/2	1,760.39	1/2	2,023.64	1/2	2,286.86	1/2	2,549.96
3/4	198.38	3/4	456.61	3/4	719.46	3/4	980.30	3/4	1,240.91	3/4	1,502.63	3/4	1,765.88	3/4	2,029.12	3/4	2,292.35	3/4	2,555.44
9	203.86	9	462.10	9	724.93	9	985.73	9	1,246.26	9	1,508.12	9	1,771.36	9	2,034.61	9	2,297.83	9	2,560.92
1/4	209.34	1/4	467.58	1/4	730.40	1/4	991.16	1/4	1,251.60	1/4	1,513.60	1/4	1,776.85	1/4	2,040.09	1/4	2,303.31	1/4	2,566.40
1/2	214.83	1/2	473.06	1/2	735.87	1/2	996.59	1/2	1,256.95	1/2	1,519.08	1/2	1,782.33	1/2	2,045.58	1/2	2,308.79	1/2	2,571.88
3/4	220.31	3/4	478.55	3/4	741.34	3/4	1,002.02	3/4	1,262.29	3/4	1,524.57	3/4	1,787.81	3/4	2,051.06	3/4	2,314.27	3/4	2,577.36
10	225.80	10	484.03	10	746.82	10	1,007.45	10	1,267.64	10	1,530.05	10	1,793.30	10	2,056.55	10	2,319.75	10	2,582.84
1/4	231.28	1/4	489.51	1/4	752.27	1/4	1,012.88	1/4	1,272.98	1/4	1,535.54	1/4	1,798.78	1/4	2,062.03	1/4	2,325.23	1/4	2,588.32
1/2	236.76	1/2	495.00	1/2	757.72	1/2	1,018.31	1/2	1,278.33	1/2	1,541.02	1/2	1,804.27	1/2	2,067.51	1/2	2,330.71	1/2	2,593.81
3/4	242.25	3/4	500.48	3/4	763.17	3/4	1,023.74	3/4	1,283.68	3/4	1,546.51	3/4	1,809.75	3/4	2,073.00	3/4	2,336.19	3/4	2,599.29
11	247.73	11	505.97	11	768.62	11	1,029.17	11	1,289.02	11	1,551.99	11	1,815.24	11	2,078.48	11	2,341.68	11	2,604.77
1/4	253.19	1/4	511.45	1/4	774.05	1/4	1,034.60	1/4	1,294.44	1/4	1,557.47	1/4	1,820.72	1/4	2,083.97	1/4	2,347.16	1/4	2,610.25
1/2	258.65	1/2	516.93	1/2	779.48	1/2	1,040.03	1/2	1,299.85	1/2	1,562.96	1/2	1,826.20	1/2	2,089.45	1/2	2,352.64	1/2	2,615.73
3/4	264.11	3/4	522.42	3/4	784.91	3/4	1,045.46	3/4	1,305.27	3/4	1,568.44	3/4	1,831.69	3/4	2,094.94	3/4	2,358.12	3/4	2,621.21

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 11'-00" OFF CENTERLINE AND 33'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 262"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,626.69	0	2,889.79	0	3,152.88	0	3,415.20	0	3,676.79	0		0		0		0		0	
1/4	2,632.17	1/4	2,895.27	1/4	3,158.36	1/4	3,420.65	1/4	3,681.76	1/4		1/4		1/4		1/4		1/4	
1/2	2,637.65	1/2	2,900.75	1/2	3,163.84	1/2	3,426.10	1/2	3,686.73	1/2		1/2		1/2		1/2		1/2	
3/4	2,643.14	3/4	2,906.23	3/4	3,169.32	3/4	3,431.55	3/4	3,691.70	3/4		3/4		3/4		3/4		3/4	
1	2,648.62	1	2,911.71	1	3,174.80	1	3,437.00	1	3,696.67	1		1		1		1		1	
1 1/4	2,654.10	1 1/4	2,917.19	1 1/4	3,180.28	1 1/4	3,442.45	1 1/4	3,700.69	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,659.58	1 1/2	2,922.67	1 1/2	3,185.76	1 1/2	3,447.90	1 1/2	3,704.70	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,665.06	3/4	2,928.15	3/4	3,191.25	3/4	3,453.35	3/4	3,708.72	3/4		3/4		3/4		3/4		3/4	
2	2,670.54	2	2,933.63	2	3,196.73	2	3,458.80	2	3,712.73	2		2		2		2		2	
1 1/4	2,676.02	1 1/4	2,939.12	1 1/4	3,202.21	1 1/4	3,464.25	1 1/4	3,715.82	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,681.50	1 1/2	2,944.60	1 1/2	3,207.69	1 1/2	3,469.70	1 1/2	3,718.90	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,686.98	3/4	2,950.08	3/4	3,213.17	3/4	3,475.15	3/4	3,721.98	3/4		3/4		3/4		3/4		3/4	
3	2,692.47	3	2,955.56	3	3,218.65	3	3,480.60	3	3,725.06	3		3		3		3		3	
1 1/4	2,697.95	1 1/4	2,961.04	1 1/4	3,224.13	1 1/4	3,486.05	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,703.43	1 1/2	2,966.52	1 1/2	3,229.61	1 1/2	3,491.50	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,708.91	3/4	2,972.00	3/4	3,235.09	3/4	3,496.95	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,714.39	4	2,977.48	4	3,240.58	4	3,502.40	4		4		4		4		4		4	
1 1/4	2,719.87	1 1/4	2,982.96	1 1/4	3,246.06	1 1/4	3,507.85	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,725.35	1 1/2	2,988.44	1 1/2	3,251.54	1 1/2	3,513.30	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,730.83	3/4	2,993.93	3/4	3,257.02	3/4	3,518.75	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,736.31	5	2,999.41	5	3,262.50	5	3,524.20	5		5		5		5		5		5	
1 1/4	2,741.80	1 1/4	3,004.89	1 1/4	3,267.97	1 1/4	3,529.65	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,747.28	1 1/2	3,010.37	1 1/2	3,273.45	1 1/2	3,535.10	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,752.76	3/4	3,015.85	3/4	3,278.92	3/4	3,540.55	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,758.24	6	3,021.33	6	3,284.40	6	3,545.99	6		6		6		6		6		6	
1 1/4	2,763.72	1 1/4	3,026.81	1 1/4	3,289.85	1 1/4	3,551.44	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,769.20	1 1/2	3,032.29	1 1/2	3,295.31	1 1/2	3,556.89	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,774.68	3/4	3,037.77	3/4	3,300.76	3/4	3,562.34	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,780.16	7	3,043.26	7	3,306.22	7	3,567.79	7		7		7		7		7		7	
1 1/4	2,785.64	1 1/4	3,048.74	1 1/4	3,311.67	1 1/4	3,573.24	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,791.13	1 1/2	3,054.22	1 1/2	3,317.11	1 1/2	3,578.69	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,796.61	3/4	3,059.70	3/4	3,322.56	3/4	3,584.14	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,802.09	8	3,065.18	8	3,328.01	8	3,589.59	8		8		8		8		8		8	
1 1/4	2,807.57	1 1/4	3,070.66	1 1/4	3,333.46	1 1/4	3,595.04	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,813.05	1 1/2	3,076.14	1 1/2	3,338.91	1 1/2	3,600.49	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,818.53	3/4	3,081.62	3/4	3,344.36	3/4	3,605.94	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,824.01	9	3,087.10	9	3,349.81	9	3,611.39	9		9		9		9		9		9	
1 1/4	2,829.49	1 1/4	3,092.59	1 1/4	3,355.26	1 1/4	3,616.84	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,834.97	1 1/2	3,098.07	1 1/2	3,360.71	1 1/2	3,622.29	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,840.46	3/4	3,103.55	3/4	3,366.16	3/4	3,627.74	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,845.94	10	3,109.03	10	3,371.61	10	3,633.19	10		10		10		10		10		10	
1 1/4	2,851.42	1 1/4	3,114.51	1 1/4	3,377.06	1 1/4	3,638.64	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,856.90	1 1/2	3,119.99	1 1/2	3,382.51	1 1/2	3,644.09	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,862.38	3/4	3,125.47	3/4	3,387.96	3/4	3,649.54	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,867.86	11	3,130.95	11	3,393.41	11	3,654.99	11		11		11		11		11		11	
1 1/4	2,873.34	1 1/4	3,136.43	1 1/4	3,398.86	1 1/4	3,660.44	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,878.82	1 1/2	3,141.92	1 1/2	3,404.31	1 1/2	3,665.89	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,884.30	3/4	3,147.40	3/4	3,409.75	3/4	3,671.34	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/10/2010 CL - SW
CALCULATED: 03/11/2010 CL
PRINTED: 03/11/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 262"

4 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-10 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	9.55	0	438.38	0	906.04	0	1,382.90	0	1,853.07	0	2,321.68	0	2,791.74	0	3,268.54	0	3,745.61	0	4,117.73
1/4	13.65	1/4	448.19	1/4	915.99	1/4	1,392.70	1/4	1,862.89	1/4	2,331.49	1/4	2,801.64	1/4	3,278.48	1/4	3,755.53	1/4	4,122.67
1/2	17.74	1/2	457.99	1/2	925.94	1/2	1,402.50	1/2	1,872.72	1/2	2,341.30	1/2	2,811.53	1/2	3,288.42	1/2	3,765.45	1/2	4,127.61
3/4	21.83	3/4	467.79	3/4	935.88	3/4	1,412.29	3/4	1,882.55	3/4	2,351.11	3/4	2,821.43	3/4	3,298.36	3/4	3,775.37	3/4	4,132.55
1	25.93	1	477.59	1	945.83	1	1,422.09	1	1,892.38	1	2,360.92	1	2,831.33	1	3,308.31	1	3,785.29	1	4,137.50
1 1/4	31.70	1 1/4	487.43	1 1/4	955.78	1 1/4	1,431.89	1 1/4	1,902.31	1 1/4	2,370.73	1 1/4	2,841.27	1 1/4	3,318.25	1 1/4	3,795.23	1 1/4	4,142.44
1 1/2	37.48	1 1/2	497.26	1 1/2	965.72	1 1/2	1,441.68	1 1/2	1,912.24	1 1/2	2,380.54	1 1/2	2,851.21	1 1/2	3,328.19	1 1/2	3,805.17	1 1/2	4,147.38
3 1/4	43.25	3 1/4	507.10	3 1/4	975.67	3 1/4	1,451.48	3 1/4	1,922.17	3 1/4	2,390.36	3 1/4	2,861.16	3 1/4	3,338.13	3 1/4	3,815.11	3 1/4	4,152.32
2	49.03	2	516.94	2	985.62	2	1,461.28	2	1,932.10	2	2,400.17	2	2,871.10	2	3,348.08	2	3,825.05	2	4,157.26
2 1/4	57.21	2 1/4	526.89	2 1/4	995.56	2 1/4	1,471.07	2 1/4	1,942.05	2 1/4	2,409.97	2 1/4	2,881.04	2 1/4	3,358.02	2 1/4	3,835.00	2 1/4	4,162.20
2 1/2	65.39	2 1/2	536.83	2 1/2	1,005.51	2 1/2	1,480.87	2 1/2	1,952.00	2 1/2	2,419.77	2 1/2	2,890.98	2 1/2	3,367.96	2 1/2	3,844.94	2 1/2	4,167.15
3 1/4	73.57	3 1/4	546.78	3 1/4	1,015.46	3 1/4	1,490.67	3 1/4	1,961.95	3 1/4	2,429.57	3 1/4	2,900.92	3 1/4	3,377.90	3 1/4	3,854.88	3 1/4	4,172.09
3	81.76	3	556.73	3	1,025.40	3	1,500.46	3	1,971.90	3	2,439.37	3	2,910.86	3	3,387.84	3	3,864.82	3	4,177.03
3 1/4	91.58	3 1/4	566.65	3 1/4	1,035.35	3 1/4	1,510.26	3 1/4	1,981.86	3 1/4	2,449.14	3 1/4	2,920.80	3 1/4	3,397.79	3 1/4	3,874.76	3 1/4	4,181.97
3 1/2	101.40	3 1/2	576.57	3 1/2	1,045.29	3 1/2	1,520.05	3 1/2	1,991.81	3 1/2	2,458.92	3 1/2	2,930.73	3 1/2	3,407.73	3 1/2	3,884.70	3 1/2	4,186.91
4	111.22	4	586.49	4	1,055.24	4	1,529.84	4	2,001.76	4	2,468.69	4	2,940.66	4	3,417.67	4	3,894.65	4	4,191.86
4 1/4	121.04	4 1/4	596.42	4 1/4	1,065.19	4 1/4	1,539.64	4 1/4	2,011.71	4 1/4	2,478.46	4 1/4	2,950.59	4 1/4	3,427.61	4 1/4	3,904.59	4 1/4	4,196.80
4 1/2	130.92	4 1/2	606.34	4 1/2	1,075.13	4 1/2	1,549.43	4 1/2	2,021.59	4 1/2	2,488.24	4 1/2	2,960.52	4 1/2	3,437.56	4 1/2	3,914.53	4 1/2	4,201.74
5 1/4	140.79	5 1/4	616.26	5 1/4	1,085.08	5 1/4	1,559.22	5 1/4	2,031.48	5 1/4	2,498.01	5 1/4	2,970.45	5 1/4	3,447.50	5 1/4	3,924.47	5 1/4	4,206.68
5 1/2	150.67	5 1/2	626.19	5 1/2	1,095.03	5 1/2	1,569.02	5 1/2	2,041.37	5 1/2	2,507.78	5 1/2	2,980.39	5 1/2	3,457.44	5 1/2	3,934.41	5 1/2	4,211.62
6	160.54	6	636.11	6	1,104.97	6	1,578.81	6	2,051.26	6	2,517.56	6	2,990.32	6	3,467.38	6	3,944.35	6	4,216.57
6 1/4	170.45	6 1/4	646.77	6 1/4	1,114.92	6 1/4	1,588.60	6 1/4	2,060.94	6 1/4	2,527.33	6 1/4	3,000.25	6 1/4	3,477.32	6 1/4	3,954.30	6 1/4	4,221.51
6 1/2	180.35	6 1/2	655.43	6 1/2	1,124.87	6 1/2	1,598.40	6 1/2	2,070.62	6 1/2	2,537.10	6 1/2	3,010.18	6 1/2	3,487.27	6 1/2	3,964.24	6 1/2	4,226.45
7 1/4	190.25	7 1/4	665.09	7 1/4	1,134.81	7 1/4	1,608.19	7 1/4	2,080.30	7 1/4	2,546.87	7 1/4	3,020.11	7 1/4	3,497.21	7 1/4	3,974.18	7 1/4	4,231.39
7 1/2	200.15	7 1/2	674.75	7 1/2	1,144.76	7 1/2	1,617.98	7 1/2	2,089.98	7 1/2	2,556.65	7 1/2	3,030.04	7 1/2	3,507.15	7 1/2	3,984.12	7 1/2	4,236.33
8 1/4	210.05	8 1/4	683.62	8 1/4	1,154.71	8 1/4	1,627.77	8 1/4	2,099.60	8 1/4	2,566.42	8 1/4	3,039.97	8 1/4	3,517.09	8 1/4	3,992.81	8 1/4	4,241.28
8 1/2	219.95	8 1/2	692.49	8 1/2	1,164.65	8 1/2	1,637.57	8 1/2	2,109.22	8 1/2	2,576.19	8 1/2	3,049.91	8 1/2	3,527.04	8 1/2	4,001.50	8 1/2	4,246.22
9 1/4	229.85	9 1/4	701.36	9 1/4	1,174.60	9 1/4	1,647.36	9 1/4	2,118.85	9 1/4	2,585.97	9 1/4	3,059.84	9 1/4	3,536.98	9 1/4	4,010.20	9 1/4	4,251.16
9 1/2	239.75	9 1/2	710.23	9 1/2	1,184.55	9 1/2	1,657.15	9 1/2	2,128.47	9 1/2	2,595.74	9 1/2	3,069.77	9 1/2	3,546.92	9 1/2	4,018.89	9 1/2	4,256.10
10 1/4	249.65	10 1/4	719.38	10 1/4	1,194.49	10 1/4	1,666.95	10 1/4	2,138.07	10 1/4	2,605.51	10 1/4	3,079.70	10 1/4	3,556.86	10 1/4	4,023.83	10 1/4	4,261.04
10 1/2	259.54	10 1/2	728.52	10 1/2	1,204.44	10 1/2	1,676.74	10 1/2	2,147.68	10 1/2	2,615.29	10 1/2	3,089.63	10 1/2	3,566.80	10 1/2	4,028.77	10 1/2	4,265.98
11 1/4	269.44	11 1/4	737.66	11 1/4	1,214.39	11 1/4	1,686.53	11 1/4	2,157.28	11 1/4	2,625.06	11 1/4	3,099.56	11 1/4	3,576.75	11 1/4	4,033.71	11 1/4	4,270.93
11 1/2	279.33	11 1/2	746.80	11 1/2	1,224.33	11 1/2	1,696.33	11 1/2	2,166.88	11 1/2	2,634.83	11 1/2	3,109.49	11 1/2	3,586.69	11 1/2	4,038.66	11 1/2	4,275.87
12 1/4	289.27	12 1/4	756.76	12 1/4	1,234.28	12 1/4	1,706.12	12 1/4	2,176.48	12 1/4	2,644.61	12 1/4	3,119.43	12 1/4	3,596.63	12 1/4	4,043.60	12 1/4	4,280.81
12 1/2	299.20	12 1/2	766.71	12 1/2	1,244.23	12 1/2	1,715.92	12 1/2	2,186.08	12 1/2	2,654.40	12 1/2	3,129.36	12 1/2	3,606.57	12 1/2	4,048.54	12 1/2	4,285.75
13 1/4	309.13	13 1/4	776.67	13 1/4	1,254.18	13 1/4	1,725.71	13 1/4	2,195.68	13 1/4	2,664.18	13 1/4	3,139.30	13 1/4	3,616.52	13 1/4	4,053.48	13 1/4	4,290.69
13 1/2	319.07	13 1/2	786.62	13 1/2	1,264.13	13 1/2	1,735.50	13 1/2	2,205.28	13 1/2	2,673.96	13 1/2	3,149.23	13 1/2	3,626.46	13 1/2	4,058.42	13 1/2	4,295.64
14 1/4	329.02	14 1/4	796.58	14 1/4	1,274.08	14 1/4	1,745.30	14 1/4	2,214.89	14 1/4	2,683.77	14 1/4	3,159.17	14 1/4	3,636.40	14 1/4	4,063.37	14 1/4	4,300.58
14 1/2	338.98	14 1/2	806.53	14 1/2	1,284.04	14 1/2	1,755.10	14 1/2	2,224.50	14 1/2	2,693.58	14 1/2	3,169.12	14 1/2	3,646.34	14 1/2	4,068.31	14 1/2	4,305.52
15 1/4	348.94	15 1/4	816.49	15 1/4	1,294.00	15 1/4	1,764.89	15 1/4	2,234.11	15 1/4	2,703.39	15 1/4	3,179.06	15 1/4	3,656.28	15 1/4	4,073.25	15 1/4	4,310.46
15 1/2	358.89	15 1/2	826.44	15 1/2	1,303.95	15 1/2	1,774.69	15 1/2	2,243.72	15 1/2	2,713.20	15 1/2	3,189.00	15 1/2	3,666.23	15 1/2	4,078.19	15 1/2	4,315.40
16 1/4	368.85	16 1/4	836.40	16 1/4	1,313.87	16 1/4	1,784.49	16 1/4	2,253.40	16 1/4	2,723.01	16 1/4	3,198.94	16 1/4	3,676.16	16 1/4	4,083.13	16 1/4	4,320.35
16 1/2	378.81	16 1/2	846.35	16 1/2	1,323.80	16 1/2	1,794.29	16 1/2	2,263.07	16 1/2	2,732.81	16 1/2	3,208.88	16 1/2	3,686.09	16 1/2	4,088.08	16 1/2	4,325.29
17 1/4	388.76	17 1/4	856.30	17 1/4	1,333.72	17 1/4	1,804.08	17 1/4	2,272.75	17 1/4	2,742.62	17 1/4	3,218.83	17 1/4	3,696.03	17 1/4	4,093.02	17 1/4	4,330.23
17 1/2	398.72	17 1/2	866.26	17 1/2	1,343.64	17 1/2	1,813.88	17 1/2	2,282.42	17 1/2	2,752.43	17 1/2	3,228.77	17 1/2	3,705.96	17 1/2	4,097.96	17 1/2	4,335.17
18 1/4	408.63	18 1/4	876.20	18 1/4	1,353.46	18 1/4	1,823.68	18 1/4	2,292.24	18 1/4	2,762.26	18 1/4	3,238.71	18 1/4	3,715.87	18 1/4	4,102.90	18 1/4	4,340.11
18 1/2	418.55	18 1/2	886.15	18 1/2	1,363.27	18 1/2	1,833.47	18 1/2	2,302.05	18 1/2	2,772.09	18 1/2	3,248.65	18 1/2	3,725.79	18 1/2	4,107.84	18 1/2	4,345.05
19 1/4	428.47	19 1/4	896.10	19 1/4	1,373.09	19 1/4	1,843.27	19 1/4	2,311.87	19 1/4	2,781.91	19 1/4	3,258.60	19 1/4	3,735.70	19 1/4	4,112.79	19 1/4	4,350.00

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 4'-08" OFF CENTERLINE AND 42'-09" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 262"

4 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 14'-10 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	4,354.94	0	4,592.41	0	4,741.07	0	4,882.23	0	5,021.24	0		0		0					0
1/4	4,359.88	1/4	4,596.86	1/4	4,744.04	1/4	4,885.12	1/4	5,024.14	1/4		1/4		1/4					1/4
1/2	4,364.82	1/2	4,601.31	1/2	4,747.02	1/2	4,888.02	1/2	5,027.04	1/2		1/2		1/2					1/2
3/4	4,369.76	3/4	4,605.76	3/4	4,750.00	3/4	4,890.92	3/4	5,029.93	3/4		3/4		3/4					3/4
1	4,374.71	1	4,610.21	1	4,752.97	1	4,893.81	1	5,032.83	1	1	1	1	1	1	1	1	1	1
1/4	4,379.65	1/4	4,613.17	1/4	4,755.95	1/4	4,896.71	1/4	5,033.60	1/4		1/4		1/4					1/4
1/2	4,384.59	1/2	4,616.13	1/2	4,758.92	1/2	4,899.60	1/2	5,034.38	1/2		1/2		1/2					1/2
3/4	4,389.53	3/4	4,619.08	3/4	4,761.90	3/4	4,902.50	3/4	5,035.16	3/4		3/4		3/4					3/4
2	4,394.47	2	4,622.04	2	4,764.87	2	4,905.40	2	5,035.93	2	2	2	2	2	2	2	2	2	2
1/4	4,399.42	1/4	4,625.02	1/4	4,767.85	1/4	4,908.29	1/4	5,036.71	1/4		1/4		1/4					1/4
1/2	4,404.36	1/2	4,627.99	1/2	4,770.82	1/2	4,911.19	1/2	5,037.48	1/2		1/2		1/2					1/2
3/4	4,409.30	3/4	4,630.97	3/4	4,773.80	3/4	4,914.08	3/4	5,038.26	3/4		3/4		3/4					3/4
3	4,414.24	3	4,633.94	3	4,776.77	3	4,916.98	3	5,039.04	3	3	3	3	3	3	3	3	3	3
1/4	4,419.19	1/4	4,636.92	1/4	4,779.74	1/4	4,919.88	1/4	5,039.81	1/4		1/4		1/4					1/4
1/2	4,424.13	1/2	4,639.90	1/2	4,782.71	1/2	4,922.77	1/2	5,040.59	1/2		1/2		1/2					1/2
3/4	4,429.07	3/4	4,642.87	3/4	4,785.68	3/4	4,925.67	3/4	5,041.36	3/4		3/4		3/4					3/4
4	4,434.02	4	4,645.85	4	4,788.65	4	4,928.57	4	5,042.14	4	4	4	4	4	4	4	4	4	4
1/4	4,438.97	1/4	4,648.82	1/4	4,791.61	1/4	4,931.46	1/4	5,042.92	1/4		1/4		1/4					1/4
1/2	4,443.92	1/2	4,651.80	1/2	4,794.58	1/2	4,934.36	1/2	5,043.69	1/2		1/2		1/2					1/2
3/4	4,448.86	3/4	4,654.77	3/4	4,797.54	3/4	4,937.25	3/4	5,044.47	3/4		3/4		3/4					3/4
5	4,453.81	5	4,657.75	5	4,800.51	5	4,940.15	5	5,045.24	5	5	5	5	5	5	5	5	5	5
1/4	4,458.76	1/4	4,660.73	1/4	4,803.48	1/4	4,943.05	1/4	5,046.02	1/4		1/4		1/4					1/4
1/2	4,463.71	1/2	4,663.70	1/2	4,806.44	1/2	4,945.94	1/2	5,046.80	1/2		1/2		1/2					1/2
3/4	4,468.66	3/4	4,666.68	3/4	4,809.41	3/4	4,948.84	3/4	5,047.57	3/4		3/4		3/4					3/4
6	4,473.61	6	4,669.65	6	4,812.37	6	4,951.74	6	5,048.35	6	6	6	6	6	6	6	6	6	6
1/4	4,478.56	1/4	4,672.63	1/4	4,815.33	1/4	4,954.63	1/4		1/4		1/4		1/4					1/4
1/2	4,483.51	1/2	4,675.60	1/2	4,818.29	1/2	4,957.53	1/2		1/2		1/2		1/2					1/2
3/4	4,488.46	3/4	4,678.58	3/4	4,821.24	3/4	4,960.42	3/4		3/4		3/4		3/4					3/4
7	4,493.41	7	4,681.56	7	4,824.20	7	4,963.32	7		7	7	7	7	7	7	7	7	7	7
1/4	4,498.36	1/4	4,684.53	1/4	4,827.12	1/4	4,966.22	1/4		1/4		1/4		1/4					1/4
1/2	4,503.31	1/2	4,687.51	1/2	4,830.04	1/2	4,969.11	1/2		1/2		1/2		1/2					1/2
3/4	4,508.26	3/4	4,690.48	3/4	4,832.97	3/4	4,972.01	3/4		3/4		3/4		3/4					3/4
8	4,513.21	8	4,693.46	8	4,835.89	8	4,974.90	8		8	8	8	8	8	8	8	8	8	8
1/4	4,518.16	1/4	4,696.43	1/4	4,838.78	1/4	4,977.80	1/4		1/4		1/4		1/4					1/4
1/2	4,523.11	1/2	4,699.41	1/2	4,841.68	1/2	4,980.70	1/2		1/2		1/2		1/2					1/2
3/4	4,528.06	3/4	4,702.39	3/4	4,844.58	3/4	4,983.59	3/4		3/4		3/4		3/4					3/4
9	4,533.01	9	4,705.36	9	4,847.47	9	4,986.49	9		9	9	9	9	9	9	9	9	9	9
1/4	4,537.96	1/4	4,708.34	1/4	4,850.37	1/4	4,989.39	1/4		1/4		1/4		1/4					1/4
1/2	4,542.91	1/2	4,711.31	1/2	4,853.26	1/2	4,992.28	1/2		1/2		1/2		1/2					1/2
3/4	4,547.86	3/4	4,714.29	3/4	4,856.16	3/4	4,995.18	3/4		3/4		3/4		3/4					3/4
10	4,552.81	10	4,717.26	10	4,859.06	10	4,998.07	10		10	10	10	10	10	10	10	10	10	10
1/4	4,557.76	1/4	4,720.24	1/4	4,861.95	1/4	5,000.97	1/4		1/4		1/4		1/4					1/4
1/2	4,562.71	1/2	4,723.21	1/2	4,864.85	1/2	5,003.87	1/2		1/2		1/2		1/2					1/2
3/4	4,567.66	3/4	4,726.19	3/4	4,867.75	3/4	5,006.76	3/4		3/4		3/4		3/4					3/4
11	4,572.61	11	4,729.17	11	4,870.64	11	5,009.66	11		11	11	11	11	11	11	11	11	11	11
1/4	4,577.56	1/4	4,732.14	1/4	4,873.54	1/4	5,012.56	1/4		1/4		1/4		1/4					1/4
1/2	4,582.51	1/2	4,735.12	1/2	4,876.43	1/2	5,015.45	1/2		1/2		1/2		1/2					1/2
3/4	4,587.46	3/4	4,738.09	3/4	4,879.33	3/4	5,018.35	3/4		3/4		3/4		3/4					3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/10/2010 CL - SW
CALCULATED: 03/11/2010 CL
PRINTED: 03/11/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 262"

FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

GAUGE HEIGHT 4'-10 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	2,606	0	5,211	0	7,817	0	10,423	0		0		0		0		0	
1/4	54	1/4	2,660	1/4	5,266	1/4	7,871	1/4	10,477	1/4		1/4		1/4		1/4		1/4	
1/2	109	1/2	2,714	1/2	5,320	1/2	7,926	1/2	10,531	1/2		1/2		1/2		1/2		1/2	
3/4	163	3/4	2,769	3/4	5,374	3/4	7,980	3/4	10,586	3/4		3/4		3/4		3/4		3/4	
1	217	1	2,823	1	5,429	1	8,034	1	10,640	1		1		1		1		1	
1 1/4	271	1 1/4	2,877	1 1/4	5,483	1 1/4	8,089	1 1/4	10,694	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	326	1 1/2	2,931	1 1/2	5,537	1 1/2	8,143	1 1/2	10,749	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	380	3/4	2,986	3/4	5,591	3/4	8,197	3/4	10,803	3/4		3/4		3/4		3/4		3/4	
2	434	2	3,040	2	5,646	2	8,251	2	10,857	2		2		2		2		2	
1 1/4	489	1 1/4	3,094	1 1/4	5,700	1 1/4	8,306	1 1/4	10,911	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	543	1 1/2	3,149	1 1/2	5,754	1 1/2	8,360	1 1/2	10,966	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	597	3/4	3,203	3/4	5,809	3/4	8,414	3/4	11,020	3/4		3/4		3/4		3/4		3/4	
3	651	3	3,257	3	5,863	3	8,469	3	11,074	3		3		3		3		3	
1 1/4	706	1 1/4	3,311	1 1/4	5,917	1 1/4	8,523	1 1/4	11,129	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	760	1 1/2	3,366	1 1/2	5,971	1 1/2	8,577	1 1/2	11,183	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	814	3/4	3,420	3/4	6,026	3/4	8,631	3/4	11,237	3/4		3/4		3/4		3/4		3/4	
4	869	4	3,474	4	6,080	4	8,686	4	11,291	4		4		4		4		4	
1 1/4	923	1 1/4	3,529	1 1/4	6,134	1 1/4	8,740	1 1/4	11,346	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	977	1 1/2	3,583	1 1/2	6,189	1 1/2	8,794	1 1/2	11,400	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,031	3/4	3,637	3/4	6,243	3/4	8,849	3/4	11,454	3/4		3/4		3/4		3/4		3/4	
5	1,086	5	3,691	5	6,297	5	8,903	5	11,509	5		5		5		5		5	
1 1/4	1,140	1 1/4	3,746	1 1/4	6,351	1 1/4	8,957	1 1/4	11,563	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,194	1 1/2	3,800	1 1/2	6,406	1 1/2	9,011	1 1/2	11,617	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,249	3/4	3,854	3/4	6,460	3/4	9,066	3/4		3/4		3/4		3/4		3/4		3/4	
6	1,303	6	3,909	6	6,514	6	9,120	6		6		6		6		6		6	
1 1/4	1,357	1 1/4	3,963	1 1/4	6,569	1 1/4	9,174	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,411	1 1/2	4,017	1 1/2	6,623	1 1/2	9,229	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,466	3/4	4,071	3/4	6,677	3/4	9,283	3/4		3/4		3/4		3/4		3/4		3/4	
7	1,520	7	4,126	7	6,731	7	9,337	7		7		7		7		7		7	
1 1/4	1,574	1 1/4	4,180	1 1/4	6,786	1 1/4	9,391	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,629	1 1/2	4,234	1 1/2	6,840	1 1/2	9,446	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,683	3/4	4,289	3/4	6,894	3/4	9,500	3/4		3/4		3/4		3/4		3/4		3/4	
8	1,737	8	4,343	8	6,949	8	9,554	8		8		8		8		8		8	
1 1/4	1,791	1 1/4	4,397	1 1/4	7,003	1 1/4	9,609	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,846	1 1/2	4,451	1 1/2	7,057	1 1/2	9,663	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,900	3/4	4,506	3/4	7,111	3/4	9,717	3/4		3/4		3/4		3/4		3/4		3/4	
9	1,954	9	4,560	9	7,166	9	9,771	9		9		9		9		9		9	
1 1/4	2,009	1 1/4	4,614	1 1/4	7,220	1 1/4	9,826	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,063	1 1/2	4,669	1 1/2	7,274	1 1/2	9,880	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,117	3/4	4,723	3/4	7,329	3/4	9,934	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,171	10	4,777	10	7,383	10	9,989	10		10		10		10		10		10	
1 1/4	2,226	1 1/4	4,831	1 1/4	7,437	1 1/4	10,043	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,280	1 1/2	4,886	1 1/2	7,491	1 1/2	10,097	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,334	3/4	4,940	3/4	7,546	3/4	10,151	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,389	11	4,994	11	7,600	11	10,206	11		11		11		11		11		11	
1 1/4	2,443	1 1/4	5,049	1 1/4	7,654	1 1/4	10,260	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,497	1 1/2	5,103	1 1/2	7,709	1 1/2	10,314	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,551	3/4	5,157	3/4	7,763	3/4	10,369	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" DIAMETER STANDPIPE.

STRAPPED: 03/10/2010 CL - SW
CALCULATED: 03/10/2010 CL
PRINTED: 03/11/2010 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2010

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>