



BARGE "WEB 265"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
1 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
2 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
2 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
3 PORT	00-3/4	- 00-3/4	01-5/8	- 01-5/8	02-3/8	- 02-3/8	03-1/8	- 03-1/8	04-0/8	- 04-0/8	04-3/4	- 04-3/4
3 STBD	00-3/4	- 00-3/4	01-5/8	- 01-5/8	02-3/8	- 02-3/8	03-1/8	- 03-1/8	04-0/8	- 04-0/8	04-3/4	- 04-3/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/4"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 241'-09"

March 10, 2012

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 265"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	5,035.53	0	4,679.19	0	4,322.03	0	3,964.87	0	3,607.02	0	3,249.06	0	2,891.10	0	2,533.14	0	2,175.18
1/4		1/4	5,028.19	1/4	4,671.75	1/4	4,314.59	1/4	3,957.43	1/4	3,599.56	1/4	3,241.60	1/4	2,883.64	1/4	2,525.68	1/4	2,167.72
1/2		1/2	5,020.83	1/2	4,664.31	1/2	4,307.15	1/2	3,949.99	1/2	3,592.11	1/2	3,234.15	1/2	2,876.19	1/2	2,518.23	1/2	2,160.27
3/4		3/4	5,013.47	3/4	4,656.87	3/4	4,299.71	3/4	3,942.55	3/4	3,584.65	3/4	3,226.69	3/4	2,868.73	3/4	2,510.77	3/4	2,152.81
1		1	5,006.12	1	4,649.43	1	4,292.27	1	3,935.11	1	3,577.19	1	3,219.23	1	2,861.27	1	2,503.31	1	2,145.35
1 1/4		1 1/4	4,998.76	1 1/4	4,641.99	1 1/4	4,284.83	1 1/4	3,927.67	1 1/4	3,569.73	1 1/4	3,211.77	1 1/4	2,853.81	1 1/4	2,495.85	1 1/4	2,137.89
1 1/2		1 1/2	4,991.40	1 1/2	4,634.55	1 1/2	4,277.39	1 1/2	3,920.22	1 1/2	3,562.28	1 1/2	3,204.32	1 1/2	2,846.36	1 1/2	2,488.40	1 1/2	2,130.44
1 3/4		1 3/4	4,984.04	1 3/4	4,627.11	1 3/4	4,269.95	1 3/4	3,912.77	1 3/4	3,554.82	1 3/4	3,196.86	1 3/4	2,838.90	1 3/4	2,480.94	1 3/4	2,122.98
2		2	4,976.67	2	4,619.66	2	4,262.51	2	3,905.31	2	3,547.36	2	3,189.40	2	2,831.44	2	2,473.48	2	2,115.52
2 1/4		2 1/4	4,969.31	2 1/4	4,612.22	2 1/4	4,255.07	2 1/4	3,897.86	2 1/4	3,539.90	2 1/4	3,181.94	2 1/4	2,823.98	2 1/4	2,466.02	2 1/4	2,108.06
2 1/2		2 1/2	4,961.89	2 1/2	4,604.78	2 1/2	4,247.62	2 1/2	3,890.41	2 1/2	3,532.45	2 1/2	3,174.49	2 1/2	2,816.53	2 1/2	2,458.57	2 1/2	2,100.61
2 3/4		2 3/4	4,954.46	2 3/4	4,597.34	2 3/4	4,240.18	2 3/4	3,882.95	2 3/4	3,524.99	2 3/4	3,167.03	2 3/4	2,809.07	2 3/4	2,451.11	2 3/4	2,093.15
3		3	4,947.04	3	4,589.90	3	4,232.74	3	3,875.49	3	3,517.53	3	3,159.57	3	2,801.61	3	2,443.65	3	2,085.69
3 1/4		3 1/4	4,939.62	3 1/4	4,582.46	3 1/4	4,225.30	3 1/4	3,868.03	3 1/4	3,510.07	3 1/4	3,152.11	3 1/4	2,794.15	3 1/4	2,436.19	3 1/4	2,078.23
3 1/2		3 1/2	4,932.18	3 1/2	4,575.02	3 1/2	4,217.86	3 1/2	3,860.58	3 1/2	3,502.62	3 1/2	3,144.66	3 1/2	2,786.70	3 1/2	2,428.74	3 1/2	2,070.78
3 3/4		3 3/4	4,924.74	3 3/4	4,567.58	3 3/4	4,210.42	3 3/4	3,853.12	3 3/4	3,495.16	3 3/4	3,137.20	3 3/4	2,779.24	3 3/4	2,421.28	3 3/4	2,063.32
4		4	4,917.30	4	4,560.14	4	4,202.98	4	3,845.66	4	3,487.70	4	3,129.74	4	2,771.78	4	2,413.82	4	2,055.87
4 1/4		4 1/4	4,909.86	4 1/4	4,552.70	4 1/4	4,195.54	4 1/4	3,838.20	4 1/4	3,480.24	4 1/4	3,122.28	4 1/4	2,764.32	4 1/4	2,406.36	4 1/4	2,048.41
4 1/2		4 1/2	4,902.42	4 1/2	4,545.26	4 1/2	4,188.10	4 1/2	3,830.75	4 1/2	3,472.79	4 1/2	3,114.83	4 1/2	2,756.87	4 1/2	2,398.91	4 1/2	2,040.96
4 3/4		4 3/4	4,894.97	4 3/4	4,537.82	4 3/4	4,180.66	4 3/4	3,823.29	4 3/4	3,465.33	4 3/4	3,107.37	4 3/4	2,749.41	4 3/4	2,391.45	4 3/4	2,033.51
5		5	4,887.53	5	4,530.38	5	4,173.22	5	3,815.83	5	3,457.87	5	3,099.91	5	2,741.95	5	2,383.99	5	2,026.05
5 1/4	5,203.38	5 1/4	4,880.09	5 1/4	4,522.93	5 1/4	4,165.78	5 1/4	3,808.37	5 1/4	3,450.41	5 1/4	3,092.45	5 1/4	2,734.49	5 1/4	2,376.53	5 1/4	2,018.60
5 1/2	5,199.47	5 1/2	4,872.65	5 1/2	4,515.49	5 1/2	4,158.34	5 1/2	3,800.92	5 1/2	3,442.96	5 1/2	3,085.00	5 1/2	2,727.04	5 1/2	2,369.08	5 1/2	2,011.15
5 3/4	5,195.57	5 3/4	4,865.21	5 3/4	4,508.05	5 3/4	4,150.89	5 3/4	3,793.46	5 3/4	3,435.50	5 3/4	3,077.54	5 3/4	2,719.58	5 3/4	2,361.62	5 3/4	2,003.69
6	5,191.67	6	4,857.77	6	4,500.61	6	4,143.45	6	3,786.00	6	3,428.04	6	3,070.08	6	2,712.12	6	2,354.16	6	1,996.24
6 1/4	5,187.77	6 1/4	4,850.33	6 1/4	4,493.17	6 1/4	4,136.01	6 1/4	3,778.54	6 1/4	3,420.58	6 1/4	3,062.62	6 1/4	2,704.66	6 1/4	2,346.70	6 1/4	1,988.78
6 1/2	5,182.80	6 1/2	4,842.89	6 1/2	4,485.73	6 1/2	4,128.57	6 1/2	3,771.09	6 1/2	3,413.13	6 1/2	3,055.17	6 1/2	2,697.21	6 1/2	2,339.25	6 1/2	1,981.33
6 3/4	5,177.83	6 3/4	4,835.45	6 3/4	4,478.29	6 3/4	4,121.13	6 3/4	3,763.63	6 3/4	3,405.67	6 3/4	3,047.71	6 3/4	2,689.75	6 3/4	2,331.79	6 3/4	1,973.87
7	5,172.86	7	4,828.01	7	4,470.85	7	4,113.69	7	3,756.17	7	3,398.21	7	3,040.25	7	2,682.29	7	2,324.33	7	1,966.41
7 1/4	5,167.89	7 1/4	4,820.57	7 1/4	4,463.41	7 1/4	4,106.25	7 1/4	3,748.71	7 1/4	3,390.75	7 1/4	3,032.79	7 1/4	2,674.83	7 1/4	2,316.87	7 1/4	1,958.96
7 1/2	5,161.85	7 1/2	4,813.13	7 1/2	4,455.97	7 1/2	4,098.81	7 1/2	3,741.26	7 1/2	3,383.30	7 1/2	3,025.34	7 1/2	2,667.38	7 1/2	2,309.42	7 1/2	1,951.50
7 3/4	5,155.82	7 3/4	4,805.68	7 3/4	4,448.53	7 3/4	4,091.37	7 3/4	3,733.80	7 3/4	3,375.84	7 3/4	3,017.88	7 3/4	2,659.92	7 3/4	2,301.96	7 3/4	1,944.04
8	5,149.78	8	4,798.24	8	4,441.09	8	4,083.93	8	3,726.34	8	3,368.38	8	3,010.42	8	2,652.46	8	2,294.50	8	1,936.59
8 1/4	5,143.75	8 1/4	4,790.80	8 1/4	4,433.64	8 1/4	4,076.49	8 1/4	3,718.88	8 1/4	3,360.92	8 1/4	3,002.96	8 1/4	2,645.00	8 1/4	2,287.04	8 1/4	1,929.13
8 1/2	5,136.79	8 1/2	4,783.36	8 1/2	4,426.20	8 1/2	4,069.05	8 1/2	3,711.43	8 1/2	3,353.47	8 1/2	2,995.51	8 1/2	2,637.55	8 1/2	2,279.59	8 1/2	1,921.67
8 3/4	5,129.84	8 3/4	4,775.92	8 3/4	4,418.76	8 3/4	4,061.60	8 3/4	3,703.97	8 3/4	3,346.01	8 3/4	2,988.05	8 3/4	2,630.09	8 3/4	2,272.13	8 3/4	1,914.21
9	5,122.88	9	4,768.48	9	4,411.32	9	4,054.16	9	3,696.51	9	3,338.55	9	2,980.59	9	2,622.63	9	2,264.67	9	1,906.76
9 1/4	5,115.93	9 1/4	4,761.04	9 1/4	4,403.88	9 1/4	4,046.72	9 1/4	3,689.05	9 1/4	3,331.09	9 1/4	2,973.13	9 1/4	2,615.17	9 1/4	2,257.21	9 1/4	1,899.30
9 1/2	5,108.66	9 1/2	4,753.60	9 1/2	4,396.44	9 1/2	4,039.28	9 1/2	3,681.60	9 1/2	3,323.64	9 1/2	2,965.68	9 1/2	2,607.72	9 1/2	2,249.76	9 1/2	1,891.84
9 3/4	5,101.39	9 3/4	4,746.16	9 3/4	4,389.00	9 3/4	4,031.84	9 3/4	3,674.14	9 3/4	3,316.18	9 3/4	2,958.22	9 3/4	2,600.26	9 3/4	2,242.30	9 3/4	1,884.38
10	5,094.12	10	4,738.72	10	4,381.56	10	4,024.40	10	3,666.68	10	3,308.72	10	2,950.76	10	2,592.80	10	2,234.84	10	1,876.93
10 1/4	5,086.85	10 1/4	4,731.28	10 1/4	4,374.12	10 1/4	4,016.96	10 1/4	3,659.22	10 1/4	3,301.26	10 1/4	2,943.30	10 1/4	2,585.34	10 1/4	2,227.38	10 1/4	1,869.47
10 1/2	5,079.53	10 1/2	4,723.84	10 1/2	4,366.68	10 1/2	4,009.52	10 1/2	3,651.77	10 1/2	3,293.81	10 1/2	2,935.85	10 1/2	2,577.89	10 1/2	2,219.93	10 1/2	1,862.01
10 3/4	5,072.20	10 3/4	4,716.40	10 3/4	4,359.24	10 3/4	4,002.08	10 3/4	3,644.31	10 3/4	3,286.35	10 3/4	2,928.39	10 3/4	2,570.43	10 3/4	2,212.47	10 3/4	1,854.55
11	5,064.88	11	4,708.95	11	4,351.80	11	3,994.64	11	3,636.85	11	3,278.89	11	2,920.93	11	2,562.97	11	2,205.01	11	1,847.10
11 1/4	5,057.56	11 1/4	4,701.51	11 1/4	4,344.36	11 1/4	3,987.20	11 1/4	3,629.39	11 1/4	3,271.43	11 1/4	2,913.47	11 1/4	2,555.51	11 1/4	2,197.55	11 1/4	1,839.64
11 1/2	5,050.22	11 1/2	4,694.07	11 1/2	4,336.91	11 1/2	3,979.76	11 1/2	3,621.94	11 1/2	3,263.98	11 1/2	2,906.02	11 1/2	2,548.06	11 1/2	2,190.10	11 1/2	1,832.18
11 3/4	5,042.87	11 3/4	4,686.63	11 3/4	4,329.47	11 3/4	3,972.32	11 3/4	3,614.48	11 3/4	3,256.52	11 3/4	2,898.56	11 3/4	2,540.60	11 3/4	2,182.64	11 3/4	1,824.72

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 46'-00" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 265"

1 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,817.27	0	1,460.22	0	1,102.15	0	749.56	0	402.85	0	92.98	0		0		0		0	
1/4	1,809.81	1/4	1,452.77	1/4	1,094.69	1/4	742.23	1/4	395.95	1/4	87.06	1/4		1/4		1/4		1/4	
1/2	1,802.35	1/2	1,445.31	1/2	1,087.23	1/2	734.91	1/2	389.07	1/2	81.26	1/2		1/2		1/2		1/2	
3/4	1,794.89	3/4	1,437.85	3/4	1,079.77	3/4	727.59	3/4	382.20	3/4	75.46	3/4		3/4		3/4		3/4	
1	1,787.44	1	1,430.39	1	1,072.31	1	720.27	1	375.32	1	69.65	1		1		1		1	
1/4	1,779.98	1/4	1,422.93	1/4	1,064.85	1/4	712.95	1/4	368.45	1/4	63.85	1/4		1/4		1/4		1/4	
1/2	1,772.52	1/2	1,415.47	1/2	1,057.47	1/2	705.63	1/2	361.66	1/2	58.56	1/2		1/2		1/2		1/2	
3/4	1,765.06	3/4	1,408.01	3/4	1,050.09	3/4	698.30	3/4	354.87	3/4	53.27	3/4		3/4		3/4		3/4	
2	1,757.61	2	1,400.55	2	1,042.71	2	690.98	2	348.08	2	47.98	2		2		2		2	
1/4	1,750.15	1/4	1,393.09	1/4	1,035.33	1/4	683.66	1/4	341.29	1/4	42.69	1/4		1/4		1/4		1/4	
1/2	1,742.69	1/2	1,385.63	1/2	1,027.99	1/2	676.33	1/2	334.59	1/2	38.66	1/2		1/2		1/2		1/2	
3/4	1,735.23	3/4	1,378.17	3/4	1,020.64	3/4	669.00	3/4	327.88	3/4	34.63	3/4		3/4		3/4		3/4	
3	1,727.78	3	1,370.71	3	1,013.30	3	661.66	3	321.18	3	30.60	3		3		3		3	
1/4	1,720.32	1/4	1,363.25	1/4	1,005.95	1/4	654.33	1/4	314.47	1/4	26.57	1/4		1/4		1/4		1/4	
1/2	1,712.89	1/2	1,355.79	1/2	998.62	1/2	646.90	1/2	307.85	1/2	23.77	1/2		1/2		1/2		1/2	
3/4	1,705.46	3/4	1,348.33	3/4	991.28	3/4	639.47	3/4	301.23	3/4	20.97	3/4		3/4		3/4		3/4	
4	1,698.03	4	1,340.87	4	983.95	4	632.04	4	294.60	4	18.17	4		4		4		4	
1/4	1,690.60	1/4	1,333.41	1/4	976.62	1/4	624.62	1/4	287.98	1/4	15.37	1/4		1/4		1/4		1/4	
1/2	1,683.19	1/2	1,325.95	1/2	969.29	1/2	617.31	1/2	281.44	1/2		1/2		1/2		1/2		1/2	
3/4	1,675.77	3/4	1,318.49	3/4	961.96	3/4	610.01	3/4	274.89	3/4		3/4		3/4		3/4		3/4	
5	1,668.35	5	1,311.03	5	954.63	5	602.70	5	268.35	5		5		5		5		5	
1/4	1,660.93	1/4	1,303.57	1/4	947.30	1/4	595.39	1/4	261.81	1/4		1/4		1/4		1/4		1/4	
1/2	1,653.51	1/2	1,296.11	1/2	939.97	1/2	588.14	1/2	255.20	1/2		1/2		1/2		1/2		1/2	
3/4	1,646.09	3/4	1,288.65	3/4	932.65	3/4	580.89	3/4	248.59	3/4		3/4		3/4		3/4		3/4	
6	1,638.68	6	1,281.19	6	925.32	6	573.64	6	241.98	6		6		6		6		6	
1/4	1,631.26	1/4	1,273.73	1/4	918.00	1/4	566.39	1/4	235.37	1/4		1/4		1/4		1/4		1/4	
1/2	1,623.84	1/2	1,266.27	1/2	910.67	1/2	559.15	1/2	228.87	1/2		1/2		1/2		1/2		1/2	
3/4	1,616.42	3/4	1,258.81	3/4	903.35	3/4	551.90	3/4	222.36	3/4		3/4		3/4		3/4		3/4	
7	1,609.00	7	1,251.35	7	896.02	7	544.65	7	215.86	7		7		7		7		7	
1/4	1,601.58	1/4	1,243.89	1/4	888.70	1/4	537.40	1/4	209.36	1/4		1/4		1/4		1/4		1/4	
1/2	1,594.17	1/2	1,236.43	1/2	881.37	1/2	530.16	1/2	203.04	1/2		1/2		1/2		1/2		1/2	
3/4	1,586.75	3/4	1,228.97	3/4	874.05	3/4	522.92	3/4	196.73	3/4		3/4		3/4		3/4		3/4	
8	1,579.33	8	1,221.51	8	866.72	8	515.67	8	190.41	8		8		8		8		8	
1/4	1,571.91	1/4	1,214.05	1/4	859.40	1/4	508.43	1/4	184.09	1/4		1/4		1/4		1/4		1/4	
1/2	1,564.49	1/2	1,206.59	1/2	852.07	1/2	501.23	1/2	177.89	1/2		1/2		1/2		1/2		1/2	
3/4	1,557.07	3/4	1,199.13	3/4	844.75	3/4	494.03	3/4	171.68	3/4		3/4		3/4		3/4		3/4	
9	1,549.65	9	1,191.67	9	837.42	9	486.83	9	165.47	9		9		9		9		9	
1/4	1,542.24	1/4	1,184.21	1/4	830.10	1/4	479.63	1/4	159.27	1/4		1/4		1/4		1/4		1/4	
1/2	1,534.79	1/2	1,176.75	1/2	822.78	1/2	472.51	1/2	153.15	1/2		1/2		1/2		1/2		1/2	
3/4	1,527.34	3/4	1,169.29	3/4	815.45	3/4	465.39	3/4	147.04	3/4		3/4		3/4		3/4		3/4	
10	1,519.89	10	1,161.83	10	808.13	10	458.26	10	140.92	10		10		10		10		10	
1/4	1,512.44	1/4	1,154.37	1/4	800.81	1/4	451.14	1/4	134.81	1/4		1/4		1/4		1/4		1/4	
1/2	1,504.98	1/2	1,146.91	1/2	793.49	1/2	444.25	1/2	128.79	1/2		1/2		1/2		1/2		1/2	
3/4	1,497.52	3/4	1,139.45	3/4	786.17	3/4	437.36	3/4	122.77	3/4		3/4		3/4		3/4		3/4	
11	1,490.06	11	1,131.99	11	778.84	11	430.47	11	116.75	11		11		11		11		11	
1/4	1,482.60	1/4	1,124.53	1/4	771.52	1/4	423.58	1/4	110.73	1/4		1/4		1/4		1/4		1/4	
1/2	1,475.14	1/2	1,117.07	1/2	764.20	1/2	416.67	1/2	104.82	1/2		1/2		1/2		1/2		1/2	
3/4	1,467.68	3/4	1,109.61	3/4	756.88	3/4	409.76	3/4	98.90	3/4		3/4		3/4		3/4		3/4	

STRAPPED: 03/09/2012 CL - SW
CALCULATED: 03/10/2012 CL
PRINTED: 03/10/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 265"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0	5,040.93	0	4,684.57	0	4,327.38	0	3,970.20	0	3,612.34	0	3,254.35	0	2,896.37	0	2,538.38	0	2,180.40
1/4		1/4	5,033.58	1/4	4,677.12	1/4	4,319.94	1/4	3,962.76	1/4	3,604.88	1/4	3,246.89	1/4	2,888.91	1/4	2,530.93	1/4	2,172.94
1/2		1/2	5,026.23	1/2	4,669.68	1/2	4,312.50	1/2	3,955.32	1/2	3,597.42	1/2	3,239.44	1/2	2,881.45	1/2	2,523.47	1/2	2,165.48
3/4		3/4	5,018.87	3/4	4,662.24	3/4	4,305.06	3/4	3,947.88	3/4	3,589.96	3/4	3,231.98	3/4	2,873.99	3/4	2,516.01	3/4	2,158.03
1		1	5,011.51	1	4,654.80	1	4,297.62	1	3,940.44	1	3,582.50	1	3,224.52	1	2,866.54	1	2,508.55	1	2,150.57
1/4		1/4	5,004.16	1/4	4,647.36	1/4	4,290.18	1/4	3,932.99	1/4	3,575.05	1/4	3,217.06	1/4	2,859.08	1/4	2,501.09	1/4	2,143.11
1/2		1/2	4,996.79	1/2	4,639.92	1/2	4,282.74	1/2	3,925.55	1/2	3,567.59	1/2	3,209.60	1/2	2,851.62	1/2	2,493.64	1/2	2,135.65
3/4		3/4	4,989.43	3/4	4,632.48	3/4	4,275.29	3/4	3,918.10	3/4	3,560.13	3/4	3,202.15	3/4	2,844.16	3/4	2,486.18	3/4	2,128.19
2		2	4,982.06	2	4,625.04	2	4,267.85	2	3,910.65	2	3,552.67	2	3,194.69	2	2,836.70	2	2,478.72	2	2,120.74
1/4		1/4	4,974.70	1/4	4,617.59	1/4	4,260.41	1/4	3,903.20	1/4	3,545.21	1/4	3,187.23	1/4	2,829.25	1/4	2,471.26	1/4	2,113.28
1/2		1/2	4,967.28	1/2	4,610.15	1/2	4,252.97	1/2	3,895.74	1/2	3,537.76	1/2	3,179.77	1/2	2,821.79	1/2	2,463.80	1/2	2,105.82
3/4		3/4	4,959.86	3/4	4,602.71	3/4	4,245.53	3/4	3,888.28	3/4	3,530.30	3/4	3,172.31	3/4	2,814.33	3/4	2,456.35	3/4	2,098.36
3		3	4,952.43	3	4,595.27	3	4,238.09	3	3,880.82	3	3,522.84	3	3,164.86	3	2,806.87	3	2,448.89	3	2,090.90
1/4		1/4	4,945.01	1/4	4,587.83	1/4	4,230.65	1/4	3,873.37	1/4	3,515.38	1/4	3,157.40	1/4	2,799.41	1/4	2,441.43	1/4	2,083.45
1/2		1/2	4,937.57	1/2	4,580.39	1/2	4,223.21	1/2	3,865.91	1/2	3,507.92	1/2	3,149.94	1/2	2,791.96	1/2	2,433.97	1/2	2,075.99
3/4		3/4	4,930.13	3/4	4,572.95	3/4	4,215.76	3/4	3,858.45	3/4	3,500.47	3/4	3,142.48	3/4	2,784.50	3/4	2,426.51	3/4	2,068.53
4		4	4,922.69	4	4,565.51	4	4,208.32	4	3,850.99	4	3,493.01	4	3,135.02	4	2,777.04	4	2,419.06	4	2,061.08
1/4		1/4	4,915.25	1/4	4,558.06	1/4	4,200.88	1/4	3,843.53	1/4	3,485.55	1/4	3,127.57	1/4	2,769.58	1/4	2,411.60	1/4	2,053.62
1/2		1/2	4,907.81	1/2	4,550.62	1/2	4,193.44	1/2	3,836.08	1/2	3,478.09	1/2	3,120.11	1/2	2,762.12	1/2	2,404.14	1/2	2,046.17
3/4		3/4	4,900.36	3/4	4,543.18	3/4	4,186.00	3/4	3,828.62	3/4	3,470.63	3/4	3,112.65	3/4	2,754.67	3/4	2,396.68	3/4	2,038.72
5		5	4,892.92	5	4,535.74	5	4,178.56	5	3,821.16	5	3,463.18	5	3,105.19	5	2,747.21	5	2,389.22	5	2,031.26
1/4	5,208.79	1/4	4,885.48	1/4	4,528.30	1/4	4,171.12	1/4	3,813.70	1/4	3,455.72	1/4	3,097.73	1/4	2,739.75	1/4	2,381.77	1/4	2,023.81
1/2	5,204.89	1/2	4,878.04	1/2	4,520.86	1/2	4,163.68	1/2	3,806.24	1/2	3,448.26	1/2	3,090.28	1/2	2,732.29	1/2	2,374.31	1/2	2,016.36
3/4	5,200.98	3/4	4,870.60	3/4	4,513.42	3/4	4,156.23	3/4	3,798.79	3/4	3,440.80	3/4	3,082.82	3/4	2,724.83	3/4	2,366.85	3/4	2,008.90
6	5,197.08	6	4,863.16	6	4,505.98	6	4,148.79	6	3,791.33	6	3,433.34	6	3,075.36	6	2,717.38	6	2,359.39	6	2,001.45
1/4	5,193.17	1/4	4,855.72	1/4	4,498.53	1/4	4,141.35	1/4	3,783.87	1/4	3,425.89	1/4	3,067.90	1/4	2,709.92	1/4	2,351.93	1/4	1,993.99
1/2	5,188.20	1/2	4,848.27	1/2	4,491.09	1/2	4,133.91	1/2	3,776.41	1/2	3,418.43	1/2	3,060.44	1/2	2,702.46	1/2	2,344.48	1/2	1,986.53
3/4	5,183.23	3/4	4,840.83	3/4	4,483.65	3/4	4,126.47	3/4	3,768.95	3/4	3,410.97	3/4	3,052.99	3/4	2,695.00	3/4	2,337.02	3/4	1,979.08
7	5,178.26	7	4,833.39	7	4,476.21	7	4,119.03	7	3,761.50	7	3,403.51	7	3,045.53	7	2,687.54	7	2,329.56	7	1,971.62
1/4	5,173.29	1/4	4,825.95	1/4	4,468.77	1/4	4,111.59	1/4	3,754.04	1/4	3,396.05	1/4	3,038.07	1/4	2,680.09	1/4	2,322.10	1/4	1,964.16
1/2	5,167.26	1/2	4,818.51	1/2	4,461.33	1/2	4,104.14	1/2	3,746.58	1/2	3,388.60	1/2	3,030.61	1/2	2,672.63	1/2	2,314.64	1/2	1,956.70
3/4	5,161.22	3/4	4,811.07	3/4	4,453.89	3/4	4,096.70	3/4	3,739.12	3/4	3,381.14	3/4	3,023.15	3/4	2,665.17	3/4	2,307.19	3/4	1,949.25
8	5,155.19	8	4,803.63	8	4,446.44	8	4,089.26	8	3,731.66	8	3,373.68	8	3,015.70	8	2,657.71	8	2,299.73	8	1,941.79
1/4	5,149.15	1/4	4,796.19	1/4	4,439.00	1/4	4,081.82	1/4	3,724.21	1/4	3,366.22	1/4	3,008.24	1/4	2,650.25	1/4	2,292.27	1/4	1,934.33
1/2	5,142.20	1/2	4,788.74	1/2	4,431.56	1/2	4,074.38	1/2	3,716.75	1/2	3,358.76	1/2	3,000.78	1/2	2,642.80	1/2	2,284.81	1/2	1,926.87
3/4	5,135.24	3/4	4,781.30	3/4	4,424.12	3/4	4,066.94	3/4	3,709.29	3/4	3,351.31	3/4	2,993.32	3/4	2,635.34	3/4	2,277.35	3/4	1,919.41
9	5,128.28	9	4,773.86	9	4,416.68	9	4,059.50	9	3,701.83	9	3,343.85	9	2,985.86	9	2,627.88	9	2,269.90	9	1,911.96
1/4	5,121.33	1/4	4,766.42	1/4	4,409.24	1/4	4,052.06	1/4	3,694.37	1/4	3,336.39	1/4	2,978.41	1/4	2,620.42	1/4	2,262.44	1/4	1,904.50
1/2	5,114.06	1/2	4,758.98	1/2	4,401.80	1/2	4,044.61	1/2	3,686.92	1/2	3,328.93	1/2	2,970.95	1/2	2,612.96	1/2	2,254.98	1/2	1,897.04
3/4	5,106.79	3/4	4,751.54	3/4	4,394.36	3/4	4,037.17	3/4	3,679.46	3/4	3,321.47	3/4	2,963.49	3/4	2,605.51	3/4	2,247.52	3/4	1,889.58
10	5,099.52	10	4,744.10	10	4,386.91	10	4,029.73	10	3,672.00	10	3,314.02	10	2,956.03	10	2,598.05	10	2,240.06	10	1,882.12
1/4	5,092.25	1/4	4,736.66	1/4	4,379.47	1/4	4,022.29	1/4	3,664.54	1/4	3,306.56	1/4	2,948.57	1/4	2,590.59	1/4	2,232.61	1/4	1,874.67
1/2	5,084.93	1/2	4,729.21	1/2	4,372.03	1/2	4,014.85	1/2	3,657.08	1/2	3,299.10	1/2	2,941.12	1/2	2,583.13	1/2	2,225.15	1/2	1,867.21
3/4	5,077.60	3/4	4,721.77	3/4	4,364.59	3/4	4,007.41	3/4	3,649.63	3/4	3,291.64	3/4	2,933.66	3/4	2,575.67	3/4	2,217.69	3/4	1,859.75
11	5,070.28	11	4,714.33	11	4,357.15	11	3,999.97	11	3,642.17	11	3,284.18	11	2,926.20	11	2,568.22	11	2,210.23	11	1,852.29
1/4	5,062.96	1/4	4,706.89	1/4	4,349.71	1/4	3,992.53	1/4	3,634.71	1/4	3,276.73	1/4	2,918.74	1/4	2,560.76	1/4	2,202.77	1/4	1,844.84
1/2	5,055.61	1/2	4,699.45	1/2	4,342.27	1/2	3,985.08	1/2	3,627.25	1/2	3,269.27	1/2	2,911.28	1/2	2,553.30	1/2	2,195.32	1/2	1,837.38
3/4	5,048.27	3/4	4,692.01	3/4	4,334.83	3/4	3,977.64	3/4	3,619.79	3/4	3,261.81	3/4	2,903.83	3/4	2,545.84	3/4	2,187.86	3/4	1,829.92

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 46'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77568
<http://www.pmacorp.net>



BARGE "WEB 265"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,822.46	0	1,465.46	0	1,107.98	0	750.93	0	402.78	0	92.96	0		0		0		0	
1/4	1,815.00	1/4	1,458.00	1/4	1,100.52	1/4	743.50	1/4	395.87	1/4	87.04	1/4		1/4		1/4		1/4	
1/2	1,807.55	1/2	1,450.55	1/2	1,093.06	1/2	736.08	1/2	389.00	1/2	81.24	1/2		1/2		1/2		1/2	
3/4	1,800.09	3/4	1,443.09	3/4	1,085.60	3/4	728.65	3/4	382.12	3/4	75.44	3/4		3/4		3/4		3/4	
1	1,792.63	1	1,435.63	1	1,078.14	1	721.22	1	375.25	1	69.64	1		1		1		1	
1 1/4	1,785.17	1 1/4	1,428.17	1 1/4	1,070.68	1 1/4	713.79	1 1/4	368.37	1 1/4	63.84	1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,777.71	1 1/2	1,420.71	1 1/2	1,063.22	1 1/2	706.36	1 1/2	361.59	1 1/2	58.65	1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,770.26	3/4	1,413.25	3/4	1,055.76	3/4	698.94	3/4	354.80	3/4	53.26	3/4		3/4		3/4		3/4	
2	1,762.80	2	1,405.79	2	1,048.31	2	691.51	2	348.01	2	47.97	2		2		2		2	
2 1/4	1,755.34	2 1/4	1,398.34	2 1/4	1,040.85	2 1/4	684.08	2 1/4	341.22	2 1/4	42.68	2 1/4		2 1/4		2 1/4		2 1/4	
2 1/2	1,747.88	2 1/2	1,390.88	2 1/2	1,033.40	2 1/2	676.64	2 1/2	334.52	2 1/2	38.65	2 1/2		2 1/2		2 1/2		2 1/2	
3/4	1,740.42	3/4	1,383.42	3/4	1,025.94	3/4	669.20	3/4	327.82	3/4	34.62	3/4		3/4		3/4		3/4	
3	1,732.97	3	1,375.96	3	1,018.49	3	661.77	3	321.12	3	30.59	3		3		3		3	
3 1/4	1,725.51	3 1/4	1,368.50	3 1/4	1,011.04	3 1/4	654.33	3 1/4	314.41	3 1/4	26.57	3 1/4		3 1/4		3 1/4		3 1/4	
3 1/2	1,718.08	3 1/2	1,361.04	3 1/2	1,003.60	3 1/2	646.87	3 1/2	307.79	3 1/2	23.77	3 1/2		3 1/2		3 1/2		3 1/2	
3/4	1,710.65	3/4	1,353.59	3/4	996.16	3/4	639.42	3/4	301.17	3/4	20.97	3/4		3/4		3/4		3/4	
4	1,703.23	4	1,346.13	4	988.72	4	631.96	4	294.54	4	18.17	4		4		4		4	
4 1/4	1,695.80	4 1/4	1,338.67	4 1/4	981.28	4 1/4	624.51	4 1/4	287.92	4 1/4	15.37	4 1/4		4 1/4		4 1/4		4 1/4	
4 1/2	1,688.38	4 1/2	1,331.24	4 1/2	973.84	4 1/2	617.20	4 1/2	281.38	4 1/2		4 1/2		4 1/2		4 1/2		4 1/2	
3/4	1,680.97	3/4	1,323.80	3/4	966.41	3/4	609.90	3/4	274.84	3/4		3/4		3/4		3/4		3/4	
5	1,673.55	5	1,316.37	5	958.97	5	602.60	5	268.30	5		5		5		5		5	
5 1/4	1,666.13	5 1/4	1,308.94	5 1/4	951.54	5 1/4	595.29	5 1/4	261.75	5 1/4		5 1/4		5 1/4		5 1/4		5 1/4	
5 1/2	1,658.71	5 1/2	1,301.51	5 1/2	944.11	5 1/2	588.04	5 1/2	255.15	5 1/2		5 1/2		5 1/2		5 1/2		5 1/2	
3/4	1,651.30	3/4	1,294.09	3/4	936.68	3/4	580.79	3/4	248.54	3/4		3/4		3/4		3/4		3/4	
6	1,643.88	6	1,286.66	6	929.24	6	573.54	6	241.93	6		6		6		6		6	
6 1/4	1,636.46	6 1/4	1,279.23	6 1/4	921.81	6 1/4	566.29	6 1/4	235.32	6 1/4		6 1/4		6 1/4		6 1/4		6 1/4	
6 1/2	1,629.05	6 1/2	1,271.81	6 1/2	914.38	6 1/2	559.05	6 1/2	228.82	6 1/2		6 1/2		6 1/2		6 1/2		6 1/2	
3/4	1,621.63	3/4	1,264.38	3/4	906.95	3/4	551.80	3/4	222.32	3/4		3/4		3/4		3/4		3/4	
7	1,614.21	7	1,256.96	7	899.52	7	544.55	7	215.82	7		7		7		7		7	
7 1/4	1,606.79	7 1/4	1,249.53	7 1/4	892.09	7 1/4	537.30	7 1/4	209.32	7 1/4		7 1/4		7 1/4		7 1/4		7 1/4	
7 1/2	1,599.38	7 1/2	1,242.11	7 1/2	884.66	7 1/2	530.06	7 1/2	203.00	7 1/2		7 1/2		7 1/2		7 1/2		7 1/2	
3/4	1,591.96	3/4	1,234.68	3/4	877.23	3/4	522.82	3/4	196.68	3/4		3/4		3/4		3/4		3/4	
8	1,584.54	8	1,227.26	8	869.80	8	515.58	8	190.37	8		8		8		8		8	
8 1/4	1,577.13	8 1/4	1,219.83	8 1/4	862.37	8 1/4	508.34	8 1/4	184.05	8 1/4		8 1/4		8 1/4		8 1/4		8 1/4	
8 1/2	1,569.71	8 1/2	1,212.38	8 1/2	854.93	8 1/2	501.14	8 1/2	177.85	8 1/2		8 1/2		8 1/2		8 1/2		8 1/2	
3/4	1,562.29	3/4	1,204.93	3/4	847.50	3/4	493.94	3/4	171.64	3/4		3/4		3/4		3/4		3/4	
9	1,554.88	9	1,197.48	9	840.07	9	486.75	9	165.44	9		9		9		9		9	
9 1/4	1,547.46	9 1/4	1,190.03	9 1/4	832.64	9 1/4	479.55	9 1/4	159.23	9 1/4		9 1/4		9 1/4		9 1/4		9 1/4	
9 1/2	1,540.01	9 1/2	1,182.57	9 1/2	825.21	9 1/2	472.42	9 1/2	153.12	9 1/2		9 1/2		9 1/2		9 1/2		9 1/2	
3/4	1,532.56	3/4	1,175.11	3/4	817.78	3/4	465.30	3/4	147.01	3/4		3/4		3/4		3/4		3/4	
10	1,525.11	10	1,167.65	10	810.36	10	458.18	10	140.89	10		10		10		10		10	
10 1/4	1,517.67	10 1/4	1,160.19	10 1/4	802.93	10 1/4	451.05	10 1/4	134.78	10 1/4		10 1/4		10 1/4		10 1/4		10 1/4	
10 1/2	1,510.21	10 1/2	1,152.73	10 1/2	795.50	10 1/2	444.17	10 1/2	128.76	10 1/2		10 1/2		10 1/2		10 1/2		10 1/2	
3/4	1,502.75	3/4	1,145.27	3/4	788.07	3/4	437.28	3/4	122.74	3/4		3/4		3/4		3/4		3/4	
11	1,495.29	11	1,137.82	11	780.64	11	430.39	11	116.73	11		11		11		11		11	
11 1/4	1,487.84	11 1/4	1,130.36	11 1/4	773.22	11 1/4	423.50	11 1/4	110.71	11 1/4		11 1/4		11 1/4		11 1/4		11 1/4	
11 1/2	1,480.38	11 1/2	1,122.90	11 1/2	765.79	11 1/2	416.59	11 1/2	104.79	11 1/2		11 1/2		11 1/2		11 1/2		11 1/2	
3/4	1,472.92	3/4	1,115.44	3/4	758.36	3/4	409.68	3/4	98.88	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/09/2012 CL - SW
CALCULATED: 03/10/2012 CL
PRINTED: 03/10/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 265"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	5,114.99	0	4,757.85	0	4,399.69	0	4,041.54	0	3,682.73	0	3,323.77	0	2,964.81	0	2,605.85	0	2,246.89
1/4		1/4	5,107.83	1/4	4,750.39	1/4	4,392.23	1/4	4,034.08	1/4	3,675.25	1/4	3,316.29	1/4	2,957.33	1/4	2,598.37	1/4	2,239.41
1/2		1/2	5,100.26	1/2	4,742.93	1/2	4,384.77	1/2	4,026.61	1/2	3,667.77	1/2	3,308.81	1/2	2,949.85	1/2	2,590.89	1/2	2,231.93
3/4		3/4	5,092.90	3/4	4,735.47	3/4	4,377.31	3/4	4,019.15	3/4	3,660.29	3/4	3,301.33	3/4	2,942.37	3/4	2,583.41	3/4	2,224.46
1		1	5,085.52	1	4,728.00	1	4,369.85	1	4,011.69	1	3,652.81	1	3,293.85	1	2,934.90	1	2,575.94	1	2,216.98
1 1/4		1 1/4	5,078.14	1 1/4	4,720.54	1 1/4	4,362.39	1 1/4	4,004.23	1 1/4	3,645.33	1 1/4	3,286.38	1 1/4	2,927.42	1 1/4	2,568.46	1 1/4	2,209.50
1 1/2		1 1/2	5,070.77	1 1/2	4,713.08	1 1/2	4,354.92	1 1/2	3,996.77	1 1/2	3,637.86	1 1/2	3,278.90	1 1/2	2,919.94	1 1/2	2,560.98	1 1/2	2,202.02
3/4		3/4	5,063.39	3/4	4,705.62	3/4	4,347.46	3/4	3,989.31	3/4	3,630.38	3/4	3,271.42	3/4	2,912.46	3/4	2,553.50	3/4	2,194.54
2		2	5,056.01	2	4,698.16	2	4,340.00	2	3,981.84	2	3,622.90	2	3,263.94	2	2,904.98	2	2,546.02	2	2,187.06
1 3/4		1 3/4	5,048.62	1 3/4	4,690.70	1 3/4	4,332.54	1 3/4	3,974.36	1 3/4	3,615.42	1 3/4	3,256.46	1 3/4	2,897.50	1 3/4	2,538.55	1 3/4	2,179.59
1 1/2		1 1/2	5,041.24	1 1/2	4,683.24	1 1/2	4,325.08	1 1/2	3,966.89	1 1/2	3,607.94	1 1/2	3,248.98	1 1/2	2,890.03	1 1/2	2,531.07	1 1/2	2,172.11
3/4		3/4	5,033.85	3/4	4,675.77	3/4	4,317.62	3/4	3,959.42	3/4	3,600.46	3/4	3,241.51	3/4	2,882.55	3/4	2,523.59	3/4	2,164.63
3		3	5,026.41	3	4,668.31	3	4,310.16	3	3,951.94	3	3,592.99	3	3,234.03	3	2,875.07	3	2,516.11	3	2,157.15
1 1/4		1 1/4	5,018.97	1 1/4	4,660.85	1 1/4	4,302.69	1 1/4	3,944.47	1 1/4	3,585.51	1 1/4	3,226.55	1 1/4	2,867.59	1 1/4	2,508.63	1 1/4	2,149.67
1 1/2		1 1/2	5,011.53	1 1/2	4,653.39	1 1/2	4,295.23	1 1/2	3,936.99	1 1/2	3,578.03	1 1/2	3,219.07	1 1/2	2,860.11	1 1/2	2,501.15	1 1/2	2,142.20
3/4		3/4	5,004.08	3/4	4,645.93	3/4	4,287.77	3/4	3,929.51	3/4	3,570.55	3/4	3,211.59	3/4	2,852.63	3/4	2,493.68	3/4	2,134.72
4		4	4,996.62	4	4,638.47	4	4,280.31	4	3,922.03	4	3,563.07	4	3,204.11	4	2,845.16	4	2,486.20	4	2,127.24
1 3/4		1 3/4	4,989.16	1 3/4	4,631.00	1 3/4	4,272.85	1 3/4	3,914.55	1 3/4	3,555.59	1 3/4	3,196.64	1 3/4	2,837.68	1 3/4	2,478.72	1 3/4	2,119.76
1 1/2		1 1/2	4,981.70	1 1/2	4,623.54	1 1/2	4,265.39	1 1/2	3,907.07	1 1/2	3,548.12	1 1/2	3,189.16	1 1/2	2,830.20	1 1/2	2,471.24	1 1/2	2,112.29
3/4		3/4	4,974.24	3/4	4,616.08	3/4	4,257.92	3/4	3,899.60	3/4	3,540.64	3/4	3,181.68	3/4	2,822.72	3/4	2,463.76	3/4	2,104.81
5		5	4,966.78	5	4,608.62	5	4,250.46	5	3,892.12	5	3,533.16	5	3,174.20	5	2,815.24	5	2,456.28	5	2,097.34
1 1/4		1 1/4	4,959.31	1 1/4	4,601.16	1 1/4	4,243.00	1 1/4	3,884.64	1 1/4	3,525.68	1 1/4	3,166.72	1 1/4	2,807.76	1 1/4	2,448.81	1 1/4	2,089.87
1 1/2		1 1/2	4,951.85	1 1/2	4,593.70	1 1/2	4,235.54	1 1/2	3,877.16	1 1/2	3,518.20	1 1/2	3,159.24	1 1/2	2,800.29	1 1/2	2,441.33	1 1/2	2,082.39
3/4	5,268.59	3/4	4,944.39	3/4	4,586.23	3/4	4,228.08	3/4	3,869.68	3/4	3,510.72	3/4	3,151.77	3/4	2,792.81	3/4	2,433.85	3/4	2,074.92
6	5,264.68	6	4,936.93	6	4,578.77	6	4,220.62	6	3,862.20	6	3,503.25	6	3,144.29	6	2,785.33	6	2,426.37	6	2,067.44
1 3/4	5,260.76	1 3/4	4,929.47	1 3/4	4,571.31	1 3/4	4,213.15	1 3/4	3,854.73	1 3/4	3,495.77	1 3/4	3,136.81	1 3/4	2,777.85	1 3/4	2,418.89	1 3/4	2,059.97
1 1/2	5,256.85	1 1/2	4,922.01	1 1/2	4,563.85	1 1/2	4,205.69	1 1/2	3,847.25	1 1/2	3,488.29	1 1/2	3,129.33	1 1/2	2,770.37	1 1/2	2,411.41	1 1/2	2,052.49
3/4	5,252.93	3/4	4,914.54	3/4	4,556.39	3/4	4,198.23	3/4	3,839.77	3/4	3,480.81	3/4	3,121.85	3/4	2,762.89	3/4	2,403.94	3/4	2,045.02
7	5,247.95	7	4,907.08	7	4,548.93	7	4,190.77	7	3,832.29	7	3,473.33	7	3,114.37	7	2,755.42	7	2,396.46	7	2,037.54
1 1/4	5,242.96	1 1/4	4,899.62	1 1/4	4,541.46	1 1/4	4,183.31	1 1/4	3,824.81	1 1/4	3,465.85	1 1/4	3,106.90	1 1/4	2,747.94	1 1/4	2,388.98	1 1/4	2,030.06
1 1/2	5,237.98	1 1/2	4,892.16	1 1/2	4,534.00	1 1/2	4,175.85	1 1/2	3,817.33	1 1/2	3,458.38	1 1/2	3,099.42	1 1/2	2,740.46	1 1/2	2,381.50	1 1/2	2,022.59
3/4	5,233.00	3/4	4,884.70	3/4	4,526.54	3/4	4,168.38	3/4	3,809.86	3/4	3,450.90	3/4	3,091.94	3/4	2,732.98	3/4	2,374.02	3/4	2,015.11
8	5,226.94	8	4,877.24	8	4,519.08	8	4,160.92	8	3,802.38	8	3,443.42	8	3,084.46	8	2,725.50	8	2,366.54	8	2,007.63
1 1/4	5,220.89	1 1/4	4,869.78	1 1/4	4,511.62	1 1/4	4,153.46	1 1/4	3,794.90	1 1/4	3,435.94	1 1/4	3,076.98	1 1/4	2,718.02	1 1/4	2,359.07	1 1/4	2,000.15
1 1/2	5,214.84	1 1/2	4,862.31	1 1/2	4,504.16	1 1/2	4,146.00	1 1/2	3,787.42	1 1/2	3,428.46	1 1/2	3,069.50	1 1/2	2,710.55	1 1/2	2,351.59	1 1/2	1,992.68
3/4	5,208.79	3/4	4,854.85	3/4	4,496.70	3/4	4,138.54	3/4	3,779.94	3/4	3,420.98	3/4	3,062.03	3/4	2,703.07	3/4	2,344.11	3/4	1,985.20
9	5,201.81	9	4,847.39	9	4,489.23	9	4,131.08	9	3,772.46	9	3,413.51	9	3,054.55	9	2,695.59	9	2,336.63	9	1,977.72
1 1/4	5,194.84	1 1/4	4,839.93	1 1/4	4,481.77	1 1/4	4,123.62	1 1/4	3,764.99	1 1/4	3,406.03	1 1/4	3,047.07	1 1/4	2,688.11	1 1/4	2,329.15	1 1/4	1,970.24
1 1/2	5,187.86	1 1/2	4,832.47	1 1/2	4,474.31	1 1/2	4,116.15	1 1/2	3,757.51	1 1/2	3,398.55	1 1/2	3,039.59	1 1/2	2,680.63	1 1/2	2,321.67	1 1/2	1,962.76
3/4	5,180.88	3/4	4,825.01	3/4	4,466.85	3/4	4,108.69	3/4	3,750.03	3/4	3,391.07	3/4	3,032.11	3/4	2,673.15	3/4	2,314.20	3/4	1,955.28
10	5,173.60	10	4,817.54	10	4,459.39	10	4,101.23	10	3,742.55	10	3,383.59	10	3,024.63	10	2,665.68	10	2,306.72	10	1,947.81
1 1/4	5,166.31	1 1/4	4,810.08	1 1/4	4,451.93	1 1/4	4,093.77	1 1/4	3,735.07	1 1/4	3,376.11	1 1/4	3,017.16	1 1/4	2,658.20	1 1/4	2,299.24	1 1/4	1,940.33
1 1/2	5,159.02	1 1/2	4,802.62	1 1/2	4,444.46	1 1/2	4,086.31	1 1/2	3,727.59	1 1/2	3,368.64	1 1/2	3,009.68	1 1/2	2,650.72	1 1/2	2,291.76	1 1/2	1,932.85
3/4	5,151.73	3/4	4,795.16	3/4	4,437.00	3/4	4,078.85	3/4	3,720.12	3/4	3,361.16	3/4	3,002.20	3/4	2,643.24	3/4	2,284.28	3/4	1,925.37
1 1	5,144.38	1 1	4,787.70	1 1	4,429.54	1 1	4,071.38	1 1	3,712.64	1 1	3,353.68	1 1	2,994.72	1 1	2,635.76	1 1	2,276.80	1 1	1,917.89
1 1/4	5,137.04	1 1/4	4,780.24	1 1/4	4,422.08	1 1/4	4,063.92	1 1/4	3,705.16	1 1/4	3,346.20	1 1/4	2,987.24	1 1/4	2,628.28	1 1/4	2,269.33	1 1/4	1,910.41
1 1/2	5,129.70	1 1/2	4,772.77	1 1/2	4,414.62	1 1/2	4,056.46	1 1/2	3,697.68	1 1/2	3,338.72	1 1/2	2,979.76	1 1/2	2,620.81	1 1/2	2,261.85	1 1/2	1,902.94
3/4	5,122.35	3/4	4,765.31	3/4	4,407.16	3/4	4,049.00	3/4	3,690.20	3/4	3,331.24	3/4	2,972.29	3/4	2,613.33	3/4	2,254.37	3/4	1,895.46

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 45'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 265"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,887.98	0	1,533.03	0	1,174.05	0	829.31	0	482.64	0	132.93	0		0		0		0	
1/4	1,880.50	1/4	1,525.55	1/4	1,166.57	1/4	822.20	1/4	475.42	1/4	125.70	1/4		1/4		1/4		1/4	
1/2	1,873.02	1/2	1,518.07	1/2	1,159.09	1/2	815.08	1/2	468.20	1/2	118.48	1/2		1/2		1/2		1/2	
3/4	1,865.54	3/4	1,510.60	3/4	1,151.61	3/4	807.97	3/4	460.98	3/4	111.25	3/4		3/4		3/4		3/4	
1	1,858.07	1	1,503.12	1	1,144.13	1	800.85	1	453.72	1	104.06	1		1		1		1	
1/4	1,850.59	1/4	1,495.64	1/4	1,136.65	1/4	793.74	1/4	446.45	1/4	96.86	1/4		1/4		1/4		1/4	
1/2	1,843.11	1/2	1,488.16	1/2	1,129.17	1/2	786.62	1/2	439.18	1/2	89.67	1/2		1/2		1/2		1/2	
3/4	1,835.63	3/4	1,480.68	3/4	1,121.69	3/4	779.51	3/4	431.91	3/4	82.47	3/4		3/4		3/4		3/4	
2	1,828.15	2	1,473.20	2	1,114.46	2	772.39	2	424.65	2	75.71	2		2		2		2	
1/4	1,820.67	1/4	1,465.72	1/4	1,107.24	1/4	765.28	1/4	417.38	1/4	68.94	1/4		1/4		1/4		1/4	
1/2	1,813.20	1/2	1,458.24	1/2	1,100.01	1/2	758.16	1/2	410.12	1/2	62.18	1/2		1/2		1/2		1/2	
3/4	1,805.72	3/4	1,450.77	3/4	1,092.78	3/4	751.05	3/4	402.85	3/4	55.41	3/4		3/4		3/4		3/4	
3	1,798.24	3	1,443.29	3	1,085.64	3	743.92	3	395.59	3	49.83	3		3		3		3	
1/4	1,790.76	1/4	1,435.81	1/4	1,078.50	1/4	736.80	1/4	388.32	1/4	44.25	1/4		1/4		1/4		1/4	
1/2	1,783.28	1/2	1,428.33	1/2	1,071.36	1/2	729.67	1/2	381.06	1/2	38.66	1/2		1/2		1/2		1/2	
3/4	1,775.80	3/4	1,420.85	3/4	1,064.23	3/4	722.55	3/4	373.80	3/4	33.08	3/4		3/4		3/4		3/4	
4	1,768.33	4	1,413.37	4	1,057.10	4	715.16	4	366.53	4	28.97	4		4		4		4	
1/4	1,760.85	1/4	1,405.89	1/4	1,049.97	1/4	707.77	1/4	359.26	1/4	24.86	1/4		1/4		1/4		1/4	
1/2	1,753.37	1/2	1,398.41	1/2	1,042.84	1/2	700.38	1/2	351.99	1/2	20.74	1/2		1/2		1/2		1/2	
3/4	1,745.89	3/4	1,390.94	3/4	1,035.72	3/4	692.98	3/4	344.73	3/4	16.63	3/4		3/4		3/4		3/4	
5	1,738.54	5	1,383.46	5	1,028.60	5	685.66	5	337.46	5		5		5		5		5	
1/4	1,731.19	1/4	1,375.98	1/4	1,021.47	1/4	678.34	1/4	330.19	1/4		1/4		1/4		1/4		1/4	
1/2	1,723.83	1/2	1,368.50	1/2	1,014.35	1/2	671.01	1/2	322.92	1/2		1/2		1/2		1/2		1/2	
3/4	1,716.48	3/4	1,361.02	3/4	1,007.23	3/4	663.89	3/4	315.65	3/4		3/4		3/4		3/4		3/4	
6	1,709.17	6	1,353.54	6	1,000.11	6	656.42	6	308.23	6		6		6		6		6	
1/4	1,701.86	1/4	1,346.06	1/4	992.99	1/4	649.15	1/4	300.81	1/4		1/4		1/4		1/4		1/4	
1/2	1,694.55	1/2	1,338.59	1/2	985.87	1/2	641.88	1/2	293.39	1/2		1/2		1/2		1/2		1/2	
3/4	1,687.23	3/4	1,331.11	3/4	978.76	3/4	634.61	3/4	285.97	3/4		3/4		3/4		3/4		3/4	
7	1,679.92	7	1,323.63	7	971.64	7	627.34	7	278.58	7		7		7		7		7	
1/4	1,672.61	1/4	1,316.15	1/4	964.52	1/4	620.08	1/4	271.18	1/4		1/4		1/4		1/4		1/4	
1/2	1,665.30	1/2	1,308.67	1/2	957.40	1/2	612.81	1/2	263.79	1/2		1/2		1/2		1/2		1/2	
3/4	1,657.99	3/4	1,301.19	3/4	950.29	3/4	605.54	3/4	256.40	3/4		3/4		3/4		3/4		3/4	
8	1,650.68	8	1,293.71	8	943.17	8	598.27	8	249.10	8		8		8		8		8	
1/4	1,643.37	1/4	1,286.23	1/4	936.05	1/4	591.00	1/4	241.81	1/4		1/4		1/4		1/4		1/4	
1/2	1,636.06	1/2	1,278.75	1/2	928.93	1/2	583.74	1/2	234.52	1/2		1/2		1/2		1/2		1/2	
3/4	1,628.74	3/4	1,271.27	3/4	921.82	3/4	576.47	3/4	227.22	3/4		3/4		3/4		3/4		3/4	
9	1,621.43	9	1,263.79	9	914.70	9	569.20	9	219.96	9		9		9		9		9	
1/4	1,614.12	1/4	1,256.32	1/4	907.58	1/4	561.93	1/4	212.69	1/4		1/4		1/4		1/4		1/4	
1/2	1,606.81	1/2	1,248.84	1/2	900.46	1/2	554.66	1/2	205.43	1/2		1/2		1/2		1/2		1/2	
3/4	1,599.50	3/4	1,241.36	3/4	893.34	3/4	547.40	3/4	198.16	3/4		3/4		3/4		3/4		3/4	
10	1,592.19	10	1,233.88	10	886.23	10	540.13	10	190.90	10		10		10		10		10	
1/4	1,584.88	1/4	1,226.40	1/4	879.11	1/4	532.86	1/4	183.65	1/4		1/4		1/4		1/4		1/4	
1/2	1,577.57	1/2	1,218.92	1/2	872.00	1/2	525.59	1/2	176.39	1/2		1/2		1/2		1/2		1/2	
3/4	1,570.25	3/4	1,211.44	3/4	864.88	3/4	518.32	3/4	169.13	3/4		3/4		3/4		3/4		3/4	
11	1,562.82	11	1,203.96	11	857.77	11	511.21	11	161.89	11		11		11		11		11	
1/4	1,555.38	1/4	1,196.48	1/4	850.65	1/4	504.09	1/4	154.64	1/4		1/4		1/4		1/4		1/4	
1/2	1,547.95	1/2	1,189.00	1/2	843.54	1/2	496.97	1/2	147.40	1/2		1/2		1/2		1/2		1/2	
3/4	1,540.51	3/4	1,181.53	3/4	836.42	3/4	489.86	3/4	140.16	3/4		3/4		3/4		3/4		3/4	

STRAPPED: 03/09/2012 CL - SW
CALCULATED: 03/10/2012 CL
PRINTED: 03/10/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 265"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	5,125.68	0	4,768.35	0	4,410.11	0	4,051.87	0	3,692.93	0	3,333.89	0	2,974.85	0	2,615.81	0	2,256.77
1/4		1/4	5,118.32	1/4	4,760.89	1/4	4,402.65	1/4	4,044.40	1/4	3,685.45	1/4	3,326.41	1/4	2,967.37	1/4	2,608.33	1/4	2,249.29
1/2		1/2	5,110.95	1/2	4,753.43	1/2	4,395.18	1/2	4,036.94	1/2	3,677.97	1/2	3,318.93	1/2	2,959.89	1/2	2,600.85	1/2	2,241.81
3/4		3/4	5,103.57	3/4	4,745.96	3/4	4,387.72	3/4	4,029.48	3/4	3,670.49	3/4	3,311.45	3/4	2,952.41	3/4	2,593.37	3/4	2,234.33
1		1	5,096.19	1	4,738.50	1	4,380.26	1	4,022.01	1	3,663.01	1	3,303.97	1	2,944.93	1	2,585.89	1	2,226.85
1/4		1/4	5,088.82	1/4	4,731.04	1/4	4,372.79	1/4	4,014.55	1/4	3,655.53	1/4	3,296.49	1/4	2,937.45	1/4	2,578.41	1/4	2,219.37
1/2		1/2	5,081.44	1/2	4,723.57	1/2	4,365.33	1/2	4,007.09	1/2	3,648.05	1/2	3,289.01	1/2	2,929.97	1/2	2,570.93	1/2	2,211.89
3/4		3/4	5,074.05	3/4	4,716.11	3/4	4,357.87	3/4	3,999.61	3/4	3,640.57	3/4	3,281.53	3/4	2,922.49	3/4	2,563.45	3/4	2,204.41
2		2	5,066.66	2	4,708.65	2	4,350.40	2	3,992.13	2	3,633.09	2	3,274.05	2	2,915.01	2	2,555.97	2	2,196.93
1/4		1/4	5,059.28	1/4	4,701.18	1/4	4,342.94	1/4	3,984.65	1/4	3,625.61	1/4	3,266.57	1/4	2,907.53	1/4	2,548.49	1/4	2,189.45
1/2		1/2	5,051.89	1/2	4,693.72	1/2	4,335.48	1/2	3,977.17	1/2	3,618.13	1/2	3,259.09	1/2	2,900.05	1/2	2,541.01	1/2	2,181.97
3/4		3/4	5,044.44	3/4	4,686.26	3/4	4,328.01	3/4	3,969.69	3/4	3,610.65	3/4	3,251.61	3/4	2,892.57	3/4	2,533.53	3/4	2,174.49
3		3	5,037.00	3	4,678.79	3	4,320.55	3	3,962.21	3	3,603.17	3	3,244.13	3	2,885.09	3	2,526.05	3	2,167.01
1/4		1/4	5,029.55	1/4	4,671.33	1/4	4,313.09	1/4	3,954.73	1/4	3,595.69	1/4	3,236.65	1/4	2,877.61	1/4	2,518.57	1/4	2,159.53
1/2		1/2	5,022.11	1/2	4,663.87	1/2	4,305.62	1/2	3,947.25	1/2	3,588.21	1/2	3,229.17	1/2	2,870.13	1/2	2,511.09	1/2	2,152.05
3/4		3/4	5,014.65	3/4	4,656.40	3/4	4,298.16	3/4	3,939.77	3/4	3,580.73	3/4	3,221.69	3/4	2,862.65	3/4	2,503.61	3/4	2,144.57
4		4	5,007.18	4	4,648.94	4	4,290.70	4	3,932.29	4	3,573.25	4	3,214.21	4	2,855.17	4	2,496.13	4	2,137.10
1/4		1/4	4,999.72	1/4	4,641.48	1/4	4,283.23	1/4	3,924.81	1/4	3,565.77	1/4	3,206.73	1/4	2,847.69	1/4	2,488.65	1/4	2,129.62
1/2		1/2	4,992.26	1/2	4,634.01	1/2	4,275.77	1/2	3,917.33	1/2	3,558.29	1/2	3,199.25	1/2	2,840.21	1/2	2,481.17	1/2	2,122.14
3/4		3/4	4,984.79	3/4	4,626.55	3/4	4,268.31	3/4	3,909.85	3/4	3,550.81	3/4	3,191.77	3/4	2,832.73	3/4	2,473.69	3/4	2,114.66
5		5	4,977.33	5	4,619.09	5	4,260.84	5	3,902.37	5	3,543.33	5	3,184.29	5	2,825.25	5	2,466.19	5	2,107.19
1/4		1/4	4,969.87	1/4	4,611.62	1/4	4,253.38	1/4	3,894.89	1/4	3,535.85	1/4	3,176.81	1/4	2,817.77	1/4	2,458.73	1/4	2,099.71
1/2	5,286.69	1/2	4,962.40	1/2	4,604.16	1/2	4,245.92	1/2	3,887.41	1/2	3,528.37	1/2	3,169.33	1/2	2,810.29	1/2	2,451.25	1/2	2,092.24
3/4	5,282.77	3/4	4,954.94	3/4	4,596.70	3/4	4,238.45	3/4	3,879.93	3/4	3,520.89	3/4	3,161.85	3/4	2,802.81	3/4	2,443.77	3/4	2,084.76
6	5,278.86	6	4,947.48	6	4,589.23	6	4,230.99	6	3,872.45	6	3,513.41	6	3,154.37	6	2,795.33	6	2,436.29	6	2,077.28
1/4	5,274.94	1/4	4,940.01	1/4	4,581.77	1/4	4,223.53	1/4	3,864.97	1/4	3,505.93	1/4	3,146.89	1/4	2,787.85	1/4	2,428.81	1/4	2,069.81
1/2	5,271.02	1/2	4,932.55	1/2	4,574.31	1/2	4,216.06	1/2	3,857.49	1/2	3,498.45	1/2	3,139.41	1/2	2,780.37	1/2	2,421.33	1/2	2,062.33
3/4	5,266.04	3/4	4,925.08	3/4	4,566.84	3/4	4,208.60	3/4	3,850.01	3/4	3,490.97	3/4	3,131.93	3/4	2,772.89	3/4	2,413.85	3/4	2,054.85
7	5,261.05	7	4,917.62	7	4,559.38	7	4,201.14	7	3,842.53	7	3,483.49	7	3,124.45	7	2,765.41	7	2,406.37	7	2,047.37
1/4	5,256.07	1/4	4,910.16	1/4	4,551.91	1/4	4,193.67	1/4	3,835.05	1/4	3,476.01	1/4	3,116.97	1/4	2,757.93	1/4	2,398.89	1/4	2,039.89
1/2	5,251.08	1/2	4,902.69	1/2	4,544.45	1/2	4,186.21	1/2	3,827.57	1/2	3,468.53	1/2	3,109.49	1/2	2,750.45	1/2	2,391.41	1/2	2,032.41
3/4	5,245.03	3/4	4,895.23	3/4	4,536.99	3/4	4,178.74	3/4	3,820.09	3/4	3,461.05	3/4	3,102.01	3/4	2,742.97	3/4	2,383.93	3/4	2,024.93
8	5,238.98	8	4,887.77	8	4,529.52	8	4,171.28	8	3,812.61	8	3,453.57	8	3,094.53	8	2,735.49	8	2,376.45	8	2,017.45
1/4	5,232.92	1/4	4,880.30	1/4	4,522.06	1/4	4,163.82	1/4	3,805.13	1/4	3,446.09	1/4	3,087.05	1/4	2,728.01	1/4	2,368.97	1/4	2,009.97
1/2	5,226.87	1/2	4,872.84	1/2	4,514.60	1/2	4,156.35	1/2	3,797.65	1/2	3,438.61	1/2	3,079.57	1/2	2,720.53	1/2	2,361.49	1/2	2,002.49
3/4	5,219.89	3/4	4,865.38	3/4	4,507.13	3/4	4,148.89	3/4	3,790.17	3/4	3,431.13	3/4	3,072.09	3/4	2,713.05	3/4	2,354.01	3/4	1,995.01
9	5,212.91	9	4,857.91	9	4,499.67	9	4,141.43	9	3,782.69	9	3,423.65	9	3,064.61	9	2,705.57	9	2,346.53	9	1,987.53
1/4	5,205.94	1/4	4,850.45	1/4	4,492.21	1/4	4,133.96	1/4	3,775.21	1/4	3,416.17	1/4	3,057.13	1/4	2,698.09	1/4	2,339.05	1/4	1,980.05
1/2	5,198.96	1/2	4,842.99	1/2	4,484.74	1/2	4,126.50	1/2	3,767.73	1/2	3,408.69	1/2	3,049.65	1/2	2,690.61	1/2	2,331.57	1/2	1,972.57
3/4	5,191.67	3/4	4,835.52	3/4	4,477.28	3/4	4,119.04	3/4	3,760.25	3/4	3,401.21	3/4	3,042.17	3/4	2,683.13	3/4	2,324.09	3/4	1,965.09
10	5,184.38	10	4,828.06	10	4,469.82	10	4,111.57	10	3,752.77	10	3,393.73	10	3,034.69	10	2,675.65	10	2,316.61	10	1,957.61
1/4	5,177.09	1/4	4,820.60	1/4	4,462.35	1/4	4,104.11	1/4	3,745.29	1/4	3,386.25	1/4	3,027.21	1/4	2,668.17	1/4	2,309.13	1/4	1,950.13
1/2	5,169.79	1/2	4,813.13	1/2	4,454.89	1/2	4,096.65	1/2	3,737.81	1/2	3,378.77	1/2	3,019.73	1/2	2,660.69	1/2	2,301.65	1/2	1,942.65
3/4	5,162.45	3/4	4,805.67	3/4	4,447.43	3/4	4,089.18	3/4	3,730.33	3/4	3,371.29	3/4	3,012.25	3/4	2,653.21	3/4	2,294.17	3/4	1,935.17
11	5,155.10	11	4,798.21	11	4,439.96	11	4,081.72	11	3,722.85	11	3,363.81	11	3,004.77	11	2,645.73	11	2,286.69	11	1,927.69
1/4	5,147.76	1/4	4,790.74	1/4	4,432.50	1/4	4,074.26	1/4	3,715.37	1/4	3,356.33	1/4	2,997.29	1/4	2,638.25	1/4	2,279.21	1/4	1,920.21
1/2	5,140.42	1/2	4,783.28	1/2	4,425.04	1/2	4,066.79	1/2	3,707.89	1/2	3,348.85	1/2	2,989.81	1/2	2,630.77	1/2	2,271.73	1/2	1,912.73
3/4	5,133.05	3/4	4,775.82	3/4	4,417.57	3/4	4,059.33	3/4	3,700.41	3/4	3,341.37	3/4	2,982.33	3/4	2,623.29	3/4	2,264.25	3/4	1,905.25

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 45'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
 http://www.pmacorp.net



BARGE "WEB 265"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,897.77	0	1,542.70	0	1,185.52	0	827.40	0	475.54	0	125.73	0	0	0	0	0	0	0	0
1/4	1,890.29	1/4	1,535.24	1/4	1,178.04	1/4	819.95	1/4	468.32	1/4	118.51	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,882.81	1/2	1,527.78	1/2	1,170.56	1/2	812.50	1/2	461.10	1/2	111.28	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,875.33	3/4	1,520.30	3/4	1,163.07	3/4	805.05	3/4	453.83	3/4	104.08	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1,867.85	1	1,512.82	1	1,155.59	1	797.60	1	446.56	1	96.89	1	1	1	1	1	1	1	1
1/4	1,860.37	1/4	1,505.34	1/4	1,148.11	1/4	790.15	1/4	439.29	1/4	89.69	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,852.89	1/2	1,497.86	1/2	1,140.63	1/2	782.70	1/2	432.02	1/2	82.49	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,845.41	3/4	1,490.38	3/4	1,133.15	3/4	775.25	3/4	424.75	3/4	75.73	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	1,837.93	2	1,482.90	2	1,125.67	2	767.80	2	417.48	2	68.96	2	2	2	2	2	2	2	2
1/4	1,830.45	1/4	1,475.41	1/4	1,118.19	1/4	760.35	1/4	410.22	1/4	62.19	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,822.97	1/2	1,467.93	1/2	1,110.71	1/2	752.90	1/2	402.95	1/2	55.43	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,815.49	3/4	1,460.45	3/4	1,103.24	3/4	745.44	3/4	395.68	3/4	49.84	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	1,808.01	3	1,452.97	3	1,095.76	3	737.98	3	388.42	3	44.26	3	3	3	3	3	3	3	3
1/4	1,800.53	1/4	1,445.49	1/4	1,088.29	1/4	730.52	1/4	381.15	1/4	38.67	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,793.05	1/2	1,438.01	1/2	1,080.82	1/2	723.06	1/2	373.89	1/2	33.09	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,785.57	3/4	1,430.53	3/4	1,073.36	3/4	715.58	3/4	366.62	3/4	28.98	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	1,778.09	4	1,423.05	4	1,065.89	4	708.11	4	359.35	4	24.86	4	4	4	4	4	4	4	4
1/4	1,770.61	1/4	1,415.57	1/4	1,058.43	1/4	700.63	1/4	352.08	1/4	20.75	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,763.13	1/2	1,408.09	1/2	1,050.97	1/2	693.16	1/2	344.81	1/2	16.63	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,755.71	3/4	1,400.65	3/4	1,043.51	3/4	685.83	3/4	337.54	3/4	12.51	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	1,748.30	5	1,393.22	5	1,036.05	5	678.50	5	330.27	5	8.40	5	5	5	5	5	5	5	5
1/4	1,740.88	1/4	1,385.78	1/4	1,028.60	1/4	671.18	1/4	323.00	1/4	4.29	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,733.46	1/2	1,378.34	1/2	1,021.14	1/2	663.85	1/2	315.73	1/2	0.18	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,726.13	3/4	1,370.96	3/4	1,013.69	3/4	656.58	3/4	308.31	3/4	0.07	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	1,718.80	6	1,363.58	6	1,006.23	6	649.31	6	300.89	6	0.00	6	6	6	6	6	6	6	6
1/4	1,711.46	1/4	1,356.20	1/4	998.78	1/4	642.04	1/4	293.46	1/4	0.00	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,704.13	1/2	1,348.82	1/2	991.33	1/2	634.77	1/2	286.04	1/2	0.00	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,696.81	3/4	1,341.46	3/4	983.87	3/4	627.50	3/4	278.65	3/4	0.00	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	1,689.50	7	1,334.09	7	976.42	7	620.23	7	271.25	7	0.00	7	7	7	7	7	7	7	7
1/4	1,682.19	1/4	1,326.73	1/4	968.97	1/4	612.96	1/4	263.85	1/4	0.00	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,674.88	1/2	1,319.36	1/2	961.52	1/2	605.69	1/2	256.46	1/2	0.00	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,667.56	3/4	1,312.00	3/4	954.06	3/4	598.42	3/4	249.16	3/4	0.00	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	1,660.25	8	1,304.63	8	946.61	8	591.15	8	241.87	8	0.00	8	8	8	8	8	8	8	8
1/4	1,652.94	1/4	1,297.27	1/4	939.16	1/4	583.88	1/4	234.57	1/4	0.00	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,645.62	1/2	1,289.90	1/2	931.71	1/2	576.61	1/2	227.28	1/2	0.00	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,638.31	3/4	1,282.49	3/4	924.25	3/4	569.34	3/4	220.01	3/4	0.00	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	1,631.00	9	1,275.09	9	916.80	9	562.07	9	212.74	9	0.00	9	9	9	9	9	9	9	9
1/4	1,623.68	1/4	1,267.68	1/4	909.35	1/4	554.80	1/4	205.48	1/4	0.00	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,616.37	1/2	1,260.27	1/2	901.90	1/2	547.53	1/2	198.21	1/2	0.00	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,609.06	3/4	1,252.80	3/4	894.45	3/4	540.26	3/4	190.95	3/4	0.00	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	1,601.74	10	1,245.33	10	887.00	10	532.99	10	183.69	10	0.00	10	10	10	10	10	10	10	10
1/4	1,594.43	1/4	1,237.87	1/4	879.55	1/4	525.72	1/4	176.43	1/4	0.00	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,587.12	1/2	1,230.40	1/2	872.09	1/2	518.45	1/2	169.17	1/2	0.00	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,579.74	3/4	1,222.92	3/4	864.65	3/4	511.33	3/4	161.93	3/4	0.00	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	1,572.37	11	1,215.44	11	857.20	11	504.22	11	154.68	11	0.00	11	11	11	11	11	11	11	11
1/4	1,564.99	1/4	1,207.96	1/4	849.75	1/4	497.10	1/4	147.44	1/4	0.00	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,557.62	1/2	1,200.48	1/2	842.30	1/2	489.98	1/2	140.19	1/2	0.00	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,550.16	3/4	1,193.00	3/4	834.85	3/4	482.76	3/4	132.96	3/4	0.00	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/09/2012 CL - SW
CALCULATED: 03/10/2012 CL
PRINTED: 03/10/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 265"

3 PORT ULLAGE TABLE

GAUGE HEIGHT 15'-04 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	4,272.28	0	4,136.93	0	4,000.98	0	3,865.03	0	3,643.08	0	3,288.17	0	2,932.71	0	2,577.37	0	2,221.50
1/4		1/4	4,269.50	1/4	4,134.10	1/4	3,998.15	1/4	3,862.20	1/4	3,635.74	1/4	3,280.77	1/4	2,925.30	1/4	2,569.96	1/4	2,214.10
1/2		1/2	4,266.73	1/2	4,131.27	1/2	3,995.32	1/2	3,859.37	1/2	3,628.39	1/2	3,273.36	1/2	2,917.90	1/2	2,562.86	1/2	2,206.70
3/4		3/4	4,263.95	3/4	4,128.43	3/4	3,992.48	3/4	3,856.53	3/4	3,621.03	3/4	3,265.96	3/4	2,910.49	3/4	2,555.15	3/4	2,199.33
1		1	4,261.18	1	4,125.60	1	3,989.65	1	3,853.70	1	3,613.66	1	3,258.55	1	2,903.09	1	2,547.74	1	2,191.95
1/4		1/4	4,258.40	1/4	4,122.77	1/4	3,986.82	1/4	3,850.87	1/4	3,606.30	1/4	3,251.14	1/4	2,895.69	1/4	2,540.34	1/4	2,184.58
1/2		1/2	4,255.62	1/2	4,119.94	1/2	3,983.99	1/2	3,848.04	1/2	3,598.94	1/2	3,243.74	1/2	2,888.29	1/2	2,532.93	1/2	2,177.21
3/4		3/4	4,252.84	3/4	4,117.10	3/4	3,981.15	3/4	3,845.20	3/4	3,591.57	3/4	3,236.33	3/4	2,880.89	3/4	2,525.52	3/4	2,169.84
2		2	4,250.06	2	4,114.27	2	3,978.32	2	3,842.36	2	3,584.19	2	3,228.93	2	2,873.49	2	2,518.11	2	2,162.48
1/4		1/4	4,247.28	1/4	4,111.44	1/4	3,975.49	1/4	3,839.53	1/4	3,576.82	1/4	3,221.52	1/4	2,866.09	1/4	2,510.71	1/4	2,155.11
1/2		1/2	4,244.50	1/2	4,108.61	1/2	3,972.66	1/2	3,836.69	1/2	3,569.45	1/2	3,214.12	1/2	2,858.69	1/2	2,503.30	1/2	2,147.75
3/4		3/4	4,241.69	3/4	4,105.78	3/4	3,969.82	3/4	3,833.85	3/4	3,562.07	3/4	3,206.71	3/4	2,851.28	3/4	2,495.89	3/4	2,140.38
3		3	4,238.87	3	4,102.94	3	3,966.99	3	3,831.01	3	3,554.69	3	3,199.31	3	2,843.88	3	2,488.47	3	2,133.02
1/4		1/4	4,236.05	1/4	4,100.11	1/4	3,964.16	1/4	3,828.18	1/4	3,547.31	1/4	3,191.90	1/4	2,836.48	1/4	2,481.05	1/4	2,125.66
1/2		1/2	4,233.23	1/2	4,097.28	1/2	3,961.33	1/2	3,825.34	1/2	3,539.93	1/2	3,184.49	1/2	2,829.08	1/2	2,473.64	1/2	2,118.29
3/4		3/4	4,230.40	3/4	4,094.45	3/4	3,958.50	3/4	3,822.28	3/4	3,532.53	3/4	3,177.09	3/4	2,821.68	3/4	2,466.22	3/4	2,110.93
4		4	4,227.56	4	4,091.61	4	3,955.66	4	3,819.22	4	3,525.13	4	3,169.68	4	2,814.28	4	2,458.80	4	2,103.57
1/4		1/4	4,224.73	1/4	4,088.78	1/4	3,952.83	1/4	3,816.16	1/4	3,517.73	1/4	3,162.28	1/4	2,806.88	1/4	2,451.39	1/4	2,096.21
1/2		1/2	4,221.90	1/2	4,085.95	1/2	3,950.00	1/2	3,813.10	1/2	3,510.34	1/2	3,154.87	1/2	2,799.48	1/2	2,443.97	1/2	2,088.85
3/4		3/4	4,219.07	3/4	4,083.12	3/4	3,947.17	3/4	3,809.48	3/4	3,502.93	3/4	3,147.47	3/4	2,792.08	3/4	2,436.55	3/4	2,081.49
5		5	4,216.23	5	4,080.28	5	3,944.33	5	3,805.85	5	3,495.52	5	3,140.06	5	2,784.68	5	2,429.14	5	2,074.13
1/4		1/4	4,213.40	1/4	4,077.45	1/4	3,941.50	1/4	3,802.23	1/4	3,488.12	1/4	3,132.66	1/4	2,777.27	1/4	2,421.72	1/4	2,066.77
1/2	4,332.78	1/2	4,210.57	1/2	4,074.62	1/2	3,938.67	1/2	3,798.60	1/2	3,480.71	1/2	3,125.25	1/2	2,769.87	1/2	2,414.31	1/2	2,059.41
3/4	4,331.32	3/4	4,207.74	3/4	4,071.79	3/4	3,935.84	3/4	3,794.32	3/4	3,473.31	3/4	3,117.85	3/4	2,762.47	3/4	2,406.90	3/4	2,052.05
6	4,329.85	6	4,204.91	6	4,068.96	6	3,933.00	6	3,790.04	6	3,465.90	6	3,110.44	6	2,755.07	6	2,399.48	6	2,044.69
1/4	4,328.39	1/4	4,202.07	1/4	4,066.12	1/4	3,930.17	1/4	3,785.76	1/4	3,458.50	1/4	3,103.03	1/4	2,747.67	1/4	2,392.07	1/4	2,037.33
1/2	4,326.93	1/2	4,199.24	1/2	4,063.29	1/2	3,927.34	1/2	3,781.48	1/2	3,451.09	1/2	3,095.63	1/2	2,740.27	1/2	2,384.66	1/2	2,029.97
3/4	4,325.06	3/4	4,196.41	3/4	4,060.46	3/4	3,924.51	3/4	3,776.54	3/4	3,443.69	3/4	3,088.22	3/4	2,732.87	3/4	2,377.24	3/4	2,022.61
7	4,323.19	7	4,193.58	7	4,057.63	7	3,921.68	7	3,771.61	7	3,436.28	7	3,080.82	7	2,725.47	7	2,369.82	7	2,015.25
1/4	4,321.32	1/4	4,190.74	1/4	4,054.79	1/4	3,918.84	1/4	3,766.67	1/4	3,428.88	1/4	3,073.41	1/4	2,718.07	1/4	2,362.41	1/4	2,007.88
1/2	4,319.45	1/2	4,187.91	1/2	4,051.96	1/2	3,916.01	1/2	3,761.73	1/2	3,421.47	1/2	3,066.01	1/2	2,710.67	1/2	2,354.99	1/2	2,000.52
3/4	4,317.18	3/4	4,185.08	3/4	4,049.13	3/4	3,913.18	3/4	3,756.14	3/4	3,414.07	3/4	3,058.60	3/4	2,703.26	3/4	2,347.57	3/4	1,993.16
8	4,314.90	8	4,182.25	8	4,046.30	8	3,910.35	8	3,750.55	8	3,406.66	8	3,051.20	8	2,695.86	8	2,340.15	8	1,985.79
1/4	4,312.63	1/4	4,179.41	1/4	4,043.46	1/4	3,907.51	1/4	3,744.95	1/4	3,399.25	1/4	3,043.79	1/4	2,688.46	1/4	2,332.73	1/4	1,978.43
1/2	4,310.35	1/2	4,176.58	1/2	4,040.63	1/2	3,904.68	1/2	3,739.36	1/2	3,391.85	1/2	3,036.38	1/2	2,681.06	1/2	2,325.32	1/2	1,971.06
3/4	4,307.73	3/4	4,173.75	3/4	4,037.80	3/4	3,901.85	3/4	3,733.11	3/4	3,384.44	3/4	3,028.98	3/4	2,673.66	3/4	2,317.90	3/4	1,963.71
9	4,305.11	9	4,170.92	9	4,034.97	9	3,899.02	9	3,726.86	9	3,377.04	9	3,021.57	9	2,666.25	9	2,310.48	9	1,956.36
1/4	4,302.48	1/4	4,168.09	1/4	4,032.14	1/4	3,896.18	1/4	3,720.62	1/4	3,369.63	1/4	3,014.17	1/4	2,658.84	1/4	2,303.06	1/4	1,949.00
1/2	4,299.86	1/2	4,165.25	1/2	4,029.30	1/2	3,893.35	1/2	3,714.37	1/2	3,362.23	1/2	3,006.76	1/2	2,651.44	1/2	2,295.64	1/2	1,941.65
3/4	4,297.11	3/4	4,162.42	3/4	4,026.47	3/4	3,890.52	3/4	3,707.48	3/4	3,354.82	3/4	2,999.36	3/4	2,644.03	3/4	2,288.22	3/4	1,934.29
10	4,294.37	10	4,159.59	10	4,023.64	10	3,887.69	10	3,700.59	10	3,347.42	10	2,991.95	10	2,636.62	10	2,280.81	10	1,926.94
1/4	4,291.62	1/4	4,156.76	1/4	4,020.81	1/4	3,884.86	1/4	3,693.70	1/4	3,340.01	1/4	2,984.55	1/4	2,629.22	1/4	2,273.39	1/4	1,919.59
1/2	4,288.88	1/2	4,153.92	1/2	4,017.97	1/2	3,882.02	1/2	3,686.81	1/2	3,332.60	1/2	2,977.14	1/2	2,621.81	1/2	2,265.97	1/2	1,912.24
3/4	4,286.11	3/4	4,151.09	3/4	4,015.14	3/4	3,879.19	3/4	3,679.55	3/4	3,325.20	3/4	2,969.74	3/4	2,614.40	3/4	2,258.55	3/4	1,904.88
11	4,283.35	11	4,148.26	11	4,012.31	11	3,876.36	11	3,672.29	11	3,317.79	11	2,962.33	11	2,607.00	11	2,251.13	11	1,897.52
1/4	4,280.59	1/4	4,145.43	1/4	4,009.48	1/4	3,873.53	1/4	3,665.03	1/4	3,310.39	1/4	2,954.92	1/4	2,599.59	1/4	2,243.72	1/4	1,890.16
1/2	4,277.82	1/2	4,142.60	1/2	4,006.64	1/2	3,870.69	1/2	3,657.78	1/2	3,302.98	1/2	2,947.52	1/2	2,592.18	1/2	2,236.30	1/2	1,882.80
3/4	4,275.05	3/4	4,139.76	3/4	4,003.81	3/4	3,867.86	3/4	3,650.43	3/4	3,295.58	3/4	2,940.11	3/4	2,584.78	3/4	2,228.90	3/4	1,875.43

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 58'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 265"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,868.07	0	1,516.43	0	1,160.30	0	817.71	0	471.81	0	124.87	0	0	0	0	0	0	0	0
1/4	1,860.71	1/4	1,509.02	1/4	1,152.88	1/4	810.60	1/4	464.65	1/4	117.70	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1,853.34	1/2	1,501.60	1/2	1,145.46	1/2	803.49	1/2	457.49	1/2	110.53	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	1,845.98	3/4	1,494.18	3/4	1,138.25	3/4	796.39	3/4	450.27	3/4	103.39	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1,838.61	1	1,486.76	1	1,131.04	1	789.28	1	443.06	1	96.25	1	1	1	1	1	1	1	1
1 1/4	1,831.25	1 1/4	1,479.34	1 1/4	1,123.83	1 1/4	782.17	1 1/4	435.85	1 1/4	89.12	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,823.89	1 1/2	1,471.92	1 1/2	1,116.62	1 1/2	775.06	1 1/2	428.63	1 1/2	81.98	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	1,816.50	3/4	1,464.50	3/4	1,109.48	3/4	767.96	3/4	421.42	3/4	75.25	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	1,809.12	2	1,457.08	2	1,102.34	2	760.86	2	414.21	2	68.53	2	2	2	2	2	2	2	2
1 1/4	1,801.74	1 1/4	1,449.66	1 1/4	1,095.20	1 1/4	753.76	1 1/4	407.00	1 1/4	61.81	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,794.35	1 1/2	1,442.24	1 1/2	1,088.06	1 1/2	746.66	1 1/2	399.79	1 1/2	55.09	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	1,786.94	3/4	1,434.82	3/4	1,080.93	3/4	739.34	3/4	392.58	3/4	49.54	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	1,779.53	3	1,427.41	3	1,073.80	3	732.02	3	385.38	3	43.99	3	3	3	3	3	3	3	3
1 1/4	1,772.12	1 1/4	1,419.99	1 1/4	1,066.67	1 1/4	724.70	1 1/4	378.17	1 1/4	38.44	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,764.71	1 1/2	1,412.57	1 1/2	1,059.54	1 1/2	717.38	1 1/2	370.96	1 1/2	32.89	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	1,757.41	3/4	1,405.15	3/4	1,052.41	3/4	709.96	3/4	363.75	3/4	28.80	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	1,750.12	4	1,397.73	4	1,045.29	4	702.55	4	356.54	4	24.71	4	4	4	4	4	4	4	4
1 1/4	1,742.82	1 1/4	1,390.31	1 1/4	1,038.17	1 1/4	695.13	1 1/4	349.32	1 1/4	20.62	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,735.52	1 1/2	1,382.89	1 1/2	1,031.05	1 1/2	687.72	1 1/2	342.11	1 1/2	16.53	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	1,728.27	3/4	1,375.47	3/4	1,023.94	3/4	680.45	3/4	334.90	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	1,721.01	5	1,368.05	5	1,016.82	5	673.18	5	327.69	5		5	5	5	5	5	5	5	5
1 1/4	1,713.76	1 1/4	1,360.63	1 1/4	1,009.70	1 1/4	665.91	1 1/4	320.48	1 1/4		1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,706.51	1 1/2	1,353.21	1 1/2	1,002.59	1 1/2	658.64	1 1/2	313.27	1 1/2		1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	1,699.25	3/4	1,345.79	3/4	995.48	3/4	651.43	3/4	306.91	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	1,692.00	6	1,338.37	6	988.36	6	644.21	6	298.55	6		6	6	6	6	6	6	6	6
1 1/4	1,684.75	1 1/4	1,330.95	1 1/4	981.25	1 1/4	637.00	1 1/4	291.19	1 1/4		1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,677.49	1 1/2	1,323.53	1 1/2	974.14	1 1/2	629.79	1 1/2	283.83	1 1/2		1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	1,670.24	3/4	1,316.11	3/4	967.03	3/4	622.57	3/4	276.49	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	1,662.98	7	1,308.69	7	959.92	7	615.36	7	269.16	7		7	7	7	7	7	7	7	7
1 1/4	1,655.72	1 1/4	1,301.27	1 1/4	952.80	1 1/4	608.15	1 1/4	261.82	1 1/4		1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,648.46	1 1/2	1,293.85	1 1/2	945.69	1 1/2	600.94	1 1/2	254.49	1 1/2		1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	1,641.20	3/4	1,286.43	3/4	938.58	3/4	593.72	3/4	247.25	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	1,633.94	8	1,279.02	8	931.47	8	586.51	8	240.02	8		8	8	8	8	8	8	8	8
1 1/4	1,626.68	1 1/4	1,271.60	1 1/4	924.36	1 1/4	579.30	1 1/4	232.79	1 1/4		1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,619.42	1 1/2	1,264.18	1 1/2	917.25	1 1/2	572.09	1 1/2	225.55	1 1/2		1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	1,612.16	3/4	1,256.76	3/4	910.13	3/4	564.87	3/4	218.35	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	1,604.90	9	1,249.34	9	903.02	9	557.66	9	211.14	9		9	9	9	9	9	9	9	9
1 1/4	1,597.64	1 1/4	1,241.92	1 1/4	895.91	1 1/4	550.45	1 1/4	203.94	1 1/4		1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,590.38	1 1/2	1,234.50	1 1/2	888.80	1 1/2	543.24	1 1/2	196.73	1 1/2		1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	1,583.01	3/4	1,227.08	3/4	881.69	3/4	536.02	3/4	189.54	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	1,575.64	10	1,219.66	10	874.58	10	528.81	10	182.34	10		10	10	10	10	10	10	10	10
1 1/4	1,568.27	1 1/4	1,212.24	1 1/4	867.47	1 1/4	521.60	1 1/4	175.14	1 1/4		1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,560.90	1 1/2	1,204.82	1 1/2	860.36	1 1/2	514.38	1 1/2	167.94	1 1/2		1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	1,553.49	3/4	1,197.40	3/4	853.25	3/4	507.32	3/4	160.76	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	1,546.08	11	1,189.98	11	846.15	11	500.26	11	153.58	11		11	11	11	11	11	11	11	11
1 1/4	1,538.67	1 1/4	1,182.56	1 1/4	839.04	1 1/4	493.20	1 1/4	146.39	1 1/4		1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	1,531.26	1 1/2	1,175.14	1 1/2	831.93	1 1/2	486.14	1 1/2	139.21	1 1/2		1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	1,523.85	3/4	1,167.72	3/4	824.82	3/4	478.97	3/4	132.04	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/09/2012 CL - SW
CALCULATED: 03/10/2012 CL
PRINTED: 03/10/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 265"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	4,290.95	0	4,154.84	0	4,018.69	0	3,882.54	0	3,659.51	0	3,303.78	0	2,947.84	0	2,592.02	0	2,236.47
1/4		1/4	4,288.13	1/4	4,152.01	1/4	4,015.85	1/4	3,879.70	1/4	3,652.13	1/4	3,296.36	1/4	2,940.42	1/4	2,584.60	1/4	2,229.06
1/2		1/2	4,285.30	1/2	4,149.17	1/2	4,013.02	1/2	3,876.87	1/2	3,644.75	1/2	3,288.95	1/2	2,933.01	1/2	2,577.19	1/2	2,221.65
3/4		3/4	4,282.47	3/4	4,146.33	3/4	4,010.18	3/4	3,874.03	3/4	3,637.35	3/4	3,281.53	3/4	2,925.59	3/4	2,569.77	3/4	2,214.24
1	1	1	4,279.64	1	4,143.50	1	4,007.34	1	3,871.19	1	3,629.96	1	3,274.12	1	2,918.18	1	2,562.36	1	2,206.83
1/4	1/4	1/4	4,276.80	1/4	4,140.66	1/4	4,004.51	1/4	3,868.36	1/4	3,622.56	1/4	3,266.70	1/4	2,910.77	1/4	2,554.95	1/4	2,199.42
1/2	1/2	1/2	4,273.97	1/2	4,137.82	1/2	4,001.67	1/2	3,865.52	1/2	3,615.17	1/2	3,259.29	1/2	2,903.36	1/2	2,547.54	1/2	2,192.01
3/4	3/4	3/4	4,271.14	3/4	4,134.99	3/4	3,998.84	3/4	3,862.68	3/4	3,607.76	3/4	3,251.87	3/4	2,895.95	3/4	2,540.13	3/4	2,184.60
2	2	2	4,268.30	2	4,132.15	2	3,996.00	2	3,859.85	2	3,600.36	2	3,244.46	2	2,888.53	2	2,532.72	2	2,177.19
1/4	1/4	1/4	4,265.46	1/4	4,129.31	1/4	3,993.16	1/4	3,857.01	1/4	3,592.95	1/4	3,237.04	1/4	2,881.12	1/4	2,525.31	1/4	2,169.78
1/2	1/2	1/2	4,262.63	1/2	4,126.48	1/2	3,990.33	1/2	3,854.17	1/2	3,585.55	1/2	3,229.63	1/2	2,873.71	1/2	2,517.89	1/2	2,162.37
3/4	3/4	3/4	4,259.79	3/4	4,123.64	3/4	3,987.49	3/4	3,851.34	3/4	3,578.14	3/4	3,222.21	3/4	2,866.30	3/4	2,510.48	3/4	2,154.99
3	3	3	4,256.96	3	4,120.80	3	3,984.65	3	3,848.50	3	3,570.72	3	3,214.79	3	2,858.89	3	2,503.07	3	2,147.61
1/4	1/4	1/4	4,254.12	1/4	4,117.97	1/4	3,981.82	1/4	3,845.66	1/4	3,563.31	1/4	3,207.38	1/4	2,851.48	1/4	2,495.66	1/4	2,140.23
1/2	1/2	1/2	4,251.28	1/2	4,115.13	1/2	3,978.98	1/2	3,842.83	1/2	3,555.90	1/2	3,199.96	1/2	2,844.07	1/2	2,488.25	1/2	2,132.85
3/4	3/4	3/4	4,248.45	3/4	4,112.30	3/4	3,976.14	3/4	3,839.75	3/4	3,548.49	3/4	3,192.55	3/4	2,836.66	3/4	2,480.84	3/4	2,125.49
4	4	4	4,245.61	4	4,109.46	4	3,973.31	4	3,836.66	4	3,541.07	4	3,185.13	4	2,829.25	4	2,473.43	4	2,118.12
1/4	1/4	1/4	4,242.77	1/4	4,106.62	1/4	3,970.47	1/4	3,833.58	1/4	3,533.66	1/4	3,177.72	1/4	2,821.84	1/4	2,466.02	1/4	2,110.75
1/2	1/2	1/2	4,239.94	1/2	4,103.79	1/2	3,967.63	1/2	3,830.50	1/2	3,526.24	1/2	3,170.30	1/2	2,814.43	1/2	2,458.61	1/2	2,103.39
3/4	3/4	3/4	4,237.10	3/4	4,100.95	3/4	3,964.80	3/4	3,826.84	3/4	3,518.83	3/4	3,162.89	3/4	2,807.01	3/4	2,451.20	3/4	2,096.02
5	5	5	4,234.26	5	4,098.11	5	3,961.96	5	3,823.18	5	3,511.41	5	3,155.47	5	2,799.60	5	2,443.79	5	2,088.66
1/4	1/4	1/4	4,231.43	1/4	4,095.28	1/4	3,959.12	1/4	3,819.53	1/4	3,504.00	1/4	3,148.05	1/4	2,792.19	1/4	2,436.38	1/4	2,081.30
1/2	4,352.89	1/2	4,228.59	1/2	4,092.44	1/2	3,956.29	1/2	3,815.87	1/2	3,496.58	1/2	3,140.64	1/2	2,784.78	1/2	2,428.97	1/2	2,073.93
3/4	4,351.38	3/4	4,225.76	3/4	4,089.60	3/4	3,953.45	3/4	3,811.56	3/4	3,489.17	3/4	3,133.22	3/4	2,777.37	3/4	2,421.57	3/4	2,066.57
6	6	6	4,349.86	6	4,222.92	6	4,086.77	6	3,950.61	6	3,807.24	6	3,481.75	6	3,125.81	6	2,769.96	6	2,059.20
1/4	4,348.34	1/4	4,220.08	1/4	4,083.93	1/4	3,947.78	1/4	3,802.93	1/4	3,474.34	1/4	3,118.39	1/4	2,762.55	1/4	2,406.75	1/4	2,051.84
1/2	4,346.82	1/2	4,217.25	1/2	4,081.09	1/2	3,944.94	1/2	3,798.62	1/2	3,466.92	1/2	3,110.98	1/2	2,755.14	1/2	2,399.35	1/2	2,044.47
3/4	4,344.90	3/4	4,214.41	3/4	4,078.26	3/4	3,942.11	3/4	3,793.65	3/4	3,459.51	3/4	3,103.56	3/4	2,747.73	3/4	2,391.94	3/4	2,037.11
7	7	7	4,342.97	7	4,211.57	7	3,939.27	7	3,788.68	7	3,452.09	7	3,096.15	7	2,740.32	7	2,384.53	7	2,029.74
1/4	4,341.05	1/4	4,208.74	1/4	4,072.58	1/4	3,936.43	1/4	3,783.71	1/4	3,444.67	1/4	3,088.73	1/4	2,732.91	1/4	2,377.12	1/4	2,022.37
1/2	4,339.12	1/2	4,205.90	1/2	4,069.75	1/2	3,933.60	1/2	3,778.74	1/2	3,437.26	1/2	3,081.32	1/2	2,725.50	1/2	2,369.72	1/2	2,015.00
3/4	4,336.79	3/4	4,203.06	3/4	4,066.91	3/4	3,930.76	3/4	3,773.12	3/4	3,429.84	3/4	3,073.90	3/4	2,718.08	3/4	2,362.31	3/4	2,007.64
8	8	8	4,334.46	8	4,200.23	8	4,064.07	8	3,927.92	8	3,767.49	8	3,422.43	8	3,066.48	8	2,710.67	8	2,000.27
1/4	4,332.13	1/4	4,197.39	1/4	4,061.24	1/4	3,925.09	1/4	3,761.87	1/4	3,415.01	1/4	3,059.07	1/4	2,703.26	1/4	2,347.49	1/4	1,992.90
1/2	4,329.80	1/2	4,194.55	1/2	4,058.40	1/2	3,922.25	1/2	3,756.24	1/2	3,407.60	1/2	3,051.65	1/2	2,695.85	1/2	2,340.08	1/2	1,985.53
3/4	4,327.12	3/4	4,191.72	3/4	4,055.57	3/4	3,919.41	3/4	3,749.96	3/4	3,400.18	3/4	3,044.24	3/4	2,688.44	3/4	2,332.67	3/4	1,978.16
9	9	9	4,324.44	9	4,188.88	9	4,052.73	9	3,916.58	9	3,743.68	9	3,392.77	9	3,036.82	9	2,681.02	9	1,970.79
1/4	4,321.76	1/4	4,186.04	1/4	4,049.89	1/4	3,913.74	1/4	3,737.40	1/4	3,385.35	1/4	3,029.41	1/4	2,673.61	1/4	2,317.87	1/4	1,963.43
1/2	4,319.08	1/2	4,183.21	1/2	4,047.06	1/2	3,910.90	1/2	3,731.12	1/2	3,377.94	1/2	3,021.99	1/2	2,666.19	1/2	2,310.47	1/2	1,956.06
3/4	4,316.28	3/4	4,180.37	3/4	4,044.22	3/4	3,908.07	3/4	3,724.19	3/4	3,370.52	3/4	3,014.58	3/4	2,658.77	3/4	2,303.07	3/4	1,948.69
10	10	10	4,313.49	10	4,177.53	10	4,041.38	10	3,905.23	10	3,717.27	10	3,363.10	10	3,007.16	10	2,651.36	10	1,941.32
1/4	4,310.69	1/4	4,174.70	1/4	4,038.55	1/4	3,902.39	1/4	3,710.35	1/4	3,355.69	1/4	2,999.74	1/4	2,643.94	1/4	2,288.28	1/4	1,933.95
1/2	4,307.89	1/2	4,171.86	1/2	4,035.71	1/2	3,899.56	1/2	3,703.43	1/2	3,348.27	1/2	2,992.33	1/2	2,636.52	1/2	2,280.89	1/2	1,926.59
3/4	4,305.07	3/4	4,169.03	3/4	4,032.87	3/4	3,896.72	3/4	3,696.14	3/4	3,340.86	3/4	2,984.91	3/4	2,629.11	3/4	2,273.48	3/4	1,919.22
11	11	11	4,302.25	11	4,166.19	11	4,030.04	11	3,893.88	11	3,688.84	11	3,333.44	11	2,977.50	11	2,621.69	11	1,911.85
1/4	4,299.43	1/4	4,163.35	1/4	4,027.20	1/4	3,891.05	1/4	3,681.55	1/4	3,326.03	1/4	2,970.08	1/4	2,614.27	1/4	2,258.68	1/4	1,904.48
1/2	4,296.61	1/2	4,160.52	1/2	4,024.36	1/2	3,888.21	1/2	3,674.26	1/2	3,318.61	1/2	2,962.67	1/2	2,606.85	1/2	2,251.28	1/2	1,897.11
3/4	4,293.78	3/4	4,157.68	3/4	4,021.53	3/4	3,885.38	3/4	3,666.88	3/4	3,311.20	3/4	2,955.25	3/4	2,599.44	3/4	2,243.87	3/4	1,889.74

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10' DIAMETER HATCH.
GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 58'-09" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 265"

3 STBD
ULLAGE TABLE

GAUGE HEIGHT 15'-04 1/2"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	1,882.38	0	1,531.20	0	1,175.66	0	820.39	0	471.54	0	124.80	0		0		0		0	
1/4	1,875.01	1/4	1,523.78	1/4	1,168.14	1/4	813.01	1/4	464.38	1/4	117.64	1/4		1/4		1/4		1/4	
1/2	1,867.64	1/2	1,516.36	1/2	1,160.73	1/2	805.62	1/2	457.22	1/2	110.47	1/2		1/2		1/2		1/2	
3/4	1,860.27	3/4	1,508.94	3/4	1,153.31	3/4	798.23	3/4	450.01	3/4	103.34	3/4		3/4		3/4		3/4	
1	1,852.90	1	1,501.52	1	1,145.89	1	790.84	1	442.80	1	96.20	1		1		1		1	
1/4	1,845.54	1/4	1,494.11	1/4	1,138.47	1/4	783.45	1/4	435.59	1/4	89.07	1/4		1/4		1/4		1/4	
1/2	1,838.17	1/2	1,486.69	1/2	1,131.05	1/2	776.07	1/2	428.38	1/2	81.93	1/2		1/2		1/2		1/2	
3/4	1,830.80	3/4	1,479.27	3/4	1,123.63	3/4	768.68	3/4	421.18	3/4	75.22	3/4		3/4		3/4		3/4	
2	1,823.43	2	1,471.85	2	1,116.21	2	761.29	2	413.97	2	68.50	2		2		2		2	
1/4	1,816.06	1/4	1,464.43	1/4	1,108.79	1/4	753.90	1/4	406.76	1/4	61.78	1/4		1/4		1/4		1/4	
1/2	1,808.69	1/2	1,457.01	1/2	1,101.37	1/2	746.51	1/2	399.56	1/2	55.06	1/2		1/2		1/2		1/2	
3/4	1,801.33	3/4	1,449.59	3/4	1,093.96	3/4	739.12	3/4	392.35	3/4	49.51	3/4		3/4		3/4		3/4	
3	1,793.96	3	1,442.18	3	1,086.55	3	731.73	3	385.15	3	43.97	3		3		3		3	
1/4	1,786.59	1/4	1,434.76	1/4	1,079.14	1/4	724.34	1/4	377.94	1/4	38.42	1/4		1/4		1/4		1/4	
1/2	1,779.22	1/2	1,427.34	1/2	1,071.73	1/2	716.95	1/2	370.74	1/2	32.87	1/2		1/2		1/2		1/2	
3/4	1,771.85	3/4	1,419.92	3/4	1,064.32	3/4	709.54	3/4	363.53	3/4	28.79	3/4		3/4		3/4		3/4	
4	1,764.49	4	1,412.50	4	1,056.92	4	702.13	4	356.32	4	24.70	4		4		4		4	
1/4	1,757.12	1/4	1,405.08	1/4	1,049.52	1/4	694.73	1/4	349.12	1/4	20.61	1/4		1/4		1/4		1/4	
1/2	1,749.75	1/2	1,397.66	1/2	1,042.12	1/2	687.32	1/2	341.91	1/2	16.53	1/2		1/2		1/2		1/2	
3/4	1,742.47	3/4	1,390.27	3/4	1,034.73	3/4	680.06	3/4	334.70	3/4		3/4		3/4		3/4		3/4	
5	1,735.18	5	1,382.87	5	1,027.33	5	672.80	5	327.49	5		5		5		5		5	
1/4	1,727.90	1/4	1,375.47	1/4	1,019.94	1/4	665.53	1/4	320.29	1/4		1/4		1/4		1/4		1/4	
1/2	1,720.62	1/2	1,368.08	1/2	1,012.54	1/2	658.27	1/2	313.08	1/2		1/2		1/2		1/2		1/2	
3/4	1,713.37	3/4	1,360.69	3/4	1,005.15	3/4	651.06	3/4	305.72	3/4		3/4		3/4		3/4		3/4	
6	1,706.11	6	1,353.30	6	997.76	6	643.85	6	298.36	6		6		6		6		6	
1/4	1,698.86	1/4	1,345.91	1/4	990.36	1/4	636.64	1/4	291.00	1/4		1/4		1/4		1/4		1/4	
1/2	1,691.60	1/2	1,338.52	1/2	982.97	1/2	629.43	1/2	283.65	1/2		1/2		1/2		1/2		1/2	
3/4	1,684.35	3/4	1,331.13	3/4	975.58	3/4	622.22	3/4	276.32	3/4		3/4		3/4		3/4		3/4	
7	1,677.10	7	1,323.74	7	968.19	7	615.01	7	268.99	7		7		7		7		7	
1/4	1,669.84	1/4	1,316.35	1/4	960.80	1/4	607.81	1/4	261.66	1/4		1/4		1/4		1/4		1/4	
1/2	1,662.59	1/2	1,308.96	1/2	953.41	1/2	600.60	1/2	254.33	1/2		1/2		1/2		1/2		1/2	
3/4	1,655.33	3/4	1,301.57	3/4	946.02	3/4	593.39	3/4	247.10	3/4		3/4		3/4		3/4		3/4	
8	1,648.08	8	1,294.18	8	938.63	8	586.18	8	239.87	8		8		8		8		8	
1/4	1,640.83	1/4	1,286.80	1/4	931.23	1/4	578.97	1/4	232.64	1/4		1/4		1/4		1/4		1/4	
1/2	1,633.57	1/2	1,279.41	1/2	923.84	1/2	571.76	1/2	225.41	1/2		1/2		1/2		1/2		1/2	
3/4	1,626.32	3/4	1,271.99	3/4	916.45	3/4	564.55	3/4	218.21	3/4		3/4		3/4		3/4		3/4	
9	1,619.07	9	1,264.58	9	909.06	9	557.34	9	211.01	9		9		9		9		9	
1/4	1,611.81	1/4	1,257.17	1/4	901.67	1/4	550.13	1/4	203.81	1/4		1/4		1/4		1/4		1/4	
1/2	1,604.56	1/2	1,249.76	1/2	894.28	1/2	542.93	1/2	196.61	1/2		1/2		1/2		1/2		1/2	
3/4	1,597.30	3/4	1,242.34	3/4	886.89	3/4	535.72	3/4	189.42	3/4		3/4		3/4		3/4		3/4	
10	1,590.05	10	1,234.92	10	879.50	10	528.51	10	182.23	10		10		10		10		10	
1/4	1,582.80	1/4	1,227.50	1/4	872.11	1/4	521.30	1/4	175.03	1/4		1/4		1/4		1/4		1/4	
1/2	1,575.54	1/2	1,220.08	1/2	864.72	1/2	514.09	1/2	167.84	1/2		1/2		1/2		1/2		1/2	
3/4	1,568.17	3/4	1,212.66	3/4	857.34	3/4	507.03	3/4	160.66	3/4		3/4		3/4		3/4		3/4	
11	1,560.79	11	1,205.24	11	849.95	11	499.97	11	153.48	11		11		11		11		11	
1/4	1,553.41	1/4	1,197.82	1/4	842.56	1/4	492.92	1/4	146.30	1/4		1/4		1/4		1/4		1/4	
1/2	1,546.03	1/2	1,190.40	1/2	835.17	1/2	485.86	1/2	139.12	1/2		1/2		1/2		1/2		1/2	
3/4	1,538.62	3/4	1,182.98	3/4	827.78	3/4	478.70	3/4	131.96	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/09/2012 CL - SW
CALCULATED: 03/10/2012 CL
PRINTED: 03/10/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>