



BARGE "WEB 266"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
1 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
2 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
2 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
3 PORT	00-3/4	- 00-3/4	01-1/2	- 01-1/2	02-1/4	- 02-1/4	03-0/8	- 03-0/8	03-3/4	- 03-3/4	04-1/2	- 04-1/2
3 STBD	00-3/4	- 00-3/4	01-1/2	- 01-1/2	02-1/4	- 02-1/4	03-0/8	- 03-0/8	03-3/4	- 03-3/4	04-1/2	- 04-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/4"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 241'-09"

March 21, 2012

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 266"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-03 3/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0		0	5,022.20	0	4,665.98	0	4,309.13	0	3,952.27	0	3,594.68	0	3,237.02	0	2,879.37	0	2,521.72	0	2,164.07
1/4		1/4	5,014.85	1/4	4,658.55	1/4	4,301.69	1/4	3,944.84	1/4	3,587.23	1/4	3,229.57	1/4	2,871.92	1/4	2,514.27	1/4	2,156.61
1/2		1/2	5,007.50	1/2	4,651.11	1/2	4,294.26	1/2	3,937.40	1/2	3,579.77	1/2	3,222.12	1/2	2,864.47	1/2	2,506.82	1/2	2,149.16
3/4		3/4	5,000.15	3/4	4,643.68	3/4	4,286.82	3/4	3,929.97	3/4	3,572.32	3/4	3,214.67	3/4	2,857.02	3/4	2,499.36	3/4	2,141.71
1		1	4,992.79	1	4,636.24	1	4,279.39	1	3,922.52	1	3,564.87	1	3,207.22	1	2,849.57	1	2,491.91	1	2,134.26
1/4		1/4	4,985.43	1/4	4,628.81	1/4	4,271.95	1/4	3,915.07	1/4	3,557.42	1/4	3,199.77	1/4	2,842.12	1/4	2,484.46	1/4	2,126.81
1/2		1/2	4,978.08	1/2	4,621.38	1/2	4,264.52	1/2	3,907.62	1/2	3,549.97	1/2	3,192.32	1/2	2,834.66	1/2	2,477.01	1/2	2,119.36
3/4		3/4	4,970.72	3/4	4,613.94	3/4	4,257.09	3/4	3,900.17	3/4	3,542.52	3/4	3,184.87	3/4	2,827.21	3/4	2,469.56	3/4	2,111.91
2		2	4,963.31	2	4,606.51	2	4,249.65	2	3,892.72	2	3,535.07	2	3,177.41	2	2,819.76	2	2,462.11	2	2,104.46
1/4		1/4	4,955.89	1/4	4,599.07	1/4	4,242.22	1/4	3,885.27	1/4	3,527.62	1/4	3,169.96	1/4	2,812.31	1/4	2,454.66	1/4	2,097.01
1/2		1/2	4,948.47	1/2	4,591.64	1/2	4,234.78	1/2	3,877.82	1/2	3,520.17	1/2	3,162.51	1/2	2,804.86	1/2	2,447.21	1/2	2,089.55
3/4		3/4	4,941.06	3/4	4,584.20	3/4	4,227.35	3/4	3,870.37	3/4	3,512.71	3/4	3,155.06	3/4	2,797.41	3/4	2,439.76	3/4	2,082.10
3		3	4,933.62	3	4,576.77	3	4,219.91	3	3,862.92	3	3,505.26	3	3,147.61	3	2,789.96	3	2,432.30	3	2,074.65
1/4		1/4	4,926.19	1/4	4,569.33	1/4	4,212.48	1/4	3,855.46	1/4	3,497.81	1/4	3,140.16	1/4	2,782.51	1/4	2,424.85	1/4	2,067.21
1/2		1/2	4,918.76	1/2	4,561.90	1/2	4,205.04	1/2	3,848.01	1/2	3,490.36	1/2	3,132.71	1/2	2,775.06	1/2	2,417.40	1/2	2,059.76
3/4		3/4	4,911.32	3/4	4,554.47	3/4	4,197.61	3/4	3,840.56	3/4	3,482.91	3/4	3,125.26	3/4	2,767.60	3/4	2,409.95	3/4	2,052.31
4		4	4,903.89	4	4,547.03	4	4,190.17	4	3,833.11	4	3,475.46	4	3,117.81	4	2,760.15	4	2,402.50	4	2,044.86
1/4		1/4	4,896.45	1/4	4,539.60	1/4	4,182.74	1/4	3,825.66	1/4	3,468.01	1/4	3,110.35	1/4	2,752.70	1/4	2,395.05	1/4	2,037.41
1/2		1/2	4,889.02	1/2	4,532.16	1/2	4,175.31	1/2	3,818.21	1/2	3,460.56	1/2	3,102.90	1/2	2,745.25	1/2	2,387.60	1/2	2,029.97
3/4	5,204.59	3/4	4,881.58	3/4	4,524.73	3/4	4,167.87	3/4	3,810.76	3/4	3,453.11	3/4	3,095.45	3/4	2,737.80	3/4	2,380.15	3/4	2,022.52
5	5,200.69	5	4,874.15	5	4,517.29	5	4,160.44	5	3,803.31	5	3,445.65	5	3,088.00	5	2,730.35	5	2,372.70	5	2,015.07
1/4	5,196.79	1/4	4,866.71	1/4	4,509.86	1/4	4,153.00	1/4	3,795.86	1/4	3,438.20	1/4	3,080.55	1/4	2,722.90	1/4	2,365.24	1/4	2,007.63
1/2	5,192.89	1/2	4,859.28	1/2	4,502.42	1/2	4,145.57	1/2	3,788.40	1/2	3,430.75	1/2	3,073.10	1/2	2,715.45	1/2	2,357.79	1/2	2,000.18
3/4	5,188.99	3/4	4,851.85	3/4	4,494.99	3/4	4,138.13	3/4	3,780.95	3/4	3,423.30	3/4	3,065.65	3/4	2,708.00	3/4	2,350.34	3/4	1,992.73
6	5,184.02	6	4,844.41	6	4,487.55	6	4,130.70	6	3,773.50	6	3,415.85	6	3,058.20	6	2,700.54	6	2,342.89	6	1,985.28
1/4	5,179.06	1/4	4,836.98	1/4	4,480.12	1/4	4,123.26	1/4	3,766.05	1/4	3,408.40	1/4	3,050.75	1/4	2,693.09	1/4	2,335.44	1/4	1,977.83
1/2	5,174.09	1/2	4,829.54	1/2	4,472.69	1/2	4,115.83	1/2	3,758.60	1/2	3,400.95	1/2	3,043.29	1/2	2,685.64	1/2	2,327.99	1/2	1,970.38
3/4	5,169.13	3/4	4,822.11	3/4	4,465.25	3/4	4,108.40	3/4	3,751.15	3/4	3,393.50	3/4	3,035.84	3/4	2,678.19	3/4	2,320.54	3/4	1,962.93
7	5,163.10	7	4,814.67	7	4,457.82	7	4,100.96	7	3,743.70	7	3,386.05	7	3,028.39	7	2,670.74	7	2,313.09	7	1,955.48
1/4	5,157.07	1/4	4,807.24	1/4	4,450.38	1/4	4,093.53	1/4	3,736.25	1/4	3,378.59	1/4	3,020.94	1/4	2,663.29	1/4	2,305.64	1/4	1,948.03
1/2	5,151.04	1/2	4,799.80	1/2	4,442.95	1/2	4,086.09	1/2	3,728.80	1/2	3,371.14	1/2	3,013.49	1/2	2,655.84	1/2	2,298.18	1/2	1,940.57
3/4	5,145.01	3/4	4,792.37	3/4	4,435.51	3/4	4,078.66	3/4	3,721.35	3/4	3,363.69	3/4	3,006.04	3/4	2,648.39	3/4	2,290.73	3/4	1,933.12
8	5,138.06	8	4,784.93	8	4,428.08	8	4,071.22	8	3,713.89	8	3,356.24	8	2,998.59	8	2,640.94	8	2,283.28	8	1,925.67
1/4	5,131.11	1/4	4,777.50	1/4	4,420.64	1/4	4,063.79	1/4	3,706.44	1/4	3,348.79	1/4	2,991.14	1/4	2,633.48	1/4	2,275.83	1/4	1,918.22
1/2	5,124.16	1/2	4,770.07	1/2	4,413.21	1/2	4,056.35	1/2	3,698.99	1/2	3,341.34	1/2	2,983.69	1/2	2,626.03	1/2	2,268.38	1/2	1,910.77
3/4	5,117.21	3/4	4,762.63	3/4	4,405.78	3/4	4,048.92	3/4	3,691.54	3/4	3,333.89	3/4	2,976.24	3/4	2,618.58	3/4	2,260.93	3/4	1,903.32
9	5,109.95	9	4,755.20	9	4,398.34	9	4,041.48	9	3,684.09	9	3,326.44	9	2,968.78	9	2,611.13	9	2,253.48	9	1,895.87
1/4	5,102.68	1/4	4,747.76	1/4	4,390.91	1/4	4,034.05	1/4	3,676.64	1/4	3,318.99	1/4	2,961.33	1/4	2,603.68	1/4	2,246.03	1/4	1,888.42
1/2	5,095.42	1/2	4,740.33	1/2	4,383.47	1/2	4,026.62	1/2	3,669.19	1/2	3,311.53	1/2	2,953.88	1/2	2,596.23	1/2	2,238.58	1/2	1,880.97
3/4	5,088.16	3/4	4,732.89	3/4	4,376.04	3/4	4,019.18	3/4	3,661.74	3/4	3,304.08	3/4	2,946.43	3/4	2,588.78	3/4	2,231.13	3/4	1,873.51
10	5,080.84	10	4,725.46	10	4,368.60	10	4,011.75	10	3,654.29	10	3,296.63	10	2,938.98	10	2,581.33	10	2,223.67	10	1,866.06
1/4	5,073.53	1/4	4,718.02	1/4	4,361.17	1/4	4,004.31	1/4	3,646.83	1/4	3,289.18	1/4	2,931.53	1/4	2,573.88	1/4	2,216.22	1/4	1,858.61
1/2	5,066.21	1/2	4,710.59	1/2	4,353.73	1/2	3,996.88	1/2	3,639.38	1/2	3,281.73	1/2	2,924.08	1/2	2,566.42	1/2	2,208.77	1/2	1,851.16
3/4	5,058.89	3/4	4,703.16	3/4	4,346.30	3/4	3,989.44	3/4	3,631.93	3/4	3,274.28	3/4	2,916.63	3/4	2,558.97	3/4	2,201.32	3/4	1,843.71
11	5,051.56	11	4,695.72	11	4,338.86	11	3,982.01	11	3,624.48	11	3,266.83	11	2,909.18	11	2,551.52	11	2,193.87	11	1,836.26
1/4	5,044.22	1/4	4,688.29	1/4	4,331.43	1/4	3,974.57	1/4	3,617.03	1/4	3,259.38	1/4	2,901.72	1/4	2,544.07	1/4	2,186.42	1/4	1,828.81
1/2	5,036.88	1/2	4,680.85	1/2	4,324.00	1/2	3,967.14	1/2	3,609.58	1/2	3,251.93	1/2	2,894.27	1/2	2,536.62	1/2	2,178.97	1/2	1,821.36
3/4	5,029.55	3/4	4,673.42	3/4	4,316.56	3/4	3,959.71	3/4	3,602.13	3/4	3,244.47	3/4	2,886.82	3/4	2,529.17	3/4	2,171.52	3/4	1,813.91

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 45'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE WEB 266"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-03 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,806.45	0	1,449.71	0	1,091.95	0	739.93	0	392.77	0	81.19	0		0		0		0	
1/4	1,799.00	1/4	1,442.26	1/4	1,084.49	1/4	732.61	1/4	385.70	1/4	75.39	1/4		1/4		1/4		1/4	
1/2	1,791.55	1/2	1,434.81	1/2	1,077.04	1/2	725.30	1/2	378.63	1/2	69.59	1/2		1/2		1/2		1/2	
3/4	1,784.10	3/4	1,427.35	3/4	1,069.59	3/4	717.98	3/4	371.56	3/4	63.80	3/4		3/4		3/4		3/4	
1	1,776.65	1	1,419.90	1	1,062.21	1	710.66	1	364.57	1	58.51	1		1		1		1	
1/4	1,769.20	1/4	1,412.45	1/4	1,054.84	1/4	703.35	1/4	357.59	1/4	53.22	1/4		1/4		1/4		1/4	
1/2	1,761.75	1/2	1,404.99	1/2	1,047.46	1/2	696.03	1/2	350.60	1/2	47.94	1/2		1/2		1/2		1/2	
3/4	1,754.30	3/4	1,397.54	3/4	1,040.09	3/4	688.72	3/4	343.62	3/4	42.65	3/4		3/4		3/4		3/4	
2	1,746.85	2	1,390.09	2	1,032.75	2	681.39	2	336.72	2	38.63	2		2		2		2	
1/4	1,739.39	1/4	1,382.63	1/4	1,025.41	1/4	674.07	1/4	329.82	1/4	34.60	1/4		1/4		1/4		1/4	
1/2	1,731.94	1/2	1,375.18	1/2	1,018.07	1/2	666.74	1/2	322.92	1/2	30.57	1/2		1/2		1/2		1/2	
3/4	1,724.49	3/4	1,367.73	3/4	1,010.74	3/4	659.41	3/4	316.02	3/4	26.55	3/4		3/4		3/4		3/4	
3	1,717.07	3	1,360.27	3	1,003.41	3	651.99	3	309.20	3	23.75	3		3		3		3	
1/4	1,709.65	1/4	1,352.82	1/4	996.08	1/4	644.67	1/4	302.38	1/4	20.95	1/4		1/4		1/4		1/4	
1/2	1,702.23	1/2	1,345.37	1/2	988.75	1/2	637.15	1/2	295.56	1/2	18.16	1/2		1/2		1/2		1/2	
3/4	1,694.81	3/4	1,337.91	3/4	981.42	3/4	629.72	3/4	288.74	3/4	15.36	3/4		3/4		3/4		3/4	
4	1,687.39	4	1,330.46	4	974.10	4	622.42	4	282.00	4		4		4		4		4	
1/4	1,679.98	1/4	1,323.01	1/4	966.78	1/4	615.13	1/4	275.26	1/4		1/4		1/4		1/4		1/4	
1/2	1,672.57	1/2	1,315.55	1/2	959.46	1/2	607.83	1/2	268.53	1/2		1/2		1/2		1/2		1/2	
3/4	1,665.16	3/4	1,308.10	3/4	952.13	3/4	600.53	3/4	261.79	3/4		3/4		3/4		3/4		3/4	
5	1,657.74	5	1,300.65	5	944.81	5	593.28	5	254.98	5		5		5		5		5	
1/4	1,650.33	1/4	1,293.19	1/4	937.49	1/4	586.04	1/4	248.38	1/4		1/4		1/4		1/4		1/4	
1/2	1,642.92	1/2	1,285.74	1/2	930.17	1/2	578.80	1/2	241.77	1/2		1/2		1/2		1/2		1/2	
3/4	1,635.51	3/4	1,278.29	3/4	922.85	3/4	571.55	3/4	235.17	3/4		3/4		3/4		3/4		3/4	
6	1,628.10	6	1,270.83	6	915.54	6	564.31	6	228.67	6		6		6		6		6	
1/4	1,620.68	1/4	1,263.38	1/4	908.22	1/4	557.07	1/4	222.18	1/4		1/4		1/4		1/4		1/4	
1/2	1,613.27	1/2	1,255.93	1/2	900.90	1/2	549.82	1/2	215.68	1/2		1/2		1/2		1/2		1/2	
3/4	1,605.86	3/4	1,248.47	3/4	893.58	3/4	542.58	3/4	209.18	3/4		3/4		3/4		3/4		3/4	
7	1,598.45	7	1,241.02	7	886.26	7	535.35	7	202.87	7		7		7		7		7	
1/4	1,591.04	1/4	1,233.57	1/4	878.94	1/4	528.11	1/4	196.56	1/4		1/4		1/4		1/4		1/4	
1/2	1,583.62	1/2	1,226.11	1/2	871.62	1/2	520.87	1/2	190.25	1/2		1/2		1/2		1/2		1/2	
3/4	1,576.21	3/4	1,218.66	3/4	864.31	3/4	513.64	3/4	183.93	3/4		3/4		3/4		3/4		3/4	
8	1,568.80	8	1,211.21	8	856.99	8	506.45	8	177.73	8		8		8		8		8	
1/4	1,561.39	1/4	1,203.75	1/4	849.67	1/4	499.25	1/4	171.53	1/4		1/4		1/4		1/4		1/4	
1/2	1,553.98	1/2	1,196.30	1/2	842.35	1/2	492.06	1/2	165.33	1/2		1/2		1/2		1/2		1/2	
3/4	1,546.56	3/4	1,188.84	3/4	835.03	3/4	484.87	3/4	159.13	3/4		3/4		3/4		3/4		3/4	
9	1,539.12	9	1,181.39	9	827.72	9	477.75	9	153.02	9		9		9		9		9	
1/4	1,531.68	1/4	1,173.94	1/4	820.40	1/4	470.63	1/4	146.91	1/4		1/4		1/4		1/4		1/4	
1/2	1,524.23	1/2	1,166.48	1/2	813.08	1/2	463.51	1/2	140.80	1/2		1/2		1/2		1/2		1/2	
3/4	1,516.79	3/4	1,159.03	3/4	805.77	3/4	456.39	3/4	134.69	3/4		3/4		3/4		3/4		3/4	
10	1,509.34	10	1,151.58	10	798.45	10	449.51	10	128.68	10		10		10		10		10	
1/4	1,501.89	1/4	1,144.12	1/4	791.14	1/4	442.42	1/4	122.67	1/4		1/4		1/4		1/4		1/4	
1/2	1,494.43	1/2	1,136.67	1/2	783.82	1/2	435.34	1/2	116.65	1/2		1/2		1/2		1/2		1/2	
3/4	1,486.98	3/4	1,129.21	3/4	776.51	3/4	428.25	3/4	110.64	3/4		3/4		3/4		3/4		3/4	
11	1,479.53	11	1,121.76	11	769.19	11	421.15	11	104.73	11		11		11		11		11	
1/4	1,472.07	1/4	1,114.31	1/4	761.87	1/4	414.05	1/4	98.81	1/4		1/4		1/4		1/4		1/4	
1/2	1,464.62	1/2	1,106.85	1/2	754.56	1/2	406.94	1/2	92.90	1/2		1/2		1/2		1/2		1/2	
3/4	1,457.17	3/4	1,099.40	3/4	747.24	3/4	399.84	3/4	86.99	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/20/2012 CL - SW
CALCULATED: 03/21/2012 CL
PRINTED: 03/21/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77668
<http://www.pmacorp.net>



BARGE "WEB 266"

1 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	5,044.74	0	4,688.51	0	4,331.46	0	3,974.40	0	3,616.67	0	3,258.81	0	2,900.96	0	2,543.10	0	2,185.25
1/4		1/4	5,037.40	1/4	4,681.07	1/4	4,324.02	1/4	3,966.96	1/4	3,609.21	1/4	3,251.36	1/4	2,893.50	1/4	2,535.65	1/4	2,177.79
1/2		1/2	5,030.05	1/2	4,673.63	1/2	4,316.58	1/2	3,959.53	1/2	3,601.76	1/2	3,243.90	1/2	2,886.05	1/2	2,528.19	1/2	2,170.34
3/4		3/4	5,022.69	3/4	4,666.19	3/4	4,309.14	3/4	3,952.09	3/4	3,594.30	3/4	3,236.45	3/4	2,878.59	3/4	2,520.74	3/4	2,162.88
1		1	5,015.34	1	4,658.75	1	4,301.70	1	3,944.65	1	3,586.85	1	3,228.99	1	2,871.14	1	2,513.28	1	2,155.43
1/4		1/4	5,007.98	1/4	4,651.32	1/4	4,294.26	1/4	3,937.21	1/4	3,579.39	1/4	3,221.54	1/4	2,863.68	1/4	2,505.83	1/4	2,147.97
1/2		1/2	5,000.62	1/2	4,643.88	1/2	4,286.82	1/2	3,929.76	1/2	3,571.94	1/2	3,214.08	1/2	2,856.23	1/2	2,498.37	1/2	2,140.52
3/4		3/4	4,993.26	3/4	4,636.44	3/4	4,279.39	3/4	3,922.32	3/4	3,564.48	3/4	3,206.63	3/4	2,848.77	3/4	2,490.92	3/4	2,133.06
2		2	4,985.90	2	4,629.00	2	4,271.95	2	3,914.87	2	3,557.02	2	3,199.17	2	2,841.32	2	2,483.46	2	2,125.61
1/4		1/4	4,978.54	1/4	4,621.56	1/4	4,264.51	1/4	3,907.42	1/4	3,549.57	1/4	3,191.71	1/4	2,833.86	1/4	2,476.01	1/4	2,118.15
1/2		1/2	4,971.12	1/2	4,614.12	1/2	4,257.07	1/2	3,899.97	1/2	3,542.11	1/2	3,184.26	1/2	2,826.41	1/2	2,468.55	1/2	2,110.70
3/4		3/4	4,963.70	3/4	4,606.68	3/4	4,249.63	3/4	3,892.51	3/4	3,534.66	3/4	3,176.80	3/4	2,818.95	3/4	2,461.10	3/4	2,103.24
3		3	4,956.28	3	4,599.25	3	4,242.19	3	3,885.06	3	3,527.20	3	3,169.35	3	2,811.49	3	2,453.64	3	2,095.79
1/4		1/4	4,948.86	1/4	4,591.81	1/4	4,234.75	1/4	3,877.60	1/4	3,519.75	1/4	3,161.89	1/4	2,804.04	1/4	2,446.18	1/4	2,088.33
1/2		1/2	4,941.42	1/2	4,584.37	1/2	4,227.32	1/2	3,870.15	1/2	3,512.29	1/2	3,154.44	1/2	2,796.58	1/2	2,438.73	1/2	2,080.88
3/4		3/4	4,933.98	3/4	4,576.93	3/4	4,219.88	3/4	3,862.69	3/4	3,504.84	3/4	3,146.98	3/4	2,789.13	3/4	2,431.27	3/4	2,073.42
4		4	4,926.54	4	4,569.49	4	4,212.44	4	3,855.24	4	3,497.38	4	3,139.53	4	2,781.67	4	2,423.82	4	2,065.97
1/4		1/4	4,919.11	1/4	4,562.05	1/4	4,205.00	1/4	3,847.78	1/4	3,489.93	1/4	3,132.07	1/4	2,774.22	1/4	2,416.36	1/4	2,058.52
1/2		1/2	4,911.67	1/2	4,554.61	1/2	4,197.56	1/2	3,840.33	1/2	3,482.47	1/2	3,124.62	1/2	2,766.76	1/2	2,408.91	1/2	2,051.07
3/4		3/4	4,904.23	3/4	4,547.18	3/4	4,190.12	3/4	3,832.87	3/4	3,475.02	3/4	3,117.16	3/4	2,759.31	3/4	2,401.45	3/4	2,043.62
5		5	4,896.79	5	4,539.74	5	4,182.68	5	3,825.42	5	3,467.56	5	3,109.71	5	2,751.85	5	2,394.00	5	2,036.17
1/4	5,212.54	1/4	4,889.35	1/4	4,532.30	1/4	4,175.25	1/4	3,817.96	1/4	3,460.11	1/4	3,102.25	1/4	2,744.40	1/4	2,386.54	1/4	2,028.72
1/2	5,208.64	1/2	4,881.91	1/2	4,524.86	1/2	4,167.81	1/2	3,810.50	1/2	3,452.65	1/2	3,094.80	1/2	2,736.94	1/2	2,379.09	1/2	2,021.26
3/4	5,204.74	3/4	4,874.47	3/4	4,517.42	3/4	4,160.37	3/4	3,803.05	3/4	3,445.20	3/4	3,087.34	3/4	2,729.49	3/4	2,371.63	3/4	2,013.81
6	5,200.84	6	4,867.04	6	4,509.98	6	4,152.93	6	3,795.59	6	3,437.74	6	3,079.89	6	2,722.03	6	2,364.18	6	2,006.36
1/4	5,196.93	1/4	4,859.60	1/4	4,502.54	1/4	4,145.49	1/4	3,788.14	1/4	3,430.28	1/4	3,072.43	1/4	2,714.58	1/4	2,356.72	1/4	1,998.91
1/2	5,191.97	1/2	4,852.16	1/2	4,495.11	1/2	4,138.05	1/2	3,780.68	1/2	3,422.83	1/2	3,064.97	1/2	2,707.12	1/2	2,349.27	1/2	1,991.45
3/4	5,187.00	3/4	4,844.72	3/4	4,487.67	3/4	4,130.61	3/4	3,773.23	3/4	3,415.37	3/4	3,057.52	3/4	2,699.67	3/4	2,341.81	3/4	1,984.00
7	5,182.03	7	4,837.28	7	4,480.23	7	4,123.18	7	3,765.77	7	3,407.92	7	3,050.06	7	2,692.21	7	2,334.36	7	1,976.54
1/4	5,177.06	1/4	4,829.84	1/4	4,472.79	1/4	4,115.74	1/4	3,758.32	1/4	3,400.46	1/4	3,042.61	1/4	2,684.75	1/4	2,326.90	1/4	1,969.09
1/2	5,171.03	1/2	4,822.40	1/2	4,465.35	1/2	4,108.30	1/2	3,750.86	1/2	3,393.01	1/2	3,035.15	1/2	2,677.30	1/2	2,319.44	1/2	1,961.63
3/4	5,164.99	3/4	4,814.96	3/4	4,457.91	3/4	4,100.86	3/4	3,743.41	3/4	3,385.55	3/4	3,027.70	3/4	2,669.84	3/4	2,311.99	3/4	1,954.18
8	5,158.96	8	4,807.53	8	4,450.47	8	4,093.42	8	3,735.95	8	3,378.10	8	3,020.24	8	2,662.39	8	2,304.53	8	1,946.72
1/4	5,152.93	1/4	4,800.09	1/4	4,443.03	1/4	4,085.98	1/4	3,728.50	1/4	3,370.64	1/4	3,012.79	1/4	2,654.93	1/4	2,297.08	1/4	1,939.27
1/2	5,145.97	1/2	4,792.65	1/2	4,435.60	1/2	4,078.54	1/2	3,721.04	1/2	3,363.19	1/2	3,005.33	1/2	2,647.48	1/2	2,289.62	1/2	1,931.81
3/4	5,139.02	3/4	4,785.21	3/4	4,428.16	3/4	4,071.10	3/4	3,713.59	3/4	3,355.73	3/4	2,997.88	3/4	2,640.02	3/4	2,282.17	3/4	1,924.36
9	5,132.07	9	4,777.77	9	4,420.72	9	4,063.67	9	3,706.13	9	3,348.28	9	2,990.42	9	2,632.57	9	2,274.71	9	1,916.90
1/4	5,125.11	1/4	4,770.33	1/4	4,413.28	1/4	4,056.23	1/4	3,698.68	1/4	3,340.82	1/4	2,982.97	1/4	2,625.11	1/4	2,267.26	1/4	1,909.45
1/2	5,117.85	1/2	4,762.89	1/2	4,405.84	1/2	4,048.79	1/2	3,691.22	1/2	3,333.37	1/2	2,975.51	1/2	2,617.66	1/2	2,259.80	1/2	1,901.99
3/4	5,110.58	3/4	4,755.46	3/4	4,398.40	3/4	4,041.35	3/4	3,683.76	3/4	3,325.91	3/4	2,968.06	3/4	2,610.20	3/4	2,252.35	3/4	1,894.54
10	5,103.31	10	4,748.02	10	4,390.96	10	4,033.91	10	3,676.31	10	3,318.46	10	2,960.60	10	2,602.75	10	2,244.89	10	1,887.08
1/4	5,096.04	1/4	4,740.58	1/4	4,383.53	1/4	4,026.47	1/4	3,668.85	1/4	3,311.00	1/4	2,953.15	1/4	2,595.29	1/4	2,237.44	1/4	1,879.63
1/2	5,088.72	1/2	4,733.14	1/2	4,376.09	1/2	4,019.03	1/2	3,661.40	1/2	3,303.54	1/2	2,945.69	1/2	2,587.84	1/2	2,229.98	1/2	1,872.17
3/4	5,081.40	3/4	4,725.70	3/4	4,368.65	3/4	4,011.60	3/4	3,653.94	3/4	3,296.09	3/4	2,938.23	3/4	2,580.38	3/4	2,222.53	3/4	1,864.72
11	5,074.08	11	4,718.26	11	4,361.21	11	4,004.16	11	3,646.49	11	3,288.63	11	2,930.78	11	2,572.93	11	2,215.07	11	1,857.26
1/4	5,066.76	1/4	4,710.82	1/4	4,353.77	1/4	3,996.72	1/4	3,639.03	1/4	3,281.18	1/4	2,923.32	1/4	2,565.47	1/4	2,207.62	1/4	1,849.81
1/2	5,059.42	1/2	4,703.39	1/2	4,346.33	1/2	3,989.28	1/2	3,631.58	1/2	3,273.72	1/2	2,915.87	1/2	2,558.01	1/2	2,200.16	1/2	1,842.35
3/4	5,052.08	3/4	4,695.95	3/4	4,338.89	3/4	3,981.84	3/4	3,624.12	3/4	3,266.27	3/4	2,908.41	3/4	2,550.56	3/4	2,192.70	3/4	1,834.90

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 46'-08" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE WEB 266"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	1,827.44	0	1,470.57	0	1,113.22	0	756.30	0	407.06	0	92.93	0		0		0		0	
1/4	1,819.99	1/4	1,463.11	1/4	1,105.76	1/4	748.87	1/4	399.96	1/4	87.01	1/4		1/4		1/4		1/4	
1/2	1,812.53	1/2	1,455.66	1/2	1,098.30	1/2	741.45	1/2	392.88	1/2	81.21	1/2		1/2		1/2		1/2	
3/4	1,805.08	3/4	1,448.20	3/4	1,090.85	3/4	734.02	3/4	385.81	3/4	75.41	3/4		3/4		3/4		3/4	
1	1,797.62	1	1,440.75	1	1,083.39	1	726.60	1	378.74	1	69.61	1		1		1		1	
1/4	1,790.17	1/4	1,433.29	1/4	1,075.93	1/4	719.17	1/4	371.66	1/4	63.81	1/4		1/4		1/4		1/4	
1/2	1,782.71	1/2	1,425.84	1/2	1,068.48	1/2	711.75	1/2	364.68	1/2	58.53	1/2		1/2		1/2		1/2	
3/4	1,775.25	3/4	1,418.38	3/4	1,061.02	3/4	704.32	3/4	357.69	3/4	53.24	3/4		3/4		3/4		3/4	
2	1,767.80	2	1,410.93	2	1,053.57	2	696.90	2	350.71	2	47.95	2		2		2		2	
1/4	1,760.34	1/4	1,403.47	1/4	1,046.11	1/4	689.47	1/4	343.72	1/4	42.66	1/4		1/4		1/4		1/4	
1/2	1,752.89	1/2	1,396.01	1/2	1,038.66	1/2	682.04	1/2	336.82	1/2	38.64	1/2		1/2		1/2		1/2	
3/4	1,745.43	3/4	1,388.56	3/4	1,031.21	3/4	674.60	3/4	329.92	3/4	34.61	3/4		3/4		3/4		3/4	
3	1,737.98	3	1,381.10	3	1,023.76	3	667.17	3	323.01	3	30.58	3		3		3		3	
1/4	1,730.52	1/4	1,373.65	1/4	1,016.31	1/4	659.73	1/4	316.11	1/4	26.56	1/4		1/4		1/4		1/4	
1/2	1,723.10	1/2	1,366.19	1/2	1,008.88	1/2	652.28	1/2	309.29	1/2	23.76	1/2		1/2		1/2		1/2	
3/4	1,715.67	3/4	1,358.74	3/4	1,001.44	3/4	644.83	3/4	302.47	3/4	20.96	3/4		3/4		3/4		3/4	
4	1,708.25	4	1,351.28	4	994.00	4	637.37	4	295.64	4	18.16	4		4		4		4	
1/4	1,700.82	1/4	1,343.82	1/4	986.56	1/4	629.92	1/4	288.82	1/4	15.36	1/4		1/4		1/4		1/4	
1/2	1,693.41	1/2	1,336.39	1/2	979.13	1/2	622.62	1/2	282.08	1/2		1/2		1/2		1/2		1/2	
3/4	1,686.00	3/4	1,328.96	3/4	971.70	3/4	615.32	3/4	275.34	3/4		3/4		3/4		3/4		3/4	
5	1,678.58	5	1,321.53	5	964.27	5	608.02	5	268.60	5		5		5		5		5	
1/4	1,671.17	1/4	1,314.10	1/4	956.83	1/4	600.72	1/4	261.86	1/4		1/4		1/4		1/4		1/4	
1/2	1,663.75	1/2	1,306.68	1/2	949.41	1/2	593.47	1/2	255.05	1/2		1/2		1/2		1/2		1/2	
3/4	1,656.34	3/4	1,299.26	3/4	941.98	3/4	586.22	3/4	248.45	3/4		3/4		3/4		3/4		3/4	
6	1,648.92	6	1,291.83	6	934.55	6	578.98	6	241.84	6		6		6		6		6	
1/4	1,641.51	1/4	1,284.41	1/4	927.12	1/4	571.73	1/4	235.23	1/4		1/4		1/4		1/4		1/4	
1/2	1,634.10	1/2	1,276.99	1/2	919.69	1/2	564.48	1/2	228.74	1/2		1/2		1/2		1/2		1/2	
3/4	1,626.68	3/4	1,269.57	3/4	912.26	3/4	557.24	3/4	222.24	3/4		3/4		3/4		3/4		3/4	
7	1,619.27	7	1,262.14	7	904.83	7	549.99	7	215.74	7		7		7		7		7	
1/4	1,611.85	1/4	1,254.72	1/4	897.41	1/4	542.75	1/4	209.24	1/4		1/4		1/4		1/4		1/4	
1/2	1,604.44	1/2	1,247.30	1/2	889.98	1/2	535.51	1/2	202.93	1/2		1/2		1/2		1/2		1/2	
3/4	1,597.02	3/4	1,239.87	3/4	882.55	3/4	528.27	3/4	196.61	3/4		3/4		3/4		3/4		3/4	
8	1,589.61	8	1,232.45	8	875.12	8	521.03	8	190.30	8		8		8		8		8	
1/4	1,582.19	1/4	1,225.03	1/4	867.69	1/4	513.80	1/4	183.99	1/4		1/4		1/4		1/4		1/4	
1/2	1,574.78	1/2	1,217.68	1/2	860.26	1/2	506.60	1/2	177.78	1/2		1/2		1/2		1/2		1/2	
3/4	1,567.37	3/4	1,210.13	3/4	852.84	3/4	499.40	3/4	171.58	3/4		3/4		3/4		3/4		3/4	
9	1,559.95	9	1,202.69	9	845.41	9	492.21	9	165.38	9		9		9		9		9	
1/4	1,552.54	1/4	1,195.24	1/4	837.98	1/4	485.01	1/4	159.18	1/4		1/4		1/4		1/4		1/4	
1/2	1,545.09	1/2	1,187.78	1/2	830.55	1/2	477.89	1/2	153.06	1/2		1/2		1/2		1/2		1/2	
3/4	1,537.66	3/4	1,180.33	3/4	823.13	3/4	470.77	3/4	146.95	3/4		3/4		3/4		3/4		3/4	
10	1,530.20	10	1,172.87	10	815.70	10	463.65	10	140.84	10		10		10		10		10	
1/4	1,522.76	1/4	1,165.41	1/4	808.28	1/4	456.53	1/4	134.73	1/4		1/4		1/4		1/4		1/4	
1/2	1,515.30	1/2	1,157.96	1/2	800.85	1/2	449.64	1/2	128.71	1/2		1/2		1/2		1/2		1/2	
3/4	1,507.85	3/4	1,150.50	3/4	793.42	3/4	442.66	3/4	122.70	3/4		3/4		3/4		3/4		3/4	
11	1,500.39	11	1,143.04	11	786.00	11	435.47	11	116.68	11		11		11		11		11	
1/4	1,492.94	1/4	1,135.59	1/4	778.57	1/4	428.38	1/4	110.67	1/4		1/4		1/4		1/4		1/4	
1/2	1,485.48	1/2	1,128.13	1/2	771.15	1/2	421.27	1/2	104.76	1/2		1/2		1/2		1/2		1/2	
3/4	1,478.03	3/4	1,120.67	3/4	763.72	3/4	414.17	3/4	98.84	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/20/2012 CL - SW
CALCULATED: 03/21/2012 CL
PRINTED: 03/21/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 266"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	5,108.37	0	4,750.86	0	4,392.63	0	4,034.20	0	3,675.18	0	3,316.05	0	2,956.92	0	2,597.79	0	2,238.66
1/4		1/4	5,101.01	1/4	4,743.40	1/4	4,385.07	1/4	4,026.74	1/4	3,667.70	1/4	3,308.57	1/4	2,949.44	1/4	2,590.30	1/4	2,231.17
1/2		1/2	5,093.63	1/2	4,735.93	1/2	4,377.60	1/2	4,019.27	1/2	3,660.22	1/2	3,301.09	1/2	2,941.95	1/2	2,582.82	1/2	2,223.69
3/4		3/4	5,086.24	3/4	4,728.47	3/4	4,370.14	3/4	4,011.81	3/4	3,652.73	3/4	3,293.60	3/4	2,934.47	3/4	2,575.34	3/4	2,216.21
1		1	5,078.86	1	4,721.00	1	4,362.67	1	4,004.34	1	3,645.25	1	3,286.12	1	2,926.99	1	2,567.86	1	2,208.73
1/4		1/4	5,071.48	1/4	4,713.54	1/4	4,355.21	1/4	3,996.88	1/4	3,637.77	1/4	3,278.64	1/4	2,919.51	1/4	2,560.38	1/4	2,201.25
1/2		1/2	5,064.10	1/2	4,706.07	1/2	4,347.74	1/2	3,989.40	1/2	3,630.29	1/2	3,271.16	1/2	2,912.03	1/2	2,552.90	1/2	2,193.76
3/4		3/4	5,056.71	3/4	4,698.61	3/4	4,340.28	3/4	3,981.93	3/4	3,622.81	3/4	3,263.68	3/4	2,904.54	3/4	2,545.41	3/4	2,186.28
2		2	5,049.32	2	4,691.14	2	4,332.81	2	3,974.45	2	3,615.32	2	3,255.19	2	2,897.06	2	2,537.93	2	2,178.80
1/4		1/4	5,041.93	1/4	4,683.68	1/4	4,325.35	1/4	3,966.97	1/4	3,607.84	1/4	3,248.71	1/4	2,889.58	1/4	2,530.45	1/4	2,171.32
1/2		1/2	5,034.49	1/2	4,676.21	1/2	4,317.88	1/2	3,959.49	1/2	3,600.36	1/2	3,241.23	1/2	2,882.10	1/2	2,522.97	1/2	2,163.84
3/4		3/4	5,027.04	3/4	4,668.75	3/4	4,310.42	3/4	3,952.01	3/4	3,592.88	3/4	3,233.75	3/4	2,874.62	3/4	2,515.49	3/4	2,156.35
3		3	5,019.59	3	4,661.28	3	4,302.95	3	3,944.53	3	3,585.40	3	3,226.27	3	2,867.13	3	2,508.00	3	2,148.87
1/4		1/4	5,012.15	1/4	4,653.82	1/4	4,295.49	1/4	3,937.05	1/4	3,577.92	1/4	3,218.78	1/4	2,859.65	1/4	2,500.52	1/4	2,141.39
1/2		1/2	5,004.68	1/2	4,646.35	1/2	4,288.02	1/2	3,929.56	1/2	3,570.43	1/2	3,211.30	1/2	2,852.17	1/2	2,493.04	1/2	2,133.91
3/4		3/4	4,997.22	3/4	4,638.89	3/4	4,280.56	3/4	3,922.08	3/4	3,562.95	3/4	3,203.82	3/4	2,844.69	3/4	2,485.56	3/4	2,126.43
4		4	4,989.75	4	4,631.42	4	4,273.09	4	3,914.60	4	3,555.47	4	3,196.34	4	2,837.21	4	2,478.08	4	2,118.95
1/4		1/4	4,982.29	1/4	4,623.96	1/4	4,265.63	1/4	3,907.12	1/4	3,547.99	1/4	3,188.86	1/4	2,829.73	1/4	2,470.59	1/4	2,111.47
1/2		1/2	4,974.82	1/2	4,616.49	1/2	4,258.16	1/2	3,899.64	1/2	3,540.51	1/2	3,181.37	1/2	2,822.24	1/2	2,463.11	1/2	2,103.99
3/4		3/4	4,967.35	3/4	4,609.03	3/4	4,250.70	3/4	3,892.16	3/4	3,533.02	3/4	3,173.89	3/4	2,814.76	3/4	2,455.63	3/4	2,096.52
5		5	4,959.89	5	4,601.56	5	4,243.23	5	3,884.67	5	3,525.54	5	3,166.41	5	2,807.28	5	2,448.15	5	2,089.04
1/4	5,276.78	1/4	4,952.42	1/4	4,594.09	1/4	4,235.77	1/4	3,877.19	1/4	3,518.06	1/4	3,158.93	1/4	2,799.80	1/4	2,440.67	1/4	2,081.56
1/2	5,272.87	1/2	4,944.96	1/2	4,586.63	1/2	4,228.30	1/2	3,869.71	1/2	3,510.58	1/2	3,151.45	1/2	2,792.32	1/2	2,433.18	1/2	2,074.08
3/4	5,268.95	3/4	4,937.49	3/4	4,579.16	3/4	4,220.83	3/4	3,862.23	3/4	3,503.10	3/4	3,143.97	3/4	2,784.83	3/4	2,425.70	3/4	2,066.61
6	5,265.03	6	4,930.03	6	4,571.70	6	4,213.37	6	3,854.75	6	3,495.61	6	3,136.48	6	2,777.35	6	2,418.22	6	2,059.13
1/4	5,261.12	1/4	4,922.56	1/4	4,564.23	1/4	4,205.90	1/4	3,847.26	1/4	3,488.13	1/4	3,129.00	1/4	2,769.87	1/4	2,410.74	1/4	2,051.65
1/2	5,256.13	1/2	4,915.10	1/2	4,556.77	1/2	4,198.44	1/2	3,839.78	1/2	3,480.65	1/2	3,121.52	1/2	2,762.39	1/2	2,403.26	1/2	2,044.17
3/4	5,251.14	3/4	4,907.63	3/4	4,549.30	3/4	4,190.97	3/4	3,832.30	3/4	3,473.17	3/4	3,114.04	3/4	2,754.91	3/4	2,395.78	3/4	2,036.69
7	5,246.16	7	4,900.17	7	4,541.84	7	4,183.51	7	3,824.82	7	3,465.89	7	3,106.56	7	2,747.42	7	2,388.29	7	2,029.21
1/4	5,241.17	1/4	4,892.70	1/4	4,534.37	1/4	4,176.04	1/4	3,817.34	1/4	3,458.20	1/4	3,099.07	1/4	2,739.94	1/4	2,380.81	1/4	2,021.73
1/2	5,235.12	1/2	4,885.24	1/2	4,526.91	1/2	4,168.58	1/2	3,809.85	1/2	3,450.72	1/2	3,091.59	1/2	2,732.46	1/2	2,373.33	1/2	2,014.24
3/4	5,229.06	3/4	4,877.77	3/4	4,519.44	3/4	4,161.11	3/4	3,802.37	3/4	3,443.24	3/4	3,084.11	3/4	2,724.98	3/4	2,365.85	3/4	2,006.76
8	5,223.01	8	4,870.31	8	4,511.98	8	4,153.65	8	3,794.89	8	3,435.76	8	3,076.63	8	2,717.50	8	2,358.37	8	1,999.28
1/4	5,216.95	1/4	4,862.84	1/4	4,504.51	1/4	4,146.18	1/4	3,787.41	1/4	3,428.28	1/4	3,069.15	1/4	2,710.01	1/4	2,350.88	1/4	1,991.80
1/2	5,209.97	1/2	4,855.38	1/2	4,497.05	1/2	4,138.72	1/2	3,779.93	1/2	3,420.80	1/2	3,061.66	1/2	2,702.53	1/2	2,343.40	1/2	1,984.32
3/4	5,202.99	3/4	4,847.91	3/4	4,489.58	3/4	4,131.25	3/4	3,772.44	3/4	3,413.31	3/4	3,054.18	3/4	2,695.05	3/4	2,335.92	3/4	1,976.83
9	5,196.01	9	4,840.45	9	4,482.12	9	4,123.79	9	3,764.96	9	3,405.83	9	3,046.70	9	2,687.57	9	2,328.44	9	1,969.35
1/4	5,189.03	1/4	4,832.98	1/4	4,474.65	1/4	4,116.32	1/4	3,757.48	1/4	3,398.35	1/4	3,039.22	1/4	2,680.09	1/4	2,320.96	1/4	1,961.87
1/2	5,181.74	1/2	4,825.52	1/2	4,467.19	1/2	4,108.86	1/2	3,750.00	1/2	3,390.87	1/2	3,031.74	1/2	2,672.61	1/2	2,313.47	1/2	1,954.39
3/4	5,174.45	3/4	4,818.05	3/4	4,459.72	3/4	4,101.39	3/4	3,742.52	3/4	3,383.39	3/4	3,024.25	3/4	2,665.12	3/4	2,305.99	3/4	1,946.91
10	5,167.16	10	4,810.59	10	4,452.26	10	4,093.93	10	3,735.04	10	3,375.90	10	3,016.77	10	2,657.64	10	2,298.51	10	1,939.42
1/4	5,159.86	1/4	4,803.12	1/4	4,444.79	1/4	4,086.46	1/4	3,727.55	1/4	3,368.42	1/4	3,009.29	1/4	2,650.16	1/4	2,291.03	1/4	1,931.94
1/2	5,152.52	1/2	4,795.66	1/2	4,437.33	1/2	4,079.00	1/2	3,720.07	1/2	3,360.94	1/2	3,001.81	1/2	2,642.68	1/2	2,283.55	1/2	1,924.46
3/4	5,145.17	3/4	4,788.19	3/4	4,429.86	3/4	4,071.53	3/4	3,712.59	3/4	3,353.46	3/4	2,994.33	3/4	2,635.20	3/4	2,276.06	3/4	1,916.98
11	5,137.82	11	4,780.72	11	4,422.40	11	4,064.07	11	3,705.11	11	3,345.98	11	2,986.85	11	2,627.71	11	2,268.58	11	1,909.50
1/4	5,130.48	1/4	4,773.26	1/4	4,414.93	1/4	4,056.60	1/4	3,697.63	1/4	3,338.49	1/4	2,979.36	1/4	2,620.23	1/4	2,261.10	1/4	1,902.01
1/2	5,123.11	1/2	4,765.79	1/2	4,407.46	1/2	4,049.14	1/2	3,690.14	1/2	3,331.01	1/2	2,971.88	1/2	2,612.75	1/2	2,253.62	1/2	1,894.53
3/4	5,115.74	3/4	4,758.33	3/4	4,400.00	3/4	4,041.67	3/4	3,682.66	3/4	3,323.53	3/4	2,964.40	3/4	2,605.27	3/4	2,246.14	3/4	1,887.05

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 46'-08" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE WEB 266⁰⁰

2 POR1 ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	1,879.57	0	1,524.45	0	1,165.29	0	821.11	0	472.86	0	118.54	0		0		0		0	
1/4	1,872.09	1/4	1,516.97	1/4	1,157.81	1/4	814.00	1/4	465.44	1/4	111.31	1/4	1/4	1/4		1/4		1/4	
1/2	1,864.61	1/2	1,509.48	1/2	1,150.32	1/2	806.88	1/2	457.96	1/2	104.11	1/2	1/2	1/2		1/2		1/2	
3/4	1,857.12	3/4	1,502.00	3/4	1,142.84	3/4	799.76	3/4	450.49	3/4	96.91	3/4	3/4	3/4		3/4		3/4	
1	1,849.64	1	1,494.52	1	1,135.36	1	792.64	1	443.02	1	89.71	1	1	1		1		1	
1/4	1,842.16	1/4	1,487.04	1/4	1,127.88	1/4	785.52	1/4	435.54	1/4	82.51	1/4	1/4	1/4		1/4		1/4	
1/2	1,834.68	1/2	1,479.55	1/2	1,120.64	1/2	778.41	1/2	428.07	1/2	75.74	1/2	1/2	1/2		1/2		1/2	
3/4	1,827.20	3/4	1,472.07	3/4	1,113.41	3/4	771.29	3/4	420.60	3/4	68.98	3/4	3/4	3/4		3/4		3/4	
2	1,819.71	2	1,464.59	2	1,106.18	2	764.17	2	413.13	2	62.21	2	2	2		2		2	
1/4	1,812.23	1/4	1,457.11	1/4	1,098.95	1/4	757.05	1/4	405.66	1/4	55.44	1/4	1/4	1/4		1/4		1/4	
1/2	1,804.75	1/2	1,449.63	1/2	1,091.80	1/2	749.92	1/2	398.20	1/2	49.85	1/2	1/2	1/2		1/2		1/2	
3/4	1,797.27	3/4	1,442.14	3/4	1,084.66	3/4	742.80	3/4	390.73	3/4	44.27	3/4	3/4	3/4		3/4		3/4	
3	1,789.79	3	1,434.66	3	1,077.52	3	735.67	3	383.26	3	38.68	3	3	3		3		3	
1/4	1,782.30	1/4	1,427.18	1/4	1,070.38	1/4	728.54	1/4	375.79	1/4	33.10	1/4	1/4	1/4		1/4		1/4	
1/2	1,774.82	1/2	1,419.70	1/2	1,063.25	1/2	721.14	1/2	368.32	1/2	28.98	1/2	1/2	1/2		1/2		1/2	
3/4	1,767.34	3/4	1,412.21	3/4	1,056.12	3/4	713.75	3/4	360.84	3/4	24.87	3/4	3/4	3/4		3/4		3/4	
4	1,759.86	4	1,404.73	4	1,048.99	4	706.35	4	353.37	4	20.75	4	4	4		4		4	
1/4	1,752.38	1/4	1,397.25	1/4	1,041.86	1/4	698.96	1/4	345.90	1/4	16.64	1/4	1/4	1/4		1/4		1/4	
1/2	1,744.90	1/2	1,389.77	1/2	1,034.73	1/2	691.63	1/2	338.43	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	1,737.42	3/4	1,382.28	3/4	1,027.61	3/4	684.30	3/4	330.95	3/4		3/4	3/4	3/4		3/4		3/4	
5	1,730.31	5	1,374.80	5	1,020.48	5	676.98	5	323.48	5		5	5	5		5		5	
1/4	1,722.95	1/4	1,367.32	1/4	1,013.36	1/4	669.65	1/4	316.01	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	1,715.64	1/2	1,359.84	1/2	1,006.24	1/2	662.38	1/2	308.38	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	1,708.32	3/4	1,352.36	3/4	999.11	3/4	655.10	3/4	300.96	3/4		3/4	3/4	3/4		3/4		3/4	
6	1,701.01	6	1,344.87	6	991.99	6	647.83	6	293.53	6		6	6	6		6		6	
1/4	1,693.69	1/4	1,337.39	1/4	984.87	1/4	640.56	1/4	286.11	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	1,686.38	1/2	1,329.91	1/2	977.75	1/2	633.29	1/2	278.71	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	1,679.06	3/4	1,322.42	3/4	970.63	3/4	626.01	3/4	271.32	3/4		3/4	3/4	3/4		3/4		3/4	
7	1,671.75	7	1,314.94	7	963.51	7	618.74	7	263.92	7		7	7	7		7		7	
1/4	1,664.43	1/4	1,307.46	1/4	956.39	1/4	611.47	1/4	256.52	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	1,657.12	1/2	1,299.98	1/2	949.26	1/2	604.20	1/2	249.22	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	1,649.80	3/4	1,292.49	3/4	942.14	3/4	596.93	3/4	241.93	3/4		3/4	3/4	3/4		3/4		3/4	
8	1,642.49	8	1,285.01	8	935.02	8	589.66	8	234.63	8		8	8	8		8		8	
1/4	1,635.17	1/4	1,277.53	1/4	927.90	1/4	582.39	1/4	227.33	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	1,627.86	1/2	1,270.05	1/2	920.78	1/2	575.12	1/2	220.06	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	1,620.54	3/4	1,262.56	3/4	913.66	3/4	567.84	3/4	212.79	3/4		3/4	3/4	3/4		3/4		3/4	
9	1,613.23	9	1,255.08	9	906.54	9	560.57	9	205.53	9		9	9	9		9		9	
1/4	1,605.91	1/4	1,247.60	1/4	899.42	1/4	553.30	1/4	198.26	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	1,598.60	1/2	1,240.12	1/2	892.30	1/2	546.03	1/2	191.00	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	1,591.28	3/4	1,232.63	3/4	885.18	3/4	538.76	3/4	183.74	3/4		3/4	3/4	3/4		3/4		3/4	
10	1,583.97	10	1,225.15	10	878.06	10	531.49	10	176.48	10		10	10	10		10		10	
1/4	1,576.65	1/4	1,217.67	1/4	870.94	1/4	524.22	1/4	169.21	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	1,569.21	1/2	1,210.19	1/2	863.82	1/2	517.09	1/2	161.97	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	1,561.77	3/4	1,202.70	3/4	856.70	3/4	509.77	3/4	154.72	3/4		3/4	3/4	3/4		3/4		3/4	
11	1,554.33	11	1,195.22	11	849.59	11	502.45	11	147.47	11		11	11	11		11		11	
1/4	1,546.89	1/4	1,187.74	1/4	842.47	1/4	495.13	1/4	140.22	1/4		1/4	1/4	1/4		1/4		1/4	
1/2	1,539.41	1/2	1,180.25	1/2	835.35	1/2	487.71	1/2	133.00	1/2		1/2	1/2	1/2		1/2		1/2	
3/4	1,531.93	3/4	1,172.77	3/4	828.23	3/4	480.28	3/4	125.77	3/4		3/4	3/4	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/20/2012 CL - SW
CALCULATED: 03/21/2012 CL
PRINTED: 03/21/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77568
<http://www.pmacorp.net>



BARGE "WEB 266"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 3/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0		0	5,136.84	0	4,779.73	0	4,421.62	0	4,063.50	0	3,704.71	0	3,346.80	0	2,988.89	0	2,627.98	0	2,269.07
1/4		1/4	5,129.47	1/4	4,772.27	1/4	4,414.16	1/4	4,056.04	1/4	3,697.24	1/4	3,338.33	1/4	2,979.42	1/4	2,620.51	1/4	2,261.60
1/2		1/2	5,122.11	1/2	4,764.81	1/2	4,406.70	1/2	4,048.58	1/2	3,689.76	1/2	3,330.85	1/2	2,971.94	1/2	2,613.03	1/2	2,254.12
3/4		3/4	5,114.75	3/4	4,757.35	3/4	4,399.24	3/4	4,041.12	3/4	3,682.28	3/4	3,323.37	3/4	2,964.46	3/4	2,605.55	3/4	2,246.64
1		1	5,107.37	1	4,749.89	1	4,391.78	1	4,033.66	1	3,674.81	1	3,315.90	1	2,956.98	1	2,596.07	1	2,239.16
1/4		1/4	5,099.99	1/4	4,742.43	1/4	4,384.31	1/4	4,026.20	1/4	3,667.33	1/4	3,308.42	1/4	2,949.51	1/4	2,590.60	1/4	2,231.69
1/2		1/2	5,092.62	1/2	4,734.97	1/2	4,376.85	1/2	4,018.74	1/2	3,659.85	1/2	3,300.94	1/2	2,942.03	1/2	2,583.12	1/2	2,224.21
3/4		3/4	5,085.24	3/4	4,727.51	3/4	4,369.39	3/4	4,011.28	3/4	3,652.37	3/4	3,293.46	3/4	2,934.55	3/4	2,575.64	3/4	2,216.73
2		2	5,077.86	2	4,720.05	2	4,361.93	2	4,003.80	2	3,644.90	2	3,285.99	2	2,927.08	2	2,568.17	2	2,209.25
1/4		1/4	5,070.47	1/4	4,712.69	1/4	4,354.47	1/4	3,996.33	1/4	3,637.42	1/4	3,278.51	1/4	2,919.60	1/4	2,560.69	1/4	2,201.78
1/2		1/2	5,063.09	1/2	4,705.12	1/2	4,347.01	1/2	3,988.85	1/2	3,629.94	1/2	3,271.03	1/2	2,912.12	1/2	2,553.21	1/2	2,194.30
3/4		3/4	5,055.70	3/4	4,697.66	3/4	4,339.55	3/4	3,981.37	3/4	3,622.46	3/4	3,263.55	3/4	2,904.64	3/4	2,545.73	3/4	2,186.82
3		3	5,048.26	3	4,690.20	3	4,332.09	3	3,973.90	3	3,614.99	3	3,256.08	3	2,897.17	3	2,538.26	3	2,179.35
1/4		1/4	5,040.82	1/4	4,682.74	1/4	4,324.63	1/4	3,966.42	1/4	3,607.51	1/4	3,248.60	1/4	2,889.69	1/4	2,530.78	1/4	2,171.87
1/2		1/2	5,033.38	1/2	4,675.28	1/2	4,317.17	1/2	3,958.94	1/2	3,600.03	1/2	3,241.12	1/2	2,882.21	1/2	2,523.30	1/2	2,164.39
3/4		3/4	5,025.93	3/4	4,667.82	3/4	4,309.71	3/4	3,951.47	3/4	3,592.56	3/4	3,233.64	3/4	2,874.73	3/4	2,515.82	3/4	2,156.91
4		4	5,018.47	4	4,660.36	4	4,302.25	4	3,943.99	4	3,585.08	4	3,226.17	4	2,867.26	4	2,508.35	4	2,149.44
1/4		1/4	5,011.01	1/4	4,652.90	1/4	4,294.79	1/4	3,936.51	1/4	3,577.60	1/4	3,218.69	1/4	2,859.78	1/4	2,500.87	1/4	2,141.96
1/2		1/2	5,003.55	1/2	4,645.44	1/2	4,287.33	1/2	3,929.03	1/2	3,570.12	1/2	3,211.21	1/2	2,852.30	1/2	2,493.39	1/2	2,134.49
3/4		3/4	4,996.09	3/4	4,637.98	3/4	4,279.86	3/4	3,921.56	3/4	3,562.65	3/4	3,203.74	3/4	2,844.83	3/4	2,485.91	3/4	2,127.01
5		5	4,988.63	5	4,630.52	5	4,272.40	5	3,914.08	5	3,555.17	5	3,196.26	5	2,837.35	5	2,478.44	5	2,119.54
1/4		1/4	4,981.17	1/4	4,623.06	1/4	4,264.94	1/4	3,906.60	1/4	3,547.69	1/4	3,188.78	1/4	2,829.87	1/4	2,470.96	1/4	2,112.07
1/2		1/2	4,973.71	1/2	4,615.60	1/2	4,257.48	1/2	3,899.12	1/2	3,540.21	1/2	3,181.30	1/2	2,822.39	1/2	2,463.48	1/2	2,104.59
3/4	5,290.42	3/4	4,966.25	3/4	4,608.14	3/4	4,250.02	3/4	3,891.65	3/4	3,532.74	3/4	3,173.83	3/4	2,814.92	3/4	2,456.01	3/4	2,097.12
6	5,286.50	6	4,958.79	6	4,600.67	6	4,242.56	6	3,884.17	6	3,525.26	6	3,166.35	6	2,807.44	6	2,448.53	6	2,089.65
1/4	5,282.59	1/4	4,951.33	1/4	4,593.21	1/4	4,235.10	1/4	3,876.69	1/4	3,517.78	1/4	3,158.87	1/4	2,799.96	1/4	2,441.05	1/4	2,082.17
1/2	5,278.68	1/2	4,943.87	1/2	4,585.75	1/2	4,227.64	1/2	3,869.22	1/2	3,510.30	1/2	3,151.39	1/2	2,792.48	1/2	2,433.57	1/2	2,074.70
3/4	5,274.76	3/4	4,936.41	3/4	4,578.29	3/4	4,220.18	3/4	3,861.74	3/4	3,502.83	3/4	3,143.92	3/4	2,785.01	3/4	2,426.10	3/4	2,067.23
7	5,269.78	7	4,928.95	7	4,570.83	7	4,212.72	7	3,854.26	7	3,495.35	7	3,136.44	7	2,777.53	7	2,418.62	7	2,059.75
1/4	5,264.79	1/4	4,921.48	1/4	4,563.37	1/4	4,205.26	1/4	3,846.78	1/4	3,487.87	1/4	3,128.96	1/4	2,770.05	1/4	2,411.14	1/4	2,052.27
1/2	5,259.81	1/2	4,914.02	1/2	4,555.91	1/2	4,197.80	1/2	3,839.31	1/2	3,480.40	1/2	3,121.49	1/2	2,762.57	1/2	2,403.66	1/2	2,044.80
3/4	5,254.83	3/4	4,906.56	3/4	4,548.45	3/4	4,190.34	3/4	3,831.83	3/4	3,472.92	3/4	3,114.01	3/4	2,755.10	3/4	2,396.19	3/4	2,037.32
8	5,248.78	8	4,899.10	8	4,540.99	8	4,182.88	8	3,824.35	8	3,465.44	8	3,106.53	8	2,747.62	8	2,388.71	8	2,029.84
1/4	5,242.72	1/4	4,891.64	1/4	4,533.53	1/4	4,175.41	1/4	3,816.87	1/4	3,457.96	1/4	3,099.05	1/4	2,740.14	1/4	2,381.23	1/4	2,022.36
1/2	5,236.67	1/2	4,884.18	1/2	4,526.07	1/2	4,167.95	1/2	3,809.40	1/2	3,450.49	1/2	3,091.58	1/2	2,732.67	1/2	2,373.76	1/2	2,014.89
3/4	5,230.62	3/4	4,876.72	3/4	4,518.61	3/4	4,160.49	3/4	3,801.92	3/4	3,443.01	3/4	3,084.10	3/4	2,725.19	3/4	2,366.28	3/4	2,007.41
9	5,223.65	9	4,869.26	9	4,511.15	9	4,153.03	9	3,794.44	9	3,435.53	9	3,076.62	9	2,717.71	9	2,358.80	9	1,999.93
1/4	5,216.67	1/4	4,861.80	1/4	4,503.69	1/4	4,145.57	1/4	3,786.96	1/4	3,428.05	1/4	3,069.14	1/4	2,710.23	1/4	2,351.32	1/4	1,992.45
1/2	5,209.70	1/2	4,854.34	1/2	4,496.23	1/2	4,138.11	1/2	3,779.49	1/2	3,420.58	1/2	3,061.67	1/2	2,702.76	1/2	2,343.85	1/2	1,984.98
3/4	5,202.72	3/4	4,846.88	3/4	4,488.76	3/4	4,130.65	3/4	3,772.01	3/4	3,413.10	3/4	3,054.19	3/4	2,695.28	3/4	2,336.37	3/4	1,977.50
10	5,195.43	10	4,839.42	10	4,481.30	10	4,123.19	10	3,764.53	10	3,405.62	10	3,046.71	10	2,687.80	10	2,328.89	10	1,970.02
1/4	5,188.14	1/4	4,831.96	1/4	4,473.84	1/4	4,115.73	1/4	3,757.06	1/4	3,398.15	1/4	3,039.23	1/4	2,680.32	1/4	2,321.41	1/4	1,962.54
1/2	5,180.86	1/2	4,824.50	1/2	4,466.38	1/2	4,108.27	1/2	3,749.58	1/2	3,390.67	1/2	3,031.76	1/2	2,672.85	1/2	2,313.94	1/2	1,955.07
3/4	5,173.57	3/4	4,817.04	3/4	4,458.92	3/4	4,100.81	3/4	3,742.10	3/4	3,383.19	3/4	3,024.28	3/4	2,665.37	3/4	2,306.46	3/4	1,947.59
11	5,166.23	11	4,809.57	11	4,451.46	11	4,093.35	11	3,734.62	11	3,375.71	11	3,016.80	11	2,657.89	11	2,298.98	11	1,940.11
1/4	5,158.88	1/4	4,802.11	1/4	4,444.00	1/4	4,085.89	1/4	3,727.15	1/4	3,368.24	1/4	3,009.33	1/4	2,650.42	1/4	2,291.50	1/4	1,932.64
1/2	5,151.54	1/2	4,794.65	1/2	4,436.54	1/2	4,078.43	1/2	3,719.67	1/2	3,360.76	1/2	3,001.85	1/2	2,642.94	1/2	2,284.03	1/2	1,925.16
3/4	5,144.20	3/4	4,787.19	3/4	4,429.08	3/4	4,070.97	3/4	3,712.19	3/4	3,353.28	3/4	2,994.37	3/4	2,635.46	3/4	2,276.55	3/4	1,917.68

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 45'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE WEB 266"

2 STBD- ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,910.20	0	1,555.24	0	1,198.21	0	840.18	0	487.42	0	132.91	0		0		0		0	
1/4	1,902.73	1/4	1,547.78	1/4	1,190.73	1/4	832.74	1/4	480.00	1/4	125.69	1/4		1/4		1/4		1/4	
1/2	1,895.25	1/2	1,540.32	1/2	1,183.25	1/2	825.29	1/2	472.58	1/2	118.46	1/2		1/2		1/2		1/2	
3/4	1,887.77	3/4	1,532.87	3/4	1,175.77	3/4	817.84	3/4	465.16	3/4	111.24	3/4		3/4		3/4		3/4	
1	1,880.29	1	1,525.39	1	1,168.29	1	810.40	1	457.69	1	104.04	1		1		1		1	
1 1/4	1,872.82	1 1/4	1,517.91	1 1/4	1,160.82	1 1/4	802.95	1 1/4	450.22	1 1/4	96.85	1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,865.34	1 1/2	1,510.43	1 1/2	1,153.34	1 1/2	795.50	1 1/2	442.75	1 1/2	89.66	1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,857.86	3/4	1,502.95	3/4	1,145.86	3/4	788.06	3/4	435.28	3/4	82.46	3/4		3/4		3/4		3/4	
2	1,850.39	2	1,495.48	2	1,138.38	2	780.61	2	427.82	2	75.70	2		2		2		2	
1 1/4	1,842.91	1 1/4	1,488.00	1 1/4	1,130.90	1 1/4	773.16	1 1/4	420.35	1 1/4	68.93	1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,835.43	1 1/2	1,480.52	1 1/2	1,123.43	1 1/2	765.72	1 1/2	412.89	1 1/2	62.17	1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,827.95	3/4	1,473.04	3/4	1,115.95	3/4	758.27	3/4	405.42	3/4	55.41	3/4		3/4		3/4		3/4	
3	1,820.48	3	1,465.57	3	1,108.48	3	750.81	3	397.96	3	49.82	3		3		3		3	
1 1/4	1,813.00	1 1/4	1,458.09	1 1/4	1,101.01	1 1/4	743.35	1 1/4	390.49	1 1/4	44.24	1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,805.52	1 1/2	1,450.61	1 1/2	1,093.54	1 1/2	735.90	1 1/2	383.03	1 1/2	38.66	1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,798.04	3/4	1,443.13	3/4	1,086.07	3/4	728.44	3/4	375.56	3/4	33.08	3/4		3/4		3/4		3/4	
4	1,790.57	4	1,435.65	4	1,078.61	4	720.97	4	368.10	4	28.96	4		4		4		4	
1 1/4	1,783.09	1 1/4	1,428.18	1 1/4	1,071.15	1 1/4	713.49	1 1/4	360.63	1 1/4	24.85	1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,775.61	1 1/2	1,420.70	1 1/2	1,063.69	1 1/2	706.02	1 1/2	353.16	1 1/2	20.74	1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,768.14	3/4	1,413.22	3/4	1,056.23	3/4	698.54	3/4	345.69	3/4	16.63	3/4		3/4		3/4		3/4	
5	1,760.72	5	1,405.79	5	1,048.77	5	691.22	5	338.22	5		5		5		5		5	
1 1/4	1,753.31	1 1/4	1,398.35	1 1/4	1,041.32	1 1/4	683.90	1 1/4	330.75	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,745.89	1 1/2	1,390.92	1 1/2	1,033.87	1 1/2	676.57	1 1/2	323.29	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,738.48	3/4	1,383.48	3/4	1,026.41	3/4	669.25	3/4	315.82	3/4		3/4		3/4		3/4		3/4	
6	1,731.15	6	1,376.11	6	1,018.96	6	661.98	6	308.20	6		6		6		6		6	
1 1/4	1,723.81	1 1/4	1,368.73	1 1/4	1,011.51	1 1/4	654.71	1 1/4	300.78	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,716.48	1 1/2	1,361.35	1 1/2	1,004.06	1 1/2	647.45	1 1/2	293.36	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,709.15	3/4	1,353.98	3/4	996.61	3/4	640.18	3/4	285.94	3/4		3/4		3/4		3/4		3/4	
7	1,701.84	7	1,346.61	7	989.16	7	632.91	7	278.55	7		7		7		7		7	
1 1/4	1,694.53	1 1/4	1,339.25	1 1/4	981.71	1 1/4	625.64	1 1/4	271.15	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,687.22	1 1/2	1,331.89	1 1/2	974.26	1 1/2	618.38	1 1/2	263.76	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,679.91	3/4	1,324.53	3/4	966.81	3/4	611.11	3/4	256.37	3/4		3/4		3/4		3/4		3/4	
8	1,672.60	8	1,317.16	8	959.36	8	603.84	8	249.07	8		8		8		8		8	
1 1/4	1,665.29	1 1/4	1,309.80	1 1/4	951.91	1 1/4	596.58	1 1/4	241.78	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,657.98	1 1/2	1,302.44	1 1/2	944.46	1 1/2	589.31	1 1/2	234.49	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,650.67	3/4	1,295.08	3/4	937.01	3/4	582.04	3/4	227.20	3/4		3/4		3/4		3/4		3/4	
9	1,643.36	9	1,287.67	9	929.56	9	574.77	9	219.93	9		9		9		9		9	
1 1/4	1,636.05	1 1/4	1,280.26	1 1/4	922.11	1 1/4	567.51	1 1/4	212.67	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,628.74	1 1/2	1,272.86	1 1/2	914.66	1 1/2	560.24	1 1/2	205.40	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,621.43	3/4	1,265.45	3/4	907.21	3/4	552.97	3/4	198.14	3/4		3/4		3/4		3/4		3/4	
10	1,614.12	10	1,257.99	10	899.76	10	545.71	10	190.88	10		10		10		10		10	
1 1/4	1,606.81	1 1/4	1,250.52	1 1/4	892.31	1 1/4	538.44	1 1/4	183.63	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,599.49	1 1/2	1,243.06	1 1/2	884.87	1 1/2	531.17	1 1/2	176.37	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,592.18	3/4	1,235.60	3/4	877.42	3/4	523.90	3/4	169.11	3/4		3/4		3/4		3/4		3/4	
11	1,584.81	11	1,228.12	11	869.97	11	516.79	11	161.87	11		11		11		11		11	
1 1/4	1,577.44	1 1/4	1,220.64	1 1/4	862.53	1 1/4	509.47	1 1/4	154.63	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	1,570.07	1 1/2	1,213.16	1 1/2	855.08	1 1/2	502.15	1 1/2	147.38	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	1,562.69	3/4	1,205.68	3/4	847.63	3/4	494.84	3/4	140.14	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/20/2012 CL - SW
CALCULATED: 03/21/2012 CL
PRINTED: 03/21/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 266"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 1/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	4,277.85	0	4,142.36	0	4,006.32	0	3,870.29	0	3,643.68	0	3,288.48	0	2,932.80	0	2,577.23	0	2,221.14
1/4		1/4	4,275.08	1/4	4,139.53	1/4	4,003.49	1/4	3,867.45	1/4	3,636.33	1/4	3,281.07	1/4	2,925.39	1/4	2,569.82	1/4	2,213.74
1/2		1/2	4,272.30	1/2	4,136.69	1/2	4,000.65	1/2	3,864.62	1/2	3,628.96	1/2	3,273.66	1/2	2,917.98	1/2	2,562.41	1/2	2,206.36
3/4		3/4	4,269.52	3/4	4,133.86	3/4	3,997.82	3/4	3,861.78	3/4	3,621.60	3/4	3,266.25	3/4	2,910.57	3/4	2,555.00	3/4	2,198.98
1		1	4,266.74	1	4,131.02	1	3,994.99	1	3,858.95	1	3,614.23	1	3,258.84	1	2,903.17	1	2,547.59	1	2,191.61
1 1/4		1 1/4	4,263.96	1 1/4	4,128.19	1 1/4	3,992.15	1 1/4	3,856.12	1 1/4	3,606.86	1 1/4	3,251.43	1 1/4	2,895.76	1 1/4	2,540.17	1 1/4	2,184.23
1 1/2		1 1/2	4,261.18	1 1/2	4,125.35	1 1/2	3,989.32	1 1/2	3,853.28	1 1/2	3,599.48	1 1/2	3,244.02	1 1/2	2,888.36	1 1/2	2,532.76	1 1/2	2,176.86
3/4		3/4	4,258.40	3/4	4,122.52	3/4	3,986.48	3/4	3,850.44	3/4	3,592.11	3/4	3,236.61	3/4	2,880.95	3/4	2,525.35	3/4	2,169.49
2		2	4,255.62	2	4,119.69	2	3,983.65	2	3,847.60	2	3,584.73	2	3,229.20	2	2,873.54	2	2,517.94	2	2,162.12
2 1/4		2 1/4	4,252.83	2 1/4	4,116.85	2 1/4	3,980.82	2 1/4	3,844.76	2 1/4	3,577.35	2 1/4	3,221.79	2 1/4	2,866.14	2 1/4	2,510.53	2 1/4	2,154.75
2 1/2		2 1/2	4,250.01	2 1/2	4,114.02	2 1/2	3,977.98	2 1/2	3,841.92	2 1/2	3,569.97	2 1/2	3,214.38	2 1/2	2,858.73	2 1/2	2,503.11	2 1/2	2,147.38
3/4		3/4	4,247.19	3/4	4,111.18	3/4	3,975.15	3/4	3,839.08	3/4	3,562.58	3/4	3,206.97	3/4	2,851.33	3/4	2,495.69	3/4	2,140.01
3		3	4,244.37	3	4,108.35	3	3,972.31	3	3,836.24	3	3,555.20	3	3,199.56	3	2,843.92	3	2,488.27	3	2,132.64
3 1/4		3 1/4	4,241.55	3 1/4	4,105.52	3 1/4	3,969.48	3 1/4	3,833.40	3 1/4	3,547.82	3 1/4	3,192.15	3 1/4	2,836.52	3 1/4	2,480.85	3 1/4	2,125.28
3 1/2		3 1/2	4,238.72	3 1/2	4,102.68	3 1/2	3,966.65	3 1/2	3,830.34	3 1/2	3,540.41	3 1/2	3,184.74	3 1/2	2,829.11	3 1/2	2,473.42	3 1/2	2,117.91
3/4		3/4	4,235.88	3/4	4,099.85	3/4	3,963.81	3/4	3,827.28	3/4	3,533.01	3/4	3,177.33	3/4	2,821.70	3/4	2,466.00	3/4	2,110.54
4		4	4,233.05	4	4,097.01	4	3,960.98	4	3,824.22	4	3,525.61	4	3,169.92	4	2,814.30	4	2,458.58	4	2,103.18
4 1/4		4 1/4	4,230.22	4 1/4	4,094.18	4 1/4	3,958.14	4 1/4	3,821.16	4 1/4	3,518.20	4 1/4	3,162.51	4 1/4	2,806.89	4 1/4	2,451.16	4 1/4	2,095.81
4 1/2		4 1/2	4,227.38	4 1/2	4,091.35	4 1/2	3,955.31	4 1/2	3,817.53	4 1/2	3,510.79	4 1/2	3,155.10	4 1/2	2,799.49	4 1/2	2,443.74	4 1/2	2,088.45
3/4		3/4	4,224.55	3/4	4,088.51	3/4	3,952.47	3/4	3,813.91	3/4	3,503.38	3/4	3,147.69	3/4	2,792.08	3/4	2,436.32	3/4	2,081.08
5		5	4,221.71	5	4,085.68	5	3,949.64	5	3,810.28	5	3,495.97	5	3,140.28	5	2,784.68	5	2,428.90	5	2,073.72
5 1/4	4,341.17	1/4	4,218.88	1/4	4,082.84	1/4	3,946.81	1/4	3,806.65	1/4	3,488.55	1/4	3,132.87	1/4	2,777.27	1/4	2,421.48	1/4	2,066.36
5 1/2	4,339.70	1/2	4,216.05	1/2	4,080.01	1/2	3,943.97	1/2	3,802.37	1/2	3,481.14	1/2	3,125.46	1/2	2,769.86	1/2	2,414.06	1/2	2,058.99
3/4	4,338.24	3/4	4,213.21	3/4	4,077.17	3/4	3,941.14	3/4	3,798.08	3/4	3,473.73	3/4	3,118.05	3/4	2,762.46	3/4	2,406.64	3/4	2,051.63
6	4,336.78	6	4,210.38	6	4,074.34	6	3,938.30	6	3,793.80	6	3,466.32	6	3,110.64	6	2,755.05	6	2,399.23	6	2,044.26
6 1/4	4,335.31	1/4	4,207.54	1/4	4,071.51	1/4	3,935.47	1/4	3,789.52	1/4	3,458.91	1/4	3,103.23	1/4	2,747.65	1/4	2,391.81	1/4	2,036.90
6 1/2	4,333.44	1/2	4,204.71	1/2	4,068.67	1/2	3,932.64	1/2	3,784.58	1/2	3,451.50	1/2	3,095.82	1/2	2,740.24	1/2	2,384.39	1/2	2,029.53
3/4	4,331.57	3/4	4,201.88	3/4	4,065.84	3/4	3,929.80	3/4	3,779.64	3/4	3,444.09	3/4	3,088.41	3/4	2,732.84	3/4	2,376.96	3/4	2,022.16
7	4,329.70	7	4,199.04	7	4,063.00	7	3,926.97	7	3,774.70	7	3,436.68	7	3,081.00	7	2,725.43	7	2,369.54	7	2,014.79
7 1/4	4,327.83	1/4	4,196.21	1/4	4,060.17	1/4	3,924.13	1/4	3,769.76	1/4	3,429.27	1/4	3,073.59	1/4	2,718.02	1/4	2,362.12	1/4	2,007.43
7 1/2	4,325.56	1/2	4,193.37	1/2	4,057.34	1/2	3,921.30	1/2	3,764.16	1/2	3,421.86	1/2	3,066.18	1/2	2,710.62	1/2	2,354.70	1/2	2,000.06
3/4	4,323.28	3/4	4,190.54	3/4	4,054.50	3/4	3,918.47	3/4	3,758.56	3/4	3,414.45	3/4	3,058.77	3/4	2,703.21	3/4	2,347.28	3/4	1,992.69
8	4,321.00	8	4,187.70	8	4,051.67	8	3,915.63	8	3,752.97	8	3,407.04	8	3,051.36	8	2,695.81	8	2,339.85	8	1,985.32
8 1/4	4,318.73	1/4	4,184.87	1/4	4,048.83	1/4	3,912.80	1/4	3,747.37	1/4	3,399.63	1/4	3,043.95	1/4	2,688.40	1/4	2,332.43	1/4	1,977.95
8 1/2	4,316.10	1/2	4,182.04	1/2	4,046.00	1/2	3,909.96	1/2	3,741.12	1/2	3,392.22	1/2	3,036.54	1/2	2,680.99	1/2	2,325.01	1/2	1,970.59
3/4	4,313.47	3/4	4,179.20	3/4	4,043.17	3/4	3,907.13	3/4	3,734.87	3/4	3,384.81	3/4	3,029.13	3/4	2,673.58	3/4	2,317.58	3/4	1,963.23
9	4,310.85	9	4,176.37	9	4,040.33	9	3,904.29	9	3,728.62	9	3,377.40	9	3,021.72	9	2,666.17	9	2,310.16	9	1,955.88
9 1/4	4,308.22	1/4	4,173.53	1/4	4,037.50	1/4	3,901.46	1/4	3,722.36	1/4	3,369.99	1/4	3,014.31	1/4	2,658.76	1/4	2,302.74	1/4	1,948.52
9 1/2	4,305.48	1/2	4,170.70	1/2	4,034.66	1/2	3,898.63	1/2	3,715.47	1/2	3,362.58	1/2	3,006.90	1/2	2,651.35	1/2	2,295.32	1/2	1,941.16
3/4	4,302.73	3/4	4,167.87	3/4	4,031.83	3/4	3,895.79	3/4	3,708.58	3/4	3,355.17	3/4	2,999.49	3/4	2,643.94	3/4	2,287.89	3/4	1,933.80
10	4,299.98	10	4,165.03	10	4,029.00	10	3,892.96	10	3,701.68	10	3,347.76	10	2,992.08	10	2,636.52	10	2,280.47	10	1,926.45
10 1/4	4,297.24	1/4	4,162.20	1/4	4,026.16	1/4	3,890.12	1/4	3,694.79	1/4	3,340.35	1/4	2,984.67	1/4	2,629.11	1/4	2,273.05	1/4	1,919.09
10 1/2	4,294.47	1/2	4,159.36	1/2	4,023.33	1/2	3,887.29	1/2	3,687.52	1/2	3,332.94	1/2	2,977.26	1/2	2,621.70	1/2	2,265.62	1/2	1,911.73
3/4	4,291.71	3/4	4,156.53	3/4	4,020.49	3/4	3,884.46	3/4	3,680.26	3/4	3,325.53	3/4	2,969.85	3/4	2,614.29	3/4	2,258.20	3/4	1,904.36
11	4,288.94	11	4,153.70	11	4,017.66	11	3,881.62	11	3,673.00	11	3,318.12	11	2,962.44	11	2,606.88	11	2,250.78	11	1,896.99
11 1/4	4,286.17	1/4	4,150.86	1/4	4,014.82	1/4	3,878.79	1/4	3,666.73	1/4	3,310.71	1/4	2,955.03	1/4	2,599.47	1/4	2,243.35	1/4	1,889.63
11 1/2	4,283.40	1/2	4,148.03	1/2	4,011.99	1/2	3,875.95	1/2	3,658.38	1/2	3,303.30	1/2	2,947.62	1/2	2,592.05	1/2	2,235.95	1/2	1,882.26
3/4	4,280.62	3/4	4,145.19	3/4	4,009.16	3/4	3,873.12	3/4	3,651.03	3/4	3,295.89	3/4	2,940.21	3/4	2,584.64	3/4	2,228.55	3/4	1,874.89

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 68'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2082
 Pearland, Texas 77568
 http://www.pmacorp.net



BARGE WEB 266"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-04 1/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN	IN
0	1,867.52	0	1,515.61	0	1,159.25	0	816.76	0	469.37	0	117.78	0		0		0		0	
1/4	1,860.16	1/4	1,508.19	1/4	1,151.83	1/4	809.64	1/4	462.01	1/4	110.60	1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,852.79	1/2	1,500.77	1/2	1,144.61	1/2	802.53	1/2	454.59	1/2	103.46	1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,845.42	3/4	1,493.34	3/4	1,137.40	3/4	795.42	3/4	447.17	3/4	96.32	3/4	3/4	3/4	3/4		3/4	3/4	
1	1,838.05	1	1,485.92	1	1,130.18	1	788.30	1	439.75	1	89.17	1	1	1	1		1	1	
1/4	1,830.68	1/4	1,478.49	1/4	1,122.97	1/4	781.19	1/4	432.33	1/4	82.03	1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,823.29	1/2	1,471.07	1/2	1,115.82	1/2	774.09	1/2	424.91	1/2	75.30	1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,815.91	3/4	1,463.65	3/4	1,108.68	3/4	766.98	3/4	417.50	3/4	68.58	3/4	3/4	3/4	3/4		3/4	3/4	
2	1,808.52	2	1,456.22	2	1,101.54	2	759.88	2	410.08	2	61.85	2	2	2	2		2	2	
1/4	1,801.13	1/4	1,448.80	1/4	1,094.39	1/4	752.77	1/4	402.67	1/4	55.13	1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,793.74	1/2	1,441.37	1/2	1,087.26	1/2	745.45	1/2	395.25	1/2	49.57	1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,786.30	3/4	1,433.95	3/4	1,080.12	3/4	738.12	3/4	387.84	3/4	44.02	3/4	3/4	3/4	3/4		3/4	3/4	
3	1,778.88	3	1,426.53	3	1,072.98	3	730.80	3	380.42	3	38.47	3	3	3	3		3	3	
1/4	1,771.47	1/4	1,419.10	1/4	1,065.85	1/4	723.47	1/4	373.01	1/4	32.91	1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,764.17	1/2	1,411.68	1/2	1,058.72	1/2	716.05	1/2	365.59	1/2	28.82	1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,756.87	3/4	1,404.25	3/4	1,051.60	3/4	708.63	3/4	358.17	3/4	24.73	3/4	3/4	3/4	3/4		3/4	3/4	
4	1,749.56	4	1,396.83	4	1,044.47	4	701.21	4	350.75	4	20.64	4	4	4	4		4	4	
1/4	1,742.26	1/4	1,389.40	1/4	1,037.34	1/4	693.79	1/4	343.34	1/4	16.54	1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,735.00	1/2	1,381.98	1/2	1,030.22	1/2	686.52	1/2	335.92	1/2		1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,727.75	3/4	1,374.56	3/4	1,023.10	3/4	679.24	3/4	328.50	3/4		3/4	3/4	3/4	3/4		3/4	3/4	
5	1,720.49	5	1,367.13	5	1,015.98	5	671.97	5	321.08	5		5	5	5	5		5	5	
1/4	1,713.23	1/4	1,359.71	1/4	1,008.86	1/4	664.70	1/4	313.66	1/4		1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,705.97	1/2	1,352.28	1/2	1,001.75	1/2	657.48	1/2	306.10	1/2		1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,698.71	3/4	1,344.86	3/4	994.63	3/4	650.26	3/4	298.73	3/4		3/4	3/4	3/4	3/4		3/4	3/4	
6	1,691.46	6	1,337.44	6	987.51	6	643.04	6	291.37	6		6	6	6	6		6	6	
1/4	1,684.20	1/4	1,330.01	1/4	980.40	1/4	635.83	1/4	284.01	1/4		1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,676.93	1/2	1,322.59	1/2	973.28	1/2	628.61	1/2	276.67	1/2		1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,669.67	3/4	1,315.16	3/4	966.16	3/4	621.39	3/4	269.33	3/4		3/4	3/4	3/4	3/4		3/4	3/4	
7	1,662.41	7	1,307.74	7	959.05	7	614.17	7	261.99	7		7	7	7	7		7	7	
1/4	1,655.15	1/4	1,300.31	1/4	951.93	1/4	606.96	1/4	254.65	1/4		1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,647.88	1/2	1,292.89	1/2	944.82	1/2	599.74	1/2	247.41	1/2		1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,640.62	3/4	1,285.47	3/4	937.70	3/4	592.52	3/4	240.17	3/4		3/4	3/4	3/4	3/4		3/4	3/4	
8	1,633.35	8	1,278.04	8	930.58	8	585.30	8	232.94	8		8	8	8	8		8	8	
1/4	1,626.09	1/4	1,270.62	1/4	923.47	1/4	578.09	1/4	225.70	1/4		1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,618.82	1/2	1,263.19	1/2	916.35	1/2	570.87	1/2	218.49	1/2		1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,611.56	3/4	1,255.77	3/4	909.24	3/4	563.65	3/4	211.28	3/4		3/4	3/4	3/4	3/4		3/4	3/4	
9	1,604.30	9	1,248.34	9	902.12	9	556.44	9	204.07	9		9	9	9	9		9	9	
1/4	1,597.03	1/4	1,240.92	1/4	895.00	1/4	549.22	1/4	196.86	1/4		1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,589.66	1/2	1,233.49	1/2	887.89	1/2	542.00	1/2	189.66	1/2		1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,582.28	3/4	1,226.07	3/4	880.78	3/4	534.78	3/4	182.45	3/4		3/4	3/4	3/4	3/4		3/4	3/4	
10	1,574.90	10	1,218.65	10	873.66	10	527.57	10	175.25	10		10	10	10	10		10	10	
1/4	1,567.53	1/4	1,211.22	1/4	866.55	1/4	520.35	1/4	168.05	1/4		1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,560.11	1/2	1,203.80	1/2	859.43	1/2	513.28	1/2	160.86	1/2		1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,552.70	3/4	1,196.37	3/4	852.32	3/4	506.02	3/4	153.67	3/4		3/4	3/4	3/4	3/4		3/4	3/4	
11	1,545.29	11	1,188.95	11	845.21	11	498.75	11	146.48	11		11	11	11	11		11	11	
1/4	1,537.88	1/4	1,181.52	1/4	838.10	1/4	491.48	1/4	139.30	1/4		1/4	1/4	1/4	1/4		1/4	1/4	
1/2	1,530.45	1/2	1,174.10	1/2	830.98	1/2	484.11	1/2	132.12	1/2		1/2	1/2	1/2	1/2		1/2	1/2	
3/4	1,523.03	3/4	1,166.68	3/4	823.87	3/4	476.74	3/4	124.95	3/4		3/4	3/4	3/4	3/4		3/4	3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/20/2012 CL - SW
CALCULATED: 03/21/2012 CL
PRINTED: 03/21/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 266"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0	4,306.27	0	4,169.94	0	4,033.58	0	3,897.21	0	3,678.37	0	3,322.11	0	2,965.60	0	2,609.22	0	2,253.09
1/4		1/4	4,303.43	1/4	4,167.10	1/4	4,030.74	1/4	3,894.37	1/4	3,670.98	1/4	3,314.69	1/4	2,958.18	1/4	2,601.79	1/4	2,245.67
1/2		1/2	4,300.60	1/2	4,164.26	1/2	4,027.89	1/2	3,891.53	1/2	3,663.59	1/2	3,307.26	1/2	2,950.75	1/2	2,594.36	1/2	2,238.25
3/4		3/4	4,297.77	3/4	4,161.42	3/4	4,025.05	3/4	3,888.69	3/4	3,656.20	3/4	3,299.83	3/4	2,943.32	3/4	2,586.93	3/4	2,230.83
1		1	4,294.93	1	4,158.58	1	4,022.21	1	3,885.84	1	3,648.79	1	3,292.40	1	2,935.90	1	2,579.51	1	2,223.41
1/4		1/4	4,292.10	1/4	4,155.74	1/4	4,019.37	1/4	3,883.00	1/4	3,641.38	1/4	3,284.98	1/4	2,928.47	1/4	2,572.09	1/4	2,215.99
1/2		1/2	4,289.26	1/2	4,152.90	1/2	4,016.53	1/2	3,880.16	1/2	3,633.98	1/2	3,277.55	1/2	2,921.05	1/2	2,564.66	1/2	2,208.57
3/4		3/4	4,286.42	3/4	4,150.06	3/4	4,013.69	3/4	3,877.32	3/4	3,626.57	3/4	3,270.12	3/4	2,913.62	3/4	2,557.24	3/4	2,201.14
2		2	4,283.58	2	4,147.22	2	4,010.85	2	3,874.48	2	3,619.15	2	3,262.69	2	2,906.20	2	2,549.82	2	2,193.72
1/4		1/4	4,280.74	1/4	4,144.38	1/4	4,008.01	1/4	3,871.64	1/4	3,611.74	1/4	3,255.27	1/4	2,898.78	1/4	2,542.39	1/4	2,186.30
1/2		1/2	4,277.90	1/2	4,141.53	1/2	4,005.17	1/2	3,868.80	1/2	3,604.32	1/2	3,247.84	1/2	2,891.36	1/2	2,534.97	1/2	2,178.88
3/4		3/4	4,275.06	3/4	4,138.69	3/4	4,002.33	3/4	3,865.96	3/4	3,596.90	3/4	3,240.41	3/4	2,883.93	3/4	2,527.55	3/4	2,171.45
3		3	4,272.22	3	4,135.85	3	3,999.48	3	3,863.12	3	3,589.48	3	3,232.99	3	2,876.51	3	2,520.13	3	2,164.06
1/4		1/4	4,269.38	1/4	4,133.01	1/4	3,996.64	1/4	3,860.28	1/4	3,582.06	1/4	3,225.56	1/4	2,869.09	1/4	2,512.70	1/4	2,156.67
1/2		1/2	4,266.54	1/2	4,130.17	1/2	3,993.80	1/2	3,857.43	1/2	3,574.63	1/2	3,218.13	1/2	2,861.67	1/2	2,505.28	1/2	2,149.28
3/4		3/4	4,263.70	3/4	4,127.33	3/4	3,990.96	3/4	3,854.59	3/4	3,567.21	3/4	3,210.70	3/4	2,854.24	3/4	2,497.86	3/4	2,141.89
4		4	4,260.86	4	4,124.49	4	3,988.12	4	3,851.75	4	3,559.78	4	3,203.28	4	2,846.82	4	2,490.43	4	2,134.51
1/4		1/4	4,258.02	1/4	4,121.65	1/4	3,985.28	1/4	3,848.42	1/4	3,552.36	1/4	3,195.85	1/4	2,839.40	1/4	2,483.01	1/4	2,127.14
1/2		1/2	4,255.17	1/2	4,118.81	1/2	3,982.44	1/2	3,845.53	1/2	3,544.93	1/2	3,188.42	1/2	2,831.97	1/2	2,475.59	1/2	2,119.76
3/4		3/4	4,252.33	3/4	4,115.97	3/4	3,979.60	3/4	3,842.24	3/4	3,537.50	3/4	3,180.99	3/4	2,824.55	3/4	2,468.17	3/4	2,112.38
5		5	4,249.49	5	4,113.12	5	3,976.76	5	3,838.58	5	3,530.07	5	3,173.57	5	2,817.13	5	2,460.75	5	2,105.00
1/4		1/4	4,246.65	1/4	4,110.28	1/4	3,973.92	1/4	3,834.92	1/4	3,522.65	1/4	3,166.14	1/4	2,809.71	1/4	2,453.32	1/4	2,097.63
1/2		1/2	4,243.81	1/2	4,107.44	1/2	3,971.07	1/2	3,831.26	1/2	3,515.22	1/2	3,158.71	1/2	2,802.28	1/2	2,445.90	1/2	2,090.25
3/4	4,366.47	3/4	4,240.97	3/4	4,104.60	3/4	3,968.23	3/4	3,827.59	3/4	3,507.80	3/4	3,151.28	3/4	2,794.86	3/4	2,438.48	3/4	2,082.88
6	4,363.95	6	4,238.13	6	4,101.76	6	3,965.39	6	3,823.27	6	3,500.37	6	3,143.86	6	2,787.44	6	2,431.07	6	2,075.60
1/4	4,362.43	1/4	4,235.29	1/4	4,098.92	1/4	3,962.55	1/4	3,818.95	1/4	3,492.94	1/4	3,136.43	1/4	2,780.02	1/4	2,423.65	1/4	2,068.13
1/2	4,360.91	1/2	4,232.45	1/2	4,096.08	1/2	3,959.71	1/2	3,814.63	1/2	3,485.51	1/2	3,129.00	1/2	2,772.59	1/2	2,416.23	1/2	2,060.75
3/4	4,359.39	3/4	4,229.61	3/4	4,093.24	3/4	3,956.87	3/4	3,810.31	3/4	3,478.09	3/4	3,121.58	3/4	2,765.17	3/4	2,408.81	3/4	2,053.37
7	4,357.46	7	4,226.76	7	4,090.40	7	3,954.03	7	3,805.34	7	3,470.66	7	3,114.15	7	2,757.75	7	2,401.39	7	2,045.99
1/4	4,355.53	1/4	4,223.92	1/4	4,087.56	1/4	3,951.19	1/4	3,800.36	1/4	3,463.23	1/4	3,106.72	1/4	2,750.32	1/4	2,393.97	1/4	2,038.61
1/2	4,353.61	1/2	4,221.08	1/2	4,084.71	1/2	3,948.35	1/2	3,795.38	1/2	3,455.80	1/2	3,099.29	1/2	2,742.90	1/2	2,386.55	1/2	2,031.23
3/4	4,351.68	3/4	4,218.24	3/4	4,081.87	3/4	3,945.51	3/4	3,790.41	3/4	3,448.38	3/4	3,091.87	3/4	2,735.48	3/4	2,379.13	3/4	2,023.85
8	4,349.35	8	4,215.40	8	4,079.03	8	3,942.66	8	3,784.77	8	3,440.95	8	3,084.44	8	2,728.06	8	2,371.71	8	2,016.47
1/4	4,347.01	1/4	4,212.56	1/4	4,076.19	1/4	3,939.82	1/4	3,779.14	1/4	3,433.52	1/4	3,077.01	1/4	2,720.63	1/4	2,364.29	1/4	2,009.09
1/2	4,344.68	1/2	4,209.72	1/2	4,073.35	1/2	3,936.98	1/2	3,773.50	1/2	3,426.10	1/2	3,069.58	1/2	2,713.21	1/2	2,356.87	1/2	2,001.71
3/4	4,342.35	3/4	4,206.88	3/4	4,070.51	3/4	3,934.14	3/4	3,767.87	3/4	3,418.67	3/4	3,062.16	3/4	2,705.79	3/4	2,349.45	3/4	1,994.33
9	4,339.66	9	4,204.04	9	4,067.67	9	3,931.30	9	3,761.58	9	3,411.24	9	3,054.73	9	2,698.36	9	2,342.03	9	1,986.95
1/4	4,336.98	1/4	4,201.20	1/4	4,064.83	1/4	3,928.46	1/4	3,755.29	1/4	3,403.81	1/4	3,047.30	1/4	2,690.93	1/4	2,334.62	1/4	1,979.57
1/2	4,334.29	1/2	4,198.35	1/2	4,061.99	1/2	3,925.62	1/2	3,749.00	1/2	3,396.39	1/2	3,039.88	1/2	2,683.51	1/2	2,327.21	1/2	1,972.19
3/4	4,331.61	3/4	4,195.51	3/4	4,059.15	3/4	3,922.78	3/4	3,742.70	3/4	3,388.96	3/4	3,032.45	3/4	2,676.08	3/4	2,319.79	3/4	1,964.81
10	4,328.81	10	4,192.67	10	4,056.30	10	3,919.94	10	3,735.77	10	3,381.53	10	3,025.02	10	2,668.65	10	2,312.38	10	1,957.43
1/4	4,326.00	1/4	4,189.83	1/4	4,053.46	1/4	3,917.10	1/4	3,728.84	1/4	3,374.10	1/4	3,017.59	1/4	2,661.22	1/4	2,304.98	1/4	1,950.05
1/2	4,323.20	1/2	4,186.99	1/2	4,050.62	1/2	3,914.25	1/2	3,721.90	1/2	3,366.68	1/2	3,010.17	1/2	2,653.79	1/2	2,297.57	1/2	1,942.67
3/4	4,320.39	3/4	4,184.15	3/4	4,047.78	3/4	3,911.41	3/4	3,714.97	3/4	3,359.25	3/4	3,002.74	3/4	2,646.36	3/4	2,290.16	3/4	1,935.29
11	4,317.57	11	4,181.31	11	4,044.94	11	3,908.57	11	3,707.67	11	3,351.82	11	2,995.31	11	2,638.94	11	2,282.75	11	1,927.92
1/4	4,314.75	1/4	4,178.47	1/4	4,042.10	1/4	3,905.73	1/4	3,700.36	1/4	3,344.39	1/4	2,987.88	1/4	2,631.51	1/4	2,275.33	1/4	1,920.54
1/2	4,311.92	1/2	4,175.63	1/2	4,039.26	1/2	3,902.89	1/2	3,693.06	1/2	3,336.97	1/2	2,980.46	1/2	2,624.08	1/2	2,267.92	1/2	1,913.16
3/4	4,309.10	3/4	4,172.79	3/4	4,036.42	3/4	3,900.05	3/4	3,685.76	3/4	3,329.54	3/4	2,973.03	3/4	2,616.65	3/4	2,260.51	3/4	1,905.78

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN AT 10" DIAMETER HATCH.
 GAUGE POINT: (10" HATCH) LOCATED 10'-08" OFF CENTERLINE AND 58'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE WEB 266"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-04 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,898.40	0	1,546.71	0	1,190.51	0	834.74	0	484.29	0	132.17	0		0		0		0	
1/4	1,891.02	1/4	1,539.28	1/4	1,183.08	1/4	827.34	1/4	476.92	1/4	125.00	1/4		1/4		1/4		1/4	
1/2	1,883.64	1/2	1,531.85	1/2	1,175.65	1/2	819.94	1/2	469.55	1/2	117.82	1/2		1/2		1/2		1/2	
3/4	1,876.26	3/4	1,524.42	3/4	1,168.22	3/4	812.54	3/4	462.18	3/4	110.65	3/4		3/4		3/4		3/4	
1	1,868.88	1	1,516.99	1	1,160.78	1	805.14	1	454.76	1	103.50	1		1		1		1	
1/4	1,861.50	1/4	1,509.56	1/4	1,153.35	1/4	797.74	1/4	447.33	1/4	96.36	1/4		1/4		1/4		1/4	
1/2	1,854.12	1/2	1,502.13	1/2	1,145.92	1/2	790.34	1/2	439.91	1/2	89.21	1/2		1/2		1/2		1/2	
3/4	1,846.74	3/4	1,494.70	3/4	1,138.49	3/4	782.94	3/4	432.49	3/4	82.06	3/4		3/4		3/4		3/4	
2	1,839.36	2	1,487.27	2	1,131.06	2	775.54	2	425.07	2	75.34	2		2		2		2	
1/4	1,831.98	1/4	1,479.84	1/4	1,123.63	1/4	768.14	1/4	417.65	1/4	68.61	1/4		1/4		1/4		1/4	
1/2	1,824.60	1/2	1,472.41	1/2	1,116.20	1/2	760.74	1/2	410.23	1/2	61.88	1/2		1/2		1/2		1/2	
3/4	1,817.22	3/4	1,464.97	3/4	1,108.77	3/4	753.34	3/4	402.81	3/4	55.15	3/4		3/4		3/4		3/4	
3	1,809.84	3	1,457.54	3	1,101.34	3	745.94	3	395.40	3	49.59	3		3		3		3	
1/4	1,802.46	1/4	1,450.11	1/4	1,093.92	1/4	738.53	1/4	387.98	1/4	44.04	1/4		1/4		1/4		1/4	
1/2	1,795.08	1/2	1,442.68	1/2	1,086.50	1/2	731.13	1/2	380.56	1/2	38.48	1/2		1/2		1/2		1/2	
3/4	1,787.70	3/4	1,435.25	3/4	1,079.07	3/4	723.73	3/4	373.14	3/4	32.93	3/4		3/4		3/4		3/4	
4	1,780.32	4	1,427.82	4	1,071.66	4	716.31	4	365.72	4	28.83	4		4		4		4	
1/4	1,772.94	1/4	1,420.39	1/4	1,064.25	1/4	708.89	1/4	358.30	1/4	24.74	1/4		1/4		1/4		1/4	
1/2	1,765.56	1/2	1,412.96	1/2	1,056.84	1/2	701.47	1/2	350.88	1/2	20.65	1/2		1/2		1/2		1/2	
3/4	1,758.18	3/4	1,405.53	3/4	1,049.42	3/4	694.06	3/4	343.46	3/4	16.65	3/4		3/4		3/4		3/4	
5	1,750.80	5	1,398.12	5	1,042.02	5	686.78	5	336.04	5		5		5		5		5	
1/4	1,743.42	1/4	1,390.71	1/4	1,034.61	1/4	679.51	1/4	328.62	1/4		1/4		1/4		1/4		1/4	
1/2	1,736.04	1/2	1,383.31	1/2	1,027.20	1/2	672.23	1/2	321.20	1/2		1/2		1/2		1/2		1/2	
3/4	1,728.66	3/4	1,375.90	3/4	1,019.79	3/4	664.86	3/4	313.78	3/4		3/4		3/4		3/4		3/4	
6	1,721.28	6	1,368.50	6	1,012.39	6	657.44	6	306.21	6		6		6		6		6	
1/4	1,714.47	1/4	1,361.10	1/4	1,004.99	1/4	650.52	1/4	298.84	1/4		1/4		1/4		1/4		1/4	
1/2	1,707.20	1/2	1,353.70	1/2	997.58	1/2	643.30	1/2	291.47	1/2		1/2		1/2		1/2		1/2	
3/4	1,699.94	3/4	1,346.29	3/4	990.18	3/4	636.08	3/4	284.10	3/4		3/4		3/4		3/4		3/4	
7	1,692.67	7	1,338.89	7	982.78	7	628.85	7	276.76	7		7		7		7		7	
1/4	1,685.41	1/4	1,331.49	1/4	975.37	1/4	621.63	1/4	269.42	1/4		1/4		1/4		1/4		1/4	
1/2	1,678.14	1/2	1,324.09	1/2	967.97	1/2	614.41	1/2	262.07	1/2		1/2		1/2		1/2		1/2	
3/4	1,670.88	3/4	1,316.69	3/4	960.57	3/4	607.19	3/4	254.73	3/4		3/4		3/4		3/4		3/4	
8	1,663.61	8	1,309.29	8	953.16	8	599.97	8	247.49	8		8		8		8		8	
1/4	1,656.35	1/4	1,301.89	1/4	945.76	1/4	592.75	1/4	240.25	1/4		1/4		1/4		1/4		1/4	
1/2	1,649.08	1/2	1,294.49	1/2	938.36	1/2	585.53	1/2	233.01	1/2		1/2		1/2		1/2		1/2	
3/4	1,641.82	3/4	1,287.08	3/4	930.96	3/4	578.31	3/4	225.77	3/4		3/4		3/4		3/4		3/4	
9	1,634.55	9	1,279.66	9	923.55	9	571.09	9	218.56	9		9		9		9		9	
1/4	1,627.29	1/4	1,272.24	1/4	916.15	1/4	563.87	1/4	211.35	1/4		1/4		1/4		1/4		1/4	
1/2	1,620.02	1/2	1,264.81	1/2	908.75	1/2	556.65	1/2	204.14	1/2		1/2		1/2		1/2		1/2	
3/4	1,612.76	3/4	1,257.39	3/4	901.34	3/4	549.43	3/4	196.92	3/4		3/4		3/4		3/4		3/4	
10	1,605.49	10	1,249.96	10	893.94	10	542.21	10	189.72	10		10		10		10		10	
1/4	1,598.22	1/4	1,242.53	1/4	886.54	1/4	534.99	1/4	182.52	1/4		1/4		1/4		1/4		1/4	
1/2	1,590.96	1/2	1,235.10	1/2	879.14	1/2	527.77	1/2	175.31	1/2		1/2		1/2		1/2		1/2	
3/4	1,583.69	3/4	1,227.66	3/4	871.74	3/4	520.55	3/4	168.11	3/4		3/4		3/4		3/4		3/4	
11	1,576.31	11	1,220.23	11	864.34	11	513.48	11	160.92	11		11		11		11		11	
1/4	1,568.92	1/4	1,212.80	1/4	856.94	1/4	506.21	1/4	153.73	1/4		1/4		1/4		1/4		1/4	
1/2	1,561.53	1/2	1,205.37	1/2	849.54	1/2	498.94	1/2	146.54	1/2		1/2		1/2		1/2		1/2	
3/4	1,554.14	3/4	1,197.94	3/4	842.14	3/4	491.67	3/4	139.35	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 03/20/2012 CL - SW
CALCULATED: 03/21/2012 CL
PRINTED: 03/21/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 03/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>