



# BARGE "WEB 307B"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4
1 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4
2 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
2 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
3 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-3/4	00-3/4	- 00-7/8	00-7/8
3 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-3/4	00-3/4	- 00-7/8	00-7/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS 00-1/4"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 1/4"

LENGTH BETWEEN DRAFT MARKS: 282'-06"

August 4, 2015

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>



# BARGE "WEB 307B"

## 1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-07 3/4"

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	0	0	5,114.01	4,739.81	4,364.28	3,988.73	3,613.20	3,237.65	2,862.10
1/4	1/4	1/4	1/4	5,106.30	4,731.99	4,356.45	3,980.91	3,605.37	3,229.83	2,854.28
1/2	1/2	1/2	1/2	5,098.59	4,724.17	4,348.63	3,973.08	3,597.55	3,222.01	2,846.46
3/4	3/4	3/4	3/4	5,090.87	4,716.35	4,340.80	3,965.26	3,589.73	3,214.18	2,838.64
1	1	1	1	5,083.15	4,708.53	4,332.98	3,957.43	3,581.90	3,206.35	2,830.81
1/4	1/4	1/4	1/4	5,075.42	4,700.71	4,325.16	3,949.61	3,574.07	3,198.53	2,822.99
1/2	1/2	1/2	1/2	5,067.70	4,692.89	4,317.34	3,941.79	3,566.25	3,190.70	2,815.17
3/4	3/4	3/4	3/4	5,059.94	4,685.06	4,309.51	3,933.97	3,558.42	3,182.87	2,807.35
2	2	2	2	5,052.15	4,677.23	4,301.69	3,926.15	3,550.60	3,175.05	2,799.52
1/4	1/4	1/4	1/4	5,044.37	4,669.41	4,293.86	3,918.33	3,542.78	3,167.23	2,791.69
1/2	1/2	1/2	1/2	5,036.58	4,661.58	4,286.03	3,910.51	3,534.96	3,159.41	2,783.87
3/4	3/4	3/4	3/4	5,028.79	4,653.76	4,278.21	3,902.68	3,527.13	3,151.59	2,776.04
3	3	3	3	5,020.99	4,645.93	4,270.39	3,894.85	3,519.31	3,143.77	2,768.22
1/4	1/4	1/4	1/4	5,013.20	4,638.11	4,262.56	3,887.03	3,511.48	3,135.95	2,760.40
1/2	1/2	1/2	1/2	5,005.40	4,630.29	4,254.74	3,879.20	3,503.65	3,128.12	2,752.58
3/4	3/4	3/4	3/4	5,299.69	4,997.60	4,622.47	3,871.37	3,495.83	3,120.30	2,744.75
4	4	4	4	4,989.79	4,614.64	4,239.10	3,863.55	3,488.01	3,112.47	2,736.93
1/4	1/4	1/4	1/4	5,296.25	4,981.99	4,606.81	4,231.28	3,855.73	3,480.18	2,729.10
1/2	1/2	1/2	1/2	5,294.53	4,974.19	4,598.98	4,223.46	3,847.91	3,472.36	2,721.27
3/4	3/4	3/4	3/4	5,292.24	4,966.38	4,591.16	4,215.63	3,840.09	3,464.54	2,713.45
5	5	5	5	4,958.58	4,583.34	4,207.81	3,832.26	3,456.72	3,081.17	2,705.62
1/4	1/4	1/4	1/4	5,286.52	4,950.78	4,575.52	4,199.98	3,824.43	3,448.90	2,697.80
1/2	1/2	1/2	1/2	5,283.67	4,942.97	4,567.70	4,192.15	3,816.60	3,441.08	2,689.98
3/4	3/4	3/4	3/4	5,280.16	4,935.17	4,559.87	4,184.33	3,808.78	3,433.25	2,682.16
6	6	6	6	4,927.37	4,552.05	4,176.51	3,800.96	3,425.43	3,049.88	2,674.34
1/4	1/4	1/4	1/4	5,271.87	4,919.56	4,544.23	4,168.68	3,793.14	3,417.60	2,666.52
1/2	1/2	1/2	1/2	5,267.72	4,911.76	4,536.41	4,160.86	3,785.31	3,409.77	2,658.70
3/4	3/4	3/4	3/4	5,262.92	4,903.96	4,528.59	4,153.04	3,777.49	3,401.95	2,650.87
7	7	7	7	4,896.16	4,520.76	4,145.21	3,769.67	3,394.12	3,018.58	2,643.04
1/4	1/4	1/4	1/4	5,252.03	4,888.36	4,512.93	4,137.38	3,761.85	3,386.30	2,635.22
1/2	1/2	1/2	1/2	5,246.58	4,880.56	4,505.10	4,129.56	3,754.03	3,378.48	2,627.39
3/4	3/4	3/4	3/4	5,240.48	4,872.76	4,497.29	4,121.73	3,746.20	3,370.66	2,619.56
8	8	8	8	4,864.96	4,489.48	4,113.91	3,738.38	3,362.83	2,987.29	2,611.74
1/4	1/4	1/4	1/4	5,227.00	4,857.16	4,481.67	4,106.09	3,730.55	3,355.00	2,979.47
1/2	1/2	1/2	1/2	5,220.25	4,849.35	4,473.86	4,098.27	3,722.72	3,347.18	2,971.65
3/4	3/4	3/4	3/4	5,213.14	4,841.54	4,466.03	4,090.45	3,714.90	3,339.35	2,963.82
9	9	9	9	4,833.72	4,458.19	4,082.62	3,707.08	3,331.53	2,956.00	2,580.45
1/4	1/4	1/4	1/4	5,198.19	4,825.90	4,450.35	4,074.80	3,699.26	3,323.71	2,948.17
1/2	1/2	1/2	1/2	5,190.71	4,818.08	4,442.51	4,066.98	3,691.43	3,315.89	2,940.34
3/4	3/4	3/4	3/4	5,183.15	4,810.25	4,434.68	4,059.16	3,683.61	3,308.06	2,932.52
10	10	10	10	4,802.43	4,426.86	4,051.33	3,675.78	3,300.24	2,924.70	2,549.15
1/4	1/4	1/4	1/4	5,167.84	4,794.60	4,419.04	4,043.50	3,667.95	3,292.42	2,916.87
1/2	1/2	1/2	1/2	5,160.18	4,786.77	4,411.22	4,035.68	3,660.13	3,284.60	2,909.05
3/4	3/4	3/4	3/4	5,152.51	4,778.94	4,403.40	4,027.85	3,652.30	3,276.78	2,901.23
11	11	11	11	4,771.12	4,395.58	4,020.03	3,644.48	3,268.95	2,893.40	2,517.86
1/4	1/4	1/4	1/4	5,137.12	4,763.29	4,387.76	4,012.21	3,636.66	3,261.12	2,885.57
1/2	1/2	1/2	1/2	5,129.42	4,755.46	4,379.93	4,004.39	3,628.84	3,253.29	2,877.75
3/4	3/4	3/4	3/4	5,121.72	4,747.64	4,372.11	3,996.56	3,621.02	3,245.47	2,869.92

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 10'-00" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 307B"

## 1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-07 3/4"

	10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.
0	2,486.57	0	2,111.02	0	1,735.48	0	1,359.93	0	984.39	0	608.93	0	235.77	0	0	0			
1/4	2,478.74	1/4	2,103.19	1/4	1,727.66	1/4	1,352.11	1/4	976.56	1/4	601.15	1/4	227.95 <sup>1/4</sup>			1/4			
1/2	2,470.91	1/2	2,095.37	1/2	1,719.84	1/2	1,344.29	1/2	968.74	1/2	593.37	1/2	220.12 <sup>1/2</sup>			1/2			
3/4	2,463.09	3/4	2,087.54	3/4	1,712.01	3/4	1,336.47	3/4	960.92	3/4	585.59	3/4	212.31 <sup>3/4</sup>			3/4			
1	2,455.27	1	2,079.72	1	1,704.19	1	1,328.64	1	953.10	1	577.83	1	204.49	1		1			
1/4	2,447.45	1/4	2,071.90	1/4	1,696.36	1/4	1,320.81	1/4	945.28	1/4	570.07	1/4	196.68 <sup>1/4</sup>			1/4			
1/2	2,439.62	1/2	2,064.08	1/2	1,688.53	1/2	1,312.98	1/2	937.46	1/2	562.31	1/2	188.86 <sup>1/2</sup>			1/2			
3/4	2,431.80	3/4	2,056.26	3/4	1,680.71	3/4	1,305.16	3/4	929.63	3/4	554.55	3/4	181.08 <sup>3/4</sup>			3/4			
2	2,423.97	2	2,048.43	2	1,672.89	2	1,297.34	2	921.81	2	546.79	2	173.33	2		2			
1/4	2,416.15	1/4	2,040.61	1/4	1,665.06	1/4	1,289.52	1/4	913.98	1/4	539.02	1/4	165.58 <sup>1/4</sup>			1/4			
1/2	2,408.32	1/2	2,032.79	1/2	1,657.24	1/2	1,281.70	1/2	906.15	1/2	531.26	1/2	157.83 <sup>1/2</sup>			1/2			
3/4	2,400.49	3/4	2,024.97	3/4	1,649.42	3/4	1,273.87	3/4	898.33	3/4	523.50	3/4	150.10 <sup>3/4</sup>			3/4			
3	2,392.67	3	2,017.14	3	1,641.59	3	1,266.05	3	890.51	3	515.74	3	142.39	3		3			
1/4	2,384.85	1/4	2,009.31	1/4	1,633.76	1/4	1,258.23	1/4	882.68	1/4	507.98	1/4	134.68 <sup>1/4</sup>			1/4			
1/2	2,377.03	1/2	2,001.48	1/2	1,625.94	1/2	1,250.41	1/2	874.86	1/2	500.21	1/2	126.97 <sup>1/2</sup>			1/2			
3/4	2,369.21	3/4	1,993.66	3/4	1,618.11	3/4	1,242.59	3/4	867.04	3/4	492.45	3/4	119.27 <sup>3/4</sup>			3/4			
4	2,361.39	4	1,985.84	4	1,610.29	4	1,234.76	4	859.21	4	484.68	4	111.57	4		4			
1/4	2,353.56	1/4	1,978.02	1/4	1,602.47	1/4	1,226.93	1/4	851.38	1/4	476.91	1/4	103.88 <sup>1/4</sup>			1/4			
1/2	2,345.74	1/2	1,970.20	1/2	1,594.65	1/2	1,219.10	1/2	843.56	1/2	469.15	1/2	96.18	1/2		1/2			
3/4	2,337.92	3/4	1,962.37	3/4	1,586.83	3/4	1,211.28	3/4	835.73	3/4	461.38	3/4	88.50	3/4		3/4			
6	2,330.09	5	1,954.54	5	1,579.01	5	1,203.46	5	827.91	5	453.62	5	80.84	5		5			
1/4	2,322.26	1/4	1,946.72	1/4	1,571.18	1/4	1,195.64	1/4	820.09	1/4	445.86	1/4	73.18	1/4		1/4			
1/2	2,314.44	1/2	1,938.89	1/2	1,563.36	1/2	1,187.81	1/2	812.27	1/2	438.09	1/2	65.52	1/2		1/2			
3/4	2,306.61	3/4	1,931.06	3/4	1,555.54	3/4	1,179.99	3/4	804.45	3/4	430.33	3/4	58.01	3/4		3/4			
6	2,298.79	6	1,923.24	6	1,547.71	6	1,172.16	6	796.62	6	422.57	6	50.65	6		6			
1/4	2,290.97	1/4	1,915.42	1/4	1,539.88	1/4	1,164.34	1/4	788.80	1/4	414.81	1/4	43.28	1/4		1/4			
1/2	2,283.15	1/2	1,907.60	1/2	1,532.06	1/2	1,156.51	1/2	780.98	1/2	407.05	1/2	35.92	1/2		1/2			
3/4	2,275.32	3/4	1,899.78	3/4	1,524.23	3/4	1,148.68	3/4	773.16	3/4	399.29	3/4	29.64	3/4		3/4			
7	2,267.50	7	1,891.96	7	1,516.41	7	1,140.86	7	765.33	7	391.52	7	24.44	7		7			
1/4	2,259.67	1/4	1,884.14	1/4	1,508.59	1/4	1,133.04	1/4	757.50	1/4	383.76	1/4	19.23	1/4		1/4			
1/2	2,251.84	1/2	1,876.31	1/2	1,500.77	1/2	1,125.22	1/2	749.68	1/2	376.00	1/2	14.03	1/2		1/2			
3/4	2,244.02	3/4	1,868.49	3/4	1,492.94	3/4	1,117.40	3/4	741.85	3/4	368.24	3/4	8.83	3/4		3/4			
8	2,236.20	8	1,860.66	8	1,485.12	8	1,109.58	8	734.03	8	360.48	8		8		8			
1/4	2,228.37	1/4	1,852.84	1/4	1,477.29	1/4	1,101.76	1/4	726.21	1/4	352.71	1/4		1/4		1/4			
1/2	2,220.55	1/2	1,845.01	1/2	1,469.46	1/2	1,093.93	1/2	718.39	1/2	344.95	1/2		1/2		1/2			
3/4	2,212.73	3/4	1,837.18	3/4	1,461.64	3/4	1,086.11	3/4	710.56	3/4	337.19	3/4		3/4		3/4			
9	2,204.91	9	1,829.36	9	1,453.81	9	1,078.28	9	702.73	9	329.43	9		9		9			
1/4	2,197.09	1/4	1,821.54	1/4	1,445.99	1/4	1,070.45	1/4	694.91	1/4	321.67	1/4		1/4		1/4			
1/2	2,189.27	1/2	1,813.72	1/2	1,438.17	1/2	1,062.63	1/2	687.08	1/2	313.90	1/2		1/2		1/2			
3/4	2,181.44	3/4	1,805.90	3/4	1,430.35	3/4	1,054.80	3/4	679.26	3/4	306.12	3/4		3/4		3/4			
10	2,173.62	10	1,798.07	10	1,422.53	10	1,046.98	10	671.43	10	298.31	10		10		10			
1/4	2,165.79	1/4	1,790.24	1/4	1,414.71	1/4	1,039.16	1/4	663.61	1/4	290.50	1/4		1/4		1/4			
1/2	2,157.96	1/2	1,782.41	1/2	1,406.89	1/2	1,031.34	1/2	655.79	1/2	282.69	1/2		1/2		1/2			
3/4	2,150.14	3/4	1,774.59	3/4	1,399.06	3/4	1,023.51	3/4	647.97	3/4	274.87	3/4		3/4		3/4			
11	2,142.31	11	1,766.77	11	1,391.23	11	1,015.69	11	640.15	11	267.05	11		11		11			
1/4	2,134.49	1/4	1,758.95	1/4	1,383.41	1/4	1,007.86	1/4	632.33	1/4	259.23	1/4		1/4		1/4			
1/2	2,126.67	1/2	1,751.12	1/2	1,375.58	1/2	1,000.03	1/2	624.51	1/2	251.41	1/2		1/2		1/2			
3/4	2,118.85	3/4	1,743.30	3/4	1,367.76	3/4	992.21	3/4	616.70	3/4	243.59	3/4		3/4		3/4			

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/19/2000 SI  
DECK MEASUREMENTS: 08/03/2015 CL-SW  
REPRINTED: 08/04/2015 JS

CANCELS AND SUPERCEDES  
ALL PRIOR TO 07/2015

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 307B"

**1 STBD**  
**ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08 1/2"

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.									
0	0	0	0	0	5,121.55	0	4,749.42	0	4,375.42	0	4,001.45	0	3,627.45	0	3,253.47	0	2,879.47		
1/4	1/4	1/4	1/4	1/4	5,113.89	1/4	4,741.63	1/4	4,367.63	1/4	3,993.66	1/4	3,619.65	1/4	3,245.68	1/4	2,871.68		
1/2	1/2	1/2	1/2	1/2	5,106.23	1/2	4,733.84	1/2	4,359.84	1/2	3,985.86	1/2	3,611.86	1/2	3,237.89	1/2	2,863.89		
3/4	3/4	3/4	3/4	3/4	5,098.55	3/4	4,726.05	3/4	4,352.05	3/4	3,978.07	3/4	3,604.07	3/4	3,230.10	3/4	2,856.09		
1	1	1	1	1	5,090.87	1	4,718.26	1	4,344.26	1	3,970.28	1	3,596.28	1	3,222.30	1	2,848.30		
1/4	1/4	1/4	1/4	1/4	5,083.19	1/4	4,710.46	1/4	4,336.46	1/4	3,962.49	1/4	3,588.49	1/4	3,214.51	1/4	2,840.51		
1/2	1/2	1/2	1/2	1/2	5,075.51	1/2	4,702.67	1/2	4,328.67	1/2	3,954.70	1/2	3,580.70	1/2	3,206.72	1/2	2,832.72		
3/4	3/4	3/4	3/4	3/4	5,067.82	3/4	4,694.88	3/4	4,320.88	3/4	3,946.91	3/4	3,572.90	3/4	3,198.93	3/4	2,824.93		
2	2	2	2	2	5,060.13	2	4,687.09	2	4,313.09	2	3,939.11	2	3,565.11	2	3,191.14	2	2,817.14		
1/4	1/4	1/4	1/4	1/4	5,052.44	1/4	4,679.30	1/4	4,305.30	1/4	3,931.32	1/4	3,557.32	1/4	3,183.35	1/4	2,809.34		
1/2	1/2	1/2	1/2	1/2	5,044.72	1/2	4,671.51	1/2	4,297.50	1/2	3,923.53	1/2	3,549.53	1/2	3,175.55	1/2	2,801.55		
3/4	3/4	3/4	3/4	3/4	5,036.97	3/4	4,663.71	3/4	4,289.71	3/4	3,915.74	3/4	3,541.74	3/4	3,167.76	3/4	2,793.76		
3	3	3	3	3	5,029.23	3	4,655.92	3	4,281.92	3	3,907.95	3	3,533.95	3	3,159.97	3	2,785.97		
1/4	1/4	1/4	1/4	1/4	5,021.49	1/4	4,648.13	1/4	4,274.13	1/4	3,900.16	1/4	3,526.15	1/4	3,152.18	1/4	2,778.18		
1/2	1/2	1/2	1/2	1/2	5,013.73	1/2	4,640.34	1/2	4,266.34	1/2	3,892.36	1/2	3,518.36	1/2	3,144.39	1/2	2,770.39		
3/4	3/4	3/4	3/4	3/4	5,005.96	3/4	4,632.55	3/4	4,258.55	3/4	3,884.57	3/4	3,510.57	3/4	3,136.60	3/4	2,762.59		
4	4	4	4	4	4,998.20	4	4,624.76	4	4,250.75	4	3,876.78	4	3,502.78	4	3,128.80	4	2,754.80		
1/4	1/4	1/4	1/4	1/4	4,990.43	1/4	4,616.96	1/4	4,242.96	1/4	3,868.99	1/4	3,494.99	1/4	3,121.01	1/4	2,747.01		
1/2	1/2	1/2	1/2	1/2	5,279.90	1/2	4,982.66	1/2	4,609.17	1/2	4,235.17	1/2	3,861.20	1/2	3,487.20	1/2	3,113.22	1/2	2,739.22
3/4	3/4	3/4	3/4	3/4	5,278.35	3/4	4,974.89	3/4	4,601.38	3/4	4,227.38	3/4	3,853.41	3/4	3,479.40	3/4	3,105.43	3/4	2,731.43
5	5	5	5	5	4,967.12	5	4,593.59	5	4,219.59	5	3,845.61	5	3,471.61	5	3,097.64	5	2,723.64		
1/4	1/4	1/4	1/4	1/4	5,275.25	1/4	4,959.36	1/4	4,585.80	1/4	4,211.80	1/4	3,837.82	1/4	3,463.82	1/4	3,089.85	1/4	2,715.84
1/2	1/2	1/2	1/2	1/2	5,273.13	1/2	4,951.59	1/2	4,578.01	1/2	4,204.00	1/2	3,830.03	1/2	3,456.03	1/2	3,082.05	1/2	2,708.05
3/4	3/4	3/4	3/4	3/4	5,270.44	3/4	4,943.82	3/4	4,570.21	3/4	4,196.21	3/4	3,822.24	3/4	3,448.24	3/4	3,074.26	3/4	2,700.26
6	6	6	6	6	4,936.05	6	4,562.42	6	4,188.42	6	3,814.44	6	3,440.44	6	3,066.47	6	2,692.47		
1/4	1/4	1/4	1/4	1/4	5,265.08	1/4	4,928.28	1/4	4,554.63	1/4	4,180.63	1/4	3,806.65	1/4	3,432.65	1/4	3,058.68	1/4	2,684.68
1/2	1/2	1/2	1/2	1/2	5,261.75	1/2	4,920.52	1/2	4,546.84	1/2	4,172.84	1/2	3,798.86	1/2	3,424.86	1/2	3,050.89	1/2	2,676.89
3/4	3/4	3/4	3/4	3/4	5,257.78	3/4	4,912.75	3/4	4,539.05	3/4	4,165.05	3/4	3,791.07	3/4	3,417.07	3/4	3,043.10	3/4	2,669.09
7	7	7	7	7	4,904.98	7	4,531.26	7	4,157.27	7	3,783.28	7	3,409.28	7	3,035.30	7	2,661.30		
1/4	1/4	1/4	1/4	1/4	5,249.84	1/4	4,897.21	1/4	4,523.46	1/4	4,149.48	1/4	3,775.49	1/4	3,401.49	1/4	3,027.51	1/4	2,653.51
1/2	1/2	1/2	1/2	1/2	5,245.22	1/2	4,889.44	1/2	4,515.67	1/2	4,141.70	1/2	3,767.70	1/2	3,393.70	1/2	3,019.72	1/2	2,645.72
3/4	3/4	3/4	3/4	3/4	5,239.96	3/4	4,881.67	3/4	4,507.88	3/4	4,133.91	3/4	3,759.90	3/4	3,385.91	3/4	3,011.93	3/4	2,637.93
8	8	8	8	8	4,873.89	8	4,500.09	8	4,126.11	8	3,752.11	8	3,378.13	8	3,004.14	8	2,630.14		
1/4	1/4	1/4	1/4	1/4	5,229.44	1/4	4,866.12	1/4	4,492.30	1/4	4,118.32	1/4	3,744.32	1/4	3,370.34	1/4	2,996.35	1/4	2,622.34
1/2	1/2	1/2	1/2	1/2	5,223.53	1/2	4,858.35	1/2	4,484.51	1/2	4,110.53	1/2	3,736.53	1/2	3,362.56	1/2	2,988.55	1/2	2,614.55
3/4	3/4	3/4	3/4	3/4	5,216.97	3/4	4,850.58	3/4	4,476.71	3/4	4,102.74	3/4	3,728.74	3/4	3,354.76	3/4	2,980.76	3/4	2,606.77
9	9	9	9	9	4,842.81	9	4,468.92	9	4,094.95	9	3,720.95	9	3,346.97	9	2,972.97	9	2,598.98		
1/4	1/4	1/4	1/4	1/4	5,203.87	1/4	4,835.05	1/4	4,461.13	1/4	4,087.16	1/4	3,713.15	1/4	3,339.18	1/4	2,965.18	1/4	2,591.20
1/2	1/2	1/2	1/2	1/2	5,196.91	1/2	4,827.27	1/2	4,453.34	1/2	4,079.36	1/2	3,705.36	1/2	3,331.39	1/2	2,957.39	1/2	2,583.41
3/4	3/4	3/4	3/4	3/4	5,189.55	3/4	4,819.48	3/4	4,445.55	3/4	4,071.57	3/4	3,697.57	3/4	3,323.60	3/4	2,949.59	3/4	2,575.62
10	10	10	10	10	4,811.70	10	4,437.76	10	4,063.78	10	3,689.78	10	3,315.80	10	2,941.80	10	2,567.83		
1/4	1/4	1/4	1/4	1/4	5,174.82	1/4	4,803.91	1/4	4,429.96	1/4	4,055.99	1/4	3,681.99	1/4	3,308.01	1/4	2,934.01	1/4	2,560.04
1/2	1/2	1/2	1/2	1/2	5,167.33	1/2	4,796.13	1/2	4,422.17	1/2	4,048.20	1/2	3,674.20	1/2	3,300.22	1/2	2,926.22	1/2	2,552.25
3/4	3/4	3/4	3/4	3/4	5,159.72	3/4	4,788.35	3/4	4,414.38	3/4	4,040.41	3/4	3,666.40	3/4	3,292.43	3/4	2,918.43	3/4	2,544.45
11	11	11	11	11	4,780.57	11	4,406.59	11	4,032.61	11	3,658.61	11	3,284.64	11	2,910.64	11	2,536.66		
1/4	1/4	1/4	1/4	1/4	5,144.49	1/4	4,772.79	1/4	4,398.80	1/4	4,024.82	1/4	3,650.82	1/4	3,276.85	1/4	2,902.84	1/4	2,528.87
1/2	1/2	1/2	1/2	1/2	5,136.86	1/2	4,765.01	1/2	4,391.01	1/2	4,017.03	1/2	3,643.03	1/2	3,269.05	1/2	2,895.05	1/2	2,521.08
3/4	3/4	3/4	3/4	3/4	5,129.20	3/4	4,757.22	3/4	4,383.21	3/4	4,009.24	3/4	3,635.24	3/4	3,261.26	3/4	2,887.26	3/4	2,513.29

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK  
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
GAUGE POINT: (HERMETIC) LOCATED 10'-10" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 307B"

1 STBD  
ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08 1/2"

	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	2,505.50	2,131.49	1,757.52	1,383.52	1,009.54	635.54	262.04	0	0	0
1/4	2,497.70	2,123.70	1,749.73	1,375.73	1,001.75	627.75	254.25 <sup>1/4</sup>			
1/2	2,489.91	2,115.91	1,741.94	1,367.93	993.96	619.96	246.46 <sup>1/2</sup>			
3/4	2,482.12	2,108.12	1,734.14	1,360.14	986.17	612.17	238.67 <sup>3/4</sup>			
1	2,474.33	2,100.33	1,726.35	1,352.35	978.37	604.39	230.89	1	1	1
1/4	2,466.54	2,092.54	1,718.56	1,344.56	970.58	596.60	223.10 <sup>1/4</sup>			
1/2	2,458.74	2,084.74	1,710.77	1,336.77	962.79	588.82	215.32 <sup>1/2</sup>			
3/4	2,450.95	2,076.95	1,702.98	1,328.98	955.00	581.04	207.53 <sup>3/4</sup>			
2	2,443.16	2,069.16	1,695.19	1,321.18	947.21	573.26	199.75	2	2	2
1/4	2,435.37	2,061.37	1,687.39	1,313.39	939.42	565.48	191.96 <sup>1/4</sup>			
1/2	2,427.58	2,053.58	1,679.60	1,305.60	931.62	557.70	184.20 <sup>1/2</sup>			
3/4	2,419.79	2,045.78	1,671.81	1,297.81	923.83	549.92	176.48 <sup>3/4</sup>			
3	2,411.99	2,037.99	1,664.02	1,290.02	916.04	542.14	168.75	3	3	3
1/4	2,404.20	2,030.20	1,656.23	1,282.23	908.25	534.36	161.03 <sup>1/4</sup>			
1/2	2,396.41	2,022.41	1,648.44	1,274.43	900.46	526.58	153.32 <sup>1/2</sup>			
3/4	2,388.62	2,014.62	1,640.64	1,266.64	892.67	518.81	145.64 <sup>3/4</sup>			
4	2,380.83	2,006.83	1,632.85	1,258.85	884.87	511.04	137.95	4	4	4
1/4	2,373.04	1,999.03	1,625.06	1,251.06	877.08	503.26	130.27 <sup>1/4</sup>			
1/2	2,365.24	1,991.24	1,617.27	1,243.27	869.29	495.49	122.59 <sup>1/2</sup>			
3/4	2,357.45	1,983.45	1,609.48	1,235.48	861.50	487.71	114.93 <sup>3/4</sup>			
5	2,349.66	1,975.66	1,601.69	1,227.68	853.71	479.93	107.27	5	5	5
1/4	2,341.87	1,967.87	1,593.89	1,219.89	845.92	472.15	99.61			
1/2	2,334.08	1,960.08	1,586.10	1,212.10	838.12	464.37	91.96			
3/4	2,326.29	1,952.28	1,578.31	1,204.31	830.33	456.59	84.33			
6	2,318.49	1,944.49	1,570.52	1,196.52	822.54	448.81	76.69	6	6	6
1/4	2,310.70	1,936.70	1,562.73	1,188.72	814.75	441.03	69.05			
1/2	2,302.91	1,928.91	1,554.93	1,180.93	806.96	433.25	61.55			
3/4	2,295.12	1,921.12	1,547.14	1,173.14	799.17	425.47	54.17			
7	2,287.33	1,913.33	1,539.35	1,165.35	791.37	417.69	46.80	7	7	7
1/4	2,279.54	1,905.53	1,531.56	1,157.56	783.58	409.91	39.42			
1/2	2,271.74	1,897.74	1,523.77	1,149.77	775.79	402.13	32.99			
3/4	2,263.95	1,889.95	1,515.98	1,141.97	768.00	394.35	27.51			
8	2,256.16	1,882.16	1,508.18	1,134.18	760.21	386.57	22.03	8	8	8
1/4	2,248.37	1,874.37	1,500.39	1,126.39	752.42	378.79	16.55			
1/2	2,240.58	1,866.58	1,492.60	1,118.60	744.62	371.01	11.07			
3/4	2,232.79	1,858.78	1,484.81	1,110.81	736.83	363.23				
9	2,224.99	1,850.99	1,477.02	1,103.02	729.04	355.45	9	9	9	9
1/4	2,217.20	1,843.20	1,469.23	1,095.22	721.25	347.67				
1/2	2,209.41	1,835.41	1,461.43	1,087.43	713.46	339.89				
3/4	2,201.62	1,827.63	1,453.64	1,079.64	705.67	332.11				
10	2,193.83	1,819.84	1,445.85	1,071.85	697.87	324.33	10	10	10	10
1/4	2,186.04	1,812.05	1,438.06	1,064.06	690.08	316.55				
1/2	2,178.24	1,804.27	1,430.27	1,056.27	682.29	308.77				
3/4	2,170.45	1,796.48	1,422.48	1,048.48	674.50	300.98				
11	2,162.66	1,788.69	1,414.68	1,040.70	666.71	293.20	11	11	11	11
1/4	2,154.87	1,780.89	1,406.89	1,032.91	658.92	285.41				
1/2	2,147.08	1,773.10	1,399.10	1,025.12	651.12	277.62				
3/4	2,139.29	1,765.31	1,391.31	1,017.33	643.33	269.83				

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/19/2000 SI  
DECK MEASUREMENTS: 08/03/2015 CL-SW  
REPRINTED: 08/04/2015 JS

CANCELS AND SUPERCEDES  
ALL PRIOR TO 08/2015

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 307B"

## 2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08 1/2"

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	0	0	5,087.35	4,716.55	4,344.00	3,971.45	3,598.91	3,226.36	2,853.80
1/4	1/4	1/4	1/4	5,079.72	4,708.79	4,336.24	3,963.69	3,591.14	3,218.60	2,846.05
1/2	1/2	1/2	1/2	5,072.08	4,701.02	4,328.48	3,955.93	3,583.38	3,210.83	2,838.29
3/4	3/4	3/4	3/4	5,064.43	4,693.26	4,320.72	3,948.17	3,575.62	3,203.07	2,830.52
1	1	1	1	5,056.78	4,685.50	4,312.95	3,940.41	3,567.86	3,195.31	2,822.76
1/4	1/4	1/4	1/4	5,049.13	4,677.74	4,305.19	3,932.64	3,560.10	3,187.55	2,815.00
1/2	1/2	1/2	1/2	5,041.48	4,669.98	4,297.43	3,924.88	3,552.33	3,179.79	2,807.24
3/4	3/4	3/4	3/4	5,033.83	4,662.22	4,289.67	3,917.12	3,544.57	3,172.02	2,799.48
2	2	2	2	5,026.17	4,654.45	4,281.91	3,909.36	3,536.81	3,164.26	2,791.71
1/4	1/4	1/4	1/4	5,018.52	4,646.69	4,274.14	3,901.60	3,529.05	3,156.50	2,783.95
1/2	1/2	1/2	1/2	5,010.83	4,638.93	4,266.38	3,893.83	3,521.29	3,148.74	2,776.19
3/4	3/4	3/4	3/4	5,003.10	4,631.17	4,258.62	3,886.07	3,513.52	3,140.98	2,768.43
3	3	3	3	4,995.38	4,623.41	4,250.86	3,878.31	3,505.76	3,133.22	2,760.67
1/4	1/4	1/4	1/4	4,987.65	4,615.64	4,243.10	3,870.55	3,498.00	3,125.45	2,752.91
1/2	1/2	1/2	1/2	4,979.92	4,607.88	4,235.33	3,862.79	3,490.24	3,117.69	2,745.14
3/4	3/4	3/4	3/4	4,972.18	4,600.12	4,227.57	3,855.02	3,482.48	3,109.93	2,737.38
4	4	4	4	4,964.44	4,592.36	4,219.81	3,847.26	3,474.72	3,102.17	2,729.62
1/4	1/4	1/4	1/4	4,956.70	4,584.60	4,212.05	3,839.50	3,466.95	3,094.41	2,721.86
1/2	1/2	1/2	1/2	5,248.62	4,948.97	4,576.83	4,204.29	3,831.74	3,459.19	3,086.64
3/4	3/4	3/4	3/4	5,246.92	4,941.23	4,569.07	4,196.52	3,823.98	3,451.43	3,078.88
5	5	5	5	5,245.22	4,933.49	4,561.31	4,188.76	3,816.22	3,443.67	3,071.12
1/4	1/4	1/4	1/4	5,243.52	4,925.75	4,553.55	4,181.00	3,808.45	3,435.91	3,063.36
1/2	1/2	1/2	1/2	5,241.25	4,918.01	4,545.79	4,173.24	3,800.69	3,428.14	3,055.60
3/4	3/4	3/4	3/4	5,238.41	4,910.27	4,538.02	4,165.48	3,792.93	3,420.38	3,047.83
6	6	6	6	5,235.57	4,902.52	4,530.26	4,157.72	3,785.17	3,412.62	3,040.07
1/4	1/4	1/4	1/4	5,232.73	4,894.78	4,522.50	4,149.95	3,777.41	3,404.86	3,032.31
1/2	1/2	1/2	1/2	5,229.25	4,887.04	4,514.74	4,142.19	3,769.64	3,397.10	3,024.55
3/4	3/4	3/4	3/4	5,225.14	4,879.30	4,506.98	4,134.43	3,761.88	3,389.33	3,016.79
7	7	7	7	5,221.03	4,871.56	4,499.22	4,126.67	3,754.12	3,381.57	3,009.02
1/4	1/4	1/4	1/4	5,216.91	4,863.82	4,491.45	4,118.91	3,746.36	3,373.81	3,001.26
1/2	1/2	1/2	1/2	5,212.16	4,856.08	4,483.69	4,111.14	3,738.60	3,366.05	2,993.51
3/4	3/4	3/4	3/4	5,206.75	4,848.35	4,475.93	4,103.38	3,730.83	3,358.29	2,985.76
8	8	8	8	5,201.35	4,840.61	4,468.17	4,095.62	3,723.07	3,350.52	2,978.01
1/4	1/4	1/4	1/4	5,195.94	4,832.87	4,460.41	4,087.86	3,715.31	3,342.76	2,970.26
1/2	1/2	1/2	1/2	5,189.90	4,825.13	4,452.64	4,080.10	3,707.55	3,335.00	2,962.49
3/4	3/4	3/4	3/4	5,183.21	4,817.39	4,444.88	4,072.33	3,699.79	3,327.24	2,954.72
9	9	9	9	5,176.53	4,809.66	4,437.12	4,064.57	3,692.02	3,319.48	2,946.95
1/4	1/4	1/4	1/4	5,169.84	4,801.92	4,429.36	4,056.81	3,684.26	3,311.72	2,939.17
1/2	1/2	1/2	1/2	5,162.79	4,794.17	4,421.60	4,049.05	3,676.50	3,303.95	2,931.41
3/4	3/4	3/4	3/4	5,155.37	4,786.41	4,413.84	4,041.30	3,668.74	3,296.19	2,923.64
10	10	10	10	5,147.94	4,778.66	4,406.09	4,033.54	3,660.98	3,288.43	2,915.88
1/4	1/4	1/4	1/4	5,140.52	4,770.90	4,398.33	4,025.78	3,653.22	3,280.67	2,908.12
1/2	1/2	1/2	1/2	5,133.01	4,763.14	4,390.57	4,018.02	3,645.46	3,272.91	2,900.36
3/4	3/4	3/4	3/4	5,125.42	4,755.37	4,382.81	4,010.26	3,637.70	3,265.15	2,892.60
11	11	11	11	5,117.82	4,747.61	4,375.05	4,002.50	3,629.94	3,257.40	2,884.83
1/4	1/4	1/4	1/4	5,110.23	4,739.84	4,367.29	3,994.74	3,622.19	3,249.64	2,877.07
1/2	1/2	1/2	1/2	5,102.61	4,732.07	4,359.52	3,986.98	3,614.43	3,241.88	2,869.31
3/4	3/4	3/4	3/4	5,094.98	4,724.31	4,351.76	3,979.21	3,606.67	3,234.12	2,861.56

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 10'-00" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 307B"

## 2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08 1/2"

	10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.
0	2,481.25	0	2,108.69	0	1,736.14	0	1,363.60	0	991.05	0	618.50	0	257.16	0	0	0	0	0	0
1/4	2,473.60	1/4	2,100.93	1/4	1,728.38	1/4	1,355.83	1/4	983.29	1/4	610.74	1/4	249.40 <sup>1/4</sup>	1/4		1/4		1/4	1/4
1/2	2,465.74	1/2	2,093.17	1/2	1,720.62	1/2	1,348.07	1/2	975.52	1/2	603.08	1/2	241.64 <sup>1/2</sup>	1/2		1/2		1/2	1/2
3/4	2,457.98	3/4	2,085.41	3/4	1,712.87	3/4	1,340.31	3/4	967.76	3/4	595.54	3/4	233.88 <sup>3/4</sup>	3/4		3/4		3/4	3/4
1	2,450.21	1	2,077.66	1	1,705.11	1	1,332.55	1	960.00	1	587.99	1	226.12	1	1	1	1	1	1
1/4	2,442.45	1/4	2,069.90	1/4	1,697.36	1/4	1,324.79	1/4	952.24	1/4	580.44	1/4	218.36 <sup>1/4</sup>	1/4		1/4		1/4	1/4
1/2	2,434.69	1/2	2,062.14	1/2	1,689.60	1/2	1,317.03	1/2	944.48	1/2	572.92	1/2	210.60 <sup>1/2</sup>	1/2		1/2		1/2	1/2
3/4	2,426.93	3/4	2,054.38	3/4	1,681.83	3/4	1,309.27	3/4	936.72	3/4	565.44	3/4	202.84 <sup>3/4</sup>	3/4		3/4		3/4	3/4
2	2,419.17	2	2,046.62	2	1,674.07	2	1,301.52	2	928.97	2	557.95	2	195.09	2	2	2	2	2	2
1/4	2,411.41	1/4	2,038.86	1/4	1,666.31	1/4	1,293.76	1/4	921.21	1/4	550.46	1/4	187.33 <sup>1/4</sup>	1/4		1/4		1/4	1/4
1/2	2,403.64	1/2	2,031.10	1/2	1,658.55	1/2	1,286.00	1/2	913.45	1/2	542.98	1/2	179.61 <sup>1/2</sup>	1/2		1/2		1/2	1/2
3/4	2,395.88	3/4	2,023.33	3/4	1,650.79	3/4	1,278.24	3/4	905.69	3/4	535.52	3/4	171.93 <sup>3/4</sup>	3/4		3/4		3/4	3/4
3	2,388.12	3	2,015.57	3	1,643.02	3	1,270.48	3	897.93	3	528.05	3	164.24	3	3	3	3	3	3
1/4	2,380.36	1/4	2,007.81	1/4	1,635.26	1/4	1,262.71	1/4	890.17	1/4	520.59	1/4	156.56 <sup>1/4</sup>	1/4		1/4		1/4	1/4
1/2	2,372.60	1/2	2,000.05	1/2	1,627.50	1/2	1,254.95	1/2	882.41	1/2	513.11	1/2	148.89 <sup>1/2</sup>	1/2		1/2		1/2	1/2
3/4	2,364.83	3/4	1,992.29	3/4	1,619.74	3/4	1,247.19	3/4	874.64	3/4	505.62	3/4	141.24 <sup>3/4</sup>	3/4		3/4		3/4	3/4
4	2,357.07	4	1,984.52	4	1,611.98	4	1,239.43	4	866.88	4	498.12	4	133.59	4	4	4	4	4	4
1/4	2,349.31	1/4	1,976.76	1/4	1,604.21	1/4	1,231.67	1/4	859.12	1/4	490.63	1/4	125.94 <sup>1/4</sup>	1/4		1/4		1/4	1/4
1/2	2,341.55	1/2	1,969.00	1/2	1,596.45	1/2	1,223.91	1/2	851.36	1/2	483.14	1/2	118.30 <sup>1/2</sup>	1/2		1/2		1/2	1/2
3/4	2,333.79	3/4	1,961.24	3/4	1,588.69	3/4	1,216.14	3/4	843.60	3/4	475.66	3/4	110.67 <sup>3/4</sup>	3/4		3/4		3/4	3/4
5	2,326.02	5	1,953.48	5	1,580.93	5	1,208.38	5	835.83	5	468.18	5	103.04	5	5	5	5	5	5
1/4	2,318.26	1/4	1,945.72	1/4	1,573.17	1/4	1,200.62	1/4	828.07	1/4	460.69	1/4	95.41	1/4		1/4		1/4	1/4
1/2	2,310.50	1/2	1,937.95	1/2	1,565.41	1/2	1,192.86	1/2	820.31	1/2	453.21	1/2	87.80	1/2		1/2		1/2	1/2
3/4	2,302.74	3/4	1,930.19	3/4	1,557.64	3/4	1,185.10	3/4	812.55	3/4	445.73	3/4	80.19	3/4		3/4		3/4	3/4
6	2,294.98	6	1,922.43	6	1,549.88	6	1,177.33	6	804.79	6	438.25	6	72.59	6	6	6	6	6	6
1/4	2,287.22	1/4	1,914.67	1/4	1,542.12	1/4	1,169.57	1/4	797.02	1/4	430.77	1/4	64.99	1/4		1/4		1/4	1/4
1/2	2,279.45	1/2	1,906.91	1/2	1,534.36	1/2	1,161.81	1/2	789.26	1/2	423.28	1/2	57.54	1/2		1/2		1/2	1/2
3/4	2,271.69	3/4	1,899.14	3/4	1,526.60	3/4	1,154.05	3/4	781.50	3/4	415.80	3/4	50.24	3/4		3/4		3/4	3/4
7	2,263.93	7	1,891.38	7	1,518.83	7	1,146.29	7	773.74	7	408.32	7	42.93	7	7	7	7	7	7
1/4	2,256.17	1/4	1,883.62	1/4	1,511.07	1/4	1,138.52	1/4	765.98	1/4	400.84	1/4	35.63	1/4		1/4		1/4	1/4
1/2	2,248.41	1/2	1,875.86	1/2	1,503.31	1/2	1,130.76	1/2	758.22	1/2	393.35	1/2	29.40	1/2		1/2		1/2	1/2
3/4	2,240.64	3/4	1,868.10	3/4	1,495.55	3/4	1,123.00	3/4	750.45	3/4	385.87	3/4	24.24	3/4		3/4		3/4	3/4
8	2,232.88	8	1,860.33	8	1,487.79	8	1,115.24	8	742.69	8	378.39	8	19.08	8	8	8	8	8	8
1/4	2,225.12	1/4	1,852.57	1/4	1,480.02	1/4	1,107.48	1/4	734.93	1/4	370.91	1/4	13.92	1/4		1/4		1/4	1/4
1/2	2,217.36	1/2	1,844.81	1/2	1,472.26	1/2	1,099.72	1/2	727.17	1/2	363.43	1/2	8.76	1/2		1/2		1/2	1/2
3/4	2,209.60	3/4	1,837.05	3/4	1,464.50	3/4	1,091.95	3/4	719.41	3/4	355.94	3/4		3/4		3/4		3/4	3/4
9	2,201.83	9	1,829.29	9	1,456.74	9	1,084.19	9	711.64	9	348.46	9		9	9	9	9	9	9
1/4	2,194.07	1/4	1,821.52	1/4	1,448.98	1/4	1,076.43	1/4	703.88	1/4	340.98	1/4		1/4		1/4		1/4	1/4
1/2	2,186.31	1/2	1,813.76	1/2	1,441.22	1/2	1,068.67	1/2	696.12	1/2	333.50	1/2		1/2		1/2		1/2	1/2
3/4	2,178.55	3/4	1,806.00	3/4	1,433.45	3/4	1,060.91	3/4	688.36	3/4	326.02	3/4		3/4		3/4		3/4	3/4
10	2,170.79	10	1,798.24	10	1,425.69	10	1,053.14	10	680.60	10	318.53	10		10	10	10	10	10	10
1/4	2,163.02	1/4	1,790.48	1/4	1,417.93	1/4	1,045.38	1/4	672.83	1/4	311.05	1/4		1/4		1/4		1/4	1/4
1/2	2,155.26	1/2	1,782.72	1/2	1,410.17	1/2	1,037.62	1/2	665.07	1/2	303.47	1/2		1/2		1/2		1/2	1/2
3/4	2,147.50	3/4	1,774.95	3/4	1,402.41	3/4	1,029.86	3/4	657.31	3/4	295.77	3/4		3/4		3/4		3/4	3/4
11	2,139.74	11	1,767.19	11	1,394.64	11	1,022.10	11	649.55	11	288.08	11		11	11	11	11	11	11
1/4	2,131.98	1/4	1,759.43	1/4	1,386.88	1/4	1,014.33	1/4	641.79	1/4	280.39	1/4		1/4		1/4		1/4	1/4
1/2	2,124.22	1/2	1,751.67	1/2	1,379.12	1/2	1,006.57	1/2	634.02	1/2	272.67	1/2		1/2		1/2		1/2	1/2
3/4	2,116.45	3/4	1,743.91	3/4	1,371.36	3/4	998.81	3/4	626.26	3/4	264.91	3/4		3/4		3/4		3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/19/2000 SI  
DECK MEASUREMENTS: 08/03/2015 CL-SW  
REPRINTED: 08/04/2015 JS

CANCELS AND SUPERCEDES  
ALL PRIOR TO 08/2015

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 307B"

## 2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08"

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	0	0	5,091.92	4,719.52	4,345.73	3,971.96	3,598.16	3,224.38	2,850.59
1/4	1/4	1/4	1/4	5,084.25	4,711.73	4,337.95	3,964.16	3,590.38	3,216.59	2,842.80
1/2	1/2	1/2	1/2	5,076.57	4,703.95	4,330.16	3,956.38	3,582.59	3,208.81	2,835.02
3/4	3/4	3/4	3/4	5,068.89	4,696.16	4,322.38	3,948.59	3,574.81	3,201.02	2,827.23
1	1	1	1	5,061.21	4,688.38	4,314.59	3,940.80	3,567.02	3,193.23	2,819.45
1/4	1/4	1/4	1/4	5,053.50	4,680.58	4,306.80	3,933.02	3,559.23	3,185.45	2,811.66
1/2	1/2	1/2	1/2	5,045.79	4,672.79	4,299.01	3,925.23	3,551.45	3,177.66	2,803.88
3/4	3/4	3/4	3/4	5,038.09	4,665.00	4,291.22	3,917.45	3,543.66	3,169.88	2,796.09
2	2	2	2	5,030.38	4,657.21	4,283.42	3,909.66	3,535.88	3,162.09	2,788.30
1/4	1/4	1/4	1/4	5,022.62	4,649.42	4,275.64	3,901.87	3,528.08	3,154.31	2,780.52
1/2	1/2	1/2	1/2	5,014.86	4,641.64	4,267.85	3,894.08	3,520.29	3,146.52	2,772.73
3/4	3/4	3/4	3/4	5,007.11	4,633.85	4,260.07	3,886.29	3,512.50	3,138.73	2,764.95
3	3	3	3	4,999.35	4,626.07	4,252.28	3,878.50	3,504.71	3,130.95	2,757.16
1/4	1/4	1/4	1/4	4,991.59	4,618.28	4,244.50	3,870.71	3,496.92	3,123.16	2,749.37
1/2	1/2	1/2	1/2	4,983.82	4,610.50	4,236.71	3,862.92	3,489.14	3,115.36	2,741.58
3/4	3/4	3/4	3/4	5,276.71	4,976.05	4,602.71	4,228.92	3,855.14	3,481.35	3,107.57
4	4	4	4	4,968.28	4,594.92	4,221.14	3,847.35	3,473.57	3,099.78	2,726.00
1/4	1/4	1/4	1/4	5,272.97	4,960.52	4,587.14	4,213.35	3,839.57	3,465.78	3,092.00
1/2	1/2	1/2	1/2	5,270.94	4,952.76	4,579.35	4,205.57	3,831.78	3,458.00	3,084.21
3/4	3/4	3/4	3/4	5,268.91	4,945.00	4,571.57	4,197.78	3,824.00	3,450.21	3,076.42
5	5	5	5	5,266.88	4,937.23	4,563.78	4,190.00	3,816.21	3,442.42	3,068.64
1/4	1/4	1/4	1/4	5,263.55	4,929.47	4,555.99	4,182.20	3,808.42	3,434.64	3,060.85
1/2	1/2	1/2	1/2	5,260.22	4,921.70	4,548.20	4,174.41	3,800.64	3,426.85	3,053.07
3/4	3/4	3/4	3/4	5,256.89	4,913.93	4,540.41	4,166.62	3,792.85	3,419.07	3,045.28
6	6	6	6	5,253.57	4,906.16	4,532.61	4,158.83	3,785.07	3,411.28	3,037.50
1/4	1/4	1/4	1/4	5,248.95	4,898.39	4,524.83	4,151.04	3,777.28	3,403.49	3,029.71
1/2	1/2	1/2	1/2	5,244.34	4,890.63	4,517.04	4,143.26	3,769.48	3,395.70	3,021.92
3/4	3/4	3/4	3/4	5,239.73	4,882.86	4,509.26	4,135.47	3,761.69	3,387.91	3,014.14
7	7	7	7	5,235.11	4,875.09	4,501.47	4,127.69	3,753.90	3,380.11	3,006.35
1/4	1/4	1/4	1/4	5,229.21	4,867.33	4,493.69	4,119.90	3,746.13	3,372.33	2,998.56
1/2	1/2	1/2	1/2	5,223.31	4,859.57	4,485.90	4,112.11	3,738.35	3,364.54	2,990.77
3/4	3/4	3/4	3/4	5,217.40	4,851.81	4,478.11	4,104.33	3,730.58	3,356.76	2,982.98
8	8	8	8	5,211.50	4,844.04	4,470.33	4,096.54	3,722.81	3,348.97	2,975.19
1/4	1/4	1/4	1/4	5,204.46	4,836.27	4,462.54	4,088.76	3,715.01	3,341.19	2,967.40
1/2	1/2	1/2	1/2	5,197.42	4,828.50	4,454.76	4,080.97	3,707.21	3,333.40	2,959.61
3/4	3/4	3/4	3/4	5,190.39	4,820.72	4,446.97	4,073.19	3,699.41	3,325.61	2,951.83
9	9	9	9	5,183.35	4,812.95	4,439.19	4,065.40	3,691.61	3,317.83	2,944.04
1/4	1/4	1/4	1/4	5,175.80	4,805.16	4,431.39	4,057.61	3,683.83	3,310.04	2,936.26
1/2	1/2	1/2	1/2	5,168.25	4,797.38	4,423.60	4,049.83	3,676.04	3,302.26	2,928.47
3/4	3/4	3/4	3/4	5,160.69	4,789.59	4,415.81	4,042.04	3,668.26	3,294.47	2,920.69
10	10	10	10	5,153.14	4,781.80	4,408.02	4,034.26	3,660.47	3,286.69	2,912.90
1/4	1/4	1/4	1/4	5,145.50	4,774.02	4,400.23	4,026.47	3,652.68	3,278.90	2,905.11
1/2	1/2	1/2	1/2	5,137.85	4,766.23	4,392.45	4,018.67	3,644.89	3,271.11	2,897.33
3/4	3/4	3/4	3/4	5,130.21	4,758.45	4,384.66	4,010.88	3,637.10	3,263.33	2,889.54
11	11	11	11	5,122.67	4,750.66	4,376.88	4,003.09	3,629.30	3,255.54	2,881.76
1/4	1/4	1/4	1/4	5,114.91	4,742.88	4,369.09	3,995.30	3,621.52	3,247.75	2,873.97
1/2	1/2	1/2	1/2	5,107.25	4,735.09	4,361.31	3,987.52	3,613.73	3,239.96	2,866.17
3/4	3/4	3/4	3/4	5,099.58	4,727.31	4,353.52	3,979.73	3,605.95	3,232.17	2,858.38

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 10'-10" OFF CENTERLINE AND 44'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "WEB 307B"

## 2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08"

	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.
0	2,476.83	2,103.04	1,729.26	1,355.47	981.69	607.92	234.66	0	0	0
1/4	2,469.04	2,095.25	1,721.47	1,347.69	973.90	600.14	226.88 <sup>1/4</sup>			
1/2	2,461.25	2,087.46	1,713.69	1,339.90	966.11	592.36	219.09 <sup>1/2</sup>			
3/4	2,453.45	2,079.67	1,705.90	1,332.11	958.33	584.58	211.31 <sup>3/4</sup>			
1	2,445.66	2,071.88	1,698.11	1,324.33	950.54	576.80	203.52	1	1	1
1/4	2,437.88	2,064.09	1,690.32	1,316.54	942.76	569.03	195.76 <sup>1/4</sup>			
1/2	2,430.09	2,056.31	1,682.53	1,308.75	934.97	561.26	188.00 <sup>1/2</sup>			
3/4	2,422.31	2,048.52	1,674.74	1,300.95	927.19	553.48	180.23 <sup>3/4</sup>			
2	2,414.52	2,040.73	1,666.95	1,293.16	919.40	545.71	172.47	2	2	2
1/4	2,406.73	2,032.95	1,659.16	1,285.38	911.61	537.94	164.78 <sup>1/4</sup>			
1/2	2,398.95	2,025.16	1,651.38	1,277.59	903.82	530.16	157.09 <sup>1/2</sup>			
3/4	2,391.16	2,017.38	1,643.59	1,269.81	896.03	522.39	149.40 <sup>3/4</sup>			
3	2,383.38	2,009.59	1,635.80	1,262.02	888.23	514.61	141.71	3	3	3
1/4	2,375.59	2,001.81	1,628.02	1,254.23	880.45	506.84	134.04 <sup>1/4</sup>			
1/2	2,367.81	1,994.02	1,620.23	1,246.45	872.66	499.07	126.36 <sup>1/2</sup>			
3/4	2,360.02	1,986.23	1,612.45	1,238.66	864.88	491.29	118.69 <sup>3/4</sup>			
4	2,352.23	1,978.45	1,604.66	1,230.88	857.09	483.52	111.02	4	4	4
1/4	2,344.44	1,970.66	1,596.88	1,223.09	849.31	475.75	103.38 <sup>1/4</sup>			
1/2	2,336.65	1,962.88	1,589.09	1,215.31	841.52	467.97	95.73	1/2	1/2	1/2
3/4	2,328.86	1,955.07	1,581.31	1,207.52	833.73	460.20	88.09	3/4	3/4	3/4
5	2,321.07	1,947.28	1,573.52	1,199.73	825.95	452.42	80.45	5	5	5
1/4	2,313.28	1,939.50	1,565.73	1,191.94	818.16	444.65	72.91	1/4	1/4	1/4
1/2	2,305.50	1,931.71	1,557.94	1,184.15	810.38	436.88	65.36	1/2	1/2	1/2
3/4	2,297.71	1,923.92	1,550.14	1,176.36	802.59	429.10	57.82	3/4	3/4	3/4
6	2,289.92	1,916.14	1,542.35	1,168.57	794.81	421.33	50.28	6	6	6
1/4	2,282.14	1,908.35	1,534.57	1,160.78	787.01	413.56	43.59	1/4	1/4	1/4
1/2	2,274.35	1,900.57	1,526.78	1,153.00	779.22	405.78	36.90	1/2	1/2	1/2
3/4	2,266.57	1,892.78	1,519.00	1,145.21	771.43	398.01	30.21	3/4	3/4	3/4
7	2,258.78	1,885.00	1,511.21	1,137.42	763.64	390.23	23.52	7	7	7
1/4	2,251.00	1,877.21	1,503.42	1,129.64	755.85	382.46	19.83	1/4	1/4	1/4
1/2	2,243.21	1,869.42	1,495.64	1,121.85	748.07	374.69	16.15	1/2	1/2	1/2
3/4	2,235.42	1,861.64	1,487.85	1,114.07	740.28	366.91	12.47	3/4	3/4	3/4
8	2,227.64	1,853.85	1,480.07	1,106.28	732.50	359.14	8.79	8	8	8
1/4	2,219.85	1,846.06	1,472.28	1,098.50	724.71	351.36		1/4	1/4	1/4
1/2	2,212.06	1,838.27	1,464.50	1,090.71	716.92	343.59		1/2	1/2	1/2
3/4	2,204.26	1,830.48	1,456.71	1,082.92	709.14	335.82		3/4	3/4	3/4
9	2,196.47	1,822.69	1,448.92	1,075.14	701.35	328.04		9	9	9
1/4	2,188.69	1,814.90	1,441.13	1,067.35	693.57	320.26		1/4	1/4	1/4
1/2	2,180.90	1,807.11	1,433.34	1,059.56	685.78	312.48		1/2	1/2	1/2
3/4	2,173.11	1,799.33	1,425.55	1,051.76	678.00	304.70		3/4	3/4	3/4
10	2,165.33	1,791.54	1,417.76	1,043.97	670.21	296.92		10	10	10
1/4	2,157.54	1,783.76	1,409.97	1,036.19	662.42	289.14		1/4	1/4	1/4
1/2	2,149.75	1,775.97	1,402.19	1,028.40	654.63	281.35		1/2	1/2	1/2
3/4	2,141.97	1,768.19	1,394.40	1,020.61	646.83	273.57		3/4	3/4	3/4
11	2,134.19	1,760.40	1,386.61	1,012.83	639.04	265.78		11	11	11
1/4	2,126.40	1,752.61	1,378.83	1,005.04	631.26	258.00		1/4	1/4	1/4
1/2	2,118.61	1,744.83	1,371.04	997.26	623.48	250.22		1/2	1/2	1/2
3/4	2,110.83	1,737.04	1,363.26	989.47	615.70	242.44		3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/19/2000 SI  
DECK MEASUREMENTS: 08/03/2015 CL-SW  
REPRINTED: 08/04/2015 JS

CANCELS AND SUPERCEDES  
ALL PRIOR TO 08/2015

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 307B"

## 3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08"

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	0	0	4,766.82	4,495.16	4,222.49	3,949.29	3,597.90	3,224.54	2,850.94
1/4	1/4	1/4	1/4	4,761.23	4,489.49	4,216.81	3,943.29	3,590.13	3,216.75	2,843.16
1/2	1/2	1/2	1/2	4,755.63	4,483.82	4,211.12	3,937.29	3,582.35	3,208.97	2,835.38
3/4	3/4	3/4	3/4	4,750.04	4,478.15	4,205.44	3,931.29	3,574.58	3,201.18	2,827.61
1	1	1	1	4,744.44	4,472.47	4,199.76	3,925.13	3,566.80	3,193.40	2,819.82
1/4	1/4	1/4	1/4	4,738.84	4,466.79	4,194.08	3,918.80	3,559.03	3,185.62	2,812.04
1/2	1/2	1/2	1/2	4,733.24	4,461.11	4,188.40	3,912.48	3,551.26	3,177.84	2,804.25
3/4	3/4	3/4	3/4	4,727.63	4,455.44	4,182.72	3,906.16	3,543.48	3,170.06	2,796.47
2	2	2	2	4,722.03	4,449.75	4,177.04	3,899.66	3,535.71	3,162.27	2,788.68
1/4	1/4	1/4	1/4	4,716.35	4,444.07	4,171.36	3,892.97	3,527.94	3,154.49	2,780.90
1/2	1/2	1/2	1/2	4,710.70	4,438.38	4,165.67	3,886.27	3,520.16	3,146.70	2,773.12
3/4	3/4	3/4	3/4	4,705.04	4,432.70	4,159.99	3,879.58	3,512.39	3,138.92	2,765.34
3	3	3	3	4,699.38	4,427.02	4,154.30	3,872.72	3,504.61	3,131.14	2,757.56
1/4	1/4	1/4	1/4	4,896.12	4,693.72	4,421.34	4,148.63	3,866.67	3,496.84	3,123.36
1/2	1/2	1/2	1/2	4,895.60	4,688.05	4,415.66	4,142.95	3,858.62	3,489.07	3,115.58
3/4	3/4	3/4	3/4	4,895.07	4,682.38	4,409.98	4,137.27	3,851.57	3,481.29	3,107.80
4	4	4	4	4,894.25	4,404.30	4,131.59	4,131.59	3,844.34	3,473.52	3,100.01
1/4	1/4	1/4	1/4	4,893.12	4,671.03	4,398.62	4,125.90	3,836.91	3,465.74	3,092.23
1/2	1/2	1/2	1/2	4,892.00	4,665.35	4,392.93	4,120.22	3,829.49	3,457.97	3,084.44
3/4	3/4	3/4	3/4	4,890.87	4,659.67	4,387.25	4,114.53	3,822.07	3,450.20	3,076.66
5	5	5	5	4,889.30	4,654.00	4,381.57	4,108.85	3,814.53	3,442.42	3,068.87
1/4	1/4	1/4	1/4	4,887.27	4,648.32	4,375.89	4,103.17	3,806.88	3,434.63	3,061.09
1/2	1/2	1/2	1/2	4,885.25	4,642.65	4,370.21	4,097.49	3,799.22	3,426.85	3,053.31
3/4	3/4	3/4	3/4	4,883.23	4,636.98	4,364.53	4,091.82	3,791.57	3,419.06	3,045.53
6	6	6	6	4,880.74	4,631.31	4,358.85	4,086.13	3,783.88	3,411.28	3,037.75
1/4	1/4	1/4	1/4	4,877.79	4,625.63	4,353.16	4,080.45	3,776.15	3,403.52	3,029.97
1/2	1/2	1/2	1/2	4,874.83	4,619.96	4,347.48	4,074.77	3,768.42	3,395.75	3,022.18
3/4	3/4	3/4	3/4	4,871.88	4,614.29	4,341.80	4,069.08	3,760.70	3,387.98	3,014.39
7	7	7	7	4,868.47	4,608.62	4,336.11	4,063.40	3,752.97	3,380.20	3,006.61
1/4	1/4	1/4	1/4	4,864.58	4,602.94	4,330.44	4,057.71	3,745.23	3,372.42	2,998.82
1/2	1/2	1/2	1/2	4,860.70	4,597.27	4,324.76	4,052.03	3,737.49	3,364.63	2,991.04
3/4	3/4	3/4	3/4	4,856.82	4,591.60	4,319.08	4,046.34	3,729.75	3,356.85	2,983.25
8	8	8	8	4,852.48	4,585.93	4,313.40	4,040.66	3,722.01	3,349.06	2,975.47
1/4	1/4	1/4	1/4	4,847.68	4,580.25	4,307.71	4,034.98	3,714.27	3,341.28	2,967.69
1/2	1/2	1/2	1/2	4,842.87	4,574.58	4,302.03	4,029.30	3,706.54	3,333.50	2,959.91
3/4	3/4	3/4	3/4	4,838.07	4,568.91	4,296.34	4,023.63	3,698.80	3,325.72	2,952.13
9	9	9	9	4,832.98	4,563.24	4,290.66	4,017.94	3,691.05	3,317.94	2,944.35
1/4	1/4	1/4	1/4	4,827.60	4,557.56	4,284.98	4,012.26	3,683.30	3,310.16	2,936.56
1/2	1/2	1/2	1/2	4,822.22	4,551.89	4,279.30	4,006.58	3,675.55	3,302.37	2,928.77
3/4	3/4	3/4	3/4	4,816.83	4,546.22	4,273.63	4,000.89	3,667.80	3,294.58	2,920.99
10	10	10	10	4,811.37	4,540.55	4,267.94	3,995.21	3,660.05	3,286.80	2,913.21
1/4	1/4	1/4	1/4	4,805.82	4,534.87	4,262.26	3,989.53	3,652.29	3,279.01	2,905.43
1/2	1/2	1/2	1/2	4,800.27	4,529.20	4,256.58	3,983.85	3,644.52	3,271.23	2,897.65
3/4	3/4	3/4	3/4	4,794.73	4,523.53	4,250.89	3,978.17	3,636.76	3,263.44	2,889.87
11	11	11	11	4,789.16	4,517.86	4,245.21	3,972.45	3,628.99	3,255.66	2,882.08
1/4	1/4	1/4	1/4	4,783.58	4,512.18	4,239.53	3,966.69	3,621.22	3,247.88	2,874.30
1/2	1/2	1/2	1/2	4,778.00	4,506.51	4,233.85	3,960.93	3,613.45	3,240.10	2,866.51
3/4	3/4	3/4	3/4	4,772.41	4,500.84	4,228.17	3,955.17	3,605.67	3,232.32	2,858.73

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 10'-00" OFF CENTERLINE AND 43'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 307B"

## 3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08"

	10 FT.	11 FT.	12 FT.	13 FT.	14 FT.	15 FT.	16 FT.	17 FT.	18 FT.	19 FT.						
0	2,477.35	0	2,103.77	0	1,730.18	0	1,356.59	0	983.01	0	609.50	0	246.30	0	0	0
1/4	2,469.57	1/4	2,095.99	1/4	1,722.39	1/4	1,348.81	1/4	975.23	1/4	601.89	1/4	238.52 <sup>1/4</sup>	1/4	1/4	1/4
1/2	2,461.79	1/2	2,088.20	1/2	1,714.61	1/2	1,341.03	1/2	967.44	1/2	594.28	1/2	230.74 <sup>1/2</sup>	1/2	1/2	1/2
3/4	2,454.01	3/4	2,080.42	3/4	1,706.82	3/4	1,333.25	3/4	959.66	3/4	586.66	3/4	222.96 <sup>3/4</sup>	3/4	3/4	3/4
1	2,446.23	1	2,072.63	1	1,699.04	1	1,325.47	1	951.87	1	579.09	1	215.18	1	1	1
1/4	2,438.44	1/4	2,064.86	1/4	1,691.26	1/4	1,317.68	1/4	944.08	1/4	571.56	1/4	207.39 <sup>1/4</sup>	1/4	1/4	1/4
1/2	2,430.66	1/2	2,057.08	1/2	1,683.48	1/2	1,309.89	1/2	936.30	1/2	564.03	1/2	199.61 <sup>1/2</sup>	1/2	1/2	1/2
3/4	2,422.87	3/4	2,049.30	3/4	1,675.70	3/4	1,302.11	3/4	928.51	3/4	556.50	3/4	191.82 <sup>3/4</sup>	3/4	3/4	3/4
2	2,415.09	2	2,041.51	2	1,667.92	2	1,294.33	2	920.73	2	548.98	2	184.07	2	2	2
1/4	2,407.31	1/4	2,033.73	1/4	1,660.13	1/4	1,286.55	1/4	912.95	1/4	541.46	1/4	176.36 <sup>1/4</sup>	1/4	1/4	1/4
1/2	2,399.53	1/2	2,025.94	1/2	1,652.35	1/2	1,278.77	1/2	905.17	1/2	533.94	1/2	168.64 <sup>1/2</sup>	1/2	1/2	1/2
3/4	2,391.75	3/4	2,018.16	3/4	1,644.56	3/4	1,270.99	3/4	897.39	3/4	526.43	3/4	160.93 <sup>3/4</sup>	3/4	3/4	3/4
3	2,383.97	3	2,010.37	3	1,636.78	3	1,263.20	3	889.61	3	518.91	3	153.23	3	3	3
1/4	2,376.18	1/4	2,002.59	1/4	1,629.00	1/4	1,255.42	1/4	881.82	1/4	511.38	1/4	145.55 <sup>1/4</sup>	1/4	1/4	1/4
1/2	2,368.39	1/2	1,994.81	1/2	1,621.22	1/2	1,247.63	1/2	874.04	1/2	503.86	1/2	137.88 <sup>1/2</sup>	1/2	1/2	1/2
3/4	2,360.61	3/4	1,987.03	3/4	1,613.44	3/4	1,239.85	3/4	866.25	3/4	496.33	3/4	130.20 <sup>3/4</sup>	3/4	3/4	3/4
4	2,352.83	4	1,979.25	4	1,605.66	4	1,232.06	4	858.47	4	488.81	4	122.53	4	4	4
1/4	2,345.05	1/4	1,971.47	1/4	1,597.87	1/4	1,224.28	1/4	850.69	1/4	481.30	1/4	114.88 <sup>1/4</sup>	1/4	1/4	1/4
1/2	2,337.27	1/2	1,963.68	1/2	1,590.08	1/2	1,216.50	1/2	842.91	1/2	473.78	1/2	107.22 <sup>1/2</sup>	1/2	1/2	1/2
3/4	2,329.49	3/4	1,955.89	3/4	1,582.30	3/4	1,208.72	3/4	835.13	3/4	466.26	3/4	99.57	3/4	3/4	3/4
5	2,321.70	5	1,948.11	5	1,574.52	5	1,200.94	5	827.35	5	458.74	5	91.92	5	5	5
1/4	2,313.92	1/4	1,940.32	1/4	1,566.74	1/4	1,193.16	1/4	819.56	1/4	451.22	1/4	84.29	1/4	1/4	1/4
1/2	2,306.13	1/2	1,932.54	1/2	1,558.96	1/2	1,185.37	1/2	811.77	1/2	443.69	1/2	76.66	1/2	1/2	1/2
3/4	2,298.35	3/4	1,924.75	3/4	1,551.18	3/4	1,177.58	3/4	803.99	3/4	436.17	3/4	69.03	3/4	3/4	3/4
6	2,290.56	6	1,916.97	6	1,543.39	6	1,169.80	6	796.21	6	428.64	6	61.53	6	6	6
1/4	2,282.78	1/4	1,909.19	1/4	1,535.61	1/4	1,162.01	1/4	788.43	1/4	421.12	1/4	54.15	1/4	1/4	1/4
1/2	2,275.00	1/2	1,901.41	1/2	1,527.82	1/2	1,154.23	1/2	780.65	1/2	413.60	1/2	46.78	1/2	1/2	1/2
3/4	2,267.22	3/4	1,893.63	3/4	1,520.04	3/4	1,146.44	3/4	772.87	3/4	406.07	3/4	39.40	3/4	3/4	3/4
7	2,259.44	7	1,885.85	7	1,512.25	7	1,138.66	7	765.08	7	398.55	7	32.98	7	7	7
1/4	2,251.66	1/4	1,878.06	1/4	1,504.47	1/4	1,130.88	1/4	757.30	1/4	391.03	1/4	27.51	1/4	1/4	1/4
1/2	2,243.87	1/2	1,870.27	1/2	1,496.69	1/2	1,123.10	1/2	749.51	1/2	383.52	1/2	22.04	1/2	1/2	1/2
3/4	2,236.08	3/4	1,862.49	3/4	1,488.91	3/4	1,115.32	3/4	741.73	3/4	376.00	3/4	16.57	3/4	3/4	3/4
8	2,228.30	8	1,854.71	8	1,481.13	8	1,107.54	8	733.94	8	368.48	8	11.10	8	8	8
1/4	2,220.51	1/4	1,846.93	1/4	1,473.35	1/4	1,099.75	1/4	726.16	1/4	360.95	1/4		1/4	1/4	1/4
1/2	2,212.73	1/2	1,839.15	1/2	1,465.56	1/2	1,091.97	1/2	718.38	1/2	353.43	1/2		1/2	1/2	1/2
3/4	2,204.94	3/4	1,831.37	3/4	1,457.77	3/4	1,084.18	3/4	710.61	3/4	345.91	3/4		3/4	3/4	3/4
9	2,197.16	9	1,823.58	9	1,449.99	9	1,076.40	9	702.82	9	338.38	9		9	9	9
1/4	2,189.38	1/4	1,815.80	1/4	1,442.20	1/4	1,068.62	1/4	695.04	1/4	330.87	1/4		1/4	1/4	1/4
1/2	2,181.60	1/2	1,808.01	1/2	1,434.42	1/2	1,060.84	1/2	687.25	1/2	323.35	1/2		1/2	1/2	1/2
3/4	2,173.82	3/4	1,800.23	3/4	1,426.63	3/4	1,053.06	3/4	679.47	3/4	315.83	3/4		3/4	3/4	3/4
10	2,166.04	10	1,792.44	10	1,418.85	10	1,045.27	10	671.68	10	308.22	10		10	10	10
1/4	2,158.25	1/4	1,784.66	1/4	1,411.07	1/4	1,037.49	1/4	663.89	1/4	300.53	1/4		1/4	1/4	1/4
1/2	2,150.47	1/2	1,776.88	1/2	1,403.29	1/2	1,029.70	1/2	656.11	1/2	292.83	1/2		1/2	1/2	1/2
3/4	2,142.68	3/4	1,769.11	3/4	1,395.51	3/4	1,021.92	3/4	648.32	3/4	285.13	3/4		3/4	3/4	3/4
11	2,134.90	11	1,761.32	11	1,387.73	11	1,014.13	11	640.54	11	277.40	11		11	11	11
1/4	2,127.12	1/4	1,753.54	1/4	1,379.94	1/4	1,006.36	1/4	632.76	1/4	269.63	1/4		1/4	1/4	1/4
1/2	2,119.34	1/2	1,745.75	1/2	1,372.16	1/2	998.58	1/2	624.98	1/2	261.85	1/2		1/2	1/2	1/2
3/4	2,111.56	3/4	1,737.97	3/4	1,364.37	3/4	990.80	3/4	617.20	3/4	254.08	3/4		3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/19/2000 SI  
DECK MEASUREMENTS: 08/03/2015 CL-SW  
REPRINTED: 08/04/2015 JS

CANCELS AND SUPERCEDES  
ALL PRIOR TO 08/2015

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 307B"

## 3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08 1/2"

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.
0	0	0	0	4,778.28	4,506.79	4,234.13	3,961.21	3,613.73	3,240.38	2,866.79
1/4	1/4	1/4	1/4	4,772.69	4,501.12	4,228.45	3,955.45	3,605.95	3,232.60	2,859.01
1/2	1/2	1/2	1/2	4,767.10	4,495.44	4,222.77	3,949.57	3,598.18	3,224.82	2,851.22
3/4	3/4	3/4	3/4	4,761.51	4,489.77	4,217.09	3,943.57	3,590.41	3,217.03	2,843.44
1	1	1	1	4,755.91	4,484.10	4,211.40	3,937.57	3,582.63	3,209.25	2,835.66
1/4	1/4	1/4	1/4	4,750.32	4,478.43	4,205.72	3,931.57	3,574.86	3,201.46	2,827.89
1/2	1/2	1/2	1/2	4,744.72	4,472.75	4,200.04	3,925.41	3,567.08	3,193.68	2,820.10
3/4	3/4	3/4	3/4	4,739.12	4,467.07	4,194.36	3,919.08	3,559.31	3,185.90	2,812.32
2	2	2	2	4,733.52	4,461.39	4,188.68	3,912.76	3,551.54	3,178.12	2,804.53
1/4	1/4	1/4	1/4	4,727.91	4,455.72	4,183.00	3,906.44	3,543.76	3,170.34	2,796.75
1/2	1/2	1/2	1/2	4,722.29	4,450.03	4,177.32	3,899.94	3,535.99	3,162.55	2,788.96
3/4	3/4	3/4	3/4	4,716.63	4,444.35	4,171.64	3,893.25	3,528.22	3,154.77	2,781.18
3	3	3	3	4,710.98	4,438.66	4,165.95	3,886.55	3,520.44	3,146.98	2,773.40
1/4	1/4	1/4	1/4	4,705.32	4,432.98	4,160.27	3,879.86	3,512.67	3,139.20	2,765.62
1/2	1/2	1/2	1/2	4,699.66	4,427.30	4,154.58	3,873.00	3,504.89	3,131.42	2,757.84
3/4	3/4	3/4	3/4	4,896.40	4,694.00	4,421.62	4,148.91	3,866.95	3,497.12	3,123.64
4	4	4	4	4,895.88	4,688.33	4,415.94	4,143.23	3,858.90	3,489.35	3,115.86
1/4	1/4	1/4	1/4	4,895.35	4,682.66	4,410.26	4,137.55	3,851.85	3,481.57	3,108.08
1/2	1/2	1/2	1/2	4,894.53	4,676.99	4,404.58	4,131.87	3,844.62	3,473.80	3,100.29
3/4	3/4	3/4	3/4	4,893.40	4,671.31	4,398.90	4,126.18	3,837.19	3,466.02	3,092.51
5	5	5	5	4,892.28	4,665.63	4,393.21	4,120.50	3,829.77	3,458.25	3,084.72
1/4	1/4	1/4	1/4	4,891.15	4,659.95	4,387.53	4,114.81	3,822.35	3,450.48	3,076.94
1/2	1/2	1/2	1/2	4,889.58	4,654.28	4,381.85	4,109.13	3,814.81	3,442.70	3,069.15
3/4	3/4	3/4	3/4	4,887.55	4,648.60	4,376.17	4,103.45	3,807.16	3,434.91	3,061.37
6	6	6	6	4,885.53	4,642.93	4,370.49	4,097.77	3,799.50	3,427.13	3,053.59
1/4	1/4	1/4	1/4	4,883.51	4,637.26	4,364.81	4,092.10	3,791.85	3,419.34	3,045.81
1/2	1/2	1/2	1/2	4,881.02	4,631.59	4,359.13	4,086.41	3,784.16	3,411.56	3,038.03
3/4	3/4	3/4	3/4	4,878.07	4,625.91	4,353.44	4,080.73	3,776.43	3,403.80	3,030.25
7	7	7	7	4,875.11	4,620.24	4,347.76	4,075.05	3,768.70	3,396.03	3,022.46
1/4	1/4	1/4	1/4	4,872.16	4,614.57	4,342.08	4,069.36	3,760.98	3,388.26	3,014.67
1/2	1/2	1/2	1/2	4,868.75	4,608.90	4,336.39	4,063.68	3,753.25	3,380.48	3,006.89
3/4	3/4	3/4	3/4	4,864.86	4,603.22	4,330.72	4,057.99	3,745.51	3,372.70	2,999.10
8	8	8	8	4,860.98	4,597.55	4,325.04	4,052.31	3,737.77	3,364.91	2,991.32
1/4	1/4	1/4	1/4	4,857.10	4,591.88	4,319.36	4,046.62	3,730.03	3,357.13	2,983.53
1/2	1/2	1/2	1/2	4,852.76	4,586.21	4,313.68	4,040.94	3,722.29	3,349.34	2,975.75
3/4	3/4	3/4	3/4	4,847.96	4,580.53	4,307.99	4,035.26	3,714.55	3,341.56	2,967.97
9	9	9	9	4,843.15	4,574.86	4,302.31	4,029.58	3,706.82	3,333.78	2,960.19
1/4	1/4	1/4	1/4	4,838.35	4,569.19	4,296.62	4,023.91	3,699.08	3,326.00	2,952.41
1/2	1/2	1/2	1/2	4,833.26	4,563.52	4,290.94	4,018.22	3,691.33	3,318.22	2,944.63
3/4	3/4	3/4	3/4	4,827.88	4,557.84	4,285.26	4,012.54	3,683.58	3,310.44	2,936.84
10	10	10	10	4,822.50	4,552.17	4,279.58	4,006.86	3,675.83	3,302.65	2,929.05
1/4	1/4	1/4	1/4	4,817.11	4,546.50	4,273.91	4,001.17	3,668.08	3,294.86	2,921.27
1/2	1/2	1/2	1/2	4,811.65	4,540.83	4,268.22	3,995.49	3,660.33	3,287.08	2,913.49
3/4	3/4	3/4	3/4	4,806.10	4,535.15	4,262.54	3,989.81	3,652.57	3,279.29	2,905.71
11	11	11	11	4,800.55	4,529.48	4,256.86	3,984.13	3,644.80	3,271.51	2,897.93
1/4	1/4	1/4	1/4	4,795.01	4,523.81	4,251.17	3,978.45	3,637.04	3,263.72	2,890.15
1/2	1/2	1/2	1/2	4,789.44	4,518.14	4,245.49	3,972.73	3,629.27	3,255.94	2,882.36
3/4	3/4	3/4	3/4	4,783.86	4,512.46	4,239.81	3,966.97	3,621.50	3,248.16	2,874.58

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 10'-10" OFF CENTERLINE AND 43'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 307B"

**3 STBD**  
**ULLAGE TABLE**

CAPACITIES GIVEN IN WHOLE BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08 1/2"

	10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.
0	2,493.20	0	2,119.62	0	1,746.03	0	1,372.44	0	998.86	0	625.26	0	262.13	0	0	0	0	0	0
1/4	2,485.41	1/4	2,111.84	1/4	1,738.25	1/4	1,364.65	1/4	991.08	1/4	617.48	1/4	254.36 <sup>1/4</sup>						
1/2	2,477.63	1/2	2,104.05	1/2	1,730.46	1/2	1,356.87	1/2	983.29	1/2	609.78	1/2	246.58 <sup>1/2</sup>						
3/4	2,469.85	3/4	2,096.27	3/4	1,722.67	3/4	1,349.09	3/4	975.51	3/4	602.17	3/4	238.80 <sup>3/4</sup>						
1	2,462.07	1	2,088.48	1	1,714.89	1	1,341.31	1	967.72	1	594.56	1	231.02	1	1	1	1	1	1
1/4	2,454.29	1/4	2,080.70	1/4	1,707.10	1/4	1,333.53	1/4	959.94	1/4	586.94	1/4	223.24 <sup>1/4</sup>						
1/2	2,446.51	1/2	2,072.91	1/2	1,699.32	1/2	1,325.75	1/2	952.15	1/2	579.37	1/2	215.46 <sup>1/2</sup>						
3/4	2,438.72	3/4	2,065.14	3/4	1,691.54	3/4	1,317.96	3/4	944.36	3/4	571.84	3/4	207.67 <sup>3/4</sup>						
2	2,430.94	2	2,057.36	2	1,683.76	2	1,310.17	2	936.58	2	564.31	2	199.89	2	2	2	2	2	2
1/4	2,423.15	1/4	2,049.58	1/4	1,675.98	1/4	1,302.39	1/4	928.79	1/4	556.78	1/4	192.10 <sup>1/4</sup>						
1/2	2,415.37	1/2	2,041.79	1/2	1,668.20	1/2	1,294.61	1/2	921.01	1/2	549.26	1/2	184.35 <sup>1/2</sup>						
3/4	2,407.59	3/4	2,034.01	3/4	1,660.41	3/4	1,286.83	3/4	913.23	3/4	541.74	3/4	176.64 <sup>3/4</sup>						
3	2,399.81	3	2,026.22	3	1,652.63	3	1,279.05	3	905.45	3	534.22	3	168.92	3	3	3	3	3	3
1/4	2,392.03	1/4	2,018.44	1/4	1,644.84	1/4	1,271.27	1/4	897.67	1/4	526.71	1/4	161.21 <sup>1/4</sup>						
1/2	2,384.25	1/2	2,010.65	1/2	1,637.06	1/2	1,263.48	1/2	889.89	1/2	519.19	1/2	153.51 <sup>1/2</sup>						
3/4	2,376.46	3/4	2,002.87	3/4	1,629.28	3/4	1,255.70	3/4	882.10	3/4	511.66	3/4	145.83 <sup>3/4</sup>						
4	2,368.67	4	1,995.09	4	1,621.50	4	1,247.91	4	874.32	4	504.14	4	138.16	4	4	4	4	4	4
1/4	2,360.89	1/4	1,987.31	1/4	1,613.72	1/4	1,240.13	1/4	866.53	1/4	496.61	1/4	130.48 <sup>1/4</sup>						
1/2	2,353.11	1/2	1,979.53	1/2	1,605.94	1/2	1,232.34	1/2	858.75	1/2	489.09	1/2	122.81 <sup>1/2</sup>						
3/4	2,345.33	3/4	1,971.75	3/4	1,598.15	3/4	1,224.56	3/4	850.97	3/4	481.58	3/4	115.16 <sup>3/4</sup>						
5	2,337.55	5	1,963.96	5	1,590.36	5	1,216.78	5	843.19	5	474.06	5	107.50	5	5	5	5	5	5
1/4	2,329.77	1/4	1,956.17	1/4	1,582.58	1/4	1,209.00	1/4	835.41	1/4	466.54	1/4	99.85	1/4					
1/2	2,321.98	1/2	1,948.39	1/2	1,574.80	1/2	1,201.22	1/2	827.63	1/2	459.02	1/2	92.20	1/2					
3/4	2,314.20	3/4	1,940.60	3/4	1,567.02	3/4	1,193.44	3/4	819.84	3/4	451.50	3/4	84.57	3/4					
6	2,306.41	6	1,932.82	6	1,559.24	6	1,185.65	6	812.05	6	443.97	6	76.94	6	6	6	6	6	6
1/4	2,298.63	1/4	1,925.03	1/4	1,551.46	1/4	1,177.86	1/4	804.27	1/4	436.45	1/4	69.31	1/4					
1/2	2,290.84	1/2	1,917.25	1/2	1,543.67	1/2	1,170.08	1/2	796.49	1/2	428.92	1/2	61.81	1/2					
3/4	2,283.06	3/4	1,909.47	3/4	1,535.89	3/4	1,162.29	3/4	788.71	3/4	421.40	3/4	54.43	3/4					
7	2,275.28	7	1,901.69	7	1,528.10	7	1,154.51	7	780.93	7	413.88	7	47.06	7	7	7	7	7	7
1/4	2,267.50	1/4	1,893.91	1/4	1,520.32	1/4	1,146.72	1/4	773.15	1/4	406.35	1/4	39.68	1/4					
1/2	2,259.72	1/2	1,886.13	1/2	1,512.53	1/2	1,138.94	1/2	765.36	1/2	398.83	1/2	33.26	1/2					
3/4	2,251.94	3/4	1,878.34	3/4	1,504.75	3/4	1,131.16	3/4	757.58	3/4	391.31	3/4	27.79	3/4					
8	2,244.15	8	1,870.55	8	1,496.97	8	1,123.38	8	749.79	8	383.80	8	22.32	8	8	8	8	8	8
1/4	2,236.36	1/4	1,862.77	1/4	1,489.19	1/4	1,115.60	1/4	742.01	1/4	376.28	1/4	16.85	1/4					
1/2	2,228.58	1/2	1,854.99	1/2	1,481.41	1/2	1,107.82	1/2	734.22	1/2	368.76	1/2	11.10	1/2					
3/4	2,220.79	3/4	1,847.21	3/4	1,473.63	3/4	1,100.03	3/4	726.44	3/4	361.23	3/4		3/4					
9	2,213.01	9	1,839.43	9	1,465.84	9	1,092.25	9	718.66	9	353.71	9		9	9	9	9	9	9
1/4	2,205.22	1/4	1,831.65	1/4	1,458.05	1/4	1,084.46	1/4	710.89	1/4	346.19	1/4		1/4					
1/2	2,197.44	1/2	1,823.86	1/2	1,450.27	1/2	1,076.68	1/2	703.10	1/2	338.66	1/2		1/2					
3/4	2,189.66	3/4	1,816.08	3/4	1,442.48	3/4	1,068.90	3/4	695.32	3/4	331.15	3/4		3/4					
10	2,181.88	10	1,808.29	10	1,434.70	10	1,061.12	10	687.53	10	323.63	10		10	10	10	10	10	10
1/4	2,174.10	1/4	1,800.51	1/4	1,426.91	1/4	1,053.34	1/4	679.75	1/4	316.11	1/4		1/4					
1/2	2,166.32	1/2	1,792.72	1/2	1,419.13	1/2	1,045.55	1/2	671.96	1/2	308.50	1/2		1/2					
3/4	2,158.53	3/4	1,784.94	3/4	1,411.35	3/4	1,037.77	3/4	664.17	3/4	300.81	3/4		3/4					
11	2,150.75	11	1,777.16	11	1,403.57	11	1,029.98	11	656.39	11	293.11	11		11	11	11	11	11	11
1/4	2,142.96	1/4	1,769.39	1/4	1,395.79	1/4	1,022.20	1/4	648.60	1/4	285.41	1/4		1/4					
1/2	2,135.18	1/2	1,761.60	1/2	1,388.01	1/2	1,014.41	1/2	640.82	1/2	277.68	1/2		1/2					
3/4	2,127.40	3/4	1,753.82	3/4	1,380.22	3/4	1,006.64	3/4	633.04	3/4	269.91	3/4		3/4					

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/19/2000 SI  
DECK MEASUREMENTS: 08/03/2015 CL  
REPRINTED: 08/04/2015 JS

CANCELS AND SUPERCEDES  
ALL PRIOR TO 08/2015

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>