



BARGE "WEB 323"

PORT SLOP TANK

INNAGE TABLE

GAUGE HEIGHT 3'-11 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	711	0	1,422	0	2,134	0		0		0		0		0		0	
1/4	15	1/4	726	1/4	1,437	1/4	2,148	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	30	1/2	741	1/2	1,452	1/2	2,163	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44	3/4	756	3/4	1,467	3/4	2,178	3/4		3/4		3/4		3/4		3/4		3/4	
1	59	1	771	1	1,482	1	2,193	1		1		1		1		1		1	
1 1/4	74	1 1/4	785	1 1/4	1,497	1 1/4	2,208	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	89	1 1/2	800	1 1/2	1,511	1 1/2	2,223	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
1 3/4	104	1 3/4	815	1 3/4	1,526	1 3/4	2,237	1 3/4		1 3/4		1 3/4		1 3/4		1 3/4		1 3/4	
2	119	2	830	2	1,541	2	2,252	2		2		2		2		2		2	
2 1/4	133	2 1/4	845	2 1/4	1,556	2 1/4	2,267	2 1/4		2 1/4		2 1/4		2 1/4		2 1/4		2 1/4	
2 1/2	148	2 1/2	859	2 1/2	1,571	2 1/2	2,282	2 1/2		2 1/2		2 1/2		2 1/2		2 1/2		2 1/2	
2 3/4	163	2 3/4	874	2 3/4	1,585	2 3/4	2,297	2 3/4		2 3/4		2 3/4		2 3/4		2 3/4		2 3/4	
3	178	3	889	3	1,600	3	2,311	3		3		3		3		3		3	
3 1/4	193	3 1/4	904	3 1/4	1,615	3 1/4	2,326	3 1/4		3 1/4		3 1/4		3 1/4		3 1/4		3 1/4	
3 1/2	207	3 1/2	919	3 1/2	1,630	3 1/2	2,341	3 1/2		3 1/2		3 1/2		3 1/2		3 1/2		3 1/2	
3 3/4	222	3 3/4	934	3 3/4	1,645	3 3/4	2,356	3 3/4		3 3/4		3 3/4		3 3/4		3 3/4		3 3/4	
4	237	4	948	4	1,660	4	2,371	4		4		4		4		4		4	
4 1/4	252	4 1/4	963	4 1/4	1,674	4 1/4	2,386	4 1/4		4 1/4		4 1/4		4 1/4		4 1/4		4 1/4	
4 1/2	267	4 1/2	978	4 1/2	1,689	4 1/2	2,400	4 1/2		4 1/2		4 1/2		4 1/2		4 1/2		4 1/2	
4 3/4	282	4 3/4	993	4 3/4	1,704	4 3/4	2,415	4 3/4		4 3/4		4 3/4		4 3/4		4 3/4		4 3/4	
5	296	5	1,008	5	1,719	5	2,430	5		5		5		5		5		5	
5 1/4	311	5 1/4	1,022	5 1/4	1,734	5 1/4	2,445	5 1/4		5 1/4		5 1/4		5 1/4		5 1/4		5 1/4	
5 1/2	326	5 1/2	1,037	5 1/2	1,748	5 1/2	2,460	5 1/2		5 1/2		5 1/2		5 1/2		5 1/2		5 1/2	
5 3/4	341	5 3/4	1,052	5 3/4	1,763	5 3/4	2,474	5 3/4		5 3/4		5 3/4		5 3/4		5 3/4		5 3/4	
6	356	6	1,067	6	1,778	6	2,489	6		6		6		6		6		6	
6 1/4	371	6 1/4	1,082	6 1/4	1,793	6 1/4		6 1/4		6 1/4		6 1/4		6 1/4		6 1/4		6 1/4	
6 1/2	385	6 1/2	1,097	6 1/2	1,808	6 1/2		6 1/2		6 1/2		6 1/2		6 1/2		6 1/2		6 1/2	
6 3/4	400	6 3/4	1,111	6 3/4	1,823	6 3/4		6 3/4		6 3/4		6 3/4		6 3/4		6 3/4		6 3/4	
7	415	7	1,126	7	1,837	7		7		7		7		7		7		7	
7 1/4	430	7 1/4	1,141	7 1/4	1,852	7 1/4		7 1/4		7 1/4		7 1/4		7 1/4		7 1/4		7 1/4	
7 1/2	445	7 1/2	1,156	7 1/2	1,867	7 1/2		7 1/2		7 1/2		7 1/2		7 1/2		7 1/2		7 1/2	
7 3/4	459	7 3/4	1,171	7 3/4	1,882	7 3/4		7 3/4		7 3/4		7 3/4		7 3/4		7 3/4		7 3/4	
8	474	8	1,185	8	1,897	8		8		8		8		8		8		8	
8 1/4	489	8 1/4	1,200	8 1/4	1,911	8 1/4		8 1/4		8 1/4		8 1/4		8 1/4		8 1/4		8 1/4	
8 1/2	504	8 1/2	1,215	8 1/2	1,926	8 1/2		8 1/2		8 1/2		8 1/2		8 1/2		8 1/2		8 1/2	
8 3/4	519	8 3/4	1,230	8 3/4	1,941	8 3/4		8 3/4		8 3/4		8 3/4		8 3/4		8 3/4		8 3/4	
9	534	9	1,245	9	1,956	9		9		9		9		9		9		9	
9 1/4	548	9 1/4	1,260	9 1/4	1,971	9 1/4		9 1/4		9 1/4		9 1/4		9 1/4		9 1/4		9 1/4	
9 1/2	563	9 1/2	1,274	9 1/2	1,985	9 1/2		9 1/2		9 1/2		9 1/2		9 1/2		9 1/2		9 1/2	
9 3/4	578	9 3/4	1,289	9 3/4	2,000	9 3/4		9 3/4		9 3/4		9 3/4		9 3/4		9 3/4		9 3/4	
10	593	10	1,304	10	2,015	10		10		10		10		10		10		10	
10 1/4	608	10 1/4	1,319	10 1/4	2,030	10 1/4		10 1/4		10 1/4		10 1/4		10 1/4		10 1/4		10 1/4	
10 1/2	622	10 1/2	1,334	10 1/2	2,045	10 1/2		10 1/2		10 1/2		10 1/2		10 1/2		10 1/2		10 1/2	
10 3/4	637	10 3/4	1,348	10 3/4	2,060	10 3/4		10 3/4		10 3/4		10 3/4		10 3/4		10 3/4		10 3/4	
11	652	11	1,363	11	2,074	11		11		11		11		11		11		11	
11 1/4	667	11 1/4	1,378	11 1/4	2,089	11 1/4		11 1/4		11 1/4		11 1/4		11 1/4		11 1/4		11 1/4	
11 1/2	682	11 1/2	1,393	11 1/2	2,104	11 1/2		11 1/2		11 1/2		11 1/2		11 1/2		11 1/2		11 1/2	
11 3/4	697	11 3/4	1,408	11 3/4	2,119	11 3/4		11 3/4		11 3/4		11 3/4		11 3/4		11 3/4		11 3/4	

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
 CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK
 GAUGE POINT: TOP LIP OPPOSITE HINGE OF MANWAY.

STRAPPED: 02/06/2012 CL - SW
 CALCULATED: 02/07/2012 CL
 PRINTED: 02/07/2012 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 02/2012

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 323"

STBD
SLOP TANK

INNAGE TABLE
GAUGE HEIGHT 3'-11 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	711	0	1,422	0	2,134	0		0		0		0		0		0	
1/4	15	1/4	726	1/4	1,437	1/4	2,148	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	30	1/2	741	1/2	1,452	1/2	2,163	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	44	3/4	756	3/4	1,467	3/4	2,178	3/4		3/4		3/4		3/4		3/4		3/4	
1	59	1	771	1	1,482	1	2,193	1		1		1		1		1		1	
1/4	74	1/4	785	1/4	1,497	1/4	2,208	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	89	1/2	800	1/2	1,511	1/2	2,223	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	104	3/4	815	3/4	1,526	3/4	2,237	3/4		3/4		3/4		3/4		3/4		3/4	
2	119	2	830	2	1,541	2	2,252	2		2		2		2		2		2	
1/4	133	1/4	845	1/4	1,556	1/4	2,267	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	148	1/2	869	1/2	1,571	1/2	2,282	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	163	3/4	874	3/4	1,585	3/4	2,297	3/4		3/4		3/4		3/4		3/4		3/4	
3	178	3	889	3	1,600	3	2,311	3		3		3		3		3		3	
1/4	193	1/4	904	1/4	1,615	1/4	2,326	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	207	1/2	919	1/2	1,630	1/2	2,341	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	222	3/4	934	3/4	1,645	3/4	2,356	3/4		3/4		3/4		3/4		3/4		3/4	
4	237	4	948	4	1,660	4	2,371	4		4		4		4		4		4	
1/4	252	1/4	963	1/4	1,674	1/4	2,386	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	267	1/2	978	1/2	1,689	1/2	2,400	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	282	3/4	993	3/4	1,704	3/4	2,415	3/4		3/4		3/4		3/4		3/4		3/4	
5	296	5	1,008	5	1,719	5	2,430	5		5		5		5		5		5	
1/4	311	1/4	1,022	1/4	1,734	1/4	2,445	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	326	1/2	1,037	1/2	1,748	1/2	2,460	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	341	3/4	1,052	3/4	1,763	3/4	2,474	3/4		3/4		3/4		3/4		3/4		3/4	
6	356	6	1,067	6	1,778	6	2,489	6		6		6		6		6		6	
1/4	371	1/4	1,082	1/4	1,793	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	385	1/2	1,097	1/2	1,808	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	400	3/4	1,111	3/4	1,823	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	415	7	1,126	7	1,837	7		7		7		7		7		7		7	
1/4	430	1/4	1,141	1/4	1,852	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	445	1/2	1,156	1/2	1,867	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	459	3/4	1,171	3/4	1,882	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	474	8	1,185	8	1,897	8		8		8		8		8		8		8	
1/4	489	1/4	1,200	1/4	1,911	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	504	1/2	1,215	1/2	1,926	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	519	3/4	1,230	3/4	1,941	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	534	9	1,245	9	1,956	9		9		9		9		9		9		9	
1/4	548	1/4	1,260	1/4	1,971	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	563	1/2	1,274	1/2	1,985	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	578	3/4	1,289	3/4	2,000	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	593	10	1,304	10	2,015	10		10		10		10		10		10		10	
1/4	608	1/4	1,319	1/4	2,030	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	622	1/2	1,334	1/2	2,045	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	637	3/4	1,348	3/4	2,060	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	652	11	1,363	11	2,074	11		11		11		11		11		11		11	
1/4	667	1/4	1,378	1/4	2,089	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	682	1/2	1,393	1/2	2,104	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	697	3/4	1,408	3/4	2,119	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK
GAUGE POINT: TOP LIP OPPOSITE HINGE OF MANWAY.

STRAPPED: 02/06/2012 CL - SW
CALCULATED: 02/07/2012 CL
PRINTED: 02/07/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2012

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77668
<http://www.pmacorp.net>



BARGE "WEB 323"

PORT SLOP TANK

INNAGE TABLE GAUGE HEIGHT 3'-11 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	711	0	1,422	0	2,134	0	0	0	0	0	0	0	0	0	0	0	0
1/4	15	1/4	726	1/4	1,437	1/4	2,148	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	30	1/2	741	1/2	1,452	1/2	2,163	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	44	3/4	756	3/4	1,467	3/4	2,178	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	59	1	771	1	1,482	1	2,193	1	1	1	1	1	1	1	1	1	1	1	1
1 1/4	74	1 1/4	785	1 1/4	1,497	1 1/4	2,208	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	89	1 1/2	800	1 1/2	1,511	1 1/2	2,223	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	104	3/4	815	3/4	1,526	3/4	2,237	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	119	2	830	2	1,541	2	2,252	2	2	2	2	2	2	2	2	2	2	2	2
1 1/4	133	1 1/4	845	1 1/4	1,556	1 1/4	2,267	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	148	1 1/2	859	1 1/2	1,571	1 1/2	2,282	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	163	3/4	874	3/4	1,585	3/4	2,297	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	178	3	889	3	1,600	3	2,311	3	3	3	3	3	3	3	3	3	3	3	3
1 1/4	193	1 1/4	904	1 1/4	1,615	1 1/4	2,326	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	207	1 1/2	919	1 1/2	1,630	1 1/2	2,341	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	222	3/4	934	3/4	1,645	3/4	2,356	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	237	4	948	4	1,660	4	2,371	4	4	4	4	4	4	4	4	4	4	4	4
1 1/4	252	1 1/4	963	1 1/4	1,674	1 1/4	2,386	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	267	1 1/2	978	1 1/2	1,689	1 1/2	2,400	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	282	3/4	993	3/4	1,704	3/4	2,415	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	296	5	1,008	5	1,719	5	2,430	5	5	5	5	5	5	5	5	5	5	5	5
1 1/4	311	1 1/4	1,022	1 1/4	1,734	1 1/4	2,445	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	326	1 1/2	1,037	1 1/2	1,748	1 1/2	2,460	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	341	3/4	1,052	3/4	1,763	3/4	2,474	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	356	6	1,067	6	1,778	6	2,489	6	6	6	6	6	6	6	6	6	6	6	6
1 1/4	371	1 1/4	1,082	1 1/4	1,793	1 1/4	2,503	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	385	1 1/2	1,097	1 1/2	1,808	1 1/2	2,518	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	400	3/4	1,111	3/4	1,823	3/4	2,533	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	415	7	1,126	7	1,837	7	2,547	7	7	7	7	7	7	7	7	7	7	7	7
1 1/4	430	1 1/4	1,141	1 1/4	1,852	1 1/4	2,562	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	445	1 1/2	1,156	1 1/2	1,867	1 1/2	2,577	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	459	3/4	1,171	3/4	1,882	3/4	2,592	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	474	8	1,185	8	1,897	8	2,607	8	8	8	8	8	8	8	8	8	8	8	8
1 1/4	489	1 1/4	1,200	1 1/4	1,911	1 1/4	2,622	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	504	1 1/2	1,215	1 1/2	1,926	1 1/2	2,637	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	519	3/4	1,230	3/4	1,941	3/4	2,652	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	534	9	1,245	9	1,956	9	2,667	9	9	9	9	9	9	9	9	9	9	9	9
1 1/4	548	1 1/4	1,260	1 1/4	1,971	1 1/4	2,682	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	563	1 1/2	1,274	1 1/2	1,985	1 1/2	2,697	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	578	3/4	1,289	3/4	2,000	3/4	2,712	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	593	10	1,304	10	2,015	10	2,727	10	10	10	10	10	10	10	10	10	10	10	10
1 1/4	608	1 1/4	1,319	1 1/4	2,030	1 1/4	2,742	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	622	1 1/2	1,334	1 1/2	2,045	1 1/2	2,757	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	637	3/4	1,348	3/4	2,060	3/4	2,772	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	652	11	1,363	11	2,074	11	2,787	11	11	11	11	11	11	11	11	11	11	11	11
1 1/4	667	1 1/4	1,378	1 1/4	2,089	1 1/4	2,802	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4	1 1/4
1 1/2	682	1 1/2	1,393	1 1/2	2,104	1 1/2	2,817	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
3/4	697	3/4	1,408	3/4	2,119	3/4	2,832	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK
GAUGE POINT: TOP LIP OPPOSITE HINGE OF MANWAY.

STRAPPED: 02/06/2012 CL - SW
CALCULATED: 02/07/2012 CL
PRINTED: 02/07/2012 CL
CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2012

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 323"

STBD SLOP TANK

INNAGE TABLE GAUGE HEIGHT 3'-11 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	711	0	1,422	0	2,134	0	0	0	0	0	0	0	0	0	0	0	0
1/4	15	1/4	726	1/4	1,437	1/4	2,148	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	30	1/2	741	1/2	1,452	1/2	2,163	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	44	3/4	756	3/4	1,467	3/4	2,178	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	59	1	771	1	1,482	1	2,193	1	1	1	1	1	1	1	1	1	1	1	1
1/4	74	1/4	785	1/4	1,497	1/4	2,208	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	89	1/2	800	1/2	1,511	1/2	2,223	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	104	3/4	815	3/4	1,526	3/4	2,237	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	119	2	830	2	1,541	2	2,252	2	2	2	2	2	2	2	2	2	2	2	2
1/4	133	1/4	845	1/4	1,556	1/4	2,267	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	148	1/2	859	1/2	1,571	1/2	2,282	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	163	3/4	874	3/4	1,585	3/4	2,297	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	178	3	889	3	1,600	3	2,311	3	3	3	3	3	3	3	3	3	3	3	3
1/4	193	1/4	904	1/4	1,615	1/4	2,326	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	207	1/2	919	1/2	1,630	1/2	2,341	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	222	3/4	934	3/4	1,645	3/4	2,356	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	237	4	948	4	1,660	4	2,371	4	4	4	4	4	4	4	4	4	4	4	4
1/4	252	1/4	963	1/4	1,674	1/4	2,386	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	267	1/2	978	1/2	1,689	1/2	2,400	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	282	3/4	993	3/4	1,704	3/4	2,415	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	296	5	1,008	5	1,719	5	2,430	5	5	5	5	5	5	5	5	5	5	5	5
1/4	311	1/4	1,022	1/4	1,734	1/4	2,445	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	326	1/2	1,037	1/2	1,748	1/2	2,460	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	341	3/4	1,052	3/4	1,763	3/4	2,474	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	356	6	1,067	6	1,778	6	2,489	6	6	6	6	6	6	6	6	6	6	6	6
1/4	371	1/4	1,082	1/4	1,793	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	385	1/2	1,097	1/2	1,808	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	400	3/4	1,111	3/4	1,823	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	415	7	1,126	7	1,837	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	430	1/4	1,141	1/4	1,852	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	445	1/2	1,156	1/2	1,867	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	459	3/4	1,171	3/4	1,882	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	474	8	1,185	8	1,897	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	489	1/4	1,200	1/4	1,911	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	504	1/2	1,215	1/2	1,926	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	519	3/4	1,230	3/4	1,941	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	534	9	1,245	9	1,956	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	548	1/4	1,260	1/4	1,971	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	563	1/2	1,274	1/2	1,985	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	578	3/4	1,289	3/4	2,000	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	593	10	1,304	10	2,015	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	608	1/4	1,319	1/4	2,030	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	622	1/2	1,334	1/2	2,045	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	637	3/4	1,348	3/4	2,060	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	652	11	1,363	11	2,074	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	667	1/4	1,378	1/4	2,089	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	682	1/2	1,393	1/2	2,104	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	697	3/4	1,408	3/4	2,119	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.
CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK
GAUGE POINT: TOP LIP OPPOSITE HINGE OF MANWAY.

STRAPPED: 02/08/2012 CL - SW
CALCULATED: 02/07/2012 CL
PRINTED: 02/07/2012 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77586
<http://www.pmacorp.net>