



# BARGE "WEB 326T"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2
2 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4
3 PORT	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/8	- 01-1/8
3 STBD	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/8	- 01-1/8
4 CENTER	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-1/8"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 4'-00 1/8"

LENGTH BETWEEN DRAFT MARKS: 255'-03"

May 7, 2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>



# BARGE "WEB 326T"

## 1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-07"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0		0		0		0	8,283.05	0	7,713.84	0	7,144.57	0	6,574.17	0	6,001.43	0	5,428.68	0	4,855.94
1/4		1/4		1/4		1/4	8,271.24	1/4	7,701.98	1/4	7,132.71	1/4	6,562.24	1/4	5,989.50	1/4	5,416.75	1/4	4,844.00
1/2		1/2		1/2		1/2	8,259.43	1/2	7,690.12	1/2	7,120.85	1/2	6,550.31	1/2	5,977.56	1/2	5,404.82	1/2	4,832.07
3/4		3/4		3/4		3/4	8,247.62	3/4	7,678.26	3/4	7,108.99	3/4	6,538.38	3/4	5,965.63	3/4	5,392.89	3/4	4,820.14
1		1		1		1	8,235.81	1	7,666.40	1	7,097.13	1	6,526.44	1	5,953.70	1	5,380.95	1	4,808.21
1/4		1/4		1/4		1/4	8,223.94	1/4	7,654.54	1/4	7,085.27	1/4	6,514.51	1/4	5,941.77	1/4	5,369.02	1/4	4,796.28
1/2		1/2		1/2		1/2	8,212.07	1/2	7,642.68	1/2	7,073.41	1/2	6,502.58	1/2	5,929.83	1/2	5,357.09	1/2	4,784.34
3/4		3/4		3/4		3/4	8,200.20	3/4	7,630.82	3/4	7,061.55	3/4	6,490.65	3/4	5,917.90	3/4	5,345.16	3/4	4,772.41
2		2		2		2	8,188.32	2	7,618.96	2	7,049.69	2	6,478.72	2	5,905.97	2	5,333.22	2	4,760.48
1/4		1/4		1/4		1/4	8,176.45	1/4	7,607.10	1/4	7,037.83	1/4	6,466.78	1/4	5,894.04	1/4	5,321.29	1/4	4,748.55
1/2		1/2		1/2		1/2	8,164.57	1/2	7,595.24	1/2	7,025.97	1/2	6,454.85	1/2	5,882.11	1/2	5,309.36	1/2	4,736.61
3/4		3/4		3/4		3/4	8,152.69	3/4	7,583.38	3/4	7,014.11	3/4	6,442.92	3/4	5,870.17	3/4	5,297.43	3/4	4,724.68
3		3		3		3	8,140.81	3	7,571.52	3	7,002.25	3	6,430.99	3	5,858.24	3	5,285.50	3	4,712.75
1/4		1/4		1/4		1/4	8,128.95	1/4	7,559.67	1/4	6,990.39	1/4	6,419.05	1/4	5,846.31	1/4	5,273.56	1/4	4,700.82
1/2		1/2		1/2		1/2	8,117.08	1/2	7,547.81	1/2	6,978.53	1/2	6,407.12	1/2	5,834.38	1/2	5,261.63	1/2	4,688.89
3/4		3/4		3/4		3/4	8,105.22	3/4	7,535.95	3/4	6,966.67	3/4	6,395.19	3/4	5,822.44	3/4	5,249.70	3/4	4,676.95
4		4		4		4	8,093.36	4	7,524.09	4	6,954.82	4	6,383.26	4	5,810.51	4	5,237.77	4	4,665.02
1/4		1/4		1/4		1/4	8,081.50	1/4	7,512.23	1/4	6,942.96	1/4	6,371.33	1/4	5,798.58	1/4	5,225.83	1/4	4,653.09
1/2		1/2		1/2		1/2	8,069.64	1/2	7,500.37	1/2	6,931.10	1/2	6,359.39	1/2	5,786.65	1/2	5,213.90	1/2	4,641.16
3/4		3/4		3/4		3/4	8,057.78	3/4	7,488.51	3/4	6,919.24	3/4	6,347.46	3/4	5,774.72	3/4	5,201.97	3/4	4,629.22
5		5		5		5	8,045.92	5	7,476.65	5	6,907.38	5	6,335.53	5	5,762.78	5	5,190.04	5	4,617.29
1/4		1/4		1/4		1/4	8,034.06	1/4	7,464.79	1/4	6,895.52	1/4	6,323.60	1/4	5,750.85	1/4	5,178.11	1/4	4,605.36
1/2		1/2		1/2		1/2	8,022.20	1/2	7,452.93	1/2	6,883.66	1/2	6,311.66	1/2	5,738.92	1/2	5,166.17	1/2	4,593.43
3/4		3/4		3/4		3/4	8,010.34	3/4	7,441.07	3/4	6,871.80	3/4	6,299.73	3/4	5,726.99	3/4	5,154.24	3/4	4,581.50
6		6		6		6	7,998.48	6	7,429.21	6	6,859.94	6	6,287.80	6	5,715.05	6	5,142.31	6	4,569.56
1/4		1/4		1/4		1/4	7,986.62	1/4	7,417.35	1/4	6,848.08	1/4	6,275.87	1/4	5,703.12	1/4	5,130.38	1/4	4,557.63
1/2		1/2		1/2	8,415.40	1/2	7,974.76	1/2	7,405.49	1/2	6,836.22	1/2	6,263.94	1/2	5,691.19	1/2	5,118.44	1/2	4,545.70
3/4		3/4		3/4	8,415.34	3/4	7,962.90	3/4	7,393.63	3/4	6,824.36	3/4	6,252.00	3/4	5,679.26	3/4	5,106.51	3/4	4,533.77
7		7		7	8,415.28	7	7,951.04	7	7,381.77	7	6,812.50	7	6,240.07	7	5,667.33	7	5,094.58	7	4,521.83
1/4		1/4		1/4	8,413.39	1/4	7,939.18	1/4	7,369.91	1/4	6,800.64	1/4	6,228.14	1/4	5,655.39	1/4	5,082.65	1/4	4,509.88
1/2		1/2		1/2	8,411.50	1/2	7,927.32	1/2	7,358.05	1/2	6,788.78	1/2	6,216.21	1/2	5,643.46	1/2	5,070.72	1/2	4,497.93
3/4		3/4		3/4	8,409.61	3/4	7,915.46	3/4	7,346.19	3/4	6,776.92	3/4	6,204.27	3/4	5,631.53	3/4	5,058.78	3/4	4,485.98
8		8		8	8,407.72	8	7,903.60	8	7,334.33	8	6,765.06	8	6,192.34	8	5,619.60	8	5,046.85	8	4,474.03
1/4		1/4		1/4	8,403.48	1/4	7,891.74	1/4	7,322.47	1/4	6,753.13	1/4	6,180.41	1/4	5,607.66	1/4	5,034.92	1/4	4,462.08
1/2		1/2		1/2	8,399.23	1/2	7,879.88	1/2	7,310.61	1/2	6,741.21	1/2	6,168.48	1/2	5,595.73	1/2	5,022.99	1/2	4,450.13
3/4		3/4		3/4	8,394.99	3/4	7,868.02	3/4	7,298.75	3/4	6,729.28	3/4	6,156.55	3/4	5,583.80	3/4	5,011.05	3/4	4,438.18
9		9		9	8,390.74	9	7,856.16	9	7,286.89	9	6,717.36	9	6,144.61	9	5,571.87	9	4,999.12	9	4,426.23
1/4		1/4		1/4	8,384.11	1/4	7,844.30	1/4	7,275.03	1/4	6,705.43	1/4	6,132.68	1/4	5,559.94	1/4	4,987.19	1/4	4,414.28
1/2		1/2		1/2	8,377.48	1/2	7,832.44	1/2	7,263.17	1/2	6,693.50	1/2	6,120.75	1/2	5,548.00	1/2	4,975.26	1/2	4,402.32
3/4		3/4		3/4	8,370.84	3/4	7,820.58	3/4	7,251.31	3/4	6,681.56	3/4	6,108.82	3/4	5,536.07	3/4	4,963.33	3/4	4,390.37
10		10		10	8,364.21	10	7,808.72	10	7,239.45	10	6,669.63	10	6,096.89	10	5,524.14	10	4,951.39	10	4,378.42
1/4		1/4		1/4	8,355.18	1/4	7,796.86	1/4	7,227.59	1/4	6,657.70	1/4	6,084.95	1/4	5,512.21	1/4	4,939.46	1/4	4,366.47
1/2		1/2		1/2	8,346.15	1/2	7,785.00	1/2	7,215.73	1/2	6,645.77	1/2	6,073.02	1/2	5,500.28	1/2	4,927.53	1/2	4,354.52
3/4		3/4		3/4	8,337.13	3/4	7,773.14	3/4	7,203.87	3/4	6,633.83	3/4	6,061.09	3/4	5,488.34	3/4	4,915.60	3/4	4,342.57
11		11		11	8,328.10	11	7,761.28	11	7,192.01	11	6,621.90	11	6,049.16	11	5,476.41	11	4,903.67	11	4,330.62
1/4		1/4		1/4	8,316.84	1/4	7,749.42	1/4	7,180.15	1/4	6,609.97	1/4	6,037.22	1/4	5,464.48	1/4	4,891.73	1/4	4,318.66
1/2		1/2		1/2	8,305.57	1/2	7,737.56	1/2	7,168.29	1/2	6,598.04	1/2	6,025.29	1/2	5,452.55	1/2	4,879.80	1/2	4,306.71
3/4		3/4		3/4	8,294.31	3/4	7,725.70	3/4	7,156.43	3/4	6,586.11	3/4	6,013.36	3/4	5,440.61	3/4	4,867.87	3/4	4,294.76

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 1'-00" OFF CENTERLINE AND 32'-09" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 326T"

## 1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-07"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	4,282.81	0	3,709.14	0	3,135.48	0	2,561.81	0	1,988.14	0	1,414.89	0	841.83	0	268.21	0		0	
1/4	4,270.86	1/4	3,697.19	1/4	3,123.52	1/4	2,549.86	1/4	1,976.19	1/4	1,402.96	1/4	829.88	1/4	256.28	1/4		1/4	
1/2	4,258.91	1/2	3,685.24	1/2	3,111.57	1/2	2,537.91	1/2	1,964.24	1/2	1,391.03	1/2	817.93	1/2	244.35	1/2		1/2	
3/4	4,246.96	3/4	3,673.29	3/4	3,099.62	3/4	2,525.95	3/4	1,952.29	3/4	1,379.09	3/4	805.98	3/4	232.42	3/4		3/4	
1	4,235.01	1	3,661.34	1	3,087.67	1	2,514.00	1	1,940.34	1	1,367.16	1	794.02	1	220.49	1		1	
1/4	4,223.05	1/4	3,649.39	1/4	3,075.72	1/4	2,502.05	1/4	1,928.38	1/4	1,355.23	1/4	782.07	1/4	208.58	1/4		1/4	
1/2	4,211.10	1/2	3,637.44	1/2	3,063.77	1/2	2,490.10	1/2	1,916.43	1/2	1,343.30	1/2	770.12	1/2	196.67	1/2		1/2	
3/4	4,199.15	3/4	3,625.48	3/4	3,051.82	3/4	2,478.15	3/4	1,904.48	3/4	1,331.37	3/4	758.17	3/4	184.77	3/4		3/4	
2	4,187.20	2	3,613.53	2	3,039.87	2	2,466.20	2	1,892.53	2	1,319.44	2	746.22	2	172.86	2		2	
1/4	4,175.25	1/4	3,601.58	1/4	3,027.91	1/4	2,454.25	1/4	1,880.58	1/4	1,307.51	1/4	734.27	1/4	160.99	1/4		1/4	
1/2	4,163.30	1/2	3,589.63	1/2	3,015.96	1/2	2,442.30	1/2	1,868.63	1/2	1,295.58	1/2	722.32	1/2	149.12	1/2		1/2	
3/4	4,151.35	3/4	3,577.68	3/4	3,004.01	3/4	2,430.34	3/4	1,856.68	3/4	1,283.65	3/4	710.37	3/4	137.24	3/4		3/4	
3	4,139.39	3	3,565.73	3	2,992.06	3	2,418.39	3	1,844.73	3	1,271.72	3	698.42	3	125.37	3		3	
1/4	4,127.44	1/4	3,553.78	1/4	2,980.11	1/4	2,406.44	1/4	1,832.77	1/4	1,259.79	1/4	686.47	1/4	113.56	1/4		1/4	
1/2	4,115.49	1/2	3,541.82	1/2	2,968.16	1/2	2,394.49	1/2	1,820.82	1/2	1,247.86	1/2	674.51	1/2	101.76	1/2		1/2	
3/4	4,103.54	3/4	3,529.87	3/4	2,956.21	3/4	2,382.54	3/4	1,808.87	3/4	1,235.93	3/4	662.56	3/4	89.95	3/4		3/4	
4	4,091.59	4	3,517.92	4	2,944.25	4	2,370.59	4	1,796.92	4	1,224.00	4	650.61	4	78.14	4		4	
1/4	4,079.64	1/4	3,505.97	1/4	2,932.30	1/4	2,358.64	1/4	1,784.97	1/4	1,212.07	1/4	638.66	1/4	67.96	1/4		1/4	
1/2	4,067.69	1/2	3,494.02	1/2	2,920.35	1/2	2,346.68	1/2	1,773.02	1/2	1,200.14	1/2	626.71	1/2	57.77	1/2		1/2	
3/4	4,055.73	3/4	3,482.07	3/4	2,908.40	3/4	2,334.73	3/4	1,761.07	3/4	1,188.21	3/4	614.76	3/4	47.59	3/4		3/4	
5	4,043.78	5	3,470.12	5	2,896.45	5	2,322.78	5	1,749.11	5	1,176.28	5	602.81	5	37.41	5		5	
1/4	4,031.83	1/4	3,458.16	1/4	2,884.50	1/4	2,310.83	1/4	1,737.16	1/4	1,164.35	1/4	590.86	1/4	30.94	1/4		1/4	
1/2	4,019.88	1/2	3,446.21	1/2	2,872.55	1/2	2,298.88	1/2	1,725.21	1/2	1,152.42	1/2	578.91	1/2	24.46	1/2		1/2	
3/4	4,007.93	3/4	3,434.26	3/4	2,860.59	3/4	2,286.93	3/4	1,713.26	3/4	1,140.49	3/4	566.96	3/4	17.99	3/4		3/4	
6	3,995.98	6	3,422.31	6	2,848.64	6	2,274.98	6	1,701.31	6	1,128.56	6	555.00	6	11.51	6		6	
1/4	3,984.03	1/4	3,410.36	1/4	2,836.69	1/4	2,263.02	1/4	1,689.36	1/4	1,116.63	1/4	543.05	1/4	9.02	1/4		1/4	
1/2	3,972.07	1/2	3,398.41	1/2	2,824.74	1/2	2,251.07	1/2	1,677.41	1/2	1,104.70	1/2	531.10	1/2	6.53	1/2		1/2	
3/4	3,960.12	3/4	3,386.46	3/4	2,812.79	3/4	2,239.12	3/4	1,665.45	3/4	1,092.77	3/4	519.15	3/4	4.04	3/4		3/4	
7	3,948.17	7	3,374.50	7	2,800.84	7	2,227.17	7	1,653.50	7	1,080.84	7	507.20	7	1.55	7		7	
1/4	3,936.22	1/4	3,362.55	1/4	2,788.89	1/4	2,215.22	1/4	1,641.57	1/4	1,068.89	1/4	495.25	1/4		1/4		1/4	
1/2	3,924.27	1/2	3,350.60	1/2	2,776.93	1/2	2,203.27	1/2	1,629.64	1/2	1,056.94	1/2	483.30	1/2		1/2		1/2	
3/4	3,912.32	3/4	3,338.65	3/4	2,764.98	3/4	2,191.32	3/4	1,617.70	3/4	1,044.99	3/4	471.35	3/4		3/4		3/4	
8	3,900.37	8	3,326.70	8	2,753.03	8	2,179.36	8	1,605.77	8	1,033.04	8	459.40	8		8		8	
1/4	3,888.41	1/4	3,314.75	1/4	2,741.08	1/4	2,167.41	1/4	1,593.84	1/4	1,021.09	1/4	447.45	1/4		1/4		1/4	
1/2	3,876.46	1/2	3,302.80	1/2	2,729.13	1/2	2,155.46	1/2	1,581.91	1/2	1,009.14	1/2	435.49	1/2		1/2		1/2	
3/4	3,864.51	3/4	3,290.84	3/4	2,717.18	3/4	2,143.51	3/4	1,569.98	3/4	997.19	3/4	423.54	3/4		3/4		3/4	
9	3,852.56	9	3,278.89	9	2,705.23	9	2,131.56	9	1,558.05	9	985.24	9	411.59	9		9		9	
1/4	3,840.61	1/4	3,266.94	1/4	2,693.27	1/4	2,119.61	1/4	1,546.12	1/4	973.29	1/4	399.64	1/4		1/4		1/4	
1/2	3,828.66	1/2	3,254.99	1/2	2,681.32	1/2	2,107.66	1/2	1,534.19	1/2	961.34	1/2	387.69	1/2		1/2		1/2	
3/4	3,816.71	3/4	3,243.04	3/4	2,669.37	3/4	2,095.70	3/4	1,522.26	3/4	949.39	3/4	375.74	3/4		3/4		3/4	
10	3,804.75	10	3,231.09	10	2,657.42	10	2,083.75	10	1,510.33	10	937.44	10	363.79	10		10		10	
1/4	3,792.80	1/4	3,219.14	1/4	2,645.47	1/4	2,071.80	1/4	1,498.40	1/4	925.49	1/4	351.84	1/4		1/4		1/4	
1/2	3,780.85	1/2	3,207.18	1/2	2,633.52	1/2	2,059.85	1/2	1,486.47	1/2	913.53	1/2	339.89	1/2		1/2		1/2	
3/4	3,768.90	3/4	3,195.23	3/4	2,621.57	3/4	2,047.90	3/4	1,474.54	3/4	901.58	3/4	327.94	3/4		3/4		3/4	
11	3,756.95	11	3,183.28	11	2,609.61	11	2,035.95	11	1,462.61	11	889.63	11	315.99	11		11		11	
1/4	3,745.00	1/4	3,171.33	1/4	2,597.66	1/4	2,024.00	1/4	1,450.68	1/4	877.68	1/4	304.04	1/4		1/4		1/4	
1/2	3,733.05	1/2	3,159.38	1/2	2,585.71	1/2	2,012.04	1/2	1,438.75	1/2	865.73	1/2	292.10	1/2		1/2		1/2	
3/4	3,721.09	3/4	3,147.43	3/4	2,573.76	3/4	2,000.09	3/4	1,426.82	3/4	853.78	3/4	280.16	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/07/2012 CL - SW  
CALCULATED: 05/07/2012 CL  
PRINTED: 05/07/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 326T"

## 2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-03 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
							3,722.79		3,463.34		3,203.94		2,943.74		2,682.42		2,421.10		2,159.78		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,717.38	1/4	3,457.94	1/4	3,198.53	1/4	2,938.30	1/4	2,676.98	1/4	2,415.65	1/4	2,154.33		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,711.96	1/2	3,452.53	1/2	3,193.13	1/2	2,932.85	1/2	2,671.53	1/2	2,410.21	1/2	2,148.89		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,706.55	3/4	3,447.13	3/4	3,187.72	3/4	2,927.41	3/4	2,666.09	3/4	2,404.77	3/4	2,143.44		
<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>3,701.14</b>	<b>1</b>	<b>3,441.73</b>	<b>1</b>	<b>3,182.32</b>	<b>1</b>	<b>2,921.96</b>	<b>1</b>	<b>2,660.64</b>	<b>1</b>	<b>2,399.32</b>	<b>1</b>	<b>2,138.00</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,695.73	1/4	3,436.32	1/4	3,176.92	1/4	2,916.52	1/4	2,655.20	1/4	2,393.88	1/4	2,132.56		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,690.32	1/2	3,430.92	1/2	3,171.51	1/2	2,911.08	1/2	2,649.75	1/2	2,388.43	1/2	2,127.11		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,684.92	3/4	3,425.51	3/4	3,166.11	3/4	2,905.63	3/4	2,644.31	3/4	2,382.99	3/4	2,121.67		
<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3,679.52</b>	<b>2</b>	<b>3,420.11</b>	<b>2</b>	<b>3,160.70</b>	<b>2</b>	<b>2,900.19</b>	<b>2</b>	<b>2,638.87</b>	<b>2</b>	<b>2,377.54</b>	<b>2</b>	<b>2,116.22</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,674.11	1/4	3,414.70	1/4	3,155.30	1/4	2,894.74	1/4	2,633.42	1/4	2,372.10	1/4	2,110.78		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,668.71	1/2	3,409.30	1/2	3,149.89	1/2	2,889.30	1/2	2,627.98	1/2	2,366.66	1/2	2,105.33		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,663.30	3/4	3,403.90	3/4	3,144.49	3/4	2,883.86	3/4	2,622.53	3/4	2,361.21	3/4	2,099.89		
<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3,657.90</b>	<b>3</b>	<b>3,398.49</b>	<b>3</b>	<b>3,139.09</b>	<b>3</b>	<b>2,878.41</b>	<b>3</b>	<b>2,617.09</b>	<b>3</b>	<b>2,355.77</b>	<b>3</b>	<b>2,094.45</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,652.49	1/4	3,393.09	1/4	3,133.68	1/4	2,872.97	1/4	2,611.65	1/4	2,350.32	1/4	2,089.00		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,647.09	1/2	3,387.68	1/2	3,128.28	1/2	2,867.52	1/2	2,606.20	1/2	2,344.88	1/2	2,083.56		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,641.69	3/4	3,382.28	3/4	3,122.87	3/4	2,862.08	3/4	2,600.76	3/4	2,339.44	3/4	2,078.11		
<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>3,636.28</b>	<b>4</b>	<b>3,376.87</b>	<b>4</b>	<b>3,117.47</b>	<b>4</b>	<b>2,856.63</b>	<b>4</b>	<b>2,595.31</b>	<b>4</b>	<b>2,333.99</b>	<b>4</b>	<b>2,072.67</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,630.88	1/4	3,371.47	1/4	3,112.06	1/4	2,851.19	1/4	2,589.87	1/4	2,328.55	1/4	2,067.23		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,625.47	1/2	3,366.07	1/2	3,106.66	1/2	2,845.75	1/2	2,584.42	1/2	2,323.10	1/2	2,061.78		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,620.07	3/4	3,360.66	3/4	3,101.25	3/4	2,840.30	3/4	2,578.98	3/4	2,317.66	3/4	2,056.33		
<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>3,614.66</b>	<b>5</b>	<b>3,355.26</b>	<b>5</b>	<b>3,095.85</b>	<b>5</b>	<b>2,834.86</b>	<b>5</b>	<b>2,573.54</b>	<b>5</b>	<b>2,312.21</b>	<b>5</b>	<b>2,050.88</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,609.26	1/4	3,349.85	1/4	3,090.45	1/4	2,829.41	1/4	2,568.09	1/4	2,306.77	1/4	2,045.43		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,603.85	1/2	3,344.45	1/2	3,085.04	1/2	2,823.97	1/2	2,562.65	1/2	2,301.33	1/2	2,039.98		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,598.45	3/4	3,339.04	3/4	3,079.64	3/4	2,818.53	3/4	2,557.20	3/4	2,295.88	3/4	2,034.52		
<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>3,593.05</b>	<b>6</b>	<b>3,333.64</b>	<b>6</b>	<b>3,074.23</b>	<b>6</b>	<b>2,813.08</b>	<b>6</b>	<b>2,551.76</b>	<b>6</b>	<b>2,290.44</b>	<b>6</b>	<b>2,029.07</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,587.64	1/4	3,328.24	1/4	3,068.83	1/4	2,807.64	1/4	2,546.32	1/4	2,284.99	1/4	2,023.61		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,582.24	1/2	3,322.83	1/2	3,063.42	1/2	2,802.19	1/2	2,540.87	1/2	2,279.55	1/2	2,018.16		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,576.83	3/4	3,317.43	3/4	3,058.00	3/4	2,796.75	3/4	2,535.43	3/4	2,274.11	3/4	2,012.70		
<b>7</b>	<b>7</b>	<b>7</b>	<b>3,815.13</b>	<b>7</b>	<b>3,571.43</b>	<b>7</b>	<b>3,312.02</b>	<b>7</b>	<b>3,052.58</b>	<b>7</b>	<b>2,791.30</b>	<b>7</b>	<b>2,529.98</b>	<b>7</b>	<b>2,268.66</b>	<b>7</b>	<b>2,007.25</b>				
1/4	1/4	1/4	3,812.53	1/4	3,566.02	1/4	3,306.62	1/4	3,047.16	1/4	2,785.86	1/4	2,524.54	1/4	2,263.22	1/4	2,001.79				
1/2	1/2	1/2	3,809.93	1/2	3,560.62	1/2	3,301.21	1/2	3,041.74	1/2	2,780.42	1/2	2,519.09	1/2	2,257.77	1/2	1,996.34				
3/4	3/4	3/4	3,806.24	3/4	3,555.22	3/4	3,295.81	3/4	3,036.29	3/4	2,774.97	3/4	2,513.65	3/4	2,252.33	3/4	1,990.89				
<b>8</b>	<b>8</b>	<b>8</b>	<b>3,802.56</b>	<b>8</b>	<b>3,549.81</b>	<b>8</b>	<b>3,290.41</b>	<b>8</b>	<b>3,030.85</b>	<b>8</b>	<b>2,769.53</b>	<b>8</b>	<b>2,508.21</b>	<b>8</b>	<b>2,246.88</b>	<b>8</b>	<b>1,985.43</b>				
1/4	1/4	1/4	3,798.87	1/4	3,544.41	1/4	3,285.00	1/4	3,025.40	1/4	2,764.08	1/4	2,502.76	1/4	2,241.44	1/4	1,979.98				
1/2	1/2	1/2	3,795.18	1/2	3,539.00	1/2	3,279.60	1/2	3,019.96	1/2	2,758.64	1/2	2,497.32	1/2	2,236.00	1/2	1,974.52				
3/4	3/4	3/4	3,790.48	3/4	3,533.60	3/4	3,274.19	3/4	3,014.52	3/4	2,753.19	3/4	2,491.87	3/4	2,230.55	3/4	1,969.07				
<b>9</b>	<b>9</b>	<b>9</b>	<b>3,785.78</b>	<b>9</b>	<b>3,528.19</b>	<b>9</b>	<b>3,268.79</b>	<b>9</b>	<b>3,009.07</b>	<b>9</b>	<b>2,747.75</b>	<b>9</b>	<b>2,486.43</b>	<b>9</b>	<b>2,225.11</b>	<b>9</b>	<b>1,963.61</b>				
1/4	1/4	1/4	3,781.07	1/4	3,522.79	1/4	3,263.38	1/4	3,003.63	1/4	2,742.31	1/4	2,480.98	1/4	2,219.66	1/4	1,958.16				
1/2	1/2	1/2	3,776.37	1/2	3,517.39	1/2	3,257.98	1/2	2,998.18	1/2	2,736.86	1/2	2,475.54	1/2	2,214.22	1/2	1,952.70				
3/4	3/4	3/4	3,771.09	3/4	3,511.98	3/4	3,252.58	3/4	2,992.74	3/4	2,731.42	3/4	2,470.10	3/4	2,208.77	3/4	1,947.25				
<b>10</b>	<b>10</b>	<b>10</b>	<b>3,765.80</b>	<b>10</b>	<b>3,506.58</b>	<b>10</b>	<b>3,247.17</b>	<b>10</b>	<b>2,987.30</b>	<b>10</b>	<b>2,725.97</b>	<b>10</b>	<b>2,464.65</b>	<b>10</b>	<b>2,203.33</b>	<b>10</b>	<b>1,941.79</b>				
1/4	1/4	1/4	3,760.52	1/4	3,501.17	1/4	3,241.77	1/4	2,981.85	1/4	2,720.53	1/4	2,459.21	1/4	2,197.89	1/4	1,936.34				
1/2	1/2	1/2	3,755.23	1/2	3,495.77	1/2	3,236.36	1/2	2,976.41	1/2	2,715.09	1/2	2,453.76	1/2	2,192.44	1/2	1,930.88				
3/4	3/4	3/4	3,749.83	3/4	3,490.36	3/4	3,230.96	3/4	2,970.96	3/4	2,709.64	3/4	2,448.32	3/4	2,187.00	3/4	1,925.43				
<b>11</b>	<b>11</b>	<b>11</b>	<b>3,744.42</b>	<b>11</b>	<b>3,484.96</b>	<b>11</b>	<b>3,225.55</b>	<b>11</b>	<b>2,965.52</b>	<b>11</b>	<b>2,704.20</b>	<b>11</b>	<b>2,442.88</b>	<b>11</b>	<b>2,181.55</b>	<b>11</b>	<b>1,919.97</b>				
1/4	1/4	1/4	3,739.02	1/4	3,479.56	1/4	3,220.15	1/4	2,960.07	1/4	2,698.75	1/4	2,437.43	1/4	2,176.11	1/4	1,914.52				
1/2	1/2	1/2	3,733.61	1/2	3,474.15	1/2	3,214.75	1/2	2,954.63	1/2	2,693.31	1/2	2,431.99	1/2	2,170.67	1/2	1,909.06				
3/4	3/4	3/4	3,728.20	3/4	3,468.75	3/4	3,209.34	3/4	2,949.19	3/4	2,687.86	3/4	2,426.54	3/4	2,165.22	3/4	1,903.61				

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 10'-09" OFF CENTERLINE AND 32'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



# BARGE "WEB 326T"

## 2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-03 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,898.16	0	1,636.33	0	1,374.50	0	1,112.68	0	850.85	0	595.84	0	338.16	0	76.50	0		0	
1/4	1,892.70	1/4	1,630.88	1/4	1,369.05	1/4	1,107.22	1/4	845.40	1/4	590.62	1/4	332.70	1/4	71.08	1/4		1/4	
1/2	1,887.25	1/2	1,625.42	1/2	1,363.59	1/2	1,101.77	1/2	839.94	1/2	585.39	1/2	327.25	1/2	65.65	1/2		1/2	
3/4	1,881.79	3/4	1,619.97	3/4	1,358.14	3/4	1,096.31	3/4	834.49	3/4	580.17	3/4	321.79	3/4	60.25	3/4		3/4	
1	1,876.34	1	1,614.51	1	1,352.69	1	1,090.86	1	829.03	1	574.94	1	316.34	1	54.85	1		1	
1/4	1,870.88	1/4	1,609.06	1/4	1,347.23	1/4	1,085.41	1/4	823.58	1/4	569.72	1/4	310.89	1/4	49.45	1/4		1/4	
1/2	1,865.43	1/2	1,603.60	1/2	1,341.78	1/2	1,079.95	1/2	818.12	1/2	564.49	1/2	305.43	1/2	44.05	1/2		1/2	
3/4	1,859.97	3/4	1,598.15	3/4	1,336.32	3/4	1,074.50	3/4	812.67	3/4	559.27	3/4	299.98	3/4	39.08	3/4		3/4	
2	1,854.52	2	1,592.69	2	1,330.87	2	1,069.04	2	807.22	2	554.04	2	294.52	2	34.12	2		2	
1/4	1,849.06	1/4	1,587.24	1/4	1,325.41	1/4	1,063.59	1/4	801.76	1/4	548.82	1/4	289.07	1/4	29.16	1/4		1/4	
1/2	1,843.61	1/2	1,581.78	1/2	1,319.96	1/2	1,058.13	1/2	796.31	1/2	543.59	1/2	283.61	1/2	24.19	1/2		1/2	
3/4	1,838.15	3/4	1,576.33	3/4	1,314.50	3/4	1,052.68	3/4	790.85	3/4	538.37	3/4	278.16	3/4	20.56	3/4		3/4	
3	1,832.70	3	1,570.87	3	1,309.05	3	1,047.22	3	785.40	3	533.14	3	272.70	3	16.92	3		3	
1/4	1,827.24	1/4	1,565.42	1/4	1,303.59	1/4	1,041.77	1/4	779.94	1/4	527.92	1/4	267.25	1/4	13.29	1/4		1/4	
1/2	1,821.79	1/2	1,559.96	1/2	1,298.14	1/2	1,036.31	1/2	774.49	1/2	522.69	1/2	261.79	1/2	9.65	1/2		1/2	
3/4	1,816.34	3/4	1,554.51	3/4	1,292.68	3/4	1,030.86	3/4	769.09	3/4	517.41	3/4	256.34	3/4		3/4		3/4	
4	1,810.88	4	1,549.05	4	1,287.23	4	1,025.40	4	763.69	4	512.13	4	250.89	4		4		4	
1/4	1,805.43	1/4	1,543.60	1/4	1,281.77	1/4	1,019.95	1/4	758.29	1/4	506.85	1/4	245.43	1/4		1/4		1/4	
1/2	1,799.97	1/2	1,538.15	1/2	1,276.32	1/2	1,014.49	1/2	752.89	1/2	501.56	1/2	239.98	1/2		1/2		1/2	
3/4	1,794.52	3/4	1,532.69	3/4	1,270.87	3/4	1,009.04	3/4	747.61	3/4	496.17	3/4	234.52	3/4		3/4		3/4	
5	1,789.06	5	1,527.24	5	1,265.41	5	1,003.58	5	742.32	5	490.77	5	229.07	5		5		5	
1/4	1,783.61	1/4	1,521.78	1/4	1,259.96	1/4	998.13	1/4	737.04	1/4	485.37	1/4	223.61	1/4		1/4		1/4	
1/2	1,778.15	1/2	1,516.33	1/2	1,254.50	1/2	992.68	1/2	731.75	1/2	479.97	1/2	218.16	1/2		1/2		1/2	
3/4	1,772.70	3/4	1,510.87	3/4	1,249.05	3/4	987.22	3/4	726.52	3/4	474.52	3/4	212.70	3/4		3/4		3/4	
6	1,767.24	6	1,505.42	6	1,243.59	6	981.77	6	721.29	6	469.07	6	207.25	6		6		6	
1/4	1,761.79	1/4	1,499.96	1/4	1,238.14	1/4	976.31	1/4	716.06	1/4	463.61	1/4	201.80	1/4		1/4		1/4	
1/2	1,756.33	1/2	1,494.51	1/2	1,232.68	1/2	970.86	1/2	710.83	1/2	458.16	1/2	196.34	1/2		1/2		1/2	
3/4	1,750.88	3/4	1,489.05	3/4	1,227.23	3/4	965.40	3/4	705.60	3/4	452.70	3/4	190.89	3/4		3/4		3/4	
7	1,745.42	7	1,483.60	7	1,221.77	7	959.95	7	700.37	7	447.25	7	185.43	7		7		7	
1/4	1,739.97	1/4	1,478.14	1/4	1,216.32	1/4	954.49	1/4	695.14	1/4	441.79	1/4	179.98	1/4		1/4		1/4	
1/2	1,734.51	1/2	1,472.69	1/2	1,210.86	1/2	949.04	1/2	689.91	1/2	436.34	1/2	174.52	1/2		1/2		1/2	
3/4	1,729.06	3/4	1,467.23	3/4	1,205.41	3/4	943.58	3/4	684.69	3/4	430.88	3/4	169.07	3/4		3/4		3/4	
8	1,723.61	8	1,461.78	8	1,199.95	8	938.13	8	679.46	8	425.43	8	163.61	8		8		8	
1/4	1,718.15	1/4	1,456.32	1/4	1,194.50	1/4	932.67	1/4	674.23	1/4	419.98	1/4	158.16	1/4		1/4		1/4	
1/2	1,712.70	1/2	1,450.87	1/2	1,189.04	1/2	927.22	1/2	669.00	1/2	414.52	1/2	152.71	1/2		1/2		1/2	
3/4	1,707.24	3/4	1,445.42	3/4	1,183.59	3/4	921.76	3/4	663.77	3/4	409.07	3/4	147.25	3/4		3/4		3/4	
9	1,701.79	9	1,439.96	9	1,178.14	9	916.31	9	658.55	9	403.61	9	141.80	9		9		9	
1/4	1,696.33	1/4	1,434.51	1/4	1,172.68	1/4	910.85	1/4	653.32	1/4	398.16	1/4	136.35	1/4		1/4		1/4	
1/2	1,690.88	1/2	1,429.05	1/2	1,167.23	1/2	905.40	1/2	648.10	1/2	392.70	1/2	130.90	1/2		1/2		1/2	
3/4	1,685.42	3/4	1,423.60	3/4	1,161.77	3/4	899.95	3/4	642.87	3/4	387.25	3/4	125.45	3/4		3/4		3/4	
10	1,679.97	10	1,418.14	10	1,156.32	10	894.49	10	637.65	10	381.79	10	120.00	10		10		10	
1/4	1,674.51	1/4	1,412.69	1/4	1,150.86	1/4	889.04	1/4	632.42	1/4	376.34	1/4	114.55	1/4		1/4		1/4	
1/2	1,669.06	1/2	1,407.23	1/2	1,145.41	1/2	883.58	1/2	627.19	1/2	370.88	1/2	109.10	1/2		1/2		1/2	
3/4	1,663.60	3/4	1,401.78	3/4	1,139.95	3/4	878.13	3/4	621.97	3/4	365.43	3/4	103.67	3/4		3/4		3/4	
11	1,658.15	11	1,396.32	11	1,134.50	11	872.67	11	616.74	11	359.98	11	98.23	11		11		11	
1/4	1,652.69	1/4	1,390.87	1/4	1,129.04	1/4	867.22	1/4	611.52	1/4	354.52	1/4	92.79	1/4		1/4		1/4	
1/2	1,647.24	1/2	1,385.41	1/2	1,123.59	1/2	861.76	1/2	606.29	1/2	349.07	1/2	87.35	1/2		1/2		1/2	
3/4	1,641.78	3/4	1,379.96	3/4	1,118.13	3/4	856.31	3/4	601.07	3/4	343.61	3/4	81.93	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/07/2012 CL - SW  
CALCULATED: 05/07/2012 CL  
PRINTED: 05/07/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 326T"

## 2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-03 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
							3,733.30		3,473.85		3,214.45		2,954.26		2,692.94		2,431.62		2,170.30		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,727.88	1/4	3,468.45	1/4	3,209.05	1/4	2,948.82	1/4	2,687.50	1/4	2,426.17	1/4	2,164.85		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,722.47	1/2	3,463.04	1/2	3,203.64	1/2	2,943.37	1/2	2,682.05	1/2	2,420.73	1/2	2,159.41		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,717.06	3/4	3,457.64	3/4	3,198.24	3/4	2,937.93	3/4	2,676.61	3/4	2,415.29	3/4	2,153.96		
<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>3,711.65</b>	<b>1</b>	<b>3,452.23</b>	<b>1</b>	<b>3,192.83</b>	<b>1</b>	<b>2,932.48</b>	<b>1</b>	<b>2,671.16</b>	<b>1</b>	<b>2,409.84</b>	<b>1</b>	<b>2,148.52</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,706.24	1/4	3,446.83	1/4	3,187.43	1/4	2,927.04	1/4	2,665.72	1/4	2,404.40	1/4	2,143.08		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,700.83	1/2	3,441.43	1/2	3,182.02	1/2	2,921.60	1/2	2,660.27	1/2	2,398.95	1/2	2,137.63		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,695.42	3/4	3,436.02	3/4	3,176.62	3/4	2,916.15	3/4	2,654.83	3/4	2,393.51	3/4	2,132.19		
<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>3,690.02</b>	<b>2</b>	<b>3,430.62</b>	<b>2</b>	<b>3,171.22</b>	<b>2</b>	<b>2,910.71</b>	<b>2</b>	<b>2,649.39</b>	<b>2</b>	<b>2,388.06</b>	<b>2</b>	<b>2,126.74</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,684.62	1/4	3,425.21	1/4	3,165.81	1/4	2,905.26	1/4	2,643.94	1/4	2,382.62	1/4	2,121.30		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,679.21	1/2	3,419.81	1/2	3,160.41	1/2	2,899.82	1/2	2,638.50	1/2	2,377.18	1/2	2,115.85		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,673.81	3/4	3,414.41	3/4	3,155.00	3/4	2,894.38	3/4	2,633.05	3/4	2,371.73	3/4	2,110.41		
<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3,668.40</b>	<b>3</b>	<b>3,409.00</b>	<b>3</b>	<b>3,149.60</b>	<b>3</b>	<b>2,888.93</b>	<b>3</b>	<b>2,627.61</b>	<b>3</b>	<b>2,366.29</b>	<b>3</b>	<b>2,104.97</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,663.00	1/4	3,403.60	1/4	3,144.20	1/4	2,883.49	1/4	2,622.17	1/4	2,360.84	1/4	2,099.52		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,657.59	1/2	3,398.19	1/2	3,138.79	1/2	2,878.04	1/2	2,616.72	1/2	2,355.40	1/2	2,094.08		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,652.19	3/4	3,392.79	3/4	3,133.39	3/4	2,872.60	3/4	2,611.28	3/4	2,349.96	3/4	2,088.63		
<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>3,646.79</b>	<b>4</b>	<b>3,387.38</b>	<b>4</b>	<b>3,127.98</b>	<b>4</b>	<b>2,867.15</b>	<b>4</b>	<b>2,605.83</b>	<b>4</b>	<b>2,344.51</b>	<b>4</b>	<b>2,083.19</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,641.38	1/4	3,381.98	1/4	3,122.58	1/4	2,861.71	1/4	2,600.39	1/4	2,339.07	1/4	2,077.75		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,635.98	1/2	3,376.58	1/2	3,117.17	1/2	2,856.27	1/2	2,594.94	1/2	2,333.62	1/2	2,072.30		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,630.57	3/4	3,371.17	3/4	3,111.77	3/4	2,850.82	3/4	2,589.50	3/4	2,328.18	3/4	2,066.85		
<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>3,625.17</b>	<b>5</b>	<b>3,365.77</b>	<b>5</b>	<b>3,106.37</b>	<b>5</b>	<b>2,845.38</b>	<b>5</b>	<b>2,584.06</b>	<b>5</b>	<b>2,322.73</b>	<b>5</b>	<b>2,061.40</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,619.76	1/4	3,360.36	1/4	3,100.96	1/4	2,839.93	1/4	2,578.61	1/4	2,317.29	1/4	2,055.95		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,614.36	1/2	3,354.96	1/2	3,095.56	1/2	2,834.49	1/2	2,573.17	1/2	2,311.85	1/2	2,050.50		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,608.96	3/4	3,349.55	3/4	3,090.15	3/4	2,829.04	3/4	2,567.72	3/4	2,306.40	3/4	2,045.04		
<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>3,603.55</b>	<b>6</b>	<b>3,344.15</b>	<b>6</b>	<b>3,084.75</b>	<b>6</b>	<b>2,823.60</b>	<b>6</b>	<b>2,562.28</b>	<b>6</b>	<b>2,300.96</b>	<b>6</b>	<b>2,039.59</b>		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,598.15	1/4	3,338.75	1/4	3,079.34	1/4	2,818.16	1/4	2,556.83	1/4	2,295.51	1/4	2,034.13		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,592.74	1/2	3,333.34	1/2	3,073.94	1/2	2,812.71	1/2	2,551.39	1/2	2,290.07	1/2	2,028.68		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,587.34	3/4	3,327.94	3/4	3,068.52	3/4	2,807.27	3/4	2,545.95	3/4	2,284.62	3/4	2,023.22		
<b>7</b>	<b>7</b>	<b>7</b>	<b>3,825.64</b>	<b>7</b>	<b>3,581.94</b>	<b>7</b>	<b>3,322.53</b>	<b>7</b>	<b>3,063.10</b>	<b>7</b>	<b>2,801.82</b>	<b>7</b>	<b>2,540.50</b>	<b>7</b>	<b>2,279.18</b>	<b>7</b>	<b>2,017.77</b>				
1/4	1/4	1/4	3,823.04	1/4	3,576.53	1/4	3,317.13	1/4	3,057.68	1/4	2,796.38	1/4	2,535.06	1/4	2,273.74	1/4	2,012.31				
1/2	1/2	1/2	3,820.44	1/2	3,571.13	1/2	3,311.73	1/2	3,052.26	1/2	2,790.94	1/2	2,529.61	1/2	2,268.29	1/2	2,006.86				
3/4	3/4	3/4	3,816.76	3/4	3,565.72	3/4	3,306.32	3/4	3,046.81	3/4	2,785.49	3/4	2,524.17	3/4	2,262.85	3/4	2,001.40				
<b>8</b>	<b>8</b>	<b>8</b>	<b>3,813.07</b>	<b>8</b>	<b>3,560.32</b>	<b>8</b>	<b>3,300.92</b>	<b>8</b>	<b>3,041.37</b>	<b>8</b>	<b>2,780.05</b>	<b>8</b>	<b>2,518.73</b>	<b>8</b>	<b>2,257.40</b>	<b>8</b>	<b>1,995.95</b>				
1/4	1/4	1/4	3,809.38	1/4	3,554.91	1/4	3,295.51	1/4	3,035.92	1/4	2,774.60	1/4	2,513.28	1/4	2,251.96	1/4	1,990.49				
1/2	1/2	1/2	3,805.69	1/2	3,549.51	1/2	3,290.11	1/2	3,030.48	1/2	2,769.16	1/2	2,507.84	1/2	2,246.52	1/2	1,985.04				
3/4	3/4	3/4	3,800.99	3/4	3,544.11	3/4	3,284.70	3/4	3,025.04	3/4	2,763.71	3/4	2,502.39	3/4	2,241.07	3/4	1,979.59				
<b>9</b>	<b>9</b>	<b>9</b>	<b>3,796.29</b>	<b>9</b>	<b>3,538.70</b>	<b>9</b>	<b>3,279.30</b>	<b>9</b>	<b>3,019.59</b>	<b>9</b>	<b>2,758.27</b>	<b>9</b>	<b>2,496.95</b>	<b>9</b>	<b>2,235.63</b>	<b>9</b>	<b>1,974.13</b>				
1/4	1/4	1/4	3,791.59	1/4	3,533.30	1/4	3,273.90	1/4	3,014.15	1/4	2,752.83	1/4	2,491.50	1/4	2,230.18	1/4	1,968.68				
1/2	1/2	1/2	3,786.89	1/2	3,527.89	1/2	3,268.49	1/2	3,008.70	1/2	2,747.38	1/2	2,486.06	1/2	2,224.74	1/2	1,963.22				
3/4	3/4	3/4	3,781.60	3/4	3,522.49	3/4	3,263.09	3/4	3,003.26	3/4	2,741.94	3/4	2,480.62	3/4	2,219.29	3/4	1,957.77				
<b>10</b>	<b>10</b>	<b>10</b>	<b>3,776.32</b>	<b>10</b>	<b>3,517.09</b>	<b>10</b>	<b>3,257.68</b>	<b>10</b>	<b>2,997.82</b>	<b>10</b>	<b>2,736.49</b>	<b>10</b>	<b>2,475.17</b>	<b>10</b>	<b>2,213.85</b>	<b>10</b>	<b>1,952.31</b>				
1/4	1/4	1/4	3,771.03	1/4	3,511.68	1/4	3,252.28	1/4	2,992.37	1/4	2,731.05	1/4	2,469.73	1/4	2,208.41	1/4	1,946.86				
1/2	1/2	1/2	3,765.75	1/2	3,506.28	1/2	3,246.88	1/2	2,986.93	1/2	2,725.61	1/2	2,464.28	1/2	2,202.96	1/2	1,941.40				
3/4	3/4	3/4	3,760.34	3/4	3,500.87	3/4	3,241.47	3/4	2,981.48	3/4	2,720.16	3/4	2,458.84	3/4	2,197.52	3/4	1,935.95				
<b>11</b>	<b>11</b>	<b>11</b>	<b>3,754.93</b>	<b>11</b>	<b>3,495.47</b>	<b>11</b>	<b>3,236.07</b>	<b>11</b>	<b>2,976.04</b>	<b>11</b>	<b>2,714.72</b>	<b>11</b>	<b>2,453.40</b>	<b>11</b>	<b>2,192.07</b>	<b>11</b>	<b>1,930.49</b>				
1/4	1/4	1/4	3,749.53	1/4	3,490.06	1/4	3,230.66	1/4	2,970.59	1/4	2,709.27	1/4	2,447.95	1/4	2,186.63	1/4	1,925.04				
1/2	1/2	1/2	3,744.12	1/2	3,484.66	1/2	3,225.26	1/2	2,965.15	1/2	2,703.83	1/2	2,442.51	1/2	2,181.19	1/2	1,919.58				
3/4	3/4	3/4	3,738.71	3/4	3,479.26	3/4	3,219.85	3/4	2,959.71	3/4	2,698.38	3/4	2,437.06	3/4	2,175.74	3/4	1,914.13				

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 10'-09" OFF CENTERLINE AND 32'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



# BARGE "WEB 326T"

## 2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-03 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,908.67	0	1,646.85	0	1,385.02	0	1,123.20	0	861.37	0	599.74	0	338.16	0	76.50	0		0	
1/4	1,903.22	1/4	1,641.39	1/4	1,379.57	1/4	1,117.74	1/4	855.92	1/4	594.29	1/4	332.70	1/4	71.08	1/4		1/4	
1/2	1,897.77	1/2	1,635.94	1/2	1,374.11	1/2	1,112.29	1/2	850.46	1/2	588.85	1/2	327.25	1/2	65.65	1/2		1/2	
3/4	1,892.31	3/4	1,630.48	3/4	1,368.66	3/4	1,106.83	3/4	845.01	3/4	583.41	3/4	321.79	3/4	60.25	3/4		3/4	
1	1,886.86	1	1,625.03	1	1,363.20	1	1,101.38	1	839.55	1	577.97	1	316.34	1	54.85	1		1	
1/4	1,881.40	1/4	1,619.58	1/4	1,357.75	1/4	1,095.92	1/4	834.10	1/4	572.53	1/4	310.89	1/4	49.45	1/4		1/4	
1/2	1,875.95	1/2	1,614.12	1/2	1,352.30	1/2	1,090.47	1/2	828.64	1/2	567.09	1/2	305.43	1/2	44.05	1/2		1/2	
3/4	1,870.49	3/4	1,608.67	3/4	1,346.84	3/4	1,085.01	3/4	823.19	3/4	561.65	3/4	299.98	3/4	39.09	3/4		3/4	
2	1,865.04	2	1,603.21	2	1,341.39	2	1,079.56	2	817.73	2	556.21	2	294.52	2	34.12	2		2	
1/4	1,859.58	1/4	1,597.76	1/4	1,335.93	1/4	1,074.11	1/4	812.28	1/4	550.76	1/4	289.07	1/4	29.16	1/4		1/4	
1/2	1,854.13	1/2	1,592.30	1/2	1,330.48	1/2	1,068.65	1/2	806.83	1/2	545.32	1/2	283.61	1/2	24.19	1/2		1/2	
3/4	1,848.67	3/4	1,586.85	3/4	1,325.02	3/4	1,063.20	3/4	801.37	3/4	539.88	3/4	278.16	3/4	20.56	3/4		3/4	
3	1,843.22	3	1,581.39	3	1,319.57	3	1,057.74	3	795.92	3	534.44	3	272.70	3	16.92	3		3	
1/4	1,837.76	1/4	1,575.94	1/4	1,314.11	1/4	1,052.29	1/4	790.46	1/4	529.00	1/4	267.25	1/4	13.29	1/4		1/4	
1/2	1,832.31	1/2	1,570.48	1/2	1,308.66	1/2	1,046.83	1/2	785.01	1/2	523.56	1/2	261.80	1/2	9.66	1/2		1/2	
3/4	1,826.85	3/4	1,565.03	3/4	1,303.20	3/4	1,041.38	3/4	779.55	3/4	518.11	3/4	256.34	3/4		3/4		3/4	
4	1,821.40	4	1,559.57	4	1,297.75	4	1,035.92	4	774.10	4	512.67	4	250.89	4		4		4	
1/4	1,815.94	1/4	1,554.12	1/4	1,292.29	1/4	1,030.47	1/4	768.64	1/4	507.22	1/4	245.43	1/4		1/4		1/4	
1/2	1,810.49	1/2	1,548.66	1/2	1,286.84	1/2	1,025.01	1/2	763.19	1/2	501.78	1/2	239.98	1/2		1/2		1/2	
3/4	1,805.04	3/4	1,543.21	3/4	1,281.38	3/4	1,019.56	3/4	757.73	3/4	496.33	3/4	234.52	3/4		3/4		3/4	
5	1,799.58	5	1,537.75	5	1,275.93	5	1,014.10	5	752.28	5	490.88	5	229.07	5		5		5	
1/4	1,794.13	1/4	1,532.30	1/4	1,270.47	1/4	1,008.65	1/4	746.82	1/4	485.43	1/4	223.61	1/4		1/4		1/4	
1/2	1,788.67	1/2	1,526.85	1/2	1,265.02	1/2	1,003.19	1/2	741.37	1/2	479.98	1/2	218.16	1/2		1/2		1/2	
3/4	1,783.22	3/4	1,521.39	3/4	1,259.57	3/4	997.74	3/4	735.91	3/4	474.52	3/4	212.70	3/4		3/4		3/4	
6	1,777.76	6	1,515.94	6	1,254.11	6	992.28	6	730.46	6	469.07	6	207.25	6		6		6	
1/4	1,772.31	1/4	1,510.48	1/4	1,248.66	1/4	986.83	1/4	725.00	1/4	463.61	1/4	201.80	1/4		1/4		1/4	
1/2	1,766.85	1/2	1,505.03	1/2	1,243.20	1/2	981.38	1/2	719.55	1/2	458.16	1/2	196.34	1/2		1/2		1/2	
3/4	1,761.40	3/4	1,499.57	3/4	1,237.75	3/4	975.92	3/4	714.10	3/4	452.70	3/4	190.89	3/4		3/4		3/4	
7	1,755.94	7	1,494.12	7	1,232.29	7	970.47	7	708.64	7	447.25	7	185.43	7		7		7	
1/4	1,750.49	1/4	1,488.66	1/4	1,226.84	1/4	965.01	1/4	703.19	1/4	441.79	1/4	179.98	1/4		1/4		1/4	
1/2	1,745.03	1/2	1,483.21	1/2	1,221.38	1/2	959.56	1/2	697.73	1/2	436.34	1/2	174.52	1/2		1/2		1/2	
3/4	1,739.58	3/4	1,477.75	3/4	1,215.93	3/4	954.10	3/4	692.28	3/4	430.88	3/4	169.07	3/4		3/4		3/4	
8	1,734.12	8	1,472.30	8	1,210.47	8	948.65	8	686.83	8	425.43	8	163.61	8		8		8	
1/4	1,728.67	1/4	1,466.84	1/4	1,205.02	1/4	943.19	1/4	681.38	1/4	419.98	1/4	158.16	1/4		1/4		1/4	
1/2	1,723.21	1/2	1,461.39	1/2	1,199.56	1/2	937.74	1/2	675.93	1/2	414.52	1/2	152.71	1/2		1/2		1/2	
3/4	1,717.76	3/4	1,455.93	3/4	1,194.11	3/4	932.28	3/4	670.48	3/4	409.07	3/4	147.25	3/4		3/4		3/4	
9	1,712.31	9	1,450.48	9	1,188.65	9	926.83	9	665.04	9	403.61	9	141.80	9		9		9	
1/4	1,706.85	1/4	1,445.02	1/4	1,183.20	1/4	921.37	1/4	659.59	1/4	398.16	1/4	136.35	1/4		1/4		1/4	
1/2	1,701.40	1/2	1,439.57	1/2	1,177.74	1/2	915.92	1/2	654.15	1/2	392.70	1/2	130.90	1/2		1/2		1/2	
3/4	1,695.94	3/4	1,434.12	3/4	1,172.29	3/4	910.46	3/4	648.71	3/4	387.25	3/4	125.45	3/4		3/4		3/4	
10	1,690.49	10	1,428.66	10	1,166.84	10	905.01	10	643.27	10	381.79	10	120.00	10		10		10	
1/4	1,685.03	1/4	1,423.21	1/4	1,161.38	1/4	899.55	1/4	637.83	1/4	376.34	1/4	114.55	1/4		1/4		1/4	
1/2	1,679.58	1/2	1,417.75	1/2	1,155.93	1/2	894.10	1/2	632.38	1/2	370.89	1/2	109.11	1/2		1/2		1/2	
3/4	1,674.12	3/4	1,412.30	3/4	1,150.47	3/4	888.65	3/4	626.94	3/4	365.43	3/4	103.67	3/4		3/4		3/4	
11	1,668.67	11	1,406.84	11	1,145.02	11	883.19	11	621.50	11	359.98	11	98.23	11		11		11	
1/4	1,663.21	1/4	1,401.39	1/4	1,139.56	1/4	877.74	1/4	616.06	1/4	354.52	1/4	92.79	1/4		1/4		1/4	
1/2	1,657.76	1/2	1,395.93	1/2	1,134.11	1/2	872.28	1/2	610.62	1/2	349.07	1/2	87.35	1/2		1/2		1/2	
3/4	1,652.30	3/4	1,390.48	3/4	1,128.65	3/4	866.83	3/4	605.18	3/4	343.61	3/4	81.93	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/07/2012 CL - SW  
CALCULATED: 05/07/2012 CL  
PRINTED: 05/07/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "WEB 326T"

## 3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-02 3/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.			
IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
1/4		1/4		1/4		1/4	4,039.96	1/4	3,756.69	1/4	3,473.44	1/4	3,189.22	1/4	2,904.05	1/4	2,618.88	1/4	2,333.72		
1/2		1/2		1/2		1/2	4,034.06	1/2	3,750.79	1/2	3,467.54	1/2	3,183.28	1/2	2,898.11	1/2	2,612.94	1/2	2,327.77		
3/4		3/4		3/4		3/4	4,028.15	3/4	3,744.89	3/4	3,461.63	3/4	3,177.34	3/4	2,892.17	3/4	2,607.00	3/4	2,321.83		
1	1	1	1	1	1	1	4,022.25	1	3,738.99	1	3,455.73	1	3,171.40	1	2,886.23	1	2,601.06	1	2,315.89		
1/4		1/4		1/4		1/4	4,016.35	1/4	3,733.09	1/4	3,449.83	1/4	3,165.46	1/4	2,880.29	1/4	2,595.12	1/4	2,309.95		
1/2		1/2		1/2		1/2	4,010.45	1/2	3,727.19	1/2	3,443.93	1/2	3,159.51	1/2	2,874.35	1/2	2,589.18	1/2	2,304.01		
3/4		3/4		3/4		3/4	4,004.54	3/4	3,721.29	3/4	3,438.03	3/4	3,153.57	3/4	2,868.41	3/4	2,583.24	3/4	2,298.07		
2	2	2	2	2	2	2	3,998.64	2	3,715.39	2	3,432.13	2	3,147.63	2	2,862.46	2	2,577.30	2	2,292.13		
1/4		1/4		1/4		1/4	3,992.74	1/4	3,709.48	1/4	3,426.23	1/4	3,141.69	1/4	2,856.52	1/4	2,571.36	1/4	2,286.19		
1/2		1/2		1/2		1/2	3,986.84	1/2	3,703.58	1/2	3,420.33	1/2	3,135.75	1/2	2,850.58	1/2	2,565.41	1/2	2,280.25		
3/4		3/4		3/4		3/4	3,980.94	3/4	3,697.68	3/4	3,414.42	3/4	3,129.81	3/4	2,844.64	3/4	2,559.47	3/4	2,274.31		
3	3	3	3	3	3	3	3,975.04	3	3,691.78	3	3,408.52	3	3,123.87	3	2,838.70	3	2,553.53	3	2,268.36		
1/4		1/4		1/4		1/4	3,969.14	1/4	3,685.88	1/4	3,402.62	1/4	3,117.93	1/4	2,832.76	1/4	2,547.59	1/4	2,262.42		
1/2		1/2		1/2		1/2	3,963.24	1/2	3,679.98	1/2	3,396.72	1/2	3,111.99	1/2	2,826.82	1/2	2,541.65	1/2	2,256.48		
3/4		3/4		3/4		3/4	3,957.33	3/4	3,674.08	3/4	3,390.82	3/4	3,106.05	3/4	2,820.88	3/4	2,535.71	3/4	2,250.54		
4	4	4	4	4	4	4	3,951.43	4	3,668.18	4	3,384.92	4	3,100.10	4	2,814.94	4	2,529.77	4	2,244.59		
1/4		1/4		1/4		1/4	3,945.53	1/4	3,662.27	1/4	3,379.02	1/4	3,094.16	1/4	2,809.00	1/4	2,523.83	1/4	2,238.65		
1/2		1/2		1/2		1/2	3,939.63	1/2	3,656.37	1/2	3,373.12	1/2	3,088.22	1/2	2,803.05	1/2	2,517.89	1/2	2,232.70		
3/4		3/4		3/4		3/4	3,933.73	3/4	3,650.47	3/4	3,367.21	3/4	3,082.28	3/4	2,797.11	3/4	2,511.95	3/4	2,226.76		
5	5	5	5	5	5	5	3,927.83	5	3,644.57	5	3,361.31	5	3,076.34	5	2,791.17	5	2,506.00	5	2,220.80		
1/4		1/4		1/4		1/4	3,921.93	1/4	3,638.67	1/4	3,355.41	1/4	3,070.40	1/4	2,785.23	1/4	2,500.06	1/4	2,214.85		
1/2		1/2		1/2		1/2	3,916.03	1/2	3,632.77	1/2	3,349.51	1/2	3,064.46	1/2	2,779.29	1/2	2,494.12	1/2	2,208.90		
3/4		3/4		3/4		3/4	3,910.13	3/4	3,626.87	3/4	3,343.61	3/4	3,058.52	3/4	2,773.35	3/4	2,488.18	3/4	2,202.95		
6	6	6	6	6	6	6	3,904.22	6	3,620.97	6	3,337.69	6	3,052.58	6	2,767.41	6	2,482.24	6	2,197.00		
1/4		1/4		1/4	4,164.51	1/4	3,898.32	1/4	3,615.07	1/4	3,331.77	1/4	3,046.64	1/4	2,761.47	1/4	2,476.30	1/4	2,191.05		
1/2		1/2		1/2	4,161.67	1/2	3,892.42	1/2	3,609.16	1/2	3,325.84	1/2	3,040.69	1/2	2,755.53	1/2	2,470.36	1/2	2,185.09		
3/4		3/4		3/4	4,158.82	3/4	3,886.52	3/4	3,603.26	3/4	3,319.92	3/4	3,034.75	3/4	2,749.59	3/4	2,464.42	3/4	2,179.14		
7	7	7	7	7	7	7	4,154.79	7	3,880.62	7	3,597.36	7	3,313.98	7	3,028.81	7	2,743.64	7	2,458.48	7	2,173.19
1/4		1/4		1/4	4,150.75	1/4	3,874.72	1/4	3,591.46	1/4	3,308.04	1/4	3,022.87	1/4	2,737.70	1/4	2,452.54	1/4	2,167.24		
1/2		1/2		1/2	4,146.72	1/2	3,868.82	1/2	3,585.56	1/2	3,302.10	1/2	3,016.93	1/2	2,731.76	1/2	2,446.59	1/2	2,161.29		
3/4		3/4		3/4	4,142.68	3/4	3,862.92	3/4	3,579.66	3/4	3,296.16	3/4	3,010.99	3/4	2,725.82	3/4	2,440.65	3/4	2,155.34		
8	8	8	8	8	8	8	4,137.54	8	3,857.01	8	3,573.76	8	3,290.22	8	3,005.05	8	2,719.88	8	2,434.71	8	2,149.39
1/4		1/4		1/4	4,132.40	1/4	3,851.11	1/4	3,567.86	1/4	3,284.28	1/4	2,999.11	1/4	2,713.94	1/4	2,428.77	1/4	2,143.43		
1/2		1/2		1/2	4,127.25	1/2	3,845.21	1/2	3,561.95	1/2	3,278.33	1/2	2,993.17	1/2	2,708.00	1/2	2,422.83	1/2	2,137.48		
3/4		3/4		3/4	4,122.11	3/4	3,839.31	3/4	3,556.05	3/4	3,272.39	3/4	2,987.23	3/4	2,702.06	3/4	2,416.89	3/4	2,131.53		
9	9	9	9	9	9	9	4,116.34	9	3,833.41	9	3,550.15	9	3,266.45	9	2,981.28	9	2,696.12	9	2,410.95	9	2,125.58
1/4		1/4		1/4	4,110.56	1/4	3,827.51	1/4	3,544.25	1/4	3,260.51	1/4	2,975.34	1/4	2,690.18	1/4	2,405.01	1/4	2,119.63		
1/2		1/2		1/2	4,104.79	1/2	3,821.61	1/2	3,538.35	1/2	3,254.57	1/2	2,969.40	1/2	2,684.23	1/2	2,399.07	1/2	2,113.68		
3/4		3/4		3/4	4,099.01	3/4	3,815.71	3/4	3,532.45	3/4	3,248.63	3/4	2,963.46	3/4	2,678.29	3/4	2,393.13	3/4	2,107.72		
10	10	10	10	10	10	10	4,093.11	10	3,809.80	10	3,526.55	10	3,242.69	10	2,957.52	10	2,672.35	10	2,387.18	10	2,101.77
1/4		1/4		1/4	4,087.21	1/4	3,803.90	1/4	3,520.65	1/4	3,236.75	1/4	2,951.58	1/4	2,666.41	1/4	2,381.24	1/4	2,095.82		
1/2		1/2		1/2	4,081.31	1/2	3,798.00	1/2	3,514.74	1/2	3,230.81	1/2	2,945.64	1/2	2,660.47	1/2	2,375.30	1/2	2,089.87		
3/4		3/4		3/4	4,075.41	3/4	3,792.10	3/4	3,508.84	3/4	3,224.87	3/4	2,939.70	3/4	2,654.53	3/4	2,369.36	3/4	2,083.92		
11	11	11	11	11	11	11	4,069.50	11	3,786.20	11	3,502.94	11	3,218.92	11	2,933.76	11	2,648.59	11	2,363.42	11	2,077.97
1/4		1/4		1/4	4,063.59	1/4	3,780.30	1/4	3,497.04	1/4	3,212.98	1/4	2,927.82	1/4	2,642.65	1/4	2,357.48	1/4	2,072.01		
1/2		1/2		1/2	4,057.68	1/2	3,774.40	1/2	3,491.14	1/2	3,207.04	1/2	2,921.87	1/2	2,636.71	1/2	2,351.54	1/2	2,066.06		
3/4		3/4		3/4	4,051.77	3/4	3,768.50	3/4	3,485.24	3/4	3,201.10	3/4	2,915.93	3/4	2,630.77	3/4	2,345.60	3/4	2,060.11		

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 10'-09" OFF CENTERLINE AND 38'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "WEB 326T"

## 3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-02 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,054.16	0	1,768.48	0	1,482.81	0	1,197.13	0	911.45	0	633.28	0	351.06	0	65.69	0		0	
1/4	2,048.21	1/4	1,762.53	1/4	1,476.85	1/4	1,191.18	1/4	905.50	1/4	627.56	1/4	345.11	1/4	59.79	1/4		1/4	
1/2	2,042.26	1/2	1,756.58	1/2	1,470.90	1/2	1,185.23	1/2	899.55	1/2	621.84	1/2	339.15	1/2	53.90	1/2		1/2	
3/4	2,036.30	3/4	1,750.63	3/4	1,464.95	3/4	1,179.27	3/4	893.60	3/4	616.12	3/4	333.20	3/4	48.01	3/4		3/4	
1	2,030.35	1	1,744.68	1	1,459.00	1	1,173.32	1	887.65	1	610.39	1	327.25	1	42.59	1		1	
1/4	2,024.40	1/4	1,738.72	1/4	1,453.05	1/4	1,167.37	1/4	881.69	1/4	604.67	1/4	321.30	1/4	37.18	1/4		1/4	
1/2	2,018.45	1/2	1,732.77	1/2	1,447.10	1/2	1,161.42	1/2	875.74	1/2	598.95	1/2	315.35	1/2	31.76	1/2		1/2	
3/4	2,012.50	3/4	1,726.82	3/4	1,441.14	3/4	1,155.47	3/4	869.79	3/4	593.23	3/4	309.40	3/4	26.35	3/4		3/4	
2	2,006.55	2	1,720.87	2	1,435.19	2	1,149.52	2	863.84	2	587.51	2	303.45	2	22.38	2		2	
1/4	2,000.60	1/4	1,714.92	1/4	1,429.24	1/4	1,143.56	1/4	857.89	1/4	581.78	1/4	297.49	1/4	18.41	1/4		1/4	
1/2	1,994.64	1/2	1,708.97	1/2	1,423.29	1/2	1,137.61	1/2	851.94	1/2	576.06	1/2	291.54	1/2	14.45	1/2		1/2	
3/4	1,988.69	3/4	1,703.02	3/4	1,417.34	3/4	1,131.66	3/4	845.98	3/4	570.34	3/4	285.59	3/4	10.48	3/4		3/4	
3	1,982.74	3	1,697.06	3	1,411.39	3	1,125.71	3	840.09	3	564.56	3	279.64	3		3		3	
1/4	1,976.79	1/4	1,691.11	1/4	1,405.44	1/4	1,119.76	1/4	834.19	1/4	558.78	1/4	273.69	1/4		1/4		1/4	
1/2	1,970.84	1/2	1,685.16	1/2	1,399.48	1/2	1,113.81	1/2	828.30	1/2	553.00	1/2	267.74	1/2		1/2		1/2	
3/4	1,964.89	3/4	1,679.21	3/4	1,393.53	3/4	1,107.86	3/4	822.40	3/4	547.22	3/4	261.79	3/4		3/4		3/4	
4	1,958.93	4	1,673.26	4	1,387.58	4	1,101.90	4	816.62	4	541.33	4	255.83	4		4		4	
1/4	1,952.98	1/4	1,667.31	1/4	1,381.63	1/4	1,095.95	1/4	810.84	1/4	535.44	1/4	249.88	1/4		1/4		1/4	
1/2	1,947.03	1/2	1,661.35	1/2	1,375.68	1/2	1,090.00	1/2	805.06	1/2	529.54	1/2	243.93	1/2		1/2		1/2	
3/4	1,941.08	3/4	1,655.40	3/4	1,369.73	3/4	1,084.05	3/4	799.27	3/4	523.65	3/4	237.98	3/4		3/4		3/4	
5	1,935.13	5	1,649.45	5	1,363.77	5	1,078.10	5	793.55	5	517.70	5	232.03	5		5		5	
1/4	1,929.18	1/4	1,643.50	1/4	1,357.82	1/4	1,072.15	1/4	787.82	1/4	511.75	1/4	226.08	1/4		1/4		1/4	
1/2	1,923.22	1/2	1,637.55	1/2	1,351.87	1/2	1,066.19	1/2	782.09	1/2	505.79	1/2	220.13	1/2		1/2		1/2	
3/4	1,917.27	3/4	1,631.60	3/4	1,345.92	3/4	1,060.24	3/4	776.37	3/4	499.84	3/4	214.18	3/4		3/4		3/4	
6	1,911.32	6	1,625.64	6	1,339.97	6	1,054.29	6	770.64	6	493.89	6	208.22	6		6		6	
1/4	1,905.37	1/4	1,619.69	1/4	1,334.02	1/4	1,048.34	1/4	764.91	1/4	487.94	1/4	202.27	1/4		1/4		1/4	
1/2	1,899.42	1/2	1,613.74	1/2	1,328.06	1/2	1,042.39	1/2	759.19	1/2	481.99	1/2	196.32	1/2		1/2		1/2	
3/4	1,893.47	3/4	1,607.79	3/4	1,322.11	3/4	1,036.44	3/4	753.46	3/4	476.04	3/4	190.37	3/4		3/4		3/4	
7	1,887.51	7	1,601.84	7	1,316.16	7	1,030.48	7	747.74	7	470.09	7	184.42	7		7		7	
1/4	1,881.56	1/4	1,595.89	1/4	1,310.21	1/4	1,024.53	1/4	742.01	1/4	464.13	1/4	178.47	1/4		1/4		1/4	
1/2	1,875.61	1/2	1,589.93	1/2	1,304.26	1/2	1,018.58	1/2	736.29	1/2	458.18	1/2	172.52	1/2		1/2		1/2	
3/4	1,869.66	3/4	1,583.98	3/4	1,298.31	3/4	1,012.63	3/4	730.56	3/4	452.23	3/4	166.56	3/4		3/4		3/4	
8	1,863.71	8	1,578.03	8	1,292.35	8	1,006.68	8	724.84	8	446.28	8	160.62	8		8		8	
1/4	1,857.76	1/4	1,572.08	1/4	1,286.40	1/4	1,000.73	1/4	719.11	1/4	440.33	1/4	154.67	1/4		1/4		1/4	
1/2	1,851.81	1/2	1,566.13	1/2	1,280.45	1/2	994.77	1/2	713.39	1/2	434.38	1/2	148.72	1/2		1/2		1/2	
3/4	1,845.85	3/4	1,560.18	3/4	1,274.50	3/4	988.82	3/4	707.67	3/4	428.43	3/4	142.77	3/4		3/4		3/4	
9	1,839.90	9	1,554.23	9	1,268.55	9	982.87	9	701.94	9	422.47	9	136.82	9		9		9	
1/4	1,833.95	1/4	1,548.27	1/4	1,262.60	1/4	976.92	1/4	696.22	1/4	416.52	1/4	130.88	1/4		1/4		1/4	
1/2	1,828.00	1/2	1,542.32	1/2	1,256.65	1/2	970.97	1/2	690.50	1/2	410.57	1/2	124.94	1/2		1/2		1/2	
3/4	1,822.05	3/4	1,536.37	3/4	1,250.69	3/4	965.02	3/4	684.78	3/4	404.62	3/4	118.99	3/4		3/4		3/4	
10	1,816.10	10	1,530.42	10	1,244.74	10	959.07	10	679.06	10	398.67	10	113.06	10		10		10	
1/4	1,810.14	1/4	1,524.47	1/4	1,238.79	1/4	953.11	1/4	673.33	1/4	392.72	1/4	107.12	1/4		1/4		1/4	
1/2	1,804.19	1/2	1,518.52	1/2	1,232.84	1/2	947.16	1/2	667.61	1/2	386.77	1/2	101.19	1/2		1/2		1/2	
3/4	1,798.24	3/4	1,512.56	3/4	1,226.89	3/4	941.21	3/4	661.89	3/4	380.81	3/4	95.26	3/4		3/4		3/4	
11	1,792.29	11	1,506.61	11	1,220.94	11	935.26	11	656.17	11	374.86	11	89.34	11		11		11	
1/4	1,786.34	1/4	1,500.66	1/4	1,214.98	1/4	929.31	1/4	650.45	1/4	368.91	1/4	83.42	1/4		1/4		1/4	
1/2	1,780.39	1/2	1,494.71	1/2	1,209.03	1/2	923.36	1/2	644.72	1/2	362.96	1/2	77.50	1/2		1/2		1/2	
3/4	1,774.43	3/4	1,488.76	3/4	1,203.08	3/4	917.40	3/4	639.00	3/4	357.01	3/4	71.58	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/07/2012 CL - SW  
CALCULATED: 05/07/2012 CL  
PRINTED: 05/07/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 326T"

## 3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-02 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0		0		0		0	4,050.47	0	3,767.20	0	3,483.95	0	3,199.74	0	2,914.57	0	2,629.40	0	2,344.23
1/4		1/4		1/4		1/4	4,044.56	1/4	3,761.30	1/4	3,478.05	1/4	3,193.80	1/4	2,908.63	1/4	2,623.46	1/4	2,338.29
1/2		1/2		1/2		1/2	4,038.65	1/2	3,755.40	1/2	3,472.15	1/2	3,187.86	1/2	2,902.69	1/2	2,617.52	1/2	2,332.35
3/4		3/4		3/4		3/4	4,032.75	3/4	3,749.50	3/4	3,466.25	3/4	3,181.92	3/4	2,896.75	3/4	2,611.58	3/4	2,326.41
1		1		1		1	4,026.85	1	3,743.60	1	3,460.34	1	3,175.97	1	2,890.81	1	2,605.64	1	2,320.47
1/4		1/4		1/4		1/4	4,020.95	1/4	3,737.70	1/4	3,454.44	1/4	3,170.03	1/4	2,884.87	1/4	2,599.70	1/4	2,314.53
1/2		1/2		1/2		1/2	4,015.05	1/2	3,731.80	1/2	3,448.54	1/2	3,164.09	1/2	2,878.92	1/2	2,593.76	1/2	2,308.59
3/4		3/4		3/4		3/4	4,009.15	3/4	3,725.89	3/4	3,442.64	3/4	3,158.15	3/4	2,872.98	3/4	2,587.82	3/4	2,302.65
2		2		2		2	4,003.25	2	3,719.99	2	3,436.74	2	3,152.21	2	2,867.04	2	2,581.87	2	2,296.71
1/4		1/4		1/4		1/4	3,997.35	1/4	3,714.09	1/4	3,430.84	1/4	3,146.27	1/4	2,861.10	1/4	2,575.93	1/4	2,290.77
1/2		1/2		1/2		1/2	3,991.44	1/2	3,708.19	1/2	3,424.94	1/2	3,140.33	1/2	2,855.16	1/2	2,569.99	1/2	2,284.82
3/4		3/4		3/4		3/4	3,985.54	3/4	3,702.29	3/4	3,419.04	3/4	3,134.39	3/4	2,849.22	3/4	2,564.05	3/4	2,278.88
3		3		3		3	3,979.64	3	3,696.39	3	3,413.14	3	3,128.45	3	2,843.28	3	2,558.11	3	2,272.94
1/4		1/4		1/4		1/4	3,973.74	1/4	3,690.49	1/4	3,407.23	1/4	3,122.51	1/4	2,837.34	1/4	2,552.17	1/4	2,267.00
1/2		1/2		1/2		1/2	3,967.84	1/2	3,684.59	1/2	3,401.33	1/2	3,116.56	1/2	2,831.40	1/2	2,546.23	1/2	2,261.06
3/4		3/4		3/4		3/4	3,961.94	3/4	3,678.69	3/4	3,395.43	3/4	3,110.62	3/4	2,825.46	3/4	2,540.29	3/4	2,255.11
4		4		4		4	3,956.04	4	3,672.78	4	3,389.53	4	3,104.68	4	2,819.51	4	2,534.35	4	2,249.17
1/4		1/4		1/4		1/4	3,950.14	1/4	3,666.88	1/4	3,383.63	1/4	3,098.74	1/4	2,813.57	1/4	2,528.41	1/4	2,243.22
1/2		1/2		1/2		1/2	3,944.24	1/2	3,660.98	1/2	3,377.73	1/2	3,092.80	1/2	2,807.63	1/2	2,522.46	1/2	2,237.27
3/4		3/4		3/4		3/4	3,938.33	3/4	3,655.08	3/4	3,371.83	3/4	3,086.86	3/4	2,801.69	3/4	2,516.52	3/4	2,231.32
5		5		5		5	3,932.43	5	3,649.18	5	3,365.93	5	3,080.92	5	2,795.75	5	2,510.58	5	2,225.37
1/4		1/4		1/4		1/4	3,926.53	1/4	3,643.28	1/4	3,360.03	1/4	3,074.98	1/4	2,789.81	1/4	2,504.64	1/4	2,219.42
1/2		1/2		1/2		1/2	3,920.63	1/2	3,637.38	1/2	3,354.13	1/2	3,069.04	1/2	2,783.87	1/2	2,498.70	1/2	2,213.47
3/4		3/4		3/4		3/4	3,914.73	3/4	3,631.48	3/4	3,348.20	3/4	3,063.10	3/4	2,777.93	3/4	2,492.76	3/4	2,207.52
6		6	4,175.02	6	3,908.83	6	3,625.58	6	3,342.28	6	3,057.15	6	2,771.99	6	2,486.82	6	2,201.56		
1/4		1/4	4,172.17	1/4	3,902.93	1/4	3,619.67	1/4	3,336.36	1/4	3,051.21	1/4	2,766.05	1/4	2,480.88	1/4	2,195.61		
1/2		1/2	4,169.33	1/2	3,897.03	1/2	3,613.77	1/2	3,330.44	1/2	3,045.27	1/2	2,760.10	1/2	2,474.94	1/2	2,189.66		
3/4		3/4	4,165.29	3/4	3,891.13	3/4	3,607.87	3/4	3,324.50	3/4	3,039.33	3/4	2,754.16	3/4	2,469.00	3/4	2,183.71		
7		7	4,161.26	7	3,885.22	7	3,601.97	7	3,318.56	7	3,033.39	7	2,748.22	7	2,463.05	7	2,177.76		
1/4		1/4	4,157.22	1/4	3,879.32	1/4	3,596.07	1/4	3,312.62	1/4	3,027.45	1/4	2,742.28	1/4	2,457.11	1/4	2,171.81		
1/2		1/2	4,153.19	1/2	3,873.42	1/2	3,590.17	1/2	3,306.68	1/2	3,021.51	1/2	2,736.34	1/2	2,451.17	1/2	2,165.86		
3/4		3/4	4,148.04	3/4	3,867.52	3/4	3,584.27	3/4	3,300.74	3/4	3,015.57	3/4	2,730.40	3/4	2,445.23	3/4	2,159.90		
8		8	4,142.90	8	3,861.62	8	3,578.37	8	3,294.79	8	3,009.63	8	2,724.46	8	2,439.29	8	2,153.95		
1/4		1/4	4,137.76	1/4	3,855.72	1/4	3,572.47	1/4	3,288.85	1/4	3,003.69	1/4	2,718.52	1/4	2,433.35	1/4	2,148.00		
1/2		1/2	4,132.62	1/2	3,849.82	1/2	3,566.56	1/2	3,282.91	1/2	2,997.74	1/2	2,712.58	1/2	2,427.41	1/2	2,142.05		
3/4		3/4	4,126.85	3/4	3,843.92	3/4	3,560.66	3/4	3,276.97	3/4	2,991.80	3/4	2,706.64	3/4	2,421.47	3/4	2,136.10		
9		9	4,121.07	9	3,838.02	9	3,554.76	9	3,271.03	9	2,985.86	9	2,700.69	9	2,415.53	9	2,130.15		
1/4		1/4	4,115.30	1/4	3,832.11	1/4	3,548.86	1/4	3,265.09	1/4	2,979.92	1/4	2,694.75	1/4	2,409.59	1/4	2,124.19		
1/2		1/2	4,109.52	1/2	3,826.21	1/2	3,542.96	1/2	3,259.15	1/2	2,973.98	1/2	2,688.81	1/2	2,403.64	1/2	2,118.24		
3/4		3/4	4,103.62	3/4	3,820.31	3/4	3,537.06	3/4	3,253.21	3/4	2,968.04	3/4	2,682.87	3/4	2,397.70	3/4	2,112.29		
10		10	4,097.72	10	3,814.41	10	3,531.16	10	3,247.27	10	2,962.10	10	2,676.93	10	2,391.76	10	2,106.34		
1/4		1/4	4,091.82	1/4	3,808.51	1/4	3,525.26	1/4	3,241.33	1/4	2,956.16	1/4	2,670.99	1/4	2,385.82	1/4	2,100.39		
1/2		1/2	4,085.92	1/2	3,802.61	1/2	3,519.36	1/2	3,235.38	1/2	2,950.22	1/2	2,665.05	1/2	2,379.88	1/2	2,094.44		
3/4		3/4	4,080.01	3/4	3,796.71	3/4	3,513.45	3/4	3,229.44	3/4	2,944.28	3/4	2,659.11	3/4	2,373.94	3/4	2,088.48		
11		11	4,074.10	11	3,790.81	11	3,507.55	11	3,223.50	11	2,938.33	11	2,653.17	11	2,368.00	11	2,082.53		
1/4		1/4	4,068.19	1/4	3,784.91	1/4	3,501.65	1/4	3,217.56	1/4	2,932.39	1/4	2,647.23	1/4	2,362.06	1/4	2,076.58		
1/2		1/2	4,062.28	1/2	3,779.00	1/2	3,495.75	1/2	3,211.62	1/2	2,926.45	1/2	2,641.28	1/2	2,356.12	1/2	2,070.63		
3/4		3/4	4,056.37	3/4	3,773.10	3/4	3,489.85	3/4	3,205.68	3/4	2,920.51	3/4	2,635.34	3/4	2,350.18	3/4	2,064.68		

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.

GAUGE POINT: (HERMETIC) LOCATED 10'-09" OFF CENTERLINE AND 38'-03" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



# BARGE "WEB 326T"

## 3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-02 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,058.73	0	1,773.05	0	1,487.37	0	1,201.70	0	916.02	0	630.59	0	345.11	0	59.80	0		0	
1/4	2,052.77	1/4	1,767.10	1/4	1,481.42	1/4	1,195.74	1/4	910.07	1/4	624.65	1/4	339.15	1/4	53.90	1/4		1/4	
1/2	2,046.82	1/2	1,761.15	1/2	1,475.47	1/2	1,189.79	1/2	904.12	1/2	618.71	1/2	333.20	1/2	48.01	1/2		1/2	
3/4	2,040.87	3/4	1,755.19	3/4	1,469.52	3/4	1,183.84	3/4	898.16	3/4	612.77	3/4	327.25	3/4	42.59	3/4		3/4	
1	2,034.92	1	1,749.24	1	1,463.57	1	1,177.89	1	892.21	1	606.83	1	321.30	1	37.18	1		1	
1/4	2,028.97	1/4	1,743.29	1/4	1,457.61	1/4	1,171.94	1/4	886.26	1/4	600.90	1/4	315.35	1/4	31.76	1/4		1/4	
1/2	2,023.02	1/2	1,737.34	1/2	1,451.66	1/2	1,165.99	1/2	880.31	1/2	594.96	1/2	309.40	1/2	26.35	1/2		1/2	
3/4	2,017.07	3/4	1,731.39	3/4	1,445.71	3/4	1,160.03	3/4	874.36	3/4	589.02	3/4	303.45	3/4	22.38	3/4		3/4	
2	2,011.11	2	1,725.44	2	1,439.76	2	1,154.08	2	868.41	2	583.08	2	297.49	2	18.41	2		2	
1/4	2,005.16	1/4	1,719.49	1/4	1,433.81	1/4	1,148.13	1/4	862.45	1/4	577.14	1/4	291.54	1/4	14.45	1/4		1/4	
1/2	1,999.21	1/2	1,713.53	1/2	1,427.86	1/2	1,142.18	1/2	856.50	1/2	571.20	1/2	285.59	1/2	10.48	1/2		1/2	
3/4	1,993.26	3/4	1,707.58	3/4	1,421.91	3/4	1,136.23	3/4	850.55	3/4	565.26	3/4	279.64	3/4		3/4		3/4	
3	1,987.31	3	1,701.63	3	1,415.95	3	1,130.28	3	844.60	3	559.32	3	273.69	3		3		3	
1/4	1,981.36	1/4	1,695.68	1/4	1,410.00	1/4	1,124.33	1/4	838.65	1/4	553.38	1/4	267.74	1/4		1/4		1/4	
1/2	1,975.40	1/2	1,689.73	1/2	1,404.05	1/2	1,118.37	1/2	832.70	1/2	547.44	1/2	261.79	1/2		1/2		1/2	
3/4	1,969.45	3/4	1,683.78	3/4	1,398.10	3/4	1,112.42	3/4	826.75	3/4	541.49	3/4	255.83	3/4		3/4		3/4	
4	1,963.50	4	1,677.82	4	1,392.15	4	1,106.47	4	820.79	4	535.54	4	249.88	4		4		4	
1/4	1,957.55	1/4	1,671.87	1/4	1,386.20	1/4	1,100.52	1/4	814.84	1/4	529.60	1/4	243.93	1/4		1/4		1/4	
1/2	1,951.60	1/2	1,665.92	1/2	1,380.24	1/2	1,094.57	1/2	808.89	1/2	523.65	1/2	237.98	1/2		1/2		1/2	
3/4	1,945.65	3/4	1,659.97	3/4	1,374.29	3/4	1,088.62	3/4	802.94	3/4	517.70	3/4	232.03	3/4		3/4		3/4	
5	1,939.69	5	1,654.02	5	1,368.34	5	1,082.66	5	796.99	5	511.75	5	226.08	5		5		5	
1/4	1,933.74	1/4	1,648.07	1/4	1,362.39	1/4	1,076.71	1/4	791.04	1/4	505.79	1/4	220.13	1/4		1/4		1/4	
1/2	1,927.79	1/2	1,642.11	1/2	1,356.44	1/2	1,070.76	1/2	785.08	1/2	499.84	1/2	214.18	1/2		1/2		1/2	
3/4	1,921.84	3/4	1,636.16	3/4	1,350.49	3/4	1,064.81	3/4	779.13	3/4	493.89	3/4	208.22	3/4		3/4		3/4	
6	1,915.89	6	1,630.21	6	1,344.53	6	1,058.86	6	773.18	6	487.94	6	202.27	6		6		6	
1/4	1,909.94	1/4	1,624.26	1/4	1,338.58	1/4	1,052.91	1/4	767.23	1/4	481.99	1/4	196.32	1/4		1/4		1/4	
1/2	1,903.98	1/2	1,618.31	1/2	1,332.63	1/2	1,046.95	1/2	761.28	1/2	476.04	1/2	190.37	1/2		1/2		1/2	
3/4	1,898.03	3/4	1,612.36	3/4	1,326.68	3/4	1,041.00	3/4	755.33	3/4	470.09	3/4	184.42	3/4		3/4		3/4	
7	1,892.08	7	1,606.40	7	1,320.73	7	1,035.05	7	749.38	7	464.13	7	178.47	7		7		7	
1/4	1,886.13	1/4	1,600.45	1/4	1,314.78	1/4	1,029.10	1/4	743.43	1/4	458.18	1/4	172.52	1/4		1/4		1/4	
1/2	1,880.18	1/2	1,594.50	1/2	1,308.82	1/2	1,023.15	1/2	737.48	1/2	452.23	1/2	166.56	1/2		1/2		1/2	
3/4	1,874.23	3/4	1,588.55	3/4	1,302.87	3/4	1,017.20	3/4	731.54	3/4	446.28	3/4	160.62	3/4		3/4		3/4	
8	1,868.28	8	1,582.60	8	1,296.92	8	1,011.24	8	725.60	8	440.33	8	154.67	8		8		8	
1/4	1,862.32	1/4	1,576.65	1/4	1,290.97	1/4	1,005.29	1/4	719.66	1/4	434.38	1/4	148.72	1/4		1/4		1/4	
1/2	1,856.37	1/2	1,570.70	1/2	1,285.02	1/2	999.34	1/2	713.72	1/2	428.43	1/2	142.77	1/2		1/2		1/2	
3/4	1,850.42	3/4	1,564.74	3/4	1,279.07	3/4	993.39	3/4	707.78	3/4	422.47	3/4	136.82	3/4		3/4		3/4	
9	1,844.47	9	1,558.79	9	1,273.12	9	987.44	9	701.84	9	416.52	9	130.88	9		9		9	
1/4	1,838.52	1/4	1,552.84	1/4	1,267.16	1/4	981.49	1/4	695.91	1/4	410.57	1/4	124.94	1/4		1/4		1/4	
1/2	1,832.57	1/2	1,546.89	1/2	1,261.21	1/2	975.54	1/2	689.97	1/2	404.62	1/2	118.99	1/2		1/2		1/2	
3/4	1,826.61	3/4	1,540.94	3/4	1,255.26	3/4	969.58	3/4	684.03	3/4	398.67	3/4	113.06	3/4		3/4		3/4	
10	1,820.66	10	1,534.99	10	1,249.31	10	963.63	10	678.09	10	392.72	10	107.12	10		10		10	
1/4	1,814.71	1/4	1,529.03	1/4	1,243.36	1/4	957.68	1/4	672.15	1/4	386.77	1/4	101.19	1/4		1/4		1/4	
1/2	1,808.76	1/2	1,523.08	1/2	1,237.41	1/2	951.73	1/2	666.22	1/2	380.81	1/2	95.26	1/2		1/2		1/2	
3/4	1,802.81	3/4	1,517.13	3/4	1,231.45	3/4	945.78	3/4	660.28	3/4	374.86	3/4	89.34	3/4		3/4		3/4	
11	1,796.86	11	1,511.18	11	1,225.50	11	939.83	11	654.34	11	368.91	11	83.42	11		11		11	
1/4	1,790.90	1/4	1,505.23	1/4	1,219.55	1/4	933.87	1/4	648.40	1/4	362.96	1/4	77.50	1/4		1/4		1/4	
1/2	1,784.95	1/2	1,499.28	1/2	1,213.60	1/2	927.92	1/2	642.46	1/2	357.01	1/2	71.58	1/2		1/2		1/2	
3/4	1,779.00	3/4	1,493.32	3/4	1,207.65	3/4	921.97	3/4	636.52	3/4	351.06	3/4	65.69	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/07/2012 CL - SW  
CALCULATED: 05/07/2012 CL  
PRINTED: 05/07/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 326T"

## 4 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-06 3/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0	IN	0
							7,302.78		6,926.22		6,549.51		6,172.79		5,750.70		5,199.32		4,647.89
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,294.98	1/4	6,918.38	1/4	6,541.66	1/4	6,164.94	1/4	5,739.24	1/4	5,187.84	1/4	4,636.41
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,287.18	1/2	6,910.53	1/2	6,533.81	1/2	6,157.09	1/2	5,727.77	1/2	5,176.35	1/2	4,624.92
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,279.37	3/4	6,902.68	3/4	6,525.97	3/4	6,149.24	3/4	5,716.30	3/4	5,164.86	3/4	4,613.44
<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>7,271.53</b>	<b>1</b>	<b>6,894.83</b>	<b>1</b>	<b>6,518.12</b>	<b>1</b>	<b>6,141.39</b>	<b>1</b>	<b>5,704.82</b>	<b>1</b>	<b>5,153.37</b>	<b>1</b>	<b>4,601.95</b>
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,263.69	1/4	6,886.98	1/4	6,510.27	1/4	6,133.55	1/4	5,693.33	1/4	5,141.88	1/4	4,590.47
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,255.85	1/2	6,879.14	1/2	6,502.42	1/2	6,125.70	1/2	5,681.85	1/2	5,130.39	1/2	4,578.98
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,248.00	3/4	6,871.29	3/4	6,494.57	3/4	6,117.85	3/4	5,670.36	3/4	5,118.90	3/4	4,567.50
<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>7,240.15</b>	<b>2</b>	<b>6,863.44</b>	<b>2</b>	<b>6,486.73</b>	<b>2</b>	<b>6,110.00</b>	<b>2</b>	<b>5,658.87</b>	<b>2</b>	<b>5,107.41</b>	<b>2</b>	<b>4,556.01</b>
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,232.31	1/4	6,855.59	1/4	6,478.88	1/4	6,102.15	1/4	5,647.39	1/4	5,095.92	1/4	4,544.53
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,224.46	1/2	6,847.74	1/2	6,471.03	1/2	6,094.30	1/2	5,635.90	1/2	5,084.44	1/2	4,533.04
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,216.61	3/4	6,839.89	3/4	6,463.18	3/4	6,086.45	3/4	5,624.41	3/4	5,072.95	3/4	4,521.56
<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>3</b>	<b>7,208.76</b>	<b>3</b>	<b>6,832.05</b>	<b>3</b>	<b>6,455.33</b>	<b>3</b>	<b>6,078.61</b>	<b>3</b>	<b>5,612.92</b>	<b>3</b>	<b>5,061.46</b>	<b>3</b>	<b>4,510.07</b>
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,200.91	1/4	6,824.20	1/4	6,447.48	1/4	6,070.76	1/4	5,601.43	1/4	5,049.97	1/4	4,498.59
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,193.06	1/2	6,816.35	1/2	6,439.64	1/2	6,062.91	1/2	5,589.94	1/2	5,038.48	1/2	4,487.10
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,185.22	3/4	6,808.50	3/4	6,431.79	3/4	6,055.06	3/4	5,578.45	3/4	5,026.99	3/4	4,475.62
<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>7,177.37</b>	<b>4</b>	<b>6,800.65</b>	<b>4</b>	<b>6,423.94</b>	<b>4</b>	<b>6,047.21</b>	<b>4</b>	<b>5,566.97</b>	<b>4</b>	<b>5,015.50</b>	<b>4</b>	<b>4,464.13</b>
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,169.52	1/4	6,792.81	1/4	6,416.09	1/4	6,039.36	1/4	5,555.48	1/4	5,004.01	1/4	4,452.65
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,161.67	1/2	6,784.96	1/2	6,408.24	1/2	6,031.51	1/2	5,543.99	1/2	4,992.53	1/2	4,441.16
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,153.82	3/4	6,777.11	3/4	6,400.40	3/4	6,023.67	3/4	5,532.50	3/4	4,981.04	3/4	4,429.68
<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>5</b>	<b>7,145.97</b>	<b>5</b>	<b>6,769.26</b>	<b>5</b>	<b>6,392.55</b>	<b>5</b>	<b>6,015.82</b>	<b>5</b>	<b>5,521.01</b>	<b>5</b>	<b>4,969.55</b>	<b>5</b>	<b>4,418.19</b>
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,138.13	1/4	6,761.41	1/4	6,384.70	1/4	6,007.97	1/4	5,509.52	1/4	4,958.06	1/4	4,406.71
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,130.28	1/2	6,753.56	1/2	6,376.85	1/2	6,000.12	1/2	5,498.03	1/2	4,946.57	1/2	4,395.22
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,122.43	3/4	6,745.72	3/4	6,369.00	3/4	5,992.27	3/4	5,486.54	3/4	4,935.08	3/4	4,383.74
<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>6</b>	<b>7,114.58</b>	<b>6</b>	<b>6,737.87</b>	<b>6</b>	<b>6,361.15</b>	<b>6</b>	<b>5,984.34</b>	<b>6</b>	<b>5,475.06</b>	<b>6</b>	<b>4,923.59</b>	<b>6</b>	<b>4,372.25</b>
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,106.73	1/4	6,730.02	1/4	6,353.31	1/4	5,976.41	1/4	5,463.57	1/4	4,912.10	1/4	4,360.76
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,098.89	1/2	6,722.17	1/2	6,345.46	1/2	5,968.49	1/2	5,452.08	1/2	4,900.62	1/2	4,349.27
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,400.14	3/4	7,091.04	3/4	6,714.32	3/4	6,337.61	3/4	5,960.56	3/4	5,440.59	3/4	4,889.13
<b>7</b>	<b>7</b>	<b>7</b>	<b>7</b>	<b>7</b>	<b>7</b>	<b>7</b>	<b>7,398.74</b>	<b>7</b>	<b>7,083.19</b>	<b>7</b>	<b>6,706.48</b>	<b>7</b>	<b>6,329.76</b>	<b>7</b>	<b>5,952.07</b>	<b>7</b>	<b>5,429.10</b>	<b>7</b>	<b>4,877.64</b>
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,397.35	1/4	7,075.34	1/4	6,698.63	1/4	6,321.91	1/4	5,943.59	1/4	5,417.61	1/4	4,866.15
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,395.95	1/2	7,067.49	1/2	6,690.78	1/2	6,314.07	1/2	5,935.10	1/2	5,406.12	1/2	4,854.66
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,394.55	3/4	7,059.64	3/4	6,682.93	3/4	6,306.22	3/4	5,926.62	3/4	5,394.63	3/4	4,843.17
<b>8</b>	<b>8</b>	<b>8</b>	<b>8</b>	<b>8</b>	<b>8</b>	<b>8</b>	<b>7,391.61</b>	<b>8</b>	<b>7,051.80</b>	<b>8</b>	<b>6,675.08</b>	<b>8</b>	<b>6,298.37</b>	<b>8</b>	<b>5,917.41</b>	<b>8</b>	<b>5,383.14</b>	<b>8</b>	<b>4,831.68</b>
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,388.67	1/4	7,043.95	1/4	6,667.23	1/4	6,290.52	1/4	5,908.21	1/4	5,371.66	1/4	4,820.19
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,385.73	1/2	7,036.10	1/2	6,659.39	1/2	6,282.67	1/2	5,899.00	1/2	5,360.17	1/2	4,808.70
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,382.79	3/4	7,028.25	3/4	6,651.54	3/4	6,274.82	3/4	5,889.80	3/4	5,348.68	3/4	4,797.22
<b>9</b>	<b>9</b>	<b>9</b>	<b>9</b>	<b>9</b>	<b>9</b>	<b>9</b>	<b>7,378.28</b>	<b>9</b>	<b>7,020.40</b>	<b>9</b>	<b>6,643.69</b>	<b>9</b>	<b>6,266.97</b>	<b>9</b>	<b>5,879.87</b>	<b>9</b>	<b>5,337.19</b>	<b>9</b>	<b>4,785.73</b>
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,373.76	1/4	7,012.56	1/4	6,635.84	1/4	6,259.12	1/4	5,869.93	1/4	5,325.70	1/4	4,774.24
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,369.25	1/2	7,004.71	1/2	6,627.99	1/2	6,251.28	1/2	5,860.00	1/2	5,314.21	1/2	4,762.75
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,364.74	3/4	6,996.86	3/4	6,620.15	3/4	6,243.43	3/4	5,850.06	3/4	5,302.72	3/4	4,751.26
<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>7,358.66</b>	<b>10</b>	<b>6,989.01</b>	<b>10</b>	<b>6,612.30</b>	<b>10</b>	<b>6,235.58</b>	<b>10</b>	<b>5,839.40</b>	<b>10</b>	<b>5,291.23</b>	<b>10</b>	<b>4,739.78</b>
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,352.58	1/4	6,981.16	1/4	6,604.45	1/4	6,227.73	1/4	5,828.73	1/4	5,279.75	1/4	4,728.29
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,346.49	1/2	6,973.31	1/2	6,596.60	1/2	6,219.88	1/2	5,818.06	1/2	5,268.26	1/2	4,716.80
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,340.41	3/4	6,965.47	3/4	6,588.75	3/4	6,212.03	3/4	5,807.40	3/4	5,256.77	3/4	4,705.32
<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	<b>7,332.95</b>	<b>11</b>	<b>6,957.62</b>	<b>11</b>	<b>6,580.90</b>	<b>11</b>	<b>6,204.18</b>	<b>11</b>	<b>5,796.09</b>	<b>11</b>	<b>5,245.28</b>	<b>11</b>	<b>4,693.83</b>
1/4	1/4	1/4	1/4	1/4	1/4	1/4	7,325.50	1/4	6,949.77	1/4	6,573.06	1/4	6,196.34	1/4	5,784.78	1/4	5,233.79	1/4	4,682.35
1/2	1/2	1/2	1/2	1/2	1/2	1/2	7,318.04	1/2	6,941.92	1/2	6,565.21	1/2	6,188.49	1/2	5,773.48	1/2	5,222.30	1/2	4,670.86
3/4	3/4	3/4	3/4	3/4	3/4	3/4	7,310.58	3/4	6,934.07	3/4	6,557.36	3/4	6,180.64	3/4	5,762.17	3/4	5,210.81	3/4	4,659.38

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.  
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.  
 GAUGE POINT: (HERMETIC) LOCATED 1'-00" OFF CENTERLINE AND 32'-03" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "WEB 326T"

## 4 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 17'-06 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	4,096.48	0	3,544.94	0	2,994.04	0	2,443.43	0	1,892.05	0	1,345.35	0	798.85	0	246.72	0		0	
1/4	4,084.99	1/4	3,533.45	1/4	2,982.58	1/4	2,431.94	1/4	1,880.56	1/4	1,334.07	1/4	787.35	1/4	235.23	1/4		1/4	
1/2	4,073.50	1/2	3,521.96	1/2	2,971.12	1/2	2,420.45	1/2	1,869.07	1/2	1,322.80	1/2	775.85	1/2	223.75	1/2		1/2	
3/4	4,062.01	3/4	3,510.47	3/4	2,959.66	3/4	2,408.97	3/4	1,857.58	3/4	1,311.52	3/4	764.34	3/4	212.27	3/4		3/4	
1	4,050.52	1	3,498.98	1	2,948.20	1	2,397.48	1	1,846.10	1	1,300.25	1	752.84	1	200.80	1		1	
1/4	4,039.03	1/4	3,487.49	1/4	2,936.74	1/4	2,385.99	1/4	1,834.61	1/4	1,288.98	1/4	741.33	1/4	189.34	1/4		1/4	
1/2	4,027.54	1/2	3,476.00	1/2	2,925.29	1/2	2,374.50	1/2	1,823.12	1/2	1,277.70	1/2	729.83	1/2	177.88	1/2		1/2	
3/4	4,016.05	3/4	3,464.51	3/4	2,913.83	3/4	2,363.02	3/4	1,811.64	3/4	1,266.43	3/4	718.32	3/4	166.42	3/4		3/4	
2	4,004.56	2	3,453.02	2	2,902.37	2	2,351.53	2	1,800.15	2	1,255.15	2	706.82	2	154.99	2		2	
1/4	3,993.07	1/4	3,441.53	1/4	2,890.91	1/4	2,340.04	1/4	1,788.66	1/4	1,243.88	1/4	695.32	1/4	143.56	1/4		1/4	
1/2	3,981.58	1/2	3,430.04	1/2	2,879.45	1/2	2,328.56	1/2	1,777.17	1/2	1,232.60	1/2	683.81	1/2	132.13	1/2		1/2	
3/4	3,970.09	3/4	3,418.55	3/4	2,867.99	3/4	2,317.07	3/4	1,765.69	3/4	1,221.33	3/4	672.31	3/4	120.71	3/4		3/4	
3	3,958.59	3	3,407.06	3	2,856.53	3	2,305.58	3	1,754.20	3	1,210.05	3	660.80	3	109.34	3		3	
1/4	3,947.10	1/4	3,395.57	1/4	2,845.07	1/4	2,294.09	1/4	1,742.71	1/4	1,198.78	1/4	649.30	1/4	97.97	1/4		1/4	
1/2	3,935.61	1/2	3,384.07	1/2	2,833.61	1/2	2,282.61	1/2	1,731.23	1/2	1,187.50	1/2	637.80	1/2	86.61	1/2		1/2	
3/4	3,924.12	3/4	3,372.58	3/4	2,822.15	3/4	2,271.12	3/4	1,719.74	3/4	1,176.23	3/4	626.29	3/4	75.24	3/4		3/4	
4	3,912.63	4	3,361.09	4	2,810.69	4	2,259.63	4	1,708.25	4	1,164.96	4	614.79	4	65.44	4		4	
1/4	3,901.14	1/4	3,349.60	1/4	2,799.24	1/4	2,248.15	1/4	1,696.76	1/4	1,153.68	1/4	603.28	1/4	55.64	1/4		1/4	
1/2	3,889.65	1/2	3,338.11	1/2	2,787.78	1/2	2,236.66	1/2	1,685.28	1/2	1,142.41	1/2	591.78	1/2	45.83	1/2		1/2	
3/4	3,878.16	3/4	3,326.62	3/4	2,776.32	3/4	2,225.17	3/4	1,673.79	3/4	1,131.13	3/4	580.28	3/4	36.03	3/4		3/4	
5	3,866.67	5	3,315.13	5	2,764.86	5	2,213.68	5	1,662.30	5	1,119.81	5	568.77	5	29.80	5		5	
1/4	3,855.18	1/4	3,303.64	1/4	2,753.40	1/4	2,202.20	1/4	1,650.82	1/4	1,108.49	1/4	557.27	1/4	23.57	1/4		1/4	
1/2	3,843.69	1/2	3,292.15	1/2	2,741.94	1/2	2,190.71	1/2	1,639.33	1/2	1,097.17	1/2	545.77	1/2	17.34	1/2		1/2	
3/4	3,832.20	3/4	3,280.66	3/4	2,730.48	3/4	2,179.22	3/4	1,627.84	3/4	1,085.85	3/4	534.27	3/4	11.11	3/4		3/4	
6	3,820.71	6	3,269.17	6	2,719.02	6	2,167.74	6	1,616.43	6	1,074.45	6	522.76	6	8.71	6		6	
1/4	3,809.22	1/4	3,257.68	1/4	2,707.56	1/4	2,156.25	1/4	1,605.01	1/4	1,063.05	1/4	511.26	1/4	6.31	1/4		1/4	
1/2	3,797.73	1/2	3,246.19	1/2	2,696.10	1/2	2,144.76	1/2	1,593.59	1/2	1,051.65	1/2	499.76	1/2	3.91	1/2		1/2	
3/4	3,786.24	3/4	3,234.70	3/4	2,684.64	3/4	2,133.27	3/4	1,582.18	3/4	1,040.25	3/4	488.26	3/4	1.52	3/4		3/4	
7	3,774.75	7	3,223.24	7	2,673.16	7	2,121.79	7	1,570.89	7	1,028.77	7	476.75	7		7		7	
1/4	3,763.26	1/4	3,211.77	1/4	2,661.68	1/4	2,110.30	1/4	1,559.60	1/4	1,017.29	1/4	465.25	1/4		1/4		1/4	
1/2	3,751.77	1/2	3,200.31	1/2	2,650.19	1/2	2,098.81	1/2	1,548.31	1/2	1,005.80	1/2	453.74	1/2		1/2		1/2	
3/4	3,740.28	3/4	3,188.85	3/4	2,638.71	3/4	2,087.33	3/4	1,537.01	3/4	994.32	3/4	442.24	3/4		3/4		3/4	
8	3,728.79	8	3,177.39	8	2,627.22	8	2,075.84	8	1,525.74	8	982.83	8	430.74	8		8		8	
1/4	3,717.30	1/4	3,165.93	1/4	2,615.73	1/4	2,064.35	1/4	1,514.47	1/4	971.34	1/4	419.23	1/4		1/4		1/4	
1/2	3,705.81	1/2	3,154.47	1/2	2,604.25	1/2	2,052.87	1/2	1,503.19	1/2	959.85	1/2	407.73	1/2		1/2		1/2	
3/4	3,694.32	3/4	3,143.01	3/4	2,592.76	3/4	2,041.38	3/4	1,491.92	3/4	948.35	3/4	396.22	3/4		3/4		3/4	
9	3,682.83	9	3,131.55	9	2,581.27	9	2,029.89	9	1,480.64	9	936.86	9	384.72	9		9		9	
1/4	3,671.33	1/4	3,120.09	1/4	2,569.78	1/4	2,018.40	1/4	1,469.37	1/4	925.37	1/4	373.21	1/4		1/4		1/4	
1/2	3,659.84	1/2	3,108.63	1/2	2,558.30	1/2	2,006.92	1/2	1,458.09	1/2	913.88	1/2	361.71	1/2		1/2		1/2	
3/4	3,648.35	3/4	3,097.17	3/4	2,546.81	3/4	1,995.43	3/4	1,446.82	3/4	902.38	3/4	350.21	3/4		3/4		3/4	
10	3,636.86	10	3,085.71	10	2,535.32	10	1,983.94	10	1,435.54	10	890.88	10	338.70	10		10		10	
1/4	3,625.37	1/4	3,074.25	1/4	2,523.84	1/4	1,972.46	1/4	1,424.27	1/4	879.38	1/4	327.20	1/4		1/4		1/4	
1/2	3,613.88	1/2	3,062.80	1/2	2,512.35	1/2	1,960.97	1/2	1,412.99	1/2	867.88	1/2	315.70	1/2		1/2		1/2	
3/4	3,602.39	3/4	3,051.34	3/4	2,500.86	3/4	1,949.48	3/4	1,401.72	3/4	856.37	3/4	304.19	3/4		3/4		3/4	
11	3,590.90	11	3,039.88	11	2,489.37	11	1,937.99	11	1,390.45	11	844.87	11	292.70	11		11		11	
1/4	3,579.41	1/4	3,028.42	1/4	2,477.89	1/4	1,926.51	1/4	1,379.17	1/4	833.37	1/4	281.20	1/4		1/4		1/4	
1/2	3,567.92	1/2	3,016.96	1/2	2,466.40	1/2	1,915.02	1/2	1,367.90	1/2	821.86	1/2	269.70	1/2		1/2		1/2	
3/4	3,556.43	3/4	3,005.50	3/4	2,454.91	3/4	1,903.53	3/4	1,356.62	3/4	810.36	3/4	258.20	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/07/2012 CL - SW  
CALCULATED: 05/07/2012 CL  
PRINTED: 05/07/2012 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>