



BARGE "WEB 343"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/8	- 01-1/8
2 PORT	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-3/4	00-3/4	- 01-0/8	01-0/8	- 01-3/8	01-3/8	- 01-5/8	01-5/8
2 STBD	- 00-1/4	00-1/4	- 00-1/2	00-1/2	- 00-3/4	00-3/4	- 01-0/8	01-0/8	- 01-3/8	01-3/8	- 01-5/8	01-5/8
3 PORT	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
3 STBD	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
4 CENTER	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 PORT IS 00-1/2"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED ULLAGE IS 4'-00 1/2"

LENGTH BETWEEN DRAFT MARKS: 236'-00"

August 26, 2014

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "WEB 343"

**STBD
SLOP TANK**

**INNAGE TABLE
GAUGE HEIGHT 4'-01"**

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	715	0	1,430	0	2,145	0		0		0		0		0		0	
1/4	15	1/4	730	1/4	1,445	1/4	2,160	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	30	1/2	745	1/2	1,460	1/2	2,175	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	45	3/4	760	3/4	1,475	3/4	2,190	3/4		3/4		3/4		3/4		3/4		3/4	
1	60	1	775	1	1,490	1	2,205	1		1		1		1		1		1	
1/4	74	1/4	789	1/4	1,505	1/4	2,220	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	89	1/2	804	1/2	1,519	1/2	2,234	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	104	3/4	819	3/4	1,534	3/4	2,249	3/4		3/4		3/4		3/4		3/4		3/4	
2	119	2	834	2	1,549	2	2,264	2		2		2		2		2		2	
1/4	134	1/4	849	1/4	1,564	1/4	2,279	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	149	1/2	864	1/2	1,579	1/2	2,294	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164	3/4	879	3/4	1,594	3/4	2,309	3/4		3/4		3/4		3/4		3/4		3/4	
3	179	3	894	3	1,609	3	2,324	3		3		3		3		3		3	
1/4	194	1/4	909	1/4	1,624	1/4	2,339	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	209	1/2	924	1/2	1,639	1/2	2,354	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	223	3/4	938	3/4	1,653	3/4	2,368	3/4		3/4		3/4		3/4		3/4		3/4	
4	238	4	953	4	1,668	4	2,383	4		4		4		4		4		4	
1/4	253	1/4	968	1/4	1,683	1/4	2,398	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	268	1/2	983	1/2	1,698	1/2	2,413	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	283	3/4	998	3/4	1,713	3/4	2,428	3/4		3/4		3/4		3/4		3/4		3/4	
5	298	5	1,013	5	1,728	5	2,443	5		5		5		5		5		5	
1/4	313	1/4	1,028	1/4	1,743	1/4	2,458	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	328	1/2	1,043	1/2	1,758	1/2	2,473	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	343	3/4	1,058	3/4	1,773	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	358	6	1,073	6	1,788	6		6		6		6		6		6		6	
1/4	372	1/4	1,087	1/4	1,802	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	387	1/2	1,102	1/2	1,817	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	402	3/4	1,117	3/4	1,832	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	417	7	1,132	7	1,847	7		7		7		7		7		7		7	
1/4	432	1/4	1,147	1/4	1,862	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	447	1/2	1,162	1/2	1,877	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	462	3/4	1,177	3/4	1,892	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	477	8	1,192	8	1,907	8		8		8		8		8		8		8	
1/4	492	1/4	1,207	1/4	1,922	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	506	1/2	1,221	1/2	1,936	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	521	3/4	1,236	3/4	1,951	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	536	9	1,251	9	1,966	9		9		9		9		9		9		9	
1/4	551	1/4	1,266	1/4	1,981	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	566	1/2	1,281	1/2	1,996	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	581	3/4	1,296	3/4	2,011	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	596	10	1,311	10	2,026	10		10		10		10		10		10		10	
1/4	611	1/4	1,326	1/4	2,041	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	626	1/2	1,341	1/2	2,056	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	641	3/4	1,356	3/4	2,071	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	655	11	1,370	11	2,085	11		11		11		11		11		11		11	
1/4	670	1/4	1,385	1/4	2,100	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	685	1/2	1,400	1/2	2,115	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	700	3/4	1,415	3/4	2,130	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK
GAUGE POINT: TOP LIP OF 2 1/2" PIPE.

STRAPPED: 08/25/2014 SW
CALCULATED: 08/26/2014 CL
PRINTED: 08/26/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 343"

PORT SLOP TANK

INNAGE TABLE GAUGE HEIGHT 4'-01"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	715	0	1,430	0	2,145	0		0		0		0		0		0	
1/4	15	1/4	730	1/4	1,445	1/4	2,160	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	30	1/2	745	1/2	1,460	1/2	2,175	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	45	3/4	760	3/4	1,475	3/4	2,190	3/4		3/4		3/4		3/4		3/4		3/4	
1	60	1	775	1	1,490	1	2,205	1		1		1		1		1		1	
1/4	74	1/4	789	1/4	1,505	1/4	2,220	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	89	1/2	804	1/2	1,519	1/2	2,234	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	104	3/4	819	3/4	1,534	3/4	2,249	3/4		3/4		3/4		3/4		3/4		3/4	
2	119	2	834	2	1,549	2	2,264	2		2		2		2		2		2	
1/4	134	1/4	849	1/4	1,564	1/4	2,279	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	149	1/2	864	1/2	1,579	1/2	2,294	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	164	3/4	879	3/4	1,594	3/4	2,309	3/4		3/4		3/4		3/4		3/4		3/4	
3	179	3	894	3	1,609	3	2,324	3		3		3		3		3		3	
1/4	194	1/4	909	1/4	1,624	1/4	2,339	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	209	1/2	924	1/2	1,639	1/2	2,354	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	223	3/4	938	3/4	1,653	3/4	2,368	3/4		3/4		3/4		3/4		3/4		3/4	
4	238	4	953	4	1,668	4	2,383	4		4		4		4		4		4	
1/4	253	1/4	968	1/4	1,683	1/4	2,398	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	268	1/2	983	1/2	1,698	1/2	2,413	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	283	3/4	998	3/4	1,713	3/4	2,428	3/4		3/4		3/4		3/4		3/4		3/4	
5	298	5	1,013	5	1,728	5	2,443	5		5		5		5		5		5	
1/4	313	1/4	1,028	1/4	1,743	1/4	2,458	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	328	1/2	1,043	1/2	1,758	1/2	2,473	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	343	3/4	1,058	3/4	1,773	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6	358	6	1,073	6	1,788	6		6		6		6		6		6		6	
1/4	372	1/4	1,087	1/4	1,802	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	387	1/2	1,102	1/2	1,817	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	402	3/4	1,117	3/4	1,832	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7	417	7	1,132	7	1,847	7		7		7		7		7		7		7	
1/4	432	1/4	1,147	1/4	1,862	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	447	1/2	1,162	1/2	1,877	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	462	3/4	1,177	3/4	1,892	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8	477	8	1,192	8	1,907	8		8		8		8		8		8		8	
1/4	492	1/4	1,207	1/4	1,922	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	506	1/2	1,221	1/2	1,936	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	521	3/4	1,236	3/4	1,951	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9	536	9	1,251	9	1,966	9		9		9		9		9		9		9	
1/4	551	1/4	1,266	1/4	1,981	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	566	1/2	1,281	1/2	1,996	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	581	3/4	1,296	3/4	2,011	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10	596	10	1,311	10	2,026	10		10		10		10		10		10		10	
1/4	611	1/4	1,326	1/4	2,041	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	626	1/2	1,341	1/2	2,056	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	641	3/4	1,356	3/4	2,071	3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11	655	11	1,370	11	2,085	11		11		11		11		11		11		11	
1/4	670	1/4	1,385	1/4	2,100	1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2	685	1/2	1,400	1/2	2,115	1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4	700	3/4	1,415	3/4	2,130	3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK
GAUGE POINT: TOP LIP OF 2 1/2" PIPE.

STRAPPED: 08/25/2014 SW
CALCULATED: 08/26/2014 CL
PRINTED: 08/26/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 343"

FUEL TANK

INNAGE TABLE GAUGE HEIGHT 5'-10 3/4"

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	117	0	292	0	469	0	647	0	809	0		0		0		0	
1/4	1	1/4	121	1/4	295	1/4	473	1/4	651	1/4	812	1/4		1/4		1/4		1/4	
1/2	2	1/2	124	1/2	299	1/2	477	1/2	654	1/2	815	1/2		1/2		1/2		1/2	
3/4	2	3/4	128	3/4	303	3/4	481	3/4	658	3/4	817	3/4		3/4		3/4		3/4	
1	3	1	131	1	307	1	484	1	662	1	820	1		1		1		1	
1/4	4	1/4	135	1/4	310	1/4	488	1/4	666	1/4	823	1/4		1/4		1/4		1/4	
1/2	6	1/2	138	1/2	314	1/2	492	1/2	669	1/2	825	1/2		1/2		1/2		1/2	
3/4	7	3/4	142	3/4	318	3/4	495	3/4	673	3/4	828	3/4		3/4		3/4		3/4	
2	9	2	145	2	321	2	499	2	676	2	830	2		2		2		2	
1/4	10	1/4	149	1/4	325	1/4	503	1/4	680	1/4	832	1/4		1/4		1/4		1/4	
1/2	12	1/2	152	1/2	329	1/2	506	1/2	684	1/2	835	1/2		1/2		1/2		1/2	
3/4	14	3/4	156	3/4	332	3/4	510	3/4	687	3/4	837	3/4		3/4		3/4		3/4	
3	16	3	159	3	336	3	514	3	691	3	839	3		3		3		3	
1/4	18	1/4	163	1/4	340	1/4	518	1/4	695	1/4	841	1/4		1/4		1/4		1/4	
1/2	20	1/2	167	1/2	344	1/2	521	1/2	698	1/2	843	1/2		1/2		1/2		1/2	
3/4	22	3/4	170	3/4	347	3/4	525	3/4	702	3/4	845	3/4		3/4		3/4		3/4	
4	24	4	174	4	351	4	529	4	705	4	847	4		4		4		4	
1/4	27	1/4	177	1/4	355	1/4	532	1/4	709	1/4	849	1/4		1/4		1/4		1/4	
1/2	29	1/2	181	1/2	358	1/2	536	1/2	713	1/2	851	1/2		1/2		1/2		1/2	
3/4	31	3/4	185	3/4	362	3/4	540	3/4	716	3/4	852	3/4		3/4		3/4		3/4	
5	34	5	188	5	366	5	543	5	720	5	854	5		5		5		5	
1/4	36	1/4	192	1/4	370	1/4	547	1/4	723	1/4	855	1/4		1/4		1/4		1/4	
1/2	39	1/2	196	1/2	373	1/2	551	1/2	727	1/2	857	1/2		1/2		1/2		1/2	
3/4	41	3/4	199	3/4	377	3/4	555	3/4	730	3/4	858	3/4		3/4		3/4		3/4	
6	44	6	203	6	381	6	558	6	734	6	859	6		6		6		6	
1/4	46	1/4	207	1/4	384	1/4	562	1/4	737	1/4	860	1/4		1/4		1/4		1/4	
1/2	49	1/2	210	1/2	388	1/2	566	1/2	740	1/2	860	1/2		1/2		1/2		1/2	
3/4	52	3/4	214	3/4	392	3/4	569	3/4	744	3/4	861	3/4		3/4		3/4		3/4	
7	55	7	218	7	395	7	573	7	747	7		7		7		7		7	
1/4	58	1/4	221	1/4	399	1/4	577	1/4	751	1/4		1/4		1/4		1/4		1/4	
1/2	60	1/2	225	1/2	403	1/2	580	1/2	754	1/2		1/2		1/2		1/2		1/2	
3/4	63	3/4	229	3/4	407	3/4	584	3/4	757	3/4		3/4		3/4		3/4		3/4	
8	66	8	233	8	410	8	588	8	760	8		8		8		8		8	
1/4	69	1/4	236	1/4	414	1/4	592	1/4	764	1/4		1/4		1/4		1/4		1/4	
1/2	72	1/2	240	1/2	418	1/2	595	1/2	767	1/2		1/2		1/2		1/2		1/2	
3/4	75	3/4	244	3/4	421	3/4	599	3/4	770	3/4		3/4		3/4		3/4		3/4	
9	78	9	247	9	425	9	603	9	773	9		9		9		9		9	
1/4	81	1/4	251	1/4	429	1/4	606	1/4	777	1/4		1/4		1/4		1/4		1/4	
1/2	85	1/2	255	1/2	432	1/2	610	1/2	780	1/2		1/2		1/2		1/2		1/2	
3/4	88	3/4	258	3/4	436	3/4	614	3/4	783	3/4		3/4		3/4		3/4		3/4	
10	91	10	262	10	440	10	617	10	786	10		10		10		10		10	
1/4	94	1/4	266	1/4	444	1/4	621	1/4	789	1/4		1/4		1/4		1/4		1/4	
1/2	97	1/2	270	1/2	447	1/2	625	1/2	792	1/2		1/2		1/2		1/2		1/2	
3/4	101	3/4	273	3/4	451	3/4	629	3/4	795	3/4		3/4		3/4		3/4		3/4	
11	104	11	277	11	455	11	632	11	798	11		11		11		11		11	
1/4	107	1/4	281	1/4	458	1/4	636	1/4	801	1/4		1/4		1/4		1/4		1/4	
1/2	111	1/2	284	1/2	462	1/2	640	1/2	804	1/2		1/2		1/2		1/2		1/2	
3/4	114	3/4	288	3/4	466	3/4	643	3/4	806	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK
GAUGE POINT: TOP LIP OF 2 1/2" PIPE.

STRAPPED: 08/25/2014 SW
CALCULATED: 08/26/2014 CL
PRINTED: 08/26/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 343"

3 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 18'-03 3/4"

Table with 18 columns (IN, 10 FT., IN, 11 FT., IN, 12 FT., IN, 13 FT., IN, 14 FT., IN, 15 FT., IN, 16 FT., IN, 17 FT., IN, 18 FT., IN, 19 FT.) and 49 rows of capacity and height data.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/25/2014 SW
CALCULATED: 08/26/2014 CL
PRINTED: 08/26/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net





BARGE "WEB 343"

2 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 18'-04"

Table with columns for gauge height (IN) and capacity (0 to 10) for tank sections 10 FT. to 19 FT. Each section has 12 rows for gauge heights 0, 1/4, 1/2, and 3/4.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/25/2014 SW
CALCULATED: 08/26/2014 CL
PRINTED: 08/26/2014 CL

CANCELS AND SUPERCEDES
ALL PRIOR TO 08/2014

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net

Signature of Paul J. ...



BARGE "WEB 343"

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 18'-03 1/2"

Table with columns for height (0 FT to 11 FT) and gauge height (1/4, 1/2, 3/4). Values represent capacity in barrels.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE
GAUGE POINT: (HERMETIC) LOCATED 10'-06" OFF CENTERLINE AND 29'-00" FORWARD OF AFT BULKHEAD

PRECISION MEASUREMENT & ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net



