



BARGE "WEB 348"

STBD SLOP TANK

INNAGE TABLE GAUGE HEIGHT 4'-00"

CAPACITIES GIVEN IN WHOLE GALLONS

| | 0 FT. | | 1 FT. | | 2 FT. | | 3 FT. | | 4 FT. | | 5 FT. | | 6 FT. | | 7 FT. | | 8 FT. | | 9 FT. | |
|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| 0 | 0 | 0 | 711 | 0 | 1,422 | 0 | 2,134 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1/4 | 15 | 1/4 | 726 | 1/4 | 1,437 | 1/4 | 2,148 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 30 | 1/2 | 741 | 1/2 | 1,452 | 1/2 | 2,163 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 44 | 3/4 | 756 | 3/4 | 1,467 | 3/4 | 2,178 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 1 | 59 | 1 | 771 | 1 | 1,482 | 1 | 2,193 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1/4 | 74 | 1/4 | 785 | 1/4 | 1,497 | 1/4 | 2,208 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 89 | 1/2 | 800 | 1/2 | 1,511 | 1/2 | 2,223 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 104 | 3/4 | 815 | 3/4 | 1,526 | 3/4 | 2,237 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 2 | 119 | 2 | 830 | 2 | 1,541 | 2 | 2,252 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1/4 | 133 | 1/4 | 845 | 1/4 | 1,556 | 1/4 | 2,267 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 148 | 1/2 | 859 | 1/2 | 1,571 | 1/2 | 2,282 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 163 | 3/4 | 874 | 3/4 | 1,585 | 3/4 | 2,297 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 3 | 178 | 3 | 889 | 3 | 1,600 | 3 | 2,311 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1/4 | 193 | 1/4 | 904 | 1/4 | 1,615 | 1/4 | 2,326 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 207 | 1/2 | 919 | 1/2 | 1,630 | 1/2 | 2,341 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 222 | 3/4 | 934 | 3/4 | 1,645 | 3/4 | 2,356 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 4 | 237 | 4 | 948 | 4 | 1,660 | 4 | 2,371 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1/4 | 252 | 1/4 | 963 | 1/4 | 1,674 | 1/4 | 2,386 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 267 | 1/2 | 978 | 1/2 | 1,689 | 1/2 | 2,400 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 282 | 3/4 | 993 | 3/4 | 1,704 | 3/4 | 2,415 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 5 | 296 | 5 | 1,008 | 5 | 1,719 | 5 | 2,430 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1/4 | 311 | 1/4 | 1,022 | 1/4 | 1,734 | 1/4 | 2,445 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 326 | 1/2 | 1,037 | 1/2 | 1,748 | 1/2 | 2,460 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 341 | 3/4 | 1,052 | 3/4 | 1,763 | 3/4 | 2,474 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 6 | 356 | 6 | 1,067 | 6 | 1,778 | 6 | 2,489 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1/4 | 371 | 1/4 | 1,082 | 1/4 | 1,793 | 1/4 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 385 | 1/2 | 1,097 | 1/2 | 1,808 | 1/2 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 400 | 3/4 | 1,111 | 3/4 | 1,823 | 3/4 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 7 | 415 | 7 | 1,126 | 7 | 1,837 | 7 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1/4 | 430 | 1/4 | 1,141 | 1/4 | 1,852 | 1/4 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 445 | 1/2 | 1,156 | 1/2 | 1,867 | 1/2 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 459 | 3/4 | 1,171 | 3/4 | 1,882 | 3/4 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 8 | 474 | 8 | 1,185 | 8 | 1,897 | 8 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1/4 | 489 | 1/4 | 1,200 | 1/4 | 1,911 | 1/4 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 504 | 1/2 | 1,215 | 1/2 | 1,926 | 1/2 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 519 | 3/4 | 1,230 | 3/4 | 1,941 | 3/4 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 9 | 534 | 9 | 1,245 | 9 | 1,956 | 9 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1/4 | 548 | 1/4 | 1,260 | 1/4 | 1,971 | 1/4 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 563 | 1/2 | 1,274 | 1/2 | 1,985 | 1/2 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 578 | 3/4 | 1,289 | 3/4 | 2,000 | 3/4 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 10 | 593 | 10 | 1,304 | 10 | 2,015 | 10 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1/4 | 608 | 1/4 | 1,319 | 1/4 | 2,030 | 1/4 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 622 | 1/2 | 1,334 | 1/2 | 2,045 | 1/2 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 637 | 3/4 | 1,348 | 3/4 | 2,060 | 3/4 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 11 | 652 | 11 | 1,363 | 11 | 2,074 | 11 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1/4 | 667 | 1/4 | 1,378 | 1/4 | 2,089 | 1/4 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 682 | 1/2 | 1,393 | 1/2 | 2,104 | 1/2 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 697 | 3/4 | 1,408 | 3/4 | 2,119 | 3/4 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
 CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK
 GAUGE POINT: TOP LIP OPPOSITE HINGE OF MANWAY.

STRAPPED: 04/29/2015 SW
 CALCULATED: 04/30/2015 CL
 PRINTED: 04/30/2015 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 04/2015

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 348"

PORT SLOP TANK

INNAGE TABLE GAUGE HEIGHT 4'-00"

CAPACITIES GIVEN IN WHOLE GALLONS

| | 0 FT. | 1 FT. | 2 FT. | 3 FT. | 4 FT. | 5 FT. | 6 FT. | 7 FT. | 8 FT. | 9 FT. |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0 | 0 | 711 | 1,422 | 2,134 | 0 | 0 | 0 | 0 | 0 | 0 |
| 1/4 | 15 | 726 | 1,437 | 2,148 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 30 | 741 | 1,452 | 2,163 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 44 | 756 | 1,467 | 2,178 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 1 | 59 | 771 | 1,482 | 2,193 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1/4 | 74 | 785 | 1,497 | 2,208 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 89 | 800 | 1,511 | 2,223 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 104 | 815 | 1,526 | 2,237 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 2 | 119 | 830 | 1,541 | 2,252 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1/4 | 133 | 845 | 1,556 | 2,267 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 148 | 859 | 1,571 | 2,282 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 163 | 874 | 1,585 | 2,297 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 3 | 178 | 889 | 1,600 | 2,311 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1/4 | 193 | 904 | 1,615 | 2,326 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 207 | 919 | 1,630 | 2,341 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 222 | 934 | 1,645 | 2,356 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 4 | 237 | 948 | 1,660 | 2,371 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1/4 | 252 | 963 | 1,674 | 2,386 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 267 | 978 | 1,689 | 2,400 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 282 | 993 | 1,704 | 2,415 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 5 | 296 | 1,008 | 1,719 | 2,430 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1/4 | 311 | 1,022 | 1,734 | 2,445 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 326 | 1,037 | 1,748 | 2,460 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 341 | 1,052 | 1,763 | 2,474 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 6 | 356 | 1,067 | 1,778 | 2,489 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1/4 | 371 | 1,082 | 1,793 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 385 | 1,097 | 1,808 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 400 | 1,111 | 1,823 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 7 | 415 | 1,126 | 1,837 | | 7 | 7 | 7 | 7 | 7 | 7 |
| 1/4 | 430 | 1,141 | 1,852 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 445 | 1,156 | 1,867 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 459 | 1,171 | 1,882 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 8 | 474 | 1,185 | 1,897 | | 8 | 8 | 8 | 8 | 8 | 8 |
| 1/4 | 489 | 1,200 | 1,911 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 504 | 1,215 | 1,926 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 519 | 1,230 | 1,941 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 9 | 534 | 1,245 | 1,956 | | 9 | 9 | 9 | 9 | 9 | 9 |
| 1/4 | 548 | 1,260 | 1,971 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 563 | 1,274 | 1,985 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 578 | 1,289 | 2,000 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 10 | 593 | 1,304 | 2,015 | | 10 | 10 | 10 | 10 | 10 | 10 |
| 1/4 | 608 | 1,319 | 2,030 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 622 | 1,334 | 2,045 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 637 | 1,348 | 2,060 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 11 | 652 | 1,363 | 2,074 | | 11 | 11 | 11 | 11 | 11 | 11 |
| 1/4 | 667 | 1,378 | 2,089 | | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 682 | 1,393 | 2,104 | | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 697 | 1,408 | 2,119 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
 CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK
 GAUGE POINT: TOP LIP OPPOSITE HINGE OF MANWAY.

STRAPPED: 04/29/2015 SW
 CALCULATED: 04/30/2015 CL
 PRINTED: 04/30/2015 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 04/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "WEB 348"

FUEL TANK

INNAGE TABLE GAUGE HEIGHT 4'-03 1/4"

CAPACITIES GIVEN IN WHOLE GALLONS

| | 0 FT. | 1 FT. | 2 FT. | 3 FT. | 4 FT. | 5 FT. | 6 FT. | 7 FT. | 8 FT. | 9 FT. |
|-----|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 0 | 0 | 146 | 373 | 599 | | | | | | |
| 1/4 | 1 | 150 | 378 | 603 | | | | | | |
| 1/2 | 2 | 155 | 383 | 607 | | | | | | |
| 3/4 | 3 | 159 | 388 | 611 | | | | | | |
| 1 | 4 | 163 | 393 | 615 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1/4 | 6 | 168 | 398 | 620 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 7 | 172 | 403 | 624 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 9 | 177 | 408 | 628 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 2 | 11 | 181 | 413 | 632 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1/4 | 13 | 186 | 417 | 635 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 15 | 190 | 422 | 639 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 17 | 195 | 427 | 643 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 3 | 19 | 199 | 432 | 647 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1/4 | 22 | 204 | 437 | 651 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 25 | 209 | 442 | 654 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 27 | 213 | 447 | 658 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 4 | 30 | 218 | 452 | 662 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1/4 | 33 | 223 | 457 | 665 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 36 | 227 | 461 | 669 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 38 | 232 | 466 | 672 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 5 | 41 | 237 | 471 | 676 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1/4 | 44 | 242 | 476 | 679 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 48 | 246 | 481 | 682 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 51 | 251 | 485 | 686 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 6 | 54 | 256 | 490 | 689 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1/4 | 57 | 261 | 495 | 692 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 61 | 265 | 500 | 695 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 64 | 270 | 504 | 698 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 7 | 68 | 275 | 509 | 701 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1/4 | 71 | 280 | 514 | 704 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 75 | 285 | 518 | 707 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 78 | 290 | 523 | 709 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 8 | 82 | 295 | 528 | 712 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1/4 | 86 | 299 | 532 | 714 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 89 | 304 | 537 | 717 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 93 | 309 | 542 | 719 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 9 | 97 | 314 | 546 | 722 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1/4 | 101 | 319 | 551 | 724 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 105 | 324 | 555 | 726 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 109 | 329 | 560 | 728 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 10 | 113 | 334 | 564 | 729 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1/4 | 117 | 339 | 568 | 731 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 121 | 344 | 573 | 732 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 125 | 348 | 577 | 734 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |
| 11 | 129 | 353 | 582 | 735 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1/4 | 133 | 358 | 586 | 736 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 | 1/4 |
| 1/2 | 138 | 363 | 590 | 736 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 | 1/2 |
| 3/4 | 142 | 368 | 595 | | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 | 3/4 |

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK
 CAPACITY TABLE IS SCALED FROM THE BOTTOM OF TANK
 GAUGE POINT: TOP LIP OPPOSITE HINGE OF MANWAY.

STRAPPED: 04/29/2015 SW
 CALCULATED: 04/30/2015 CL
 PRINTED: 04/30/2015 CL

CANCELS AND SUPERCEDES
 ALL PRIOR TO 04/2015

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>